

commerce in the United States must petition for and be granted a waiver prior to the distribution in commerce of that product in the United States. Manufacturers may also submit a request for interim waiver pursuant to the requirements of 10 CFR 430.27.

### III. Consultations with Other Agencies

In accordance with 10 CFR 430.27(f)(2), DOE consulted with the Federal Trade Commission (“FTC”) staff concerning the Huawei petition for waiver. The FTC staff did not have any objections to granting a waiver to Huawei.

### IV. Order

After careful consideration of all the material that was submitted by Huawei in this matter, DOE grants a waiver regarding the below specified basic models. Therefore, in accordance with 10 CFR 430.27, it is **ORDERED** that:

(1) Huawei must test and rate Huawei brand EPS basic models HW–200200UPX, HW–200300UPX, HW–200325UPX, HW–200500UPX in accordance with the alternate test procedure as set forth in paragraph (2) of this section.

(2) The alternate test procedure for the Huawei basic models listed in paragraph (1) of this section of this Order is the test procedure for EPSs prescribed by DOE at Appendix Z, except that under section 4(a)(i)(E) and Table 1 of Appendix Z, the adaptive EPSs must be tested such that when testing at the lowest achievable output voltage (*i.e.*, 5V), the Nameplate Output Current shall be 2A (which corresponds to an output power of 10W at the 100% loading condition). The 75%, 50%, and 25% loading conditions shall be scaled accordingly and the nameplate output power of such an EPS, at the lowest output voltage, shall be equal to 10W.

(3) *Representations.* Huawei must make representations about the efficiency of the basic models identified in paragraph (1) of this section for compliance, marketing, or other purposes only to the extent that the basic model has been tested in accordance with the provisions set forth above and such representations fairly disclose the results of such testing in accordance with Appendix Z and 10 CFR 429.37.

(4) This waiver shall remain in effect according to the provisions of 10 CFR 430.27. This Decision and Order will terminate on the compliance date of any future updates to the test procedure for EPSs located in Appendix Z that address the issue presented in the waiver. At such time, testing to demonstrate compliance with standards,

and any other representations of energy use, will require manufacturers to use the relevant test procedure for these products.

(5) This waiver is issued on the condition that the statements, representations, and documentation provided by Huawei are valid. DOE may revoke or modify this waiver at any time if it determines the factual basis underlying the petition for waiver is incorrect, or the results from the alternate test procedure are unrepresentative of the basic models’ true energy consumption characteristics. 10 CFR 430.27(k)(1). Likewise, Huawei may request that DOE rescind or modify the waiver if Huawei discovers an error in the information provided to DOE as part of its petition, determines that the waiver is no longer needed, or for other appropriate reasons. 10 CFR 430.27(k)(2).

(6) Granting of this waiver does not release Huawei from the certification requirements set forth at 10 CFR part 429.

Signed in Washington, DC, on May 23, 2018.

Kathleen B. Hogan,  
Deputy Assistant Secretary for Energy  
Efficiency, Energy Efficiency and Renewable  
Energy.

[FR Doc. 2018–11793 Filed 5–31–18; 8:45 am]

**BILLING CODE 6450–01–P**

## DEPARTMENT OF ENERGY

### Agency Information Collection Extension

**AGENCY:** National Nuclear Security Administration, U.S. Department of Energy.

**ACTION:** Notice and request for comments.

**SUMMARY:** The Department of Energy (DOE), pursuant to the Paperwork Reduction Act of 1995, intends to extend for three years an information collection request with the Office of Management and Budget (OMB).

**DATES:** Comments regarding this proposed information collection must be received on or before July 31, 2018. If you anticipate difficulty in submitting comments within that period, contact the person listed below as soon as possible.

**ADDRESSES:** Written comments may be sent by email to [part810@nnsa.doe.gov](mailto:part810@nnsa.doe.gov). Include “Paperwork Reduction Act” in the subject line. Comments can also be sent by fax at (202) 586–6789 or by mail to Katie Strangis, Policy Advisor, Office

of Nonproliferation and Arms Control, NA–24, National Nuclear Security Administration, Department of Energy, 1000 Independence Avenue SW, Room 7F–075, Washington, DC 20585. Due to potential delays in DOE’s receipt and processing of mail sent through the U.S. Postal Service, DOE encourages responders to submit comments electronically to ensure timely receipt.

### FOR FURTHER INFORMATION CONTACT:

Additional information on DOE’s regulation of assistance to foreign atomic energy activities pursuant to 10 CFR part 810 is available at <https://www.energy.gov/nnsa/10-cfr-part-810>. For other questions, contact Katie Strangis, Policy Advisor, Office of Nonproliferation and Arms Control, NA–24, National Nuclear Security Administration, Department of Energy, 1000 Independence Avenue SW, Room 7F–075, Washington, DC 20585, telephone (202) 586–8623.

**SUPPLEMENTARY INFORMATION:** This information collection request contains:

(1) *OMB No.* A1901–0263; (2) *Information Collection Request Title:* Assistance to Foreign Atomic Energy Activities; (3) *Type of Review:* Extension; (4) *Purpose:* This collection of information is necessary in order to provide the Secretary of Energy with the appropriate information needed to make informed determinations regarding requests to directly or indirectly engage or participate in the development or production of special nuclear material outside the United States; (5) *Annual Estimated Number of Respondents:* 89; (6) *Annual Estimated Number of Total Responses:* 596; (7) *Annual Estimated Number of Burden Hours:* 1,788; (8) *Annual Estimated Reporting and Recordkeeping Cost Burden:* \$178,600. Comments are invited on: (a) Whether the extended collection of information is necessary for the proper performance of the functions of the agency, including whether the information shall have practical utility; (b) the accuracy of the agency’s estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used; (c) ways to enhance the quality, utility, and clarity of the information to be collected; and (d) ways to minimize the burden of the collection of information on respondents, including through the use of automated collection techniques or other forms of information technology.

*Statutory Authority:* Section 57 b.(2) of the Atomic Energy Act (AEA) of 1954 and Section 161(c) of the AEA.

Issued in Washington, DC, on May 25, 2018.

**Sean Oehlbert,**

*Acting Policy Director, Office of Nonproliferation and Arms Control, Department of Energy's National Nuclear Security Administration.*

[FR Doc. 2018-11787 Filed 5-31-18; 8:45 am]

**BILLING CODE 6450-01-P**

## **ENVIRONMENTAL PROTECTION AGENCY**

**[FRL-9978-77-ORD]**

### **Ambient Air Monitoring Reference and Equivalent Methods; Designation of One New Reference Method**

**AGENCY:** Office of Research and Development; Environmental Protection Agency.

**ACTION:** Notice of the designation of a new reference method for monitoring ambient air quality.

**SUMMARY:** Notice is hereby given that the Environmental Protection Agency (EPA) has designated one new reference method for measuring concentrations of nitrogen dioxide (NO<sub>2</sub>) in ambient air.

**FOR FURTHER INFORMATION CONTACT:** Robert Vanderpool, Exposure Methods and Measurement Division (MD-D205-03), National Exposure Research Laboratory, U.S. EPA, Research Triangle Park, North Carolina 27711. Phone: 919-541-7877. Email: [Vanderpool.Robert@epa.gov](mailto:Vanderpool.Robert@epa.gov).

**SUPPLEMENTARY INFORMATION:** In accordance with regulations at 40 CFR part 53, the EPA evaluates various methods for monitoring the concentrations of those ambient air pollutants for which EPA has established National Ambient Air Quality Standards (NAAQS) as set forth in 40 CFR part 50. Monitoring methods that are determined to meet specific requirements for adequacy are designated by the EPA as either reference or equivalent methods (as applicable), thereby permitting their use under 40 CFR part 58 by States and other agencies for determining compliance with the NAAQS. A list of all reference or equivalent methods that have been previously designated by EPA may be found at <http://www.epa.gov/ttn/amtic/criteria.html>.

The EPA hereby announces the designation of one new reference method for measuring concentrations of NO<sub>2</sub> in ambient air. This designation is made under the provisions of 40 CFR part 53, as amended on October 26, 2015 (80 FR 65291-65468).

The new reference method for NO<sub>2</sub> is an automated method (analyzer)

utilizing the measurement principle based on gas phase chemiluminescence. This newly designated reference method is identified as follows:

RFNA-0418-250, "Sabio Model 6040 Ambient NO/NO<sub>2</sub>/NO<sub>x</sub> Analyzer", operated in the measurement range of 0-0.5 PPM, at any ambient temperature in the range of 5-40 °C, within a line voltage range determined by the selected optional pump [115 VAC external pump: 105-125 VAC (60 Hz); 230 VAC external pump: 210-250 VAC (50-60 Hz); 24 VDC internal pump: 90-260 VAC (50-60 Hz)], at any sample flow rate in the range of 0.50-0.75 L/min, in accordance with the "Sabio Model 6040 Ambient NO/NO<sub>2</sub>/NO<sub>x</sub> Analyzer Instruction Manual", with or without optional zero/span ports for external calibration, and with or without an optional inlet filter.

This application for a reference method determination for this NO<sub>2</sub> method was received by the Office of Research and Development on March 28, 2018. This analyzer is commercially available from the applicant, Sutron Corporation, 21 Cypress Blvd., Suite 1130, Round Rock, TX 78665.

A representative test analyzer was tested in accordance with the applicable test procedures specified in 40 CFR part 53, as amended on October 26, 2015. After reviewing the results of those tests and other information submitted by the applicant, EPA has determined, in accordance with part 53, that this method should be designated as a reference method.

As a designated reference method, this method is acceptable for use by states and other air monitoring agencies under the requirements of 40 CFR part 58, Ambient Air Quality Surveillance. For such purposes, this method must be used in strict accordance with the operation or instruction manual associated with the method and subject to any specifications and limitations (e.g., configuration or operational settings) specified in the designated method description (see the identification of the method above).

Use of the method also should be in general accordance with the guidance and recommendations of applicable sections of the "Quality Assurance Handbook for Air Pollution Measurement Systems, Volume I," EPA/600/R-94/038a and "Quality Assurance Handbook for Air Pollution Measurement Systems, Volume II, Ambient Air Quality Monitoring Program," EPA-454/B-13-003, (both available at <http://www.epa.gov/ttn/amtic/qalist.html>). Provisions concerning modification of such methods by users are specified under

Section 2.8 (Modifications of Methods by Users) of Appendix C to 40 CFR part 58.

Consistent or repeated noncompliance with any of these conditions should be reported to: Director, Exposure Methods and Measurement Division (MD-E205-01), National Exposure Research Laboratory, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711.

Designation of this reference method is intended to assist the States in establishing and operating their air quality surveillance systems under 40 CFR part 58. Questions concerning the commercial availability or technical aspects of the method should be directed to the applicant.

Dated: May 21, 2018.

**Timothy Watkins,**

*Director, National Exposure Research Laboratory.*

[FR Doc. 2018-11832 Filed 5-31-18; 8:45 am]

**BILLING CODE 6560-50-P**

## **ENVIRONMENTAL PROTECTION AGENCY**

**[ER-FRL-9039-6]**

### **Environmental Impact Statements; Notice of Availability**

*Responsible Agency:* Office of Federal Activities, General Information (202) 564-7156 or <https://www2.epa.gov/nepa/>.

Weekly receipt of Environmental Impact Statements  
Filed 05/21/2018 Through 05/25/2018  
Pursuant to 40 CFR 1506.9.

#### **Notice**

Section 309(a) of the Clean Air Act requires that EPA make public its comments on EISs issued by other Federal agencies. EPA's comment letters on EISs are available at: <https://cdxnodengn.epa.gov/cdx-enepa-public/action/eis/search>.

EIS No. 20180111, Draft, NMFS, NAT, Draft Environmental Impact Statement for Issuing Annual Catch Limits to the Alaska Eskimo Whaling Commission for a Subsistence Hunt on Bowhead Whales for the Years 2019 and Beyond, Comment Period Ends: 07/24/2018, Contact: John Henderschedt, 301-427-8385.

EIS No. 20180112, Draft, FHWA, NY, Hunts Point Interstate Access Improvement Project, Comment Period Ends: 07/16/2018, Contact: Erik Koester, 718-482-4683.

EIS No. 20180113, Draft, CBP, ID, Bog Creek Road Project, Comment Period