

Proposed Rules

Federal Register

Vol. 83, No. 137

Tuesday, July 17, 2018

This section of the FEDERAL REGISTER contains notices to the public of the proposed issuance of rules and regulations. The purpose of these notices is to give interested persons an opportunity to participate in the rule making prior to the adoption of the final rules.

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2018-0554; Product Identifier 2018-NM-064-AD]

RIN 2120-AA64

Airworthiness Directives; Airbus Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for certain Airbus Model A318 series airplanes; Model A319 series airplanes; Model A320 series airplanes; and Model A321-111, -112, -131, -211, -212, -213, -231, -232, -251N, -253N, and -271N airplanes. This proposed AD was prompted by a revision of an airworthiness limitation item (ALI) document, which requires more restrictive maintenance requirements and airworthiness limitations. This proposed AD would require revising the maintenance or inspection program, as applicable, to incorporate new maintenance requirements and airworthiness limitations. We are proposing this AD to address the unsafe condition on these products.

DATES: We must receive comments on this proposed AD by August 31, 2018.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.

- *Fax:* 202-493-2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5

p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact Airbus, Airworthiness Office—EIAS, Rond-Point Emile Dewoitine No: 2, 31700 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 44 51; email account.airworth-eas@airbus.com; internet <http://www.airbus.com>. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.

Examining the AD Docket

You may examine the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA-2018-0554; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the regulatory evaluation, any comments received, and other information. The street address for Docket Operations (phone: 800-647-5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Sanjay Ralhan, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206-231-3223.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the **ADDRESSES** section. Include “Docket No. FAA-2018-0554; Product Identifier 2018-NM-064-AD” at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this NPRM. We will consider all comments received by the closing date and may amend this NPRM because of those comments.

We will post all comments we receive, without change, to <http://www.regulations.gov>, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this NPRM.

Discussion

The European Aviation Safety Agency (EASA), which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2017-0168, dated September 7, 2017 (referred to after this as the Mandatory Continuing Airworthiness Information, or “the MCAI”), to correct an unsafe condition for certain Airbus Model A318 series airplanes; Model A319 series airplanes; Model A320 series airplanes; and Model A321-111, -112, -131, -211, -212, -213, -231, -232, -251N, -253N, and -271N airplanes. The MCAI states:

The airworthiness limitations for Airbus A320 family aeroplanes are currently defined and published in Airbus A318/A319/A320/A321 Airworthiness Limitations Section (ALS) documents. The airworthiness limitations applicable to the Certification Maintenance Requirements (CMR), which are approved by EASA, are published in ALS Part 3.

The instructions contained in the ALS Part 3 have been identified as mandatory actions for continued airworthiness. Failure to comply with these instructions could result in an unsafe condition.

Previously, EASA issued AD 2016-0092 [which corresponds to FAA AD 2017-25-04, Amendment 39-19118 (82 FR 58098, December 11, 2017) (“AD 2017-25-04”)], to require accomplishment of all maintenance tasks as described in ALS Part 3 at Revision 03. The new ALS Part 3 Revision 05 (hereafter referred to as “the ALS” in this [EASA] AD) includes new and/or more restrictive requirements and extends the applicability to model A320-251N, A320-271N, A321-251N, A321-253N and A321-271N aeroplanes.

For the reason described above, this [EASA] AD retains the requirements of EASA AD 2016-0092, which is superseded, and requires accomplishment of all maintenance tasks as described in the ALS.

The unsafe condition is a safety-significant latent failure (that is not annunciated), which, in combination with one or more other specific failures or events, could result in a hazardous or catastrophic failure condition. You may examine the MCAI in the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA-2018-0554.

Relationship Between Proposed AD and AD 2017-25-04

This NPRM does not propose to supersede AD 2017-25-04. Rather, we have determined that a stand-alone AD would be more appropriate to address

the changes in the MCAI. This proposed AD would require revising the maintenance or inspection program, as applicable, to incorporate new maintenance requirements and airworthiness limitations.

Accomplishment of the proposed actions would then terminate all of the requirements of AD 2017–25–04.

Related Service Information Under 1 CFR Part 51

Airbus has issued Airbus A318/A319/A320/A321 Airworthiness Limitations Section (ALS) Part 3, Certification Maintenance Requirements (CMR), Revision 05, dated April 6, 2017. The service information describes maintenance instructions and airworthiness limitations, including updated inspections and intervals to be incorporated into the maintenance or inspection program. This service information is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the **ADDRESSES** section.

FAA's Determination

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to our bilateral agreement with the State of Design Authority, we have been notified of the unsafe condition described in the MCAI and service information referenced above. We are proposing this AD because we evaluated all the relevant information and determined the unsafe condition described previously is likely to exist or develop on other products of these same type designs.

Proposed AD Requirements

This proposed AD would require revising the maintenance or inspection program to incorporate new or revised airworthiness limitation requirements, except as discussed under "Differences Between this Proposed AD and the MCAI."

This proposed AD would require revisions to certain operator maintenance documents to include new actions (e.g., inspections). Compliance with these actions is required by 14 CFR 91.403(c). For airplanes that have been previously modified, altered, or repaired in the areas addressed by this proposed AD, the operator may not be able to accomplish the actions described in the revisions. In this situation, to comply with 14 CFR 91.403(c), the operator must request approval for an alternative method of compliance according to paragraph (j)(1) of this proposed AD.

The request should include a description of changes to the required inspections that will ensure the continued operational safety of the airplane.

Airworthiness Limitations Based on Type Design

The FAA recently became aware of an issue related to the applicability of ADs that require incorporation of an ALS revision into an operator's maintenance or inspection program.

Typically, when these types of ADs are issued by civil aviation authorities of other countries, they apply to all airplanes covered under an identified type certificate (TC). The corresponding FAA AD typically retains applicability to all of those airplanes.

In addition, U.S. operators must operate their airplanes in an airworthy condition, in accordance with 14 CFR 91.7(a). Included in this obligation is the requirement to perform any maintenance or inspections specified in the ALS, and in accordance with the ALS as specified in 14 CFR 43.16 and 91.403(c), unless an alternative has been approved by the FAA.

When a type certificate is issued for a type design, the specific ALS, including the current revision in effect, is a part of that type design, as specified in 14 CFR 21.31(c).

The sum effect of these operational and maintenance requirements is an obligation to comply with the ALS revision defined in the type design referenced in the manufacturer's conformity statement. This obligation may introduce a conflict with an AD that requires a specific ALS revision if new airplanes are delivered with a later revision as part of their type design. Note: When a new airplane is delivered with a later ALS revision, the revised ALS must correct the unsafe condition associated with an existing AD, as specified in 14 CFR 21.21(b)(2).

To address this conflict, the FAA has approved alternative methods of compliance (AMOCs) that allow operators to incorporate the most recent ALS revision (i.e., a later revision) into their maintenance/inspection programs, in lieu of the earlier ALS revision required by the AD. This eliminates the conflict and enables the operator to comply with both the AD and the type design.

However, compliance with AMOCs is normally optional, and we recently became aware that some operators choose to retain the AD-mandated ALS revision in their fleet-wide maintenance/inspection programs, including those for new airplanes delivered with later ALS revisions, to

help standardize the maintenance of the fleet. To ensure that operators comply with the applicable ALS revision for newly delivered airplanes containing a later revision than that specified in an AD, we plan to limit the applicability of ADs that mandate ALS revisions to those airplanes that are subject to an earlier revision of the ALS, either as part of the type design or as mandated by an earlier AD.

This proposed AD therefore would apply to Airbus Model A318 series airplanes; Model A319 series airplanes; Model A320 series airplanes; and Model A321–111, –112, –131, –211, –212, –213, –231, –232, –251N, –253N, and –271N airplanes with an original certificate of airworthiness or original export certificate of airworthiness that was issued on or before the date of the ALS revision identified in this proposed AD. Operators of airplanes with an original certificate of airworthiness or original export certificate of airworthiness issued after that date must comply with the airworthiness limitations specified as part of the approved type design and referenced on the type certificate data sheet.

Difference Between This Proposed AD and the MCAI

The MCAI specifies that if there are findings from the ALS inspection tasks, corrective actions must be accomplished in accordance with Airbus maintenance documentation. However, this proposed AD does not include that requirement. Operators of U.S.-registered airplanes are required by general airworthiness and operational regulations to perform maintenance using methods that are acceptable to the FAA. We consider those methods to be adequate to address any corrective actions necessitated by the findings of ALS inspections required by this proposed AD.

Costs of Compliance

We estimate that this proposed AD affects 1,250 airplanes of U.S. registry. We estimate the following costs to comply with this proposed AD:

We have determined that revising the maintenance or inspection program takes an average of 90 work-hours per operator, although we recognize that this number may vary from operator to operator. In the past, we have estimated that this action takes 1 work-hour per airplane. Since operators incorporate maintenance or inspection program changes for their affected fleet(s), we have determined that a per-operator estimate is more accurate than a per-airplane estimate. Therefore, we estimate the total cost per operator to be

\$7,650 (90 work-hours × \$85 per work-hour).

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: "General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

This proposed AD is issued in accordance with authority delegated by the Executive Director, Aircraft Certification Service, as authorized by FAA Order 8000.51C. In accordance with that order, issuance of ADs is normally a function of the Compliance and Airworthiness Division, but during this transition period, the Executive Director has delegated the authority to issue ADs applicable to transport category airplanes to the Director of the System Oversight Division.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

1. Is not a "significant regulatory action" under Executive Order 12866;
2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979);
3. Will not affect intrastate aviation in Alaska; and
4. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

- 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

- 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

Airbus: Docket No. FAA-2018-0554; Product Identifier 2018-NM-064-AD.

(a) Comments Due Date

We must receive comments by August 31, 2018.

(b) Affected ADs

This AD affects AD 2017-25-04, Amendment 39-19118 (82 FR 58098, December 11, 2017) ("AD 2017-25-04").

(c) Applicability

This AD applies to the Airbus airplanes identified in paragraphs (c)(1), (c)(2), (c)(3), and (c)(4) of this AD, certificated in any category, with an original certificate of airworthiness or original export certificate of airworthiness issued on or before April 6, 2017.

(1) Model A318-111, -112, -121, and -122 airplanes.

(2) Model A319-111, -112, -113, -114, -115, -131, -132, and -133 airplanes.

(3) Model A320-211, -212, -214, -216, -231, -232, -233, -251N, and -271N airplanes.

(4) Model A321-111, -112, -131, -211, -212, -213, -231, -232, -251N, -253N, and -271N airplanes.

(d) Subject

Air Transport Association (ATA) of America Code 05, Time Limits/Maintenance Checks.

(e) Reason

This AD was prompted by a revision of an airworthiness limitation item (ALI) document, which requires more restrictive maintenance requirements and airworthiness limitations. We are issuing this AD to address a safety-significant latent failure (that is not announced), which, in combination with one or more other specific failures or events, could result in a hazardous or catastrophic failure condition.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Revision of Maintenance or Inspection Program

Within 90 days after the effective date of this AD, revise the maintenance or inspection program, as applicable, to incorporate the information specified in Airbus A318/A319/A320/A321 Airworthiness Limitations Section (ALS) Part 3, Certification Maintenance Requirements (CMR), Revision 05, dated April 6, 2017 ("ALS Part 3 CMR, R5"). The initial compliance time for accomplishing the tasks specified in ALS Part 3 CMR, R5, is at the applicable time specified in ALS Part 3 CMR, R5, or within 90 days after the effective date of this AD, whichever occurs later.

(h) Terminating Actions for AD 2017-25-04

Accomplishing the actions required by paragraph (g) of this AD terminates all of the requirements of AD 2017-25-04.

(i) No Alternative Actions or Intervals

After the maintenance or inspection program, as applicable, has been revised as required by paragraph (g) of this AD, no alternative actions (e.g., inspections) or intervals may be used unless the actions or intervals are approved as an alternative method of compliance (AMOC) in accordance with the procedures specified in paragraph (j)(1) of this AD.

(j) Other FAA AD Provisions

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs):* The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the attention of the person identified in paragraph (k)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC-REQUESTS@faa.gov.

(i) Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(ii) AMOCs applicable previously for AD 2017-25-04 or AD 2014-22-08, Amendment 39-18013 (79 FR 67042, November 12, 2014) that require incorporation of ALS Part 3 CMR, R5, are considered approved as AMOCs for the corresponding provisions of this AD.

(2) *Contacting the Manufacturer:* For any requirement in this AD to obtain corrective actions from a manufacturer, the action must be accomplished using a method approved by The Manager, International Section, Transport Standards Branch, FAA; or the European Aviation Safety Agency (EASA); or Airbus's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.

(k) Related Information

(1) Refer to Mandatory Continuing Airworthiness Information (MCAI) EASA AD

2017–0168, dated September 7, 2017, for related information. This MCAI may be found in the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA–2018–0554.

(2) For more information about this AD, contact Sanjay Ralhan, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3223.

(3) For service information identified in this AD, contact Airbus, Airworthiness Office—EIAS, Rond-Point Emile Dewoitine No: 2, 31700 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 44 51; email account.airworth-eas@airbus.com; internet <http://www.airbus.com>. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

Issued in Des Moines, Washington, on June 19, 2018.

Michael Kaszycki,

Acting Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2018–13781 Filed 7–16–18; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA–2018–0582; Product Identifier 2018–NM–085–AD]

RIN 2120–AA64

Airworthiness Directives; The Boeing Company Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM); removal of airworthiness directive (AD).

SUMMARY: We propose to remove AD 93–14–19, which applies to certain The Boeing Company Model 767–200 and –300 series airplanes. AD 93–14–19 requires inspections for disbonding of the trailing edge wedge of the leading edge slot; and repair, if necessary. Since we issued AD 93–14–19, an updated stability and control analysis showed that the worst-case scenario of a trailing edge wedge disbond in-flight would not adversely affect the controllability of the airplane. Accordingly, we propose to remove AD 93–14–19.

DATES: We must receive comments on this proposed AD by August 31, 2018.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- **Federal eRulemaking Portal:** Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.

- **Fax:** 202–493–2251.

- **Mail:** U.S. Department of Transportation, Docket Operations, M–30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- **Hand Delivery:** Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

Examining the AD Docket

You may examine the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA–2018–0582; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this proposal, any comments received, and other information. The street address for Docket Operations (phone: 800–647–5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT:

Wayne Lockett, Aerospace Engineer, Airframe Section, FAA, Seattle ACO Branch, 2200 South 216th St., Des Moines, WA 98198; phone and fax: 206–231–3524; email: wayne.lockett@faa.gov.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the **ADDRESSES** section. Include “Docket No. FAA–2018–0582; Product Identifier 2018–NM–085–AD” at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this proposed AD. We will consider all comments received by the closing date and may amend this proposed AD because of those comments.

We will post all comments we receive, without change, to <http://www.regulations.gov>, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this proposed AD.

Discussion

We issued AD 93–14–19, Amendment 39–8644 (58 FR 41177, August 3, 1993) (“AD 93–14–19”), for certain The Boeing Company Model 767–200 and –300 series airplanes. AD 93–14–19

requires visual inspections and either “Coin Tap” inspections or ultrasonic inspections for disbonding of the trailing edge wedge of the leading edge slot, and repair, if necessary. AD 93–14–19 resulted from reports of wedge damage or disbonding; in two cases the damage resulted in loss of a portion of the trailing edge wedge. The trailing edge wedge disbonding was caused by moisture ingress at the wedge end seals and in the skin bonds along the spar chords. Moisture in the aluminum honeycomb core would cause corrosion that would eventually result in disbonding between the skin and the aluminum honeycomb core. We issued AD 93–14–19 to prevent the loss of a trailing edge wedge, which could result in reduced maneuver margins, reduced speed margins to stall, and unexpected roll before stall warning, all of which would adversely affect the controllability of the airplane.

Actions Since AD 93–14–19 Was Issued

Since we issued AD 93–14–19, an updated stability and control analysis showed that the worst-case scenario of a trailing edge wedge disbond in-flight would not adversely affect the controllability of the airplane. Simulation analysis shows that the airplane has sufficient lateral control up to the stick shaker to counter the rolling moment caused by a trailing edge wedge loss, at all flap settings. Therefore, the unsafe condition no longer exists on these products worldwide.

FAA’s Conclusions

Upon further consideration, we have determined that AD 93–14–19 must be removed. Accordingly, this proposed AD would remove AD 93–14–19. Removal of AD 93–14–19 would not preclude the FAA from issuing another related action or commit the FAA to any course of action in the future.

Related Costs of Compliance

AD 93–14–19 affects approximately 180 airplanes of U.S. registry. The estimated costs for the actions required by AD 93–14–19 for U.S. operators is \$79,200, or \$440 per airplane. Removing AD 93–14–19 would eliminate those costs.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA’s authority to issue rules on aviation safety. Subtitle I, Section 106, describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the Agency’s authority.