

History and Studies, for the Awards for Faculty grant program, submitted to the Division of Research Programs.

13. *Date:* July 29, 2019.

This meeting will discuss applications on the topic of Art Museums, for the Infrastructure and Capacity Building Challenge Grants program, submitted to the Office of Challenge Grants.

14. *Date:* July 31, 2019.

This meeting will discuss applications on the topic of Museums, for the Infrastructure and Capacity Building Challenge Grants program, submitted to the Office of Challenge Grants.

Because these meetings will include review of personal and/or proprietary financial and commercial information given in confidence to the agency by grant applicants, the meetings will be closed to the public pursuant to sections 552b(c)(4) and 552b(c)(6) of Title 5, U.S.C., as amended. I have made this determination pursuant to the authority granted me by the Chairman's Delegation of Authority to Close Advisory Committee Meetings dated April 15, 2016.

Dated: June 12, 2019.

**Elizabeth Voyatzis,**

*Committee Management Officer, National Endowment for the Humanities.*

[FR Doc. 2019-12701 Filed 6-14-19; 8:45 am]

**BILLING CODE 7536-01-P**

## NEIGHBORHOOD REINVESTMENT CORPORATION

### Sunshine Act Meetings; Annual Board of Directors Meeting

**TIME AND DATE:** 2:00 p.m., Thursday, June 27, 2019.

**PLACE:** NeighborWorks America—Gramlich Boardroom, 999 North Capitol Street NE, Washington, DC 20002.

**STATUS:** Open (with the exception of Executive Session).

**MATTERS TO BE CONSIDERED:** The General Counsel of the Corporation has certified that in his opinion, one or more of the exemptions set forth in 5 U.S.C. 552(b)(2) and (4) permit closure of the following portion(s) of this meeting:

- Report from CEO
- Board and Officer Elections

#### Agenda

- I. CALL TO ORDER
- II. Approval of Minutes
- III. Executive Session: Report from CEO
- IV. Executive Session: Board/Officer Elections
- V. Action Item Grants to Capital Corps
- VI. Discussion Item Audit Committee Report

VII. Discussion Item Investment Policy

VIII. Discussion Item Annual Ethics Review

IX. Discussion Item Client Management System

X. Discussion Item Preview of Federal Budget Process—FY2020 and FY2021

XI. Management Program Background and Updates

XII. Adjournment

#### CONTACT PERSON FOR MORE INFORMATION:

Rutledge Simmons, EVP & General Counsel/Secretary, (202) 760-4105; [Rsimmons@nrc.gov](mailto:Rsimmons@nrc.gov).

#### Rutledge Simmons,

*EVP & General Counsel/Corporate Secretary.*

[FR Doc. 2019-12907 Filed 6-13-19; 4:15 pm]

**BILLING CODE 7570-02-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52-025 and 52-026; NRC-2008-0252]

### Southern Nuclear Operating Company Inc; Vogtle Electric Generating Plant Units 3 and 4; Routing of Class 1E Division Cables Supporting Passive Containment Cooling

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption and combined license amendment; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is granting an exemption to allow a departure from the certification information of Tier 1 of the generic design control document (DCD) and is issuing License Amendment No. 161 for Unit 3 and No. 159 for Unit 4 to Combined Licenses (COLs), NPF-91 and NPF-92. The COLs were issued to Southern Nuclear Operating Company, Inc., and Georgia Power Company, Oglethorpe Power Corporation, MEAG Power SPVM, LLC, MEAG Power SPVJ, LLC, MEAG Power SPVP, LLC, and the City of Dalton, Georgia (collectively SNC); for construction and operation of the Vogtle Electric Generating Plant (VEGP) Units 3 and 4, located in Burke County, Georgia.

The granting of the exemption allows the changes to Tier 1 information asked for in the amendment. Because the acceptability of the exemption was determined in part by the acceptability of the amendment, the exemption and amendment are being issued concurrently.

**DATES:** The exemption and amendment were issued on May 20, 2019.

**ADDRESSES:** Please refer to Docket ID NRC-2008-0252 when contacting the

NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- **Federal Rulemaking Website:** Go to <http://www.regulations.gov> and search for Docket ID NRC-2008-0252. Address questions about NRC docket IDs in *Regulations.gov* to Jennifer Borges; telephone: 301-287-9127; email: [Jennifer.Borges@nrc.gov](mailto:Jennifer.Borges@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **NRC's Agencywide Documents Access and Management System (ADAMS):** You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "ADAMS Public Documents" and then select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document. The request for the amendment and exemption was designated License Amendment Request (LAR 18-028) and submitted by letter dated November 16, 2018, and supplemented January 24, 2019, and available in ADAMS under Accession Nos. ML18320A225 and ML19024A179.

- **NRC's PDR:** You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Peter C. Hearn, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-1189; email: [Peter.Hearn@NRC.gov](mailto:Peter.Hearn@NRC.gov).

#### SUPPLEMENTARY INFORMATION:

##### I. Introduction

The NRC issuing License Amendment Nos. 161 for Unit 3 and No. 159 for Unit 4 to COLs NPF-91 and NPF-92 and is granting an exemption from Tier 1 information in the plant-specific DCD for the AP1000. The AP1000 DCD is incorporated by reference in appendix D, "Design Certification Rule for the AP1000," to part 52 of title 10 of the *Code of Federal Regulations* (10 CFR). The exemption, granted pursuant to paragraph A.4 of section VIII, "Processes for Changes and

Departures,” of 10 CFR part 52, appendix D, allows the licensee to depart from the Tier 1 information. With the requested amendment, SNC sought proposed changes to Updated Final Safety Analysis Report Tier 2 information. The proposed amendment also involves related changes to plant-specific Tier 1 information, with corresponding changes to the associated COL Appendix C information. Specifically, the licensee requested changes to reflect revisions in the routing of Class 1E cables associated with the passive containment cooling system. Additionally, related consistency revisions in the safe shutdown evaluation divisional separation information are proposed.

Part of the justification for granting the exemption was provided by the review of the amendment. Because the exemption is necessary in order to issue the requested license amendment, the NRC granted the exemption and issued the amendment concurrently, rather than in sequence. This included issuing a combined safety evaluation containing the NRC staff's review of both the exemption request and the license amendment. The exemption met all applicable regulatory criteria set forth in §§ 50.12, 52.7, and section VIII.A.4 of appendix D to 10 CFR part 52. The license amendment was found to be acceptable as well. The combined safety evaluation is available in ADAMS under Accession No. ML19113A261.

Identical exemption documents (except for referenced unit numbers and license numbers) were issued to SNC for VEGP Units 3 and 4 (COLs NPF-91 and NPF-92). The exemption documents for VEGP Units 3 and 4 can be found in ADAMS under Accession Nos. ML19113A259 and ML19113A260, respectively. The exemption is reproduced (with the exception of abbreviated titles and additional citations) in Section II of this document. The amendment documents for COLs NPF-91 and NPF-92 are available in ADAMS under Accession Nos. ML19113A255 and ML19113A257, respectively. A summary of the amendment documents is provided in Section III of this document.

## II. Exemption

Reproduced below is the exemption document issued to VEGP Units 3 and Unit 4. It makes reference to the combined safety evaluation that provides the reasoning for the findings made by the NRC (and listed under Item 1) in order to grant the exemption:

1. In a letter dated November 16, 2018, and supplemented January 24, 2019, SNC requested from the

Commission an exemption to allow departures from Tier 1 information in the certified DCD incorporated by reference in 10 CFR part 52, appendix D, as part of license amendment request 18-028, “Routing of Class 1E Division Cables Supporting Passive Containment Cooling.”

For the reasons set forth in Section 3.2 of the NRC staff's Safety Evaluation, which can be found in ADAMS under Accession No. ML19113A261, the Commission finds that:

A. The exemption is authorized by law;

B. the exemption presents no undue risk to public health and safety;

C. the exemption is consistent with the common defense and security;

D. special circumstances are present in that the application of the rule in this circumstance is not necessary to serve the underlying purpose of the rule;

E. the special circumstances outweigh any decrease in safety that may result from the reduction in standardization caused by the exemption; and

F. the exemption will not result in a significant decrease in the level of safety otherwise provided by the design.

2. Accordingly, SNC is granted an exemption from the certified DCD Tier 1 information, with corresponding information in COL Appendix C of the Facility Combined License as described in the licensee's request dated November 16, 2018, and supplemented January 24, 2019. This exemption is related to, and necessary for the granting of License Amendment Nos. 161 and 159 which is being issued concurrently with this exemption.

3. As explained in Section 5.0 of the NRC staff's Safety Evaluation (ADAMS Accession No. ML19113A261), this exemption meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(9). Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment needs to be prepared in connection with the issuance of the exemption.

4. This exemption is effective as of the date of its issuance.

## III. License Amendment Request

By letter dated November 16, 2018, and supplemented by letter dated January 24, 2019, (ADAMS Accession Nos. ML18320A225 and ML19024A179). SNC requested that the NRC amend the COLs for VEGP, Units 3 and 4, COLs NPF-91 and NPF-92. The proposed amendment is described in Section I of this document.

The Commission has determined for these amendments that the application complies with the standards and

requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR chapter I, which are set forth in the license amendment.

A notice of consideration of issuance of amendment to facility operating license or COL, as applicable, proposed no significant hazards consideration determination, and opportunity for a hearing in connection with these actions, was published in the **Federal Register** on January 2, 2019 (84 FR 20). No comments were received during the 30-day comment period.

The Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments.

## IV. Conclusion

Using the reasons set forth in the combined safety evaluation, the staff granted the exemption and issued the amendment that SNC requested on November 16, 2018, and supplemented January 24, 2019.

The exemption and amendment were issued to SNC on May 20, 2019, as part of a combined package (ADAMS Accession No. ML19113A253).

Dated at Rockville, Maryland, this 12th day of June 2019.

For the Nuclear Regulatory Commission.

**Jennifer L. Dixon-Herrity**,  
Chief, Licensing Branch 2, Division of  
Licensing, Siting, and Environmental  
Analysis, Office of New Reactors.

[FR Doc. 2019-12675 Filed 6-14-19; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[NRC-2019-0001]

### Sunshine Act Meetings

**TIME AND DATE:** Weeks of June 17, 24, July 1, 8, 15, 22, 2019.

**PLACE:** Commissioners' Conference Room, 11555 Rockville Pike, Rockville, Maryland.

**STATUS:** Public and Closed.

**MATTERS TO BE CONSIDERED:**

**Week of June 17, 2019**

*Tuesday, June 18, 2019*

10:00 a.m.—Briefing on Human Capital and Equal Employment