

ESTIMATED ANNUALIZED BURDEN HOURS

Form name	Type of respondents	Number of respondents	Number of responses per respondent	Average burden per response (in hours)	Total annual burden hours requested
CRTP/MRSP Alumni Survey	Post Doctoral Students	704	1	20/60	235
Summer Internship Program Alumni Survey	Pre Doctoral Students ..	280	1	20/60	93
Graduate Medical Education Graduate Survey	Physicians	350	1	20/60	117
Clinical Electives Program 1 Year Alumni Surveys.	Physicians	100	1	20/60	33
Total	1,434	478

Dated: August 20, 2019.

Laura M. Lee,

Project Clearance Liaison, NIH Clinical Center, National Institutes of Health.

[FR Doc. 2019-18840 Filed 8-29-19; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

Current List of HHS-Certified Laboratories and Instrumented Initial Testing Facilities Which Meet Minimum Standards To Engage in Urine Drug Testing for Federal Agencies

AGENCY: Substance Abuse and Mental Health Services Administration, HHS.

ACTION: Notice

SUMMARY: The Department of Health and Human Services (HHS) notifies federal agencies of the laboratories and Instrumented Initial Testing Facilities (IITF) currently certified to meet the standards of the Mandatory Guidelines for Federal Workplace Drug Testing Programs (Mandatory Guidelines).

A notice listing all currently HHS-certified laboratories and IITFs is published in the **Federal Register** during the first week of each month. If any laboratory or IITF certification is suspended or revoked, the laboratory or IITF will be omitted from subsequent lists until such time as it is restored to full certification under the Mandatory Guidelines.

If any laboratory or IITF has withdrawn from the HHS National Laboratory Certification Program (NLCP) during the past month, it will be listed at the end and will be omitted from the monthly listing thereafter.

This notice is also available on the internet at <http://www.samhsa.gov/workplace>.

FOR FURTHER INFORMATION CONTACT: Charles LoDico, Division of Workplace Programs, SAMHSA/CSAP, 5600

Fishers Lane, Room 16N02C, Rockville, Maryland 20857; 240-276-2600 (voice).

SUPPLEMENTARY INFORMATION: The Department of Health and Human Services (HHS) notifies federal agencies of the laboratories and Instrumented Initial Testing Facilities (IITF) currently certified to meet the standards of the Mandatory Guidelines for Federal Workplace Drug Testing Programs (Mandatory Guidelines). The Mandatory Guidelines were first published in the **Federal Register** on April 11, 1988 (53 FR 11970), and subsequently revised in the **Federal Register** on June 9, 1994 (59 FR 29908); September 30, 1997 (62 FR 51118); April 13, 2004 (69 FR 19644); November 25, 2008 (73 FR 71858); December 10, 2008 (73 FR 75122); April 30, 2010 (75 FR 22809); and on January 23, 2017 (82 FR 7920).

The Mandatory Guidelines were initially developed in accordance with Executive Order 12564 and section 503 of Public Law 100-71. The “Mandatory Guidelines for Federal Workplace Drug Testing Programs,” as amended in the revisions listed above, requires strict standards that laboratories and IITFs must meet in order to conduct drug and specimen validity tests on urine specimens for federal agencies.

To become certified, an applicant laboratory or IITF must undergo three rounds of performance testing plus an on-site inspection. To maintain that certification, a laboratory or IITF must participate in a quarterly performance testing program plus undergo periodic, on-site inspections.

Laboratories and IITFs in the applicant stage of certification are not to be considered as meeting the minimum requirements described in the HHS Mandatory Guidelines. A HHS-certified laboratory or IITF must have its letter of certification from HHS/SAMHSA (formerly: HHS/NIDA), which attests that it has met minimum standards.

In accordance with the Mandatory Guidelines dated January 23, 2017 (82 FR 7920), the following HHS-certified laboratories and IITFs meet the minimum standards to conduct drug

and specimen validity tests on urine specimens:

HHS-Certified Instrumented Initial Testing Facilities

Dynacare, 6628 50th Street NW, Edmonton, AB Canada T6B 2N7, 780-784-1190, (Formerly: Gamma-Dynacare Medical Laboratories).

HHS-Certified Laboratories

- ACM Medical Laboratory, Inc., 160 Elmgrove Park, Rochester, NY 14624, 844-486-9226.
- Alere Toxicology Services, 1111 Newton St., Gretna, LA 70053, 504-361-8989/800-433-3823, (Formerly: Kroll Laboratory Specialists, Inc., Laboratory Specialists, Inc.).
- Alere Toxicology Services, 450 Southlake Blvd., Richmond, VA 23236, 804-378-9130, (Formerly: Kroll Laboratory Specialists, Inc., Scientific Testing Laboratories, Inc.; Kroll Scientific Testing Laboratories, Inc.).
- Baptist Medical Center-Toxicology Laboratory, 11401 I-30, Little Rock, AR 72209-7056, 501-202-2783, (Formerly: Forensic Toxicology Laboratory Baptist Medical Center).
- Clinical Reference Laboratory, Inc., 8433 Quivira Road, Lenexa, KS 66215-2802, 800-445-6917.
- Cordant Health Solutions, 2617 East L Street, Tacoma, WA 98421, 800-442-0438, (Formerly: STERLING Reference Laboratories).
- Desert Tox, LLC, 10221 North 32nd Street Suite J, Phoenix, AZ 85028, 602-457-5411.
- DrugScan, Inc., 200 Precision Road, Suite 200, Horsham, PA 19044, 800-235-4890.
- Dynacare, * 245 Pall Mall Street, London, ONT, Canada N6A 1P4, 519-

* The Standards Council of Canada (SCC) voted to end its Laboratory Accreditation Program for Substance Abuse (LAPSA) effective May 12, 1998. Laboratories certified through that program were accredited to conduct forensic urine drug testing as required by U.S. Department of Transportation (DOT) regulations. As of that date, the certification of those accredited Canadian laboratories will continue under DOT authority. The responsibility

679–1630, (Formerly: Gamma-Dynacare Medical Laboratories).
 ElSohly Laboratories, Inc., 5 Industrial Park Drive, Oxford, MS 38655, 662–236–2609,
 Laboratory Corporation of America Holdings, 7207 N Gessner Road, Houston, TX 77040, 713–856–8288/800–800–2387.
 Laboratory Corporation of America Holdings, 69 First Ave., Raritan, NJ 08869, 908–526–2400/800–437–4986, (Formerly: Roche Biomedical Laboratories, Inc.).
 Laboratory Corporation of America Holdings, 1904 TW Alexander Drive, Research Triangle Park, NC 27709, 919–572–6900/800–833–3984, (Formerly: LabCorp Occupational Testing Services, Inc., CompuChem Laboratories, Inc.; CompuChem Laboratories, Inc., A Subsidiary of Roche Biomedical Laboratory; Roche CompuChem Laboratories, Inc., A Member of the Roche Group).
 Laboratory Corporation of America Holdings, 1120 Main Street, Southaven, MS 38671, 866–827–8042/800–233–6339, (Formerly: LabCorp Occupational Testing Services, Inc.; MedExpress/National Laboratory Center).
 LabOne, Inc. d/b/a Quest Diagnostics, 10101 Renner Blvd., Lenexa, KS 66219, 913–888–3927/800–873–8845, (Formerly: Quest Diagnostics Incorporated; LabOne, Inc.; Center for Laboratory Services, a Division of LabOne, Inc.).
 Legacy Laboratory Services—MetroLab, 1225 NE 2nd Ave., Portland, OR 97232, 503–413–5295/800–950–5295.
 MedTox Laboratories, Inc., 402 W. County Road D, St. Paul, MN 55112, 651–636–7466/800–832–3244.
 Minneapolis Veterans Affairs Medical Center, Forensic Toxicology Laboratory, 1 Veterans Drive, Minneapolis, MN 55417, 612–725–2088, Testing for Veterans Affairs (VA) Employees Only.
 Pacific Toxicology Laboratories, 9348 DeSoto Ave., Chatsworth, CA 91311, 800–328–6942, (Formerly: Centinela Hospital Airport Toxicology Laboratory).
 Pathology Associates Medical Laboratories, 110 West Cliff Dr., Spokane, WA 99204, 509–755–8991/800–541–7891x7.

for conducting quarterly performance testing plus periodic on-site inspections of those LAPSA-accredited laboratories was transferred to the U.S. HHS, with the HHS' NLCP contractor continuing to have an active role in the performance testing and laboratory inspection processes. Other Canadian laboratories wishing to be considered for the NLCP may apply directly to the NLCP contractor just as U.S. laboratories do.

Phamatech, Inc., 15175 Innovation Drive, San Diego, CA 92128, 888–635–5840.
 Quest Diagnostics Incorporated, 1777 Montreal Circle, Tucker, GA 30084, 800–729–6432 (Formerly: SmithKline Beecham Clinical Laboratories; SmithKline Bio-Science Laboratories).
 Quest Diagnostics Incorporated, 400 Egypt Road, Norristown, PA 19403, 610–631–4600/877–642–2216, (Formerly: SmithKline Beecham Clinical Laboratories; SmithKline Bio-Science Laboratories).
 Redwood Toxicology Laboratory, 3700 Westwind Blvd., Santa Rosa, CA 95403, 800–255–2159.
 U.S. Army Forensic Toxicology Drug Testing Laboratory, 2490 Wilson St., Fort George G. Meade, MD 20755–5235, 301–677–7085, Testing for Department of Defense (DoD) Employees Only.

Upon finding a Canadian laboratory to be qualified, HHS will recommend that DOT certify the laboratory (**Federal Register**, July 16, 1996) as meeting the minimum standards of the Mandatory Guidelines published in the **Federal Register** on January 23, 2017 (82 FR 7920). After receiving DOT certification, the laboratory will be included in the monthly list of HHS-certified laboratories and participate in the NLCP certification maintenance program.

Charles P. LoDico,
Chemist.

[FR Doc. 2019–18769 Filed 8–29–19; 8:45 am]

BILLING CODE 4162–20–P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

[Docket No. USCG–2019–0353]

Collection of Information Under Review by Office of Management and Budget; OMB; Control Number: 1625–0049

AGENCY: Coast Guard, DHS.

ACTION: Thirty-day notice requesting comments.

SUMMARY: In compliance with the Paperwork Reduction Act of 1995 the U.S. Coast Guard is forwarding an Information Collection Request (ICR), abstracted below, to the Office of Management and Budget (OMB), Office of Information and Regulatory Affairs (OIRA), requesting an extension of its approval for the following collection of information: 1625–0049, Waterfront Facilities Handling Liquefied Natural Gas (LNG) and Liquefied Hazardous Gas

(LHG); without change. Our ICR describe the information we seek to collect from the public. Review and comments by OIRA ensure we only impose paperwork burdens commensurate with our performance of duties.

DATES: Comments must reach the Coast Guard and OIRA on or before September 30, 2019.

ADDRESSES: You may submit comments identified by Coast Guard docket number [USCG–2019–0353] to the Coast Guard using the Federal eRulemaking Portal at <https://www.regulations.gov>. Alternatively, you may submit comments to OIRA using one of the following means:

(1) *Email:* OIRA-submission@omb.eop.gov.

(2) *Mail:* OIRA, 725 17th Street NW, Washington, DC 20503, attention Desk Officer for the Coast Guard.

(3) *Fax:* 202–395–6566. To ensure your comments are received in a timely manner, mark the fax, attention Desk Officer for the Coast Guard.

A copy of the ICR is Copies of the ICRs are available through the docket on the internet at <https://www.regulations.gov>. Additionally, copies are available from: COMMANDANT (CG–612), ATTN: PAPERWORK REDUCTION ACT MANAGER, U.S. COAST GUARD, 2703 MARTIN LUTHER KING JR. AVE SE, STOP 7710, WASHINGTON, DC 20593–7710.

FOR FURTHER INFORMATION CONTACT: Mr. Anthony Smith, Office of Information Management, telephone 202–475–3532, or fax 202–372–8405, for questions on these documents.

SUPPLEMENTARY INFORMATION:

Public Participation and Request for Comments

This notice relies on the authority of the Paperwork Reduction Act of 1995; 44 U.S.C. chapter 35, as amended. An ICR is an application to OIRA seeking the approval, extension, or renewal of a Coast Guard collection of information (Collection). The ICR contains information describing the Collection's purpose, the Collection's likely burden on the affected public, an explanation of the necessity of the Collection, and other important information describing the Collection. There is one ICR for each Collection. The Coast Guard invites comments on whether this ICR should be granted based on the Collection being necessary for the proper performance of Departmental functions. In particular, the Coast Guard would appreciate comments addressing: (1) The practical utility of the Collection; (2) the accuracy