

§ 325.7 Publication of stress test results.

(a) *Publication date.* A covered bank must publish a summary of the results of its stress tests in the period starting June 15 and ending July 15 of the reporting year, provided:

(1) Unless the Corporation determines otherwise, if the covered bank is a consolidated subsidiary of a bank holding company or savings and loan holding company subject to supervisory stress tests conducted by the Board of Governors of the Federal Reserve System under 12 CFR part 252, then, within the June 15 to July 15 period, such covered bank may not publish the required summary of its periodic stress test earlier than the date that the Board of Governors of the Federal Reserve System publishes the supervisory stress test results of the covered bank's parent holding company.

(2) If the Board of Governors of the Federal Reserve System publishes the supervisory stress test results of the covered bank's parent holding company prior to June 15, then such covered bank may publish its stress test results prior to June 15, but no later than July 15, through actual publication by the covered bank or through publication by the parent holding company under paragraph (b) of this section.

(b) *Publication method.* The summary required under this section may be published on the covered bank's website or in any other forum that is reasonably accessible to the public. A covered bank that is a consolidated subsidiary of a bank holding company or savings and loan holding company that is required to conduct a company-run stress test under applicable regulations of the Board of Governors of the Federal Reserve System will be deemed to have satisfied the public disclosure requirements under this subpart if it publishes a summary of its stress test results with its parent bank holding company's or savings and loan holding company's summary of stress test results. Subsidiary covered banks electing to satisfy their public disclosure requirement in this manner must include a summary of changes in regulatory capital ratios of such covered bank over the planning horizon, and an explanation of the most significant causes for the changes in regulatory capital ratios.

(c) *Information to be disclosed in the summary.* A covered bank must disclose the following information regarding the severely adverse scenario if it is not a consolidated subsidiary of a parent bank holding company or savings and loan holding company that has elected to

make its disclosure under 12 CFR 325.3(d):

* * * * *

Federal Deposit Insurance Corporation.

By order of the Board of Directors.

Dated at Washington, DC, on October 15, 2019.

Annmarie H. Boyd,

Assistant Executive Secretary.

[FR Doc. 2019–23036 Filed 10–23–19; 8:45 am]

BILLING CODE 6714–01–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA–2019–0501; Product Identifier 2019–NM–077–AD; Amendment 39–19767; AD 2019–21–01]

RIN 2120–AA64

Airworthiness Directives; Airbus SAS Airplanes

AGENCY: Federal Aviation Administration (FAA), Department of Transportation (DOT).

ACTION: Final rule.

SUMMARY: The FAA is adopting a new airworthiness directive (AD) for all Airbus SAS Model A300 B4–600, B4–600R, and F4–600R series airplanes, and Model A300 C4–605R Variant F airplanes (collectively called Model A300–600 series airplanes). This AD was prompted by a determination that new or more restrictive airworthiness limitations are necessary. This AD requires revising the existing maintenance or inspection program, as applicable, to incorporate new or more restrictive airworthiness limitations. The FAA is issuing this AD to address the unsafe condition on these products.

DATES: This AD is effective November 29, 2019.

The Director of the Federal Register approved the incorporation by reference of a certain publication listed in this AD as of November 29, 2019.

ADDRESSES: For service information identified in this final rule, contact Airbus SAS, Airworthiness Office—EAW, Rond-Point Emile Dewoitine No: 2, 31700 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 44 51; email account.airworth-eas@airbus.com; internet <http://www.airbus.com>. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

It is also available on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA–2019–0501.

Examining the AD Docket

You may examine the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA–2019–0501; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this final rule, the regulatory evaluation, any comments received, and other information. The address for Docket Operations is U.S. Department of Transportation, Docket Operations, M–30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.

FOR FURTHER INFORMATION CONTACT: Dan Rodina, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3225.

SUPPLEMENTARY INFORMATION:

Discussion

The European Union Aviation Safety Agency (EASA), which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2019–0090, dated April 26, 2019 (“EASA AD 2019–0090”) (also referred to as the Mandatory Continuing Airworthiness Information, or “the MCAI”), to correct an unsafe condition for all Airbus SAS Model A300–600 series airplanes.

The FAA issued a notice of proposed rulemaking (NPRM) to amend 14 CFR part 39 by adding an AD that would apply to all Airbus SAS Model A300 B4–600, B4–600R, and F4–600R series airplanes, and Model A300 C4–605R Variant F airplanes (collectively called Model A300–600 series airplanes). The NPRM published in the **Federal Register** on July 1, 2019 (84 FR 31252). The NPRM was prompted by a determination that new or more restrictive airworthiness limitations are necessary. The NPRM proposed to require revising the existing maintenance or inspection program, as applicable, to incorporate new or more restrictive airworthiness limitations.

The FAA is issuing this AD to address fatigue cracking, damage, and corrosion in principal structural elements, which could result in reduced structural integrity of the airplane. See the MCAI for additional background information.

Comments

The FAA gave the public the opportunity to participate in developing this final rule. The following presents the comments received on the NPRM and the FAA's response to each comment.

Support for the NPRM

FedEx had no objection to the NPRM.

Request To Allow the Use of Later Approved Service Information

United Parcel Service (UPS) requested that paragraph (g) of the proposed AD be revised to allow the use of later approved variations or revisions to Airbus A300–600 Airworthiness Limitations Section (ALS), Part 2, “Damage Tolerant Airworthiness Limitation Items (DT–ALI),” Revision 03, dated December 14, 2018. The commenter stated that the approval of later approved program variations and revisions would maintain the level of safety through expedient inclusion of the latest changes to address fatigue cracking, damage, and corrosion in principle structural elements.

The commenter noted that in the FAA's ongoing efforts to improve efficiency of the AD process, the FAA worked with Airbus and EASA to develop a process to use certain EASA ADs as the primary source of information for compliance with the requirements of corresponding FAA ADs. The commenter explained that EASA ADs include the approval of the use of later approved service information for compliance with the applicable requirements. The commenter noted that EASA AD 2019–0090, which corresponds to the proposed FAA AD, includes this approval so operators can use later approved variations or revisions of Airbus A300–600 Airworthiness Limitations Section (ALS), Part 2, “Damage Tolerant Airworthiness Limitation Items (DT–ALI),” Revision 03, dated December 14, 2018.

The FAA agrees with the commenter's observation regarding the FAA's new “IBR the MCAI” process, which uses EASA ADs as the primary source of information for compliance with corresponding FAA ADs. However, the FAA currently only uses the new “IBR the MCAI” process with certain MCAI ADs (primarily those with service bulletins as the primary source of information). When the Airbus A300–600 Airworthiness Limitations Section is revised, and EASA issues an AD, the FAA will consider drafting the corresponding FAA AD as an “IBR the MCAI” AD. Thus, all provisions

specified in the EASA AD would apply to the corresponding FAA AD.

Based on the information above, the FAA disagrees with the commenter's request to revise paragraph (g) of this AD to include text that would allow operators to use later approved variations or revisions of Airbus A300–600 Airworthiness Limitations Section (ALS), Part 2, “Damage Tolerant Airworthiness Limitation Items (DT–ALI),” Revision 03, dated December 14, 2018, for compliance with the requirements of this AD. The FAA cannot refer to any document that does not yet exist in an AD. To allow operators to use later revisions of the referenced document (issued after AD publication), the most expeditious approach would be for operators to request approval to use later revisions as an alternative method of compliance with this AD, under the provisions of paragraph (j)(1) of this AD. The alternative would be for the FAA to revise the AD to reference specific later revisions, which would take longer and consume more resources. The FAA has not revised this AD regarding this issue.

Conclusion

The FAA reviewed the relevant data, considered the comments received, and determined that air safety and the public interest require adopting this final rule as proposed, except for minor editorial changes. The FAA determined that these minor changes:

- Are consistent with the intent that was proposed in the NPRM for addressing the unsafe condition; and
- Do not add any additional burden upon the public than was already proposed in the NPRM.

Related Service Information Under 1 CFR Part 51

Airbus has issued A300–600 Airworthiness Limitations Section (ALS), Part 2, “Damage Tolerant Airworthiness Limitation Items (DT–ALI),” Revision 03, dated December 14, 2018. This service information describes airworthiness limitations for certification maintenance requirements applicable to the DT–ALI. This service information is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the **ADDRESSES** section.

Costs of Compliance

The FAA estimates that this AD affects 128 airplanes of U.S. registry. The FAA estimates the following costs to comply with this AD:

The FAA determined that revising the existing maintenance or inspection

program takes an average of 90 workhours per operator, although we recognize that this number may vary from operator to operator. In the past, the FAA has estimated that this action takes 1 work-hour per airplane. Since operators incorporate maintenance or inspection program changes for their affected fleet(s), the FAA has determined that a per-operator estimate is more accurate than a per-airplane estimate. Therefore, the FAA estimates the total cost per operator to be \$7,650 (90 work-hours × \$85 per work-hour).

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: “General requirements.” Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

This AD is issued in accordance with authority delegated by the Executive Director, Aircraft Certification Service, as authorized by FAA Order 8000.51C. In accordance with that order, issuance of ADs is normally a function of the Compliance and Airworthiness Division, but during this transition period, the Executive Director has delegated the authority to issue ADs applicable to transport category airplanes and associated appliances to the Director of the System Oversight Division.

Regulatory Findings

This AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify that this AD:

- (1) Is not a “significant regulatory action” under Executive Order 12866,

(2) Will not affect intrastate aviation in Alaska, and

(3) Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

Adoption of the Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA amends 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

2019–21–01 Airbus SAS: Amendment 39–19767; Docket No. FAA–2019–0501; Product Identifier 2019–NM–077–AD.

(a) Effective Date

This AD is effective November 29, 2019.

(b) Affected ADs

This AD affects AD 2018–01–07, Amendment 39–19148 (83 FR 2042, January 16, 2018) (“AD 2018–01–07”); and AD 2018–19–33, Amendment 39–19434 (83 FR 48932, September 28, 2018) (“AD 2018–19–33”).

(c) Applicability

This AD applies to Airbus SAS Model A300 B4–601, B4–603, B4–620, B4–622, B4–605R, B4–622R, F4–605R, F4–622R, and C4–605R Variant F airplanes, certificated in any category, all manufacturer serial numbers.

(d) Subject

Air Transport Association (ATA) of America Code 05, Time Limits/Maintenance Checks.

(e) Reason

This AD was prompted by a determination that new or more restrictive airworthiness limitations are necessary. The FAA is issuing this AD to address fatigue cracking, damage, and corrosion in principal structural elements, which could result in reduced structural integrity of the airplane.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Maintenance or Inspection Program Revision

Within 90 days after the effective date of this AD, revise the existing maintenance or inspection program, as applicable, to incorporate the information specified in Airbus A300–600 Airworthiness Limitations Section (ALS), Part 2, “Damage Tolerant Airworthiness Limitation Items (DT–ALI),” Revision 03, dated December 14, 2018. The initial compliance time for doing the tasks is at the time specified in Airbus A300–600 Airworthiness Limitations Section (ALS), Part 2, “Damage Tolerant Airworthiness Limitation Items (DT–ALI),” Revision 03, dated December 14, 2018, or within 90 days after the effective date of this AD, whichever occurs later.

(h) No Alternative Actions or Intervals

After the existing maintenance or inspection program has been revised as required by paragraph (g) of this AD, no alternative actions (*e.g.*, inspections) or intervals may be used unless the actions and intervals are approved as an alternative method of compliance (AMOC) in accordance with the procedures specified in paragraph (j)(1) of this AD.

(i) Terminating Action for AD 2018–01–07 and AD 2018–19–33

Accomplishing the actions required by this AD terminates all requirements of AD 2018–01–07 and AD 2018–19–33.

(j) Other FAA AD Provisions

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs):* The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the attention of the person identified in paragraph (k)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC-REQUESTS@faa.gov.

(i) Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(ii) AMOCs approved previously for AD 2018–19–33 are approved as AMOCs for the corresponding provisions of this AD.

(2) *Contacting the Manufacturer:* For any requirement in this AD to obtain corrective actions from a manufacturer, the action must be accomplished using a method approved by the Manager, International Section, Transport Standards Branch, FAA; or the European Union Aviation Safety Agency (EASA); or Airbus SAS’s EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA authorized signature.

(3) *Required for Compliance (RC):* Except as required by paragraph (j)(2) of this AD: If any service information contains procedures

or tests that are identified as RC, those procedures and tests must be done to comply with this AD; any procedures or tests that are not identified as RC are recommended. Those procedures and tests that are not identified as RC may be deviated from using accepted methods in accordance with the operator’s maintenance or inspection program without obtaining approval of an AMOC, provided the procedures and tests identified as RC can be done and the airplane can be put back in an airworthy condition. Any substitutions or changes to procedures or tests identified as RC require approval of an AMOC.

(k) Related Information

(1) Refer to Mandatory Continuing Airworthiness Information (MCAI) EASA AD 2019–0090, dated April 26, 2019, for related information. This MCAI may be found in the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA–2019–0501.

(2) For more information about this AD, contact Dan Rodina, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; telephone and fax 206–231–3225.

(l) Material Incorporated by Reference

(1) The Director of the Federal Register approved the incorporation by reference (IBR) of the service information listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) You must use this service information as applicable to do the actions required by this AD, unless this AD specifies otherwise.

(i) Airbus A300–600 Airworthiness Limitations Section (ALS), Part 2, “Damage Tolerant Airworthiness Limitation Items (DT–ALI),” Revision 03, dated December 14, 2018.

(ii) [Reserved]

(3) For service information identified in this AD, contact Airbus SAS, Airworthiness Office—EAW, Rond-Point Emile Dewoitine No: 2, 31700 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 44 51; email account.airworth-eas@airbus.com; internet <http://www.airbus.com>.

(4) You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

(5) You may view this service information that is incorporated by reference at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, email fedreg.legal@nara.gov, or go to: www.archives.gov/federal-register/cfr/ibr-locations.html.

Issued in Des Moines, Washington, on October 18, 2019.

Michael Kaszycki,

Acting Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2019–23221 Filed 10–23–19; 8:45 am]

BILLING CODE 4910–13–P