

a verified notice of exemption under 49 CFR 1150.41 to amend an existing rail line lease between PSAP and Union Pacific Railroad Company (UP).¹ PSAP states that, under the Amended Lease, it will continue to lease and operate 3.65 miles of rail line: Between milepost 53.83 and milepost 54.23 and between milepost 55.28 and milepost 56.70, in Aberdeen and Hoquiam, Wash.; and between milepost 2.41 at Blakeslee Junction, Wash., and milepost 4.26 at Raisch, Wash. (collectively, the Line).

PSAP states that the Current Lease was entered into in 2000 and amended in 2002. *See Ariz. & Cal. R.R.—Lease & Operation Exemption—Union Pac. R.R.*, FD 33886 (STB served July 7, 2000); *Puget Sound & Pac. R.R.—Lease & Operation Exemption—Union Pac. R.R.*, FD 34213 (STB served Dec. 13, 2002). PSAP further states that the term of the Current Lease was extended in 2010, in accordance with its terms, for an additional 10 years. According to PSAP, the Amended Lease would extend the lease term for an additional 10 years and revise other commercial terms.

PSAP certifies that the projected annual revenues as a result of the proposed transaction will not exceed those that would qualify it as a Class III carrier. Additionally, PSAP certifies that its total revenues exceed \$5 million. Pursuant to 49 CFR 1150.42(e), if a carrier's projected annual revenues will exceed \$5 million, it must, at least 60 days before the exemption becomes effective, post notice of its intent to undertake the proposed transaction at the workplace of the employees on the affected lines, serve a copy of the notice on the national offices of the labor unions with employees on the affected lines, and certify to the Board that it has done so. However, PSAP's verified notice includes a request for waiver of the 60-day advance labor notice requirements. PSAP's waiver request will be addressed in a separate decision.

As required under 49 CFR 1150.43(h)(1), PSAP has disclosed in its verified notice that the Amended Lease contains an interchange commitment.² PSAP has provided additional information regarding the interchange commitment as required by 49 CFR 1150.43(h).

The verified notice states that the Amended Lease will be effective upon the effective date of the verified notice

¹ The existing lease, as previously amended from time to time, is referred to as the Current Lease; the Current Lease with the addition of the new amendment for which authority is sought here is referred to as the Amended Lease.

² A copy of the Amended Lease with the interchange commitment was submitted under seal. *See* 49 CFR 1150.43(h)(1).

of exemption and that PSAP will continue to operate under the terms of the Current Lease until then. The Board will establish the effective date in its separate decision on the waiver request.

If the verified notice contains false or misleading information, the exemption is void ab initio. Petitions to revoke the exemption under 49 U.S.C. 10502(d) may be filed at any time. The filing of a petition to revoke will not automatically stay the effectiveness of the exemption. Petitions to stay must be filed no later than May 1, 2020.

All pleadings, referring to Docket No. FD 36395, must be filed with the Surface Transportation Board either via e-filing or in writing addressed to 395 E Street SW, Washington, DC 20423-0001. In addition, a copy of each pleading must be served on PSAP's representative, Eric M. Hocky, Clark Hill PLC, Two Commerce Square, 2001 Market St., Suite 2620, Philadelphia, PA 19103.

According to PSAP, this action is categorically excluded from environmental review under 49 CFR 1105.6(c) and from historic preservation reporting requirements under 49 CFR 1105.8(b).

Board decisions and notices are available at www.stb.gov.

Decided: April 21, 2020.

By the Board, Allison C. Davis, Director, Office of Proceedings.

Regena Smith-Bernard,

Clearance Clerk.

[FR Doc. 2020-08740 Filed 4-23-20; 8:45 am]

BILLING CODE 4915-01-P

OFFICE OF THE UNITED STATES TRADE REPRESENTATIVE

Notice of Product Exclusions: China's Acts, Policies, and Practices Related to Technology Transfer, Intellectual Property, and Innovation

AGENCY: Office of the United States Trade Representative.

ACTION: Notice of product exclusions.

SUMMARY: In September 2018, the U.S. Trade Representative imposed additional duties on goods of China with an annual trade value of approximately \$200 billion as part of the action in the Section 301 investigation of China's acts, policies, and practices related to technology transfer, intellectual property, and innovation. The U.S. Trade Representative initiated a product exclusion process in June 2019, and interested persons have submitted requests for the exclusion of specific

products. This notice announces the U.S. Trade Representative's determination to grant certain exclusion requests, as specified in the Annex to this notice, and corrects a technical error in a previously announced exclusion.

DATES: The product exclusions announced in this notice will apply as of September 24, 2018, the effective date of the \$200 billion action, and extend to August 7, 2020. The amendments announced in this notice are retroactive to the date that the original exclusions were published.

FOR FURTHER INFORMATION CONTACT: For general questions about this notice, contact Assistant General Counsels Philip Butler or Megan Grimball, or Director of Industrial Goods Justin Hoffmann at (202) 395-5725. For specific questions on customs classification or implementation of the product exclusions identified in the Annex to this notice, contact traderemedy@cbp.dhs.gov.

SUPPLEMENTARY INFORMATION:

A. Background

For background on the proceedings in this investigation, please see the prior notices including 82 FR 40213 (August 24, 2017), 83 FR 14906 (April 6, 2018), 83 FR 28710 (June 20, 2018), 83 FR 33608 (July 17, 2018), 83 FR 38760 (August 7, 2018), 83 FR 47974 (September 21, 2018), 83 FR 49153 (September 28, 2018), 83 FR 65198 (December 19, 2018), 84 FR 7966 (March 5, 2019), 84 FR 20459 (May 9, 2019), 84 FR 29576 (June 24, 2019), 84 FRN 38717 (August 7, 2019), 84 FR 46212 (September 3, 2019), 84 FR 49591 (September 20, 2019), 84 FR 57803 (October 28, 2019), 84 FR 61674 (November 13, 2019), 84 FR 65882 (November 29, 2019), 84 FR 69012 (December 17, 2019), 85 FR 549 (January 6, 2020), 85 FR 6674 (February 5, 2020), 85 FR 9921 (February 20, 2020), 85 FR 15015 (March 16, 2020), and 85 FR 17158 (March 26, 2020).

Effective September 24, 2018, the U.S. Trade Representative imposed additional 10 percent *ad valorem* duties on goods of China classified in 5,757 full and partial subheadings of the Harmonized Tariff Schedule of the United States (HTSUS), with an approximate annual trade value of \$200 billion. *See* 83 FR 47974, as modified by 83 FR 49153. In May 2019, the U.S. Trade Representative increased the additional duty to 25 percent. *See* 84 FR 20459. On June 24, 2019, the U.S. Trade Representative established a process by which stakeholders could request exclusion of particular products

classified within an 8-digit HTSUS subheading covered by the \$200 billion action from the additional duties. *See* 84 FR 29576 (the June 24 notice).

Under the June 24 notice, requests for exclusion were required to identify the product subject to the request in terms of the physical characteristics that distinguish the product from other products within the relevant 8-digit HTSUS subheading covered by the \$200 billion action. Requestors were also required to provide the 10-digit HTSUS subheading most applicable to the particular product requested for exclusion, and could submit information on the ability of U.S. Customs and Border Protection to administer the requested exclusion. Requestors were asked to provide the quantity and value of the Chinese-origin product that the requestor purchased in the last three years. With regard to the rationale for the requested exclusion, requests had to address the following factors:

- Whether the particular product is available only from China and specifically whether the particular product and/or a comparable product is available from sources in the United States and/or third countries.
- Whether the imposition of additional duties on the particular product would cause severe economic harm to the requestor or other U.S. interests.
- Whether the particular product is strategically important or related to “Made in China 2025” or other Chinese industrial programs.

The June 24 notice stated that the U.S. Trade Representative would take into account whether an exclusion would

undermine the objective of the Section 301 investigation.

The June 24 notice required submission of requests for exclusion from the \$200 billion action no later than September 30, 2019, and noted that the U.S. Trade Representative would periodically announce decisions. In August 2019, the U.S. Trade Representative granted an initial set of exclusion requests. *See* 84 FR 38717. The U.S. Trade Representative granted additional exclusions in September 2019, October 2019, November 2019, December 2019, January 2020, February 2020, and March 2020. *See* 84 FR 49591, 84 FR 57803, 84 FR 61674, 84 FR 65882, 84 FR 69012, 85 FR 549, 85 FR 6674, 85 FR 9921, 85 FR 15015, and 85 FR 17158. The Office of the United States Trade Representative (USTR) regularly updates the status of each pending request on the Exclusions Portal at <https://exclusions.ustr.gov/s/docket?docketNumber=USTR-2019-0005>.

B. Determination To Grant Certain Exclusions

Based on the evaluation of the factors set forth in the June 24 notice, which are summarized above, pursuant to sections 301(b), 301(c), and 307(a) of the Trade Act of 1974, as amended, and in accordance with the advice of the interagency Section 301 Committee, the U.S. Trade Representative has determined to grant the product exclusions set forth in the Annex to this notice. The U.S. Trade Representative’s determination also takes into account advice from advisory committees and any public comments on the pertinent exclusion requests.

As set forth in the Annex, the exclusions are reflected in one 10-digit HTSUS subheading, which covers 20 separate exclusion requests, and 107 specially prepared product descriptions, which cover 157 separate exclusion requests.

In accordance with the June 24 notice, the exclusions are available for any product that meets the description in the Annex, regardless of whether the importer benefitting from the product exclusion filed an exclusion request. Further, the scope of each exclusion is governed by the scope of the product descriptions in the Annex, and not by the product descriptions found in any particular request for exclusion.

Paragraph A, subparagraphs 3 through 5 of the Annex contain conforming amendments to the HTSUS reflecting the modifications made by the Annex. Paragraph B of the Annex contains an amendment reflecting a technical correction to a certain note to the HTSUS, specifically U.S. note 20(mm)(11), published at 84 FR 61674 (November 13, 2019).

As stated in the September 20, 2019 notice, the exclusions will apply from September 24, 2018, to August 7, 2020. U.S. Customs and Border Protection will issue instructions on entry guidance and implementation.

The U.S. Trade Representative will continue to issue determinations on pending requests on a periodic basis.

Joseph Barloon,

General Counsel, Office of the U.S. Trade Representative.

BILLING CODE 3290-F0-P

ANNEX

A. Effective with respect to goods entered for consumption, or withdrawn from warehouse for consumption, on or after 12:01 a.m. eastern daylight time on September 24, 2018, subchapter III of chapter 99 of the Harmonized Tariff Schedule of the United States (HTSUS) is modified:

1. by inserting the following new heading 9903.88.45 in numerical sequence, with the material in the new heading inserted in the columns of the HTSUS labeled “Heading/Subheading”, “Article Description”, and “Rates of Duty 1-General”, respectively:

Heading/ Subheading	Article Description	Rates of Duty		
		1		2
		General	Special	
“9903.88.45	Articles the product of China, as provided for in U.S. note 20(xx) to this subchapter, each covered by an exclusion granted by the U.S. Trade Representative	The duty provided in the applicable subheading”		

2. by inserting the following new U.S. note 20(xx) to subchapter III of chapter 99 in numerical sequence:

“(xx) The U.S. Trade Representative determined to establish a process by which particular products classified in heading 9903.88.03 and provided for in U.S. notes 20(e) and (f) to this subchapter could be excluded from the additional duties imposed by heading 9903.88.03. See 83 Fed. Reg. 47974 (September 21, 2018) and 84 Fed. Reg. 29576 (June 24, 2019). Pursuant to the product exclusion process, the U.S. Trade Representative has determined that the additional duties provided for in heading 9903.88.03 shall not apply to the following particular products, which are provided for in the enumerated statistical reporting numbers:

- 1) 8424.90.9080
- 2) Seeds of mung beans (*Vigna radiata* (L.) Wilczek) of a kind used for sowing (described in statistical reporting number 0713.31.1000)
- 3) Preparations of chopped garlic, certified organic, packaged with water, citric acid, and salt, put up for retail sale (described in statistical reporting number 2005.99.9700)
- 4) Aluminum hydroxide (CAS No. 21645-51-2) in powder form (described in statistical reporting number 2818.30.0000)
- 5) Cubic boron nitride (CAS No. 10043-11-5) (described in statistical reporting number 2850.00.5000)

- 6) 2-Ethoxynaphthalene (CAS No. 93-18-5) (described in statistical reporting number 2909.30.2000)
- 7) 1-(4-tert-Butyl-2,6-dimethyl-3,5-dinitrophenyl)ethanone (Musk ketone) (CAS No. 81-14-1) (described in statistical reporting number 2914.79.1000)
- 8) 2-Cyclohexylethyl acetate (CAS No. 21722-83-8) (described in statistical reporting number 2915.39.4550)
- 9) Glyoxylic acid (IUPAC name: 2-oxoacetic acid) (CAS No. 298-12-4), imported as a 50-percent aqueous solution (described in statistical reporting number 2918.30.9000)
- 10) 1-Cyanoguanidine (Dicyandiamide) (CAS No. 461-58-5) (described in statistical reporting number 2926.20.0000)
- 11) 1,2-Dibromo-2,4-dicyanobutane (IUPAC Name: 2-bromo-2-(bromomethyl)pentanedinitrile) (CAS No. 356-65-7) (described in statistical reporting number 2926.90.5050)
- 12) Mixtures of hydrofluorocarbons, containing 40 to 44 percent by weight of 1,1,1,2-tetrafluoroethane (CAS No. 811-97-2), 56 to 60 percent by weight of pentafluoroethane (CAS No. 354-33-6) and up to 2 percent by weight of lubricating oil (described in statistical reporting number 3824.78.0020)
- 13) Mixtures containing 2-(dimethylamino)ethanol (CAS No. 108-01-0) (described in statistical reporting number 3824.99.9297)
- 14) Sacks and bags of plant-based materials including cornstarch, biodegradable, not containing polyethylene (described in statistical reporting number 3923.29.0000)
- 15) Wall panels of cellulose polyvinyl chloride, each measuring not less than 123 cm but not more than 245 cm in length, not more than 184 cm in height, and not more than 3 cm in width, put up for retail sale in packs of 6 panels weighing not less than 13.5 kg and not more than 29 kg (described in statistical reporting number 3925.90.0000)
- 16) Cable protectors of rubber, each measuring not more than 91 cm in length, not more than 51 cm in width and not more than 5.2 cm in height, with 5 channels for multiple cables or hoses not more than 3.8 cm in diameter, with a lid of polyvinyl chloride, weighing not more than 14.5 kg, with a load capacity of not more than 8,200 kg (described in statistical reporting number 4016.99.6050)
- 17) Parking stops of recycled rubber, each measuring not more than 123 cm in length, not more than 15.5 cm in width and not more than 10.5 cm in height, weighing not more than 16 kg (described in statistical reporting number 4016.99.6050)
- 18) Messenger bags of polyester, each measuring not more than 50 cm by 38 cm by 11 cm, weighing not more than 2.5 kg (described in statistical reporting number 4202.12.8130)
- 19) Backpacks with hydration system, each measuring not more than 51 cm by 28 cm by 9 cm, weighing not more than 1 kg (described in statistical reporting number 4202.92.0400)
- 20) Backpacks of 66.66 tex polyester, without hydration systems, each measuring not more than 57 cm by 44 cm by 11 cm (described in statistical reporting number 4202.92.3120)
- 21) Duffel bags of polyester, each measuring not more than 81 cm by 39 cm by 11 cm, weighing not more than 7 kg (described in statistical reporting number 4202.92.3131)

- 22) Duffel bags made predominantly of man-made fibers, each measuring not more than 98 cm by 52 cm by 17 cm, weighing not more than 7 kg, with wheels (described in statistical reporting number 4202.92.3131)
- 23) Garment bags of polyester, each measuring not more than 69 cm by 46 cm by 11 cm, weighing not more than 2 kg (described in statistical reporting number 4202.92.3131)
- 24) Shaving/toiletry bags of polyester, each measuring not more than 30 cm by 28 cm by 11 cm, weighing not more than 1 kg (described in statistical reporting number 4202.92.3131)
- 25) Padfolios of faux leather or polyester, with or without zippers, each containing a writing pad (described in statistical reporting number 4820.10.2020)
- 26) Binders with polyester covers, weighing less than 800 g, each measuring less than 36 cm in length, less than 25 cm in width, and less than 6 cm in depth (described in statistical reporting number 4820.30.0040)
- 27) Chinstraps designed for use on football helmets, each with webbing of woven polyester fabric encased in PVC, foam padding of closed cell foam and buckle clasp of stainless steel (described in statistical reporting number 6507.00.0000)
- 28) Front pads and side pads designed for use on football helmets, each helmet with a vinyl top and bottom of PVC, foam padding of closed cell foam and a buckle clasp of stainless steel (described in statistical reporting number 6507.00.0000)
- 29) Fiber optic faceplates in the form of sealed glass funnels, for actual use in cathode-ray tubes (CRTs), round, each not more than 5.4 cm in diameter, weighing not more than 78 g, with a maximum thickness of 1.15 cm (described in statistical reporting number 7011.20.4500)
- 30) Glass faceplates for cathode-ray tubes (CRTs), round, each measuring not more than 8 cm in diameter, not more than 0.36 cm at center thickness, and weighing not more than 50 g (described in statistical reporting number 7011.20.4500)
- 31) Railroad air brake pipe fitting branch pipe tees of carbon or alloy steel (cast steel), not threaded, with welded sockets, each measuring not less than 7 cm by 5 cm by 5 cm but not more than 11 cm by 13 cm by 13 cm, weighing not less than 0.4 kg but not more than 2.4 kg, conforming to the Association of American Railroads (AAR) specifications S-400 (described in statistical reporting number 7307.19.9080)
- 32) Railroad tank car serpentine pipe fittings of carbon or alloy steel (cast steel), not threaded but welded to connect to pipes, each weighing not less than 0.9 kg but not more than 3.4 kg, measuring not less than 12 cm by 7 cm by 2 cm but not more than 16 cm by 13 cm by 11 cm, conforming to the Association of American Railroads (AAR) specifications M-1002 (described in statistical reporting number 7307.19.9080)
- 33) Tire chains of iron or nonalloy steel, with links not over 10 mm in diameter (described in statistical reporting number 7315.82.5000)
- 34) Bolts of galvanized steel, each with hexagonal heads which are fitted with plastic knobs to facilitate installation into a steel nut incorporated in awnings, having threads with a diameter of 6 mm or more (described in statistical reporting number 7318.15.2065)

- 35) Hose crimp collars of stainless steel, each weighing not more than 0.1 kg, measuring not more than 2.7 cm in diameter, not less than 1.4 cm but not more than 4.2 cm in length, not less than 1.3 cm but not more than 4.3 cm round (described in statistical reporting number 7326.90.8688)
- 36) Quick connect body sleeve couplings of steel, with cylinder shape, each measuring not more than 3 cm in length and not more than 4 cm in diameter (described in statistical reporting number 7326.90.8688)
- 37) Bismuth metal (described in statistical reporting number 8106.00.0000)
- 38) Flexible tubing of stainless steel, each with an inner hose with garden hose fittings, weighing not more than 1.5 kg, measuring not less than 760 cm but not more than 3,052 cm in length (described in statistical reporting number 8307.10.3000)
- 39) Buckles of stainless steel, each incorporating a snap fastener socket and adjustment teeth, designed for use with football helmet chin straps (described in statistical reporting number 8308.90.6000)
- 40) Sign plates, name plates, address plates, or similar plates of chromium plated base metals or of nickel or aluminum, each weighing not less than 4 g (described in statistical reporting number 8310.00.0000)
- 41) Parts suitable for use solely or principally with spark-ignition internal combustion piston engines of heading 8407 for marine propulsion (other than cast-iron parts, not advanced beyond cleaning, and machined only for the removal of fins, gates, sprues and risers or to permit location in finishing machinery or connecting rods) (described in statistical reporting number 8409.91.9290)
- 42) Parts suitable for use solely or principally with spark-ignition internal combustion piston engines of heading 8407 (other than for aircraft engines, cast-iron parts, not advanced beyond cleaning, and machined only for the removal of fins, gates, sprues and risers or to permit location in finishing machinery, for vehicles of subheading 8701.20 or heading 8702, 8703 or 8704, for marine propulsion engines or connecting rods) (described in statistical reporting number 8409.91.9990)
- 43) DC blowers for use in motor vehicle climate control systems, each measuring no less than 328 mm by 127 mm by 107 mm and no more than 352 mm by 209 mm by 162 mm (described in statistical reporting number 8414.59.6540)
- 44) DC centrifugal radial blowers, each measuring not less than 350 mm by 127 mm by 107 mm and not more than 350 mm by 168 mm by 140 mm, of an output of 115 W to 280 W, and weighing at least 1.85 kg and no more than 2.08 kg (described in statistical reporting number 8414.59.6560)
- 45) Electrical/battery operated axial leaf blowers (described in statistical reporting number 8414.59.6590)
- 46) Parts of fans, consisting of column assemblies comprising telescoping steel tubes, each with a mechanism to lock the assembly at a desired length, and front grills of steel, the foregoing for use in the manufacture of household pedestal fans (described in statistical reporting number 8414.90.1040)
- 47) Retail computing scales, digital with tactile keypad or VGA display, with a maximum weighing capacity of not less than 10 kg but not more than 15.5 kg, measuring not

- less than 15 cm in width by 21 cm depth but not more than 41 cm in width by 25 cm in depth (described in statistical reporting number 8423.81.0030)
- 48) Compact portable shipping scales, of stainless steel, with a maximum weighing capacity of not more than 16 kg, with a digital display, weight below hook, and handles, measuring not less than 19 cm in width, not less than 21 cm in depth, not less than 3 cm in height but not more than 52 cm in width, not more than 41 cm in depth, not more than 13 cm in height (described in statistical reporting number 8423.81.0040)
- 49) Hand-operated trunnion mounted ball valves of steel, each measuring over 5 cm but not exceeding 60 cm in diameter (described in statistical reporting number 8481.80.3070)
- 50) Parts of spark-ignition internal combustion piston engines or rotary engines, consisting of transmission shafts (including camshafts and crankshafts) and cranks, the foregoing of machined cast iron or other ferrous metals, other than for engines of vehicles of chapter 87 (described in statistical reporting number 8483.10.1050)
- 51) Manual valve actuators, traveling nut type, of iron, each measuring over 20 cm but not exceeding 200 cm in length, suitable for use with ball, butterfly, plug or quadrosphere valves (described in statistical reporting number 8483.40.5010)
- 52) Electric gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 38 W or more but not exceeding 74.5 W, each enclosed in a housing of plastics measuring 12 cm or more but not more than 17 cm in length, which pivots at the end of a support of plastics, the other end of which houses on-off-oscillate and speed controls (described in statistical reporting number 8501.40.2020)
- 53) Electric gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 38 W or more but not exceeding 74.5 W, each enclosed in a housing of plastics measuring 13 cm or more but not more than 16 cm in length, which pivots at the end of a support of plastics, the other end of which houses on-off and speed controls (described in statistical reporting number 8501.40.2020)
- 54) Electric gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 38 W or more but not exceeding 74.5 W, each enclosed in a housing of plastics with on-off and speed controls (described in statistical reporting number 8501.40.2020)
- 55) Electric motors other than gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 60 W or more but not exceeding 74.5 W, each with a rotary switch attached by insulated conductors, enclosed in a housing of base metals (described in statistical reporting number 8501.40.2040)
- 56) Electric gear motors, single phase AC, of an output of 74.6 W or more but not exceeding 228 W, each with a spring, a coupling, and a locking connector, the assembly measuring not more than 30 cm in length, not more than 11 cm in width, not more than 16 cm in height (described in statistical reporting number 8501.40.4020)
- 57) Electric gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 75 W or more but not exceeding 95 W, enclosed in a housing of plastics

- which pivots at the end of a support of plastics, the other end of which houses on-off-oscillate and speed controls (described in statistical reporting number 8501.40.4020)
- 58) Electric motors other than gear motors, single-phase AC, 4-pole permanent split capacitor type, of an output of 75 W or more but not exceeding 110 W, each with a switch attached by insulated conductors, enclosed in a round housing of base metals with outside diameter measuring 85 mm or more but not exceeding 95 mm (described in statistical reporting number 8501.40.4040)
- 59) Power supplies for automatic data processing machines, each with a power output exceeding 50 W but not exceeding 150 W, weighing not more than 0.5 kg, measuring not more than 12.5 cm in length, not more than 5.6 cm in width and not more than 3.4 cm in depth, with integrated surge protection (described in statistical reporting number 8504.40.7007)
- 60) Rectifiers for charging of batteries, each measuring at least 275 mm but not more than 281 mm in length, at least 243 mm but not more than 249 mm in width and at least 102 mm but not more than 116 mm in height; weighing less than 5 kg, with input and output wires with connectors and attached mounting bracket (described in statistical reporting number 8504.40.9550)
- 61) Power adapters for a weather sensor or weather station display (described in statistical reporting number 8504.40.9580)
- 62) Robotic vacuum cleaners designed for residential use, each with a self-contained electric motor of a power not exceeding 50 W and dust bag/receptacle capacity not exceeding 1 L, whether or not shipped with accessories (described in statistical reporting number 8508.11.0000)
- 63) Ignition coils for spark-ignition internal combustion engines of a kind used in outdoor power equipment (described in statistical reporting number 8511.30.0080)
- 64) Solenoid switches used in starter systems of internal combustion engines suitable for use in outdoor power equipment (described in statistical reporting number 8511.80.6000)
- 65) Fan-forced portable electric heaters, each with a ceramic heating element (described in statistical reporting number 8516.29.0030)
- 66) Fan-forced portable electric heaters, each with a resistance heating element (described in statistical reporting number 8516.29.0030)
- 67) Portable countertop air fryers of a kind used for domestic purposes (described in statistical reporting number 8516.60.4070)
- 68) Tubular electric heating resistors (described in statistical reporting number 8516.80.8000)
- 69) Closed-loop, digital, video security systems, each consisting of one 4- or 8-channel network video recorder (NVR) or one 4- channel gateway that connects wirelessly at least 2 but no more than 8 color television cameras in housings of plastics, cables and power adapters, put up for retail sale (described in statistical reporting number 8525.80.3010)
- 70) Closed-loop, digital, video security systems, each consisting of one 4-, 8- or 16-channel digital video recorder (DVR) that connects via cables to at least 2 but no more than 16 color television cameras in housings of plastics, cables and power

- adapters, put up for retail sale (described in statistical reporting number 8525.80.3010)
- 71) Indicator panels incorporating light emitting diodes (LEDs), black plastic vacuum form or injection molding backing, with digital or illuminated border, capable of displaying words (described in statistical reporting number 8531.20.0040)
 - 72) Printed circuit board assemblies specially designed to control sound signals (alarms) in medical infusion pumps (described in statistical reporting number 8531.90.3000)
 - 73) Wall-mounted receptacles conforming to types 1-15R, 5-15R or 5-20R of the National Electrical Manufacturers Association (NEMA), for a voltage not exceeding 1,000 V, with one or more standard sockets, whether or not incorporating one or more USB ports (described in statistical reporting number 8536.69.8000)
 - 74) Controllers rated at 120 V, 60 Hz, suitable for electrically controlling hospital beds (described in statistical reporting number 8537.10.9170)
 - 75) Electric power control bases, which switch an electric load between sources, either manually or automatically, for a voltage not exceeding 1,000 V (described in statistical reporting number 8537.10.9170)
 - 76) Electric power control boards, designed for use in gas absorption refrigerators for recreational vehicles (described in statistical reporting number 8537.10.9170)
 - 77) Printed circuit board assemblies specially designed to control medical infusion pumps (described in statistical reporting number 8537.10.9170)
 - 78) T8 tubular fluorescent lamps, each measuring not less than 60 cm but not exceeding 118 cm in length (described in statistical reporting number 8539.31.0070)
 - 79) Insulated electrical wiring harnesses with control cords, fitted with connectors, for a voltage not exceeding 1,000 V, for incorporation into gas absorption refrigerators for recreational vehicles (described in statistical reporting number 8544.42.9090)
 - 80) Electrical insulators of ceramics, used in high-voltage, low-frequency electrical systems (described in statistical reporting number 8546.20.0030)
 - 81) Ceramic electrical insulators of alumina for gas ignition electrode assemblies, each measuring at least 6.6 cm but not more than 11.5 cm in length and not more than 0.95 cm in diameter, weighing not more than 25 g (described in statistical reporting number 8546.20.0090)
 - 82) Tire carrier attachments, roof racks, fender liners, side protective attachments, the foregoing of steel (described in statistical reporting number 8708.29.5060)
 - 83) Road wheels of cast aluminum for vehicles of heading 8703, each measuring 30 cm or more but not exceeding 56 cm in diameter and 15 cm or more but not over 31 cm in width (whether described in statistical reporting number 8708.70.4545 prior to January 1, 2020 or described in statistical reporting number 8708.70.4548 post January 1, 2020)
 - 84) Heater coils for use with the motor vehicles of headings 8701 to 8705, composed of steel, copper, aluminum and plastic, each not less than 184 mm and not more than 355 mm in height, not less than 350 mm and not more than 774 mm in length and not less than 32 mm and not more than 308 mm in width, each rated at not less than 6,300 kcal per hour and not more than 22,700 kcal per hour (described in statistical reporting number 8708.99.8180)

- 85) Hitch riser plates of AISI 8620 alloy steel, each weighing not less than 94 g and not more than 96 g (described in statistical reporting number 8708.99.8180)
- 86) Hitches of powder-coated steel for use with the motor vehicles of headings 8701 to 8705, designed to distribute weight, incorporating an adjustable sway control clamp, an adjustable hitch head and a chrome-plated hitch ball, each ball not less than 5.5 cm and not more than 6 cm in diameter, each hitch weighing not less than 40 kg and not more than 41 kg (described in statistical reporting number 8708.99.8180)
- 87) Hitches of powder-coated steel for use with the motor vehicles of headings 8701 to 8705, for mounting in the bed of a truck, each incorporating two stationary legs, a head, a cross member, a slider, rail adapters, automatic locking jaws and a secondary handle lock, with an adjustable height not less than 36 cm and not more than 46 cm, with a gross trailer weight (GTW) capacity of not more than 9,980 kg (described in statistical reporting number 8708.99.8180)
- 88) Bicycles having both wheels exceeding 63.5 cm in diameter, weighing less than 16.3 kg complete without accessories and not designed for use with tires having a cross-sectional diameter exceeding 4.13 cm, multi-speed (described in statistical reporting number 8712.00.2500)
- 89) Bicycles of aluminum having both wheels exceeding 25 cm but not exceeding 70 cm, each valued at less than \$45 (described in statistical reporting number 8712.00.4800)
- 90) Bicycle wheel rims, each not less than 30 cm and not more than 75 cm in diameter (described in statistical reporting number 8714.92.1000)
- 91) Bicycle wheel rims of aluminum, each not less than 451 mm and not more than 622 mm in diameter (described in statistical reporting number 8714.92.1000)
- 92) Wheel hubs and spoke hubs for use on trailers or semi-trailers (described in statistical reporting number 8716.90.5060)
- 93) Levels, each with a frame of ABS plastics and a paraffin mineral oil filled glass vial, measuring 10.16 cm in length and 3.81 cm in width (described in statistical reporting number 9015.30.8000)
- 94) Parts and accessories of meteorological instruments and appliances, each consisting of a wind vane made of plastics and base metal weighing no more than 25 g (described in statistical reporting number 9015.90.0190)
- 95) Parts and accessories of meteorological instruments and appliances, each consisting of an assembly comprising 3 rotating wind cups, bearings, an internal aspirating fan and one or more solar panels (described in statistical reporting number 9015.90.0190)
- 96) Parts and accessories of meteorological instruments and appliances, each consisting of an assembly made of plastic and metal comprising 3 wind cups weighing no more than 35 g (described in statistical reporting number 9015.90.0190)
- 97) Laboratory balances with sensitivity of 5 cg or better, with weighing capacity not exceeding 220 g, with touchscreen display, with chemical resistant full metal housing (described in statistical reporting number 9016.00.2000)
- 98) Portable electrical balances with sensitivity of 5 cg or better, of stainless steel (described in statistical reporting number 9016.00.2000)
- 99) 60-minute mechanical count-down kitchen timers (described in statistical reporting number 9106.90.8500)

- 100) Toddler beds, bassinets and cradles, of metal (described in statistical reporting number 9403.20.0017)
- 101) Adjustable height folding tables of aluminum, each measuring no more than 183 cm by 122 cm by 72 cm (described in statistical reporting number 9403.20.0090)
- 102) Steel mobile tool carts on castors, each measuring not less than 40 cm by 40 cm by 46 cm but not more than 184 cm by 108 cm by 184 cm fitted with two locking cabinets, drawers, and trays (described in statistical reporting number 9403.20.0090)
- 103) Tables of stainless steel, each measuring not less than 60 cm but not more than 189 cm in width, not less than 50 cm and not more than 77 cm in depth and not more than 92 cm in height, with adjustable legs (described in statistical reporting number 9403.20.0090)
- 104) Work benches of steel, each measuring not less than 152 cm in width and not more than 49 cm in depth, fitted with castors, wood work surfaces of rubberwood and multiple drawers (described in statistical reporting number 9403.20.0090)
- 105) Changing tables of wood (described in statistical reporting number 9403.60.8081)
- 106) Bed rails, each of which attaches to the side of a bed to prevent the occupant of the bed from rolling out, with a nylon mesh fabric cover (described in statistical reporting number 9403.90.8041)
- 107) Candle-shaped lamps, each measuring at least 15 cm but not more than 39 cm in height, incorporating a light-emitting diode (LED) and a switch, powered by batteries or 120 V mains (described in statistical reporting number 9405.40.8440)
- 108) Tripods of galvanized steel, each measuring not over 1.2 m in height by 0.2 m in width by 0.2 m in depth, weighing not over 5.5 kg (described in statistical reporting number 9620.00.3090)”

3. by amending the last sentence of the first paragraph of U.S. note 20(e) to subchapter III of chapter 99:

- a. by deleting the word “or” where it appears after the phrase “U.S. note 20(tt) to subchapter III of chapter 99;”; and
- b. by inserting the phrase “; or (12) heading 9903.88.45 and U.S. note 20(xx) to subchapter III of chapter 99” after the phrase “U.S. note 20(vv) to subchapter III of chapter 99”.

4. by amending U.S. note 20(f) to subchapter III of chapter 99;

- a. by deleting the word “or” where it appears after the phrase “U.S. note 20(tt) to subchapter III of chapter 99;”; and

- b. by inserting the phrase “; or (12) heading 9903.88.45 and U.S. note 20(xx) to subchapter III of chapter 99” after the phrase “U.S. note 20(vv) to subchapter III of chapter 99”.
5. by amending the Article Description of heading 9903.88.03:
- a. by deleting “9903.88.41 or” and inserting “9903.88.41,” in lieu thereof; and
- b. by inserting “or 9903.88.45,” after “9903.88.43.”
- B. Effective with respect to goods entered for consumption, or withdrawn from the warehouse for consumption, on or after 12:01 a.m. eastern daylight time on September 24, 2018:
- a. U.S. note 20(mm)(11) to subchapter III of chapter 99 of the Harmonized Tariff Schedule of the United States is modified by deleting “21 cm or more but not over 23 cm in length” and inserting “31 cm or more but not over 33 cm in length” in lieu thereof.

[FR Doc. 2020-08670 Filed 4-23-20; 8:45 am]

BILLING CODE 3290-F0-C

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

Notice of Availability of the Record of Decision (ROD) Written Re-Evaluation (WR) of Final Environmental Impact Statement (FEIS) for the Proposed Airport, Angoon, Alaska

AGENCY: Federal Aviation Administration (FAA).

ACTION: Notice of availability (NOA); record of decision (ROD).

SUMMARY: In accordance with the National Environmental Policy Act of 1969 and Council on Environmental Quality (CEQ) regulations, the FAA issues this notice to advise the public that the FAA has issued the ROD of the WR of the FEIS for the proposed airport in Angoon, Alaska. The ROD constitutes the final decision of the FAA and summarizes the WR of FEIS analyses and selected mitigation measures.

SUPPLEMENTARY INFORMATION:

In the ROD, the FAA selected the following realignment for implementation:

Airport 12A-Echo, which involves the construction of a land-based airport consisting of a paved, 3,300-foot-long and 75-foot-wide runway and associated access road. The project will be located on lands owned or managed by private

landowners; Kootznoowoo, Inc.; and the City of Angoon.

The FAA has included determinations on the project based upon evidence set forth in the WR, FEIS, public input, and the supporting administrative record. http://dot.alaska.gov/sereg/projects/angoon_airport_new/index.shtml.

ADDRESSES: Copies of the WR are available at the following locations. While restrictions on in-person interactions are in place due to COVID-19, online access to the WR is encouraged:

1. Online at http://dot.alaska.gov/sereg/projects/angoon_airport_new/index.shtml.
2. Juneau Public Library
 - Downtown Branch, 292 Marine Way, Juneau, AK 99801
 - Douglas Branch, 1016 3rd Street, Douglas, AK 99824
 - Mendenhall Mall Branch, 9109 Mendenhall Mall Rd, Juneau, AK 99801
3. Angoon Community Association Building, 315 Heendae Rd, Angoon, AK 99820
4. Angoon City Government Office, 700 Aan Deina Aat Street, Angoon, AK 99820
5. The FAA, Airports Division. Please contact Venus Larson at (907) 271-3813 for a copy or access online at <https://www.faa.gov/airports/alaskan/environmental/>.
6. ADOT Southcoast
 - Email: angoonairport@alaska.gov;
 - U.S. Mail: Chris Goins, PE, Project Manager, DOT&PF Southcoast

Region, P.O. Box 112506, Juneau, AK 99811-2506.

- Phone: Contact Chris Goins, PE at (907) 465-4443.

FOR FURTHER INFORMATION CONTACT:

Venus Larson, AAL-624, Federal Aviation Administration, Alaskan Region, Airports Division, 222 W. 7th Avenue Box #14, Anchorage, AK 99513. Ms. Larson may be contacted during business hours at (907) 271-3813 (telephone) and (907) 271-2851 (fax), or by email at Venus.Larson@faa.gov.

Kristi A. Warden,

Director, Alaskan Region Airports Division, AAL-600.

[FR Doc. 2020-08674 Filed 4-23-20; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Highway Administration

Notice of Final Federal Agency Actions on the Madawaska International Bridge Project Connecting Madawaska, Maine, USA and Edmundston, New Brunswick, Canada

AGENCY: Federal Highway Administration (FHWA), DOT.

ACTION: Notice of Limitation on Claims for Judicial Review of Action by FHWA.

SUMMARY: This notice announces an action taken by FHWA and other Federal agencies that are final. The actions relate to the Madawaska International Bridge connecting