

burden, increase efficiency, and better manage resources, SAMHSA goal is to combine these two surveys into the National Substance Use and Mental Health Services Survey (N-SUMHSS).

The N-SUMHSS, will include the facility characteristics and services questions currently asked in the N-SSATS and the N-MHSS. The survey will also collect, on an annual basis, client counts on those individuals receiving services at these facilities. Historically, client count information was collected every other year; however there is an increasing need to collect and maintain data on current and accurate numbers of clients in treatment at the local level for community to assess capacity and estimate resource requirements. This information on substance use and mental health services has assisted with communities to better respond to life changing events, (i.e., hurricane) and plan for service demands in the event of a natural disaster, (i.e., earthquakes).

SAMHSA requests is for approval of the N-SUMHSS data collection and the extension of the I-BHS data collection.

The N-SUMHSS survey will provide data on the numbers and types of patients treated and the characteristics of facilities providing substance use and mental health treatment services. The extension of the duration of the I-BHS survey, which is current authorized as part of N-SSATS (OMB No. 0930-0106), aligns it to the same period as the N-SUMHSS. These surveys are conducted under the authority of Section 505 of the Public Health Service Act (42 U.S.C. 290aa-4) to meet the specific mandates for annual information about public and private substance use/mental health treatment providers and the clients they serve.

This request includes:

- N-SUMHSS, an annual census of substance use and mental health treatment facilities which collects descriptive data on the location, scope of services provided, and operational characteristics of all known substance use and mental health treatment facilities in the United States and jurisdictions, and on utilization of services by means of a single-day count of clients in treatment; and

- I-BHS data collection activities associated with updating the inventory of both mental health treatment facilities and substance use treatment facilities.

The information in N-SUMHSS and I-BHS is needed to assess the nature and extent of these resources, to identify gaps in services, and to provide a database for treatment referrals.

The request for OMB approval will include a request to conduct the N-SUMHSS survey which includes facility characteristics and services and one-day client counts and to update the I-BHS facility listing on a continuous basis in 2021, 2022 and 2023. Also included in this request is the Between Cycle N-SUMHSS data collection (N-SUMHSS BC), to be conducted between annual surveys to collect information on new facilities for inclusion in the Treatment Locator. N-SUMHSS BC use is an abbreviated N-SUMHSS survey questionnaire.

The estimated annual burden for the I-BHS and BHSIS activities is as follows:

| Type of respondent and activity | Number of respondents | Responses per respondent | Total responses | Hours per response | Total burden hours | Wage rate | Total hour cost |
|--|-----------------------|--------------------------|-----------------|--------------------|--------------------|-----------|-----------------|
| States | | | | | | | |
| I-BHS Online ¹ | 56 | 75 | 4,200 | 0.08 | 336 | \$23 | \$7,728 |
| State Subtotal | 56 | | 4,200 | | 336 | | 7,728 |
| Facilities | | | | | | | |
| I-BHS application ² | 800 | 1 | 800 | 0.08 | 64 | 19.40 | 1,242 |
| Augmentation screener | 1,300 | 1 | 1,300 | 0.08 | 104 | 19.40 | 2,018 |
| N-SUMHSS questionnaire (either SU or MH) | 32,000 | 1 | 32,000 | 0.67 | 21,333 | 47.95 | 1,022,917 |
| N-SUMHSS (both SU and MH) | 5,000 | 1 | 5,000 | 1.17 | 5,833 | 47.95 | 279,692 |
| N-SUMHSS BC | 1,000 | 1 | 1,000 | 0.58 | 580 | 47.95 | 27,811 |
| Facility Subtotal | 40,100 | | 40,100 | | 27,914 | | 1,333,680 |
| Total | 40,156 | | 44,300 | | 28,250 | | 1,341,408 |

¹ States use the I-BHS Online system to submit information on newly licensed/approved facilities and on changes in facility name, address, status, etc.

² New facilities complete and submit the online I-BHS application form in order to get listed on the Inventory.

Send comments to Carlos Graham, SAMHSA Reports Clearance Officer, 5600 Fisher Lane, Room 15E57A, Rockville, MD 20852 OR email him a copy at carlos.graham@samhsa.hhs.gov. Written comments should be received by August 14, 2020.

Carlos Graham,

Social Science Analyst.

[FR Doc. 2020-12837 Filed 6-12-20; 8:45 am]

BILLING CODE 4162-20-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-6217-N-01]

Notice of Annual Factors for Determining Administrative Fees for the Section 8 Housing Choice Voucher, Mainstream, and Moderate Rehabilitation Programs

AGENCY: Office of the Assistant Secretary for Public and Indian Housing, HUD.

ACTION: Notice.

SUMMARY: This notice announces the monthly per unit fee rates for use in determining the on-going administrative fees for public housing agencies (PHAs) administering the Housing Choice Voucher (HCV), Mainstream, and Moderate Rehabilitation programs, including Single Room Occupancy, during calendar year (CY) 2020.

DATES: *Applicable Date:* January 1, 2020.

FOR FURTHER INFORMATION CONTACT: Miguel A. Fontáñez, Director, Housing Voucher Financial Management

Division, Office of Public Housing and Voucher Programs, Office of Public and Indian Housing, Department of Housing and Urban Development, 451 Seventh Street SW, Room 4222, Washington, DC 20410-8000, telephone number 202-402-2934. (This is not a toll-free number). Hearing or speech impaired individuals may call TTY number 1 (800) 877-8337.

SUPPLEMENTARY INFORMATION:

A. Background

This notice provides the HUD’s methodology used to determine the CY 2020 administrative fee rates by area, which HUD uses to determine PHA administrative fees for the HCV, Mainstream, and Moderate Rehabilitation programs, including Single Room Occupancy programs. The HCV program is the federal government’s major program for assisting very low-income families, the elderly, and the disabled to afford decent, safe, and sanitary housing in the private market. Mainstream Vouchers are tenant-based vouchers serving households that include a non-elderly person with a disability, available to PHAs through a competitive Notice of Funding Availability (NOFA). The moderate rehabilitation program provides project-based rental assistance for low income families. The program was repealed in 1991 and no new projects are authorized for development. Assistance is limited to properties previously rehabilitated pursuant to a housing assistance payments (HAP) contract between an owner and a PHA. PHAs are local offices responsible for administering and maintaining Section 8 housing benefits, located across the country.

B. CY 2020 Methodology

For CY 2020, in accordance with the 2020 Appropriations Act (Pub. L. 116-94), administrative fees are determined based on vouchers leased as of the first day of each month. This data is extracted from the Voucher Management System (VMS) at the close of each reporting cycle and validated prior to use. For Moderate Rehabilitation, including Single Room Occupancy, HAP contracts, administrative fees are earned based on the units under a HAP contract.

In the attached table, two fee rates are provided for each PHA. The first rate, Column A, applies to the first 7200 voucher unit months leased in CY 2020. The second rate, Column B, applies to all remaining voucher unit months leased in CY 2020. In years prior to 2010, Column C applied to all voucher unit months leased in dwelling units

owned by the PHA. For CY 2020, as in recent years, there are no Column C administrative fee rates. Fees for leasing PHA-owned units is determined in the same manner and at the same Column A and Column B rates as for all other voucher leasing.

In some cases, the fee rates calculated for CY 2020 are lower than those established for CY 2019. In these cases, the affected PHAs are held harmless at the CY 2019 fee rates.

The fee rates for each PHA generally cover the fees for areas in which the PHA has the greatest proportion of its participants, based on Public Housing Information Center (PIC) data submitted by the PHA. In some cases, PHAs have participants in more than one fee area. If such a PHA chooses, the PHA may request HUD establish a blended fee rate to proportionately consider all areas in which participants are located. Once a blended rate is established, it is used to determine the PHA’s fee eligibility for all months in CY 2020. The 2020 HCV Funding Implementation Notice described how to apply for blended fee rates and the deadline date for submitting such requests. The notice can be accessed through the following link: <https://www.hud.gov/sites/dfiles/PIH/documents/pih2020-04.pdf>.

PHAs operating over large geographic areas, defined as multiple counties, may request a higher administrative fee rate if eligible. The 2020 HCV Funding Implementation Notice described when to apply for higher fee rates and the deadline date for such requests. Higher administrative fee rates differ from blended administrative fee rates in how they are calculated. Requests for higher administrative rates must clearly demonstrate that the PHA’s published rate cannot cover their projected expenses. Next, a breakeven rate is calculated to ensure the PHA receives sufficient funds to cover their expenses while also ensuring the administrative fee reserves do not grow.

This notice identifies the monthly per-voucher-unit fee rates to be used to determine PHA administrative fee eligibility. These fee rates remain posted at: http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/programs/hcv., under Program Related Information.

Direct questions to the PHA’s assigned representative at the Financial Management Center or the Financial Management Division at PIHFinancialManagementDivision@hud.gov.

C. Moving to Work (MTW) Agencies

Where an MTW Agency has an alternative formula for calculating HCV

Administrative Fees in Attachment A of their MTW Agreements, HUD calculates the HCV Administrative Fees in accordance with that MTW Agreement provision.

The Assistant Secretary for Public and Indian Housing, R. Hunter Kurtz, having reviewed and approved the annual announcement of Administrative Fee Rates, is delegating the authority to electronically sign this document to Aaron Santa Anna, who is the **Federal Register** Liaison for HUD, for purposes of publication in the **Federal Register**.

Dated: June 9, 2020.

Aaron Santa Anna,

Federal Liaison for the Department of Housing and Urban Development.

| PHA num | A rate | B rate |
|-------------|----------|---------|
| AK901 | \$102.40 | \$95.58 |
| AL001 | 68.38 | 63.82 |
| AL002 | 69.46 | 64.84 |
| AL004 | 67.48 | 62.98 |
| AL005 | 70.23 | 65.55 |
| AL006 | 67.48 | 62.98 |
| AL007 | 67.48 | 62.98 |
| AL008 | 66.11 | 61.70 |
| AL011 | 66.11 | 61.70 |
| AL012 | 67.48 | 62.98 |
| AL014 | 66.11 | 61.70 |
| AL047 | 69.48 | 64.86 |
| AL048 | 67.48 | 62.98 |
| AL049 | 67.48 | 62.98 |
| AL050 | 67.48 | 62.98 |
| AL052 | 66.11 | 61.70 |
| AL053 | 66.11 | 61.70 |
| AL054 | 67.48 | 62.98 |
| AL060 | 66.11 | 61.70 |
| AL061 | 67.48 | 62.98 |
| AL063 | 68.38 | 63.82 |
| AL068 | 67.48 | 62.98 |
| AL069 | 68.38 | 63.82 |
| AL072 | 68.38 | 63.82 |
| AL073 | 66.27 | 61.85 |
| AL075 | 66.11 | 61.70 |
| AL077 | 67.48 | 62.98 |
| AL086 | 68.38 | 63.82 |
| AL090 | 66.11 | 61.70 |
| AL091 | 66.11 | 61.70 |
| AL099 | 66.11 | 61.70 |
| AL105 | 66.11 | 61.70 |
| AL107 | 66.11 | 61.70 |
| AL112 | 66.11 | 61.70 |
| AL114 | 66.11 | 61.70 |
| AL115 | 66.11 | 61.70 |
| AL116 | 66.11 | 61.70 |
| AL118 | 66.11 | 61.70 |
| AL121 | 66.11 | 61.70 |
| AL124 | 66.27 | 61.85 |
| AL125 | 68.38 | 63.82 |
| AL129 | 67.48 | 62.98 |
| AL131 | 67.48 | 62.98 |
| AL138 | 67.48 | 62.98 |
| AL139 | 67.48 | 62.98 |
| AL152 | 67.48 | 62.98 |
| AL154 | 66.11 | 61.70 |
| AL155 | 66.11 | 61.70 |
| AL160 | 66.11 | 61.70 |
| AL165 | 70.47 | 65.78 |
| AL169 | 69.46 | 64.84 |
| AL171 | 66.11 | 61.70 |
| AL172 | 67.48 | 62.98 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| AL174 | 66.11 | 61.70 | AZ021 | 73.98 | 69.04 | CA093 | 128.02 | 119.49 |
| AL177 | 66.11 | 61.70 | AZ023 | 61.91 | 57.78 | CA094 | 128.02 | 119.49 |
| AL181 | 66.11 | 61.70 | AZ025 | 73.14 | 68.26 | CA096 | 89.20 | 83.25 |
| AL192 | 66.11 | 61.70 | AZ028 | 73.98 | 69.04 | CA102 | 128.02 | 119.49 |
| AL202 | 69.46 | 64.84 | AZ031 | 73.98 | 69.04 | CA103 | 128.02 | 119.49 |
| AR002 | 71.21 | 66.47 | AZ032 | 73.98 | 69.04 | CA104 | 128.02 | 119.49 |
| AR003 | 65.27 | 60.92 | AZ033 | 73.14 | 68.26 | CA105 | 128.02 | 119.49 |
| AR004 | 71.21 | 66.47 | AZ034 | 60.78 | 56.73 | CA106 | 89.20 | 83.25 |
| AR006 | 71.21 | 66.47 | AZ035 | 82.19 | 76.72 | CA108 | 114.46 | 106.82 |
| AR010 | 62.63 | 58.45 | AZ037 | 60.78 | 56.73 | CA110 | 128.02 | 119.49 |
| AR012 | 62.63 | 58.45 | AZ041 | 80.89 | 75.50 | CA111 | 128.02 | 119.49 |
| AR015 | 65.43 | 61.07 | AZ043 | 99.06 | 92.46 | CA114 | 128.02 | 119.49 |
| AR016 | 62.63 | 58.45 | AZ045 | 60.88 | 56.82 | CA116 | 114.46 | 106.82 |
| AR017 | 65.27 | 60.92 | AZ880 | 73.98 | 69.04 | CA117 | 128.02 | 119.49 |
| AR020 | 62.78 | 58.59 | AZ901 | 80.89 | 75.50 | CA118 | 128.02 | 119.49 |
| AR024 | 69.33 | 64.71 | CA001 | 128.02 | 119.49 | CA119 | 128.02 | 119.49 |
| AR031 | 65.27 | 60.92 | CA002 | 128.02 | 119.49 | CA120 | 128.02 | 119.49 |
| AR033 | 62.63 | 58.45 | CA003 | 128.02 | 119.49 | CA121 | 128.02 | 119.49 |
| AR034 | 65.27 | 60.92 | CA004 | 128.02 | 119.49 | CA123 | 128.02 | 119.49 |
| AR035 | 62.63 | 58.45 | CA005 | 97.22 | 90.74 | CA125 | 111.14 | 103.73 |
| AR037 | 62.63 | 58.45 | CA006 | 89.20 | 83.25 | CA126 | 128.02 | 119.49 |
| AR039 | 62.63 | 58.45 | CA007 | 97.22 | 90.74 | CA128 | 97.22 | 90.74 |
| AR041 | 71.21 | 66.47 | CA008 | 97.56 | 91.06 | CA131 | 111.14 | 103.73 |
| AR042 | 65.27 | 60.92 | CA011 | 128.02 | 119.49 | CA132 | 114.46 | 106.82 |
| AR045 | 62.63 | 58.45 | CA014 | 128.02 | 119.49 | CA136 | 128.02 | 119.49 |
| AR052 | 62.63 | 58.45 | CA019 | 102.13 | 95.33 | CA143 | 92.82 | 86.63 |
| AR059 | 62.63 | 58.45 | CA021 | 125.01 | 116.65 | CA144 | 84.88 | 79.22 |
| AR066 | 62.63 | 58.45 | CA022 | 102.13 | 95.33 | CA149 | 97.22 | 90.74 |
| AR068 | 62.63 | 58.45 | CA023 | 83.81 | 78.24 | CA151 | 97.22 | 90.74 |
| AR082 | 62.63 | 58.45 | CA024 | 93.29 | 87.08 | CA155 | 114.46 | 106.82 |
| AR104 | 65.27 | 60.92 | CA026 | 93.94 | 87.67 | CO001 | 78.01 | 72.81 |
| AR117 | 62.63 | 58.45 | CA027 | 102.13 | 95.33 | CO002 | 72.06 | 67.25 |
| AR121 | 62.63 | 58.45 | CA028 | 89.20 | 83.25 | CO005 | 81.04 | 75.63 |
| AR131 | 65.27 | 60.92 | CA030 | 83.18 | 77.65 | CO006 | 69.37 | 64.74 |
| AR135 | 62.63 | 58.45 | CA031 | 128.02 | 119.49 | CO016 | 88.52 | 82.61 |
| AR152 | 62.63 | 58.45 | CA032 | 128.02 | 119.49 | CO019 | 78.01 | 72.81 |
| AR161 | 62.63 | 58.45 | CA033 | 110.29 | 102.93 | CO024 | 69.37 | 64.74 |
| AR163 | 65.27 | 60.92 | CA035 | 128.02 | 119.49 | CO028 | 72.78 | 67.92 |
| AR166 | 62.63 | 58.45 | CA039 | 92.82 | 86.63 | CO031 | 69.37 | 64.74 |
| AR170 | 71.21 | 66.47 | CA041 | 111.14 | 103.73 | CO034 | 83.88 | 78.30 |
| AR175 | 71.21 | 66.47 | CA043 | 85.73 | 80.00 | CO035 | 72.33 | 67.52 |
| AR176 | 62.63 | 58.45 | CA044 | 97.22 | 90.74 | CO036 | 78.01 | 72.81 |
| AR177 | 62.63 | 58.45 | CA048 | 73.56 | 68.66 | CO040 | 107.12 | 99.99 |
| AR181 | 65.27 | 60.92 | CA052 | 128.02 | 119.49 | CO041 | 83.88 | 78.30 |
| AR194 | 65.27 | 60.92 | CA053 | 80.51 | 75.14 | CO043 | 81.04 | 75.63 |
| AR197 | 62.63 | 58.45 | CA055 | 111.14 | 103.73 | CO045 | 69.37 | 64.74 |
| AR200 | 62.63 | 58.45 | CA056 | 128.02 | 119.49 | CO048 | 78.01 | 72.81 |
| AR210 | 62.63 | 58.45 | CA058 | 128.02 | 119.49 | CO049 | 78.01 | 72.81 |
| AR211 | 62.63 | 58.45 | CA059 | 128.02 | 119.49 | CO050 | 78.01 | 72.81 |
| AR213 | 62.63 | 58.45 | CA060 | 128.02 | 119.49 | CO051 | 91.26 | 85.17 |
| AR214 | 62.63 | 58.45 | CA061 | 84.88 | 79.22 | CO052 | 78.01 | 72.81 |
| AR215 | 62.63 | 58.45 | CA062 | 128.02 | 119.49 | CO057 | 78.01 | 72.81 |
| AR219 | 71.21 | 66.47 | CA063 | 114.46 | 106.82 | CO058 | 78.01 | 72.81 |
| AR223 | 62.63 | 58.45 | CA064 | 110.82 | 103.43 | CO061 | 88.52 | 82.61 |
| AR224 | 62.63 | 58.45 | CA065 | 111.14 | 103.73 | CO070 | 88.52 | 82.61 |
| AR225 | 62.63 | 58.45 | CA066 | 111.14 | 103.73 | CO071 | 72.78 | 67.92 |
| AR232 | 65.27 | 60.92 | CA067 | 128.02 | 119.49 | CO072 | 78.01 | 72.81 |
| AR240 | 62.63 | 58.45 | CA068 | 128.02 | 119.49 | CO079 | 81.04 | 75.63 |
| AR241 | 65.47 | 61.10 | CA069 | 89.20 | 83.25 | CO087 | 107.12 | 99.99 |
| AR247 | 62.63 | 58.45 | CA070 | 77.68 | 72.50 | CO090 | 72.33 | 67.52 |
| AR252 | 71.21 | 66.47 | CA071 | 128.02 | 119.49 | CO095 | 102.43 | 95.60 |
| AR257 | 62.63 | 58.45 | CA072 | 128.02 | 119.49 | CO101 | 69.37 | 64.74 |
| AR264 | 69.33 | 64.71 | CA073 | 111.14 | 103.73 | CO103 | 83.88 | 78.30 |
| AR265 | 62.63 | 58.45 | CA074 | 128.02 | 119.49 | CO888 | 72.06 | 67.25 |
| AR266 | 62.63 | 58.45 | CA075 | 128.02 | 119.49 | CO911 | 78.01 | 72.81 |
| AZ001 | 73.98 | 69.04 | CA076 | 125.01 | 116.65 | CO921 | 78.01 | 72.81 |
| AZ003 | 73.98 | 69.04 | CA077 | 114.46 | 106.82 | CT001 | 100.19 | 93.52 |
| AZ004 | 73.14 | 68.26 | CA079 | 128.02 | 119.49 | CT002 | 107.40 | 100.25 |
| AZ005 | 73.98 | 69.04 | CA082 | 128.02 | 119.49 | CT003 | 94.44 | 88.13 |
| AZ006 | 80.89 | 75.50 | CA084 | 91.48 | 85.38 | CT004 | 104.10 | 97.16 |
| AZ008 | 58.76 | 54.84 | CA085 | 124.86 | 116.54 | CT005 | 94.44 | 88.13 |
| AZ009 | 73.98 | 69.04 | CA086 | 87.44 | 81.60 | CT006 | 85.30 | 79.61 |
| AZ010 | 73.98 | 69.04 | CA088 | 124.86 | 116.54 | CT007 | 107.40 | 100.25 |
| AZ013 | 82.19 | 76.72 | CA092 | 128.02 | 119.49 | CT008 | 94.44 | 88.13 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| CT009 | 94.44 | 88.13 | FL041 | 84.39 | 78.77 | IA004 | 70.66 | 65.95 |
| CT010 | 85.30 | 79.61 | FL045 | 84.39 | 78.77 | IA015 | 67.21 | 62.73 |
| CT011 | 104.10 | 97.16 | FL046 | 64.40 | 60.11 | IA018 | 70.90 | 66.17 |
| CT013 | 94.44 | 88.13 | FL047 | 83.28 | 77.74 | IA020 | 80.19 | 74.85 |
| CT015 | 100.19 | 93.52 | FL049 | 63.20 | 58.99 | IA022 | 81.73 | 76.29 |
| CT017 | 100.19 | 93.52 | FL053 | 64.92 | 60.58 | IA023 | 71.25 | 66.50 |
| CT018 | 92.71 | 86.53 | FL057 | 63.20 | 58.99 | IA024 | 77.63 | 72.45 |
| CT019 | 107.40 | 100.25 | FL060 | 81.10 | 75.69 | IA030 | 67.21 | 62.73 |
| CT020 | 107.40 | 100.25 | FL062 | 79.21 | 73.92 | IA038 | 77.93 | 72.74 |
| CT023 | 94.44 | 88.13 | FL063 | 71.18 | 66.44 | IA042 | 67.21 | 62.73 |
| CT024 | 85.30 | 79.61 | FL066 | 107.49 | 100.34 | IA045 | 74.56 | 69.59 |
| CT026 | 94.44 | 88.13 | FL068 | 107.49 | 100.34 | IA047 | 67.21 | 62.73 |
| CT027 | 100.19 | 93.52 | FL069 | 64.40 | 60.11 | IA049 | 67.21 | 62.73 |
| CT028 | 94.44 | 88.13 | FL070 | 71.18 | 66.44 | IA050 | 77.93 | 72.74 |
| CT029 | 104.10 | 97.16 | FL071 | 65.93 | 61.54 | IA054 | 67.21 | 62.73 |
| CT030 | 100.19 | 93.52 | FL072 | 79.41 | 74.12 | IA056 | 67.21 | 62.73 |
| CT031 | 85.30 | 79.61 | FL073 | 70.50 | 65.79 | IA057 | 67.21 | 62.73 |
| CT032 | 94.44 | 88.13 | FL075 | 79.21 | 73.92 | IA084 | 67.21 | 62.73 |
| CT033 | 94.44 | 88.13 | FL079 | 100.65 | 93.94 | IA087 | 71.84 | 67.05 |
| CT036 | 94.44 | 88.13 | FL080 | 83.94 | 78.34 | IA098 | 70.81 | 66.10 |
| CT038 | 94.44 | 88.13 | FL081 | 100.65 | 93.94 | IA100 | 67.21 | 62.73 |
| CT039 | 94.44 | 88.13 | FL083 | 83.94 | 78.34 | IA107 | 67.21 | 62.73 |
| CT040 | 94.44 | 88.13 | FL092 | 64.92 | 60.58 | IA108 | 67.21 | 62.73 |
| CT041 | 94.44 | 88.13 | FL093 | 82.73 | 77.21 | IA113 | 77.93 | 72.74 |
| CT042 | 104.10 | 97.16 | FL102 | 64.40 | 60.11 | IA114 | 67.21 | 62.73 |
| CT047 | 85.30 | 79.61 | FL104 | 79.21 | 73.92 | IA117 | 71.25 | 66.50 |
| CT048 | 94.44 | 88.13 | FL105 | 86.94 | 81.14 | IA119 | 67.21 | 62.73 |
| CT049 | 94.44 | 88.13 | FL106 | 82.73 | 77.21 | IA120 | 80.19 | 74.85 |
| CT051 | 94.44 | 88.13 | FL110 | 64.40 | 60.11 | IA122 | 67.21 | 62.73 |
| CT052 | 100.19 | 93.52 | FL113 | 79.41 | 74.12 | IA124 | 67.21 | 62.73 |
| CT053 | 94.44 | 88.13 | FL116 | 100.65 | 93.94 | IA125 | 67.21 | 62.73 |
| CT058 | 85.30 | 79.61 | FL119 | 83.94 | 78.34 | IA126 | 74.56 | 69.59 |
| CT061 | 85.30 | 79.61 | FL123 | 79.74 | 74.42 | IA127 | 67.21 | 62.73 |
| CT063 | 104.10 | 97.16 | FL128 | 83.28 | 77.74 | IA128 | 67.21 | 62.73 |
| CT067 | 104.10 | 97.16 | FL132 | 84.08 | 78.49 | IA129 | 67.21 | 62.73 |
| CT068 | 94.44 | 88.13 | FL136 | 100.65 | 93.94 | IA130 | 67.21 | 62.73 |
| CT901 | 94.44 | 88.13 | FL137 | 79.21 | 73.92 | IA131 | 80.19 | 74.85 |
| DC001 | 116.27 | 108.53 | FL139 | 65.93 | 61.54 | IA132 | 77.93 | 72.74 |
| DC880 | 116.27 | 108.53 | FL141 | 86.66 | 80.89 | IA136 | 67.21 | 62.73 |
| DE001 | 93.31 | 87.09 | FL144 | 108.66 | 101.43 | ID005 | 68.89 | 64.30 |
| DE002 | 80.59 | 75.21 | FL145 | 107.49 | 100.34 | ID013 | 85.61 | 79.91 |
| DE003 | 93.31 | 87.09 | FL147 | 64.40 | 60.11 | ID016 | 85.61 | 79.91 |
| DE005 | 93.31 | 87.09 | FL201 | 82.73 | 77.21 | ID021 | 85.61 | 79.91 |
| DE901 | 80.59 | 75.21 | FL202 | 63.20 | 58.99 | ID901 | 71.32 | 66.55 |
| FL001 | 75.03 | 70.03 | FL881 | 107.49 | 100.34 | IL002 | 98.72 | 92.13 |
| FL002 | 79.21 | 73.92 | FL888 | 79.21 | 73.92 | IL003 | 77.95 | 72.76 |
| FL003 | 79.21 | 73.92 | GA001 | 70.23 | 65.55 | IL004 | 71.04 | 66.30 |
| FL004 | 82.73 | 77.21 | GA002 | 70.23 | 65.55 | IL006 | 69.57 | 64.94 |
| FL005 | 107.49 | 100.34 | GA004 | 70.23 | 65.55 | IL009 | 74.56 | 69.59 |
| FL007 | 79.41 | 74.12 | GA006 | 85.63 | 79.91 | IL010 | 74.56 | 69.59 |
| FL008 | 86.94 | 81.14 | GA007 | 70.23 | 65.55 | IL011 | 63.13 | 58.92 |
| FL009 | 83.94 | 78.34 | GA009 | 70.23 | 65.55 | IL012 | 67.22 | 62.74 |
| FL010 | 100.65 | 93.94 | GA010 | 85.63 | 79.91 | IL014 | 74.93 | 69.94 |
| FL011 | 65.93 | 61.54 | GA011 | 85.63 | 79.91 | IL015 | 67.77 | 63.25 |
| FL013 | 108.66 | 101.43 | GA023 | 70.23 | 65.55 | IL016 | 62.64 | 58.46 |
| FL015 | 70.50 | 65.79 | GA062 | 67.12 | 62.64 | IL018 | 74.56 | 69.59 |
| FL017 | 107.49 | 100.34 | GA078 | 85.63 | 79.91 | IL020 | 74.56 | 69.59 |
| FL018 | 64.40 | 60.11 | GA095 | 85.63 | 79.91 | IL022 | 70.89 | 66.17 |
| FL019 | 76.37 | 71.30 | GA116 | 85.63 | 79.91 | IL024 | 98.72 | 92.13 |
| FL020 | 76.37 | 71.30 | GA188 | 85.63 | 79.91 | IL025 | 98.72 | 92.13 |
| FL021 | 83.94 | 78.34 | GA228 | 85.63 | 79.91 | IL026 | 98.72 | 92.13 |
| FL022 | 79.41 | 74.12 | GA232 | 85.63 | 79.91 | IL028 | 71.04 | 66.30 |
| FL023 | 86.94 | 81.14 | GA237 | 85.63 | 79.91 | IL030 | 67.77 | 63.25 |
| FL024 | 79.41 | 74.12 | GA264 | 85.63 | 79.91 | IL032 | 74.93 | 69.94 |
| FL025 | 76.37 | 71.30 | GA269 | 85.63 | 79.91 | IL034 | 69.57 | 64.94 |
| FL026 | 65.93 | 61.54 | GA285 | 70.23 | 65.55 | IL035 | 74.93 | 69.94 |
| FL028 | 100.65 | 93.94 | GA901 | 85.63 | 79.91 | IL037 | 62.64 | 58.46 |
| FL030 | 79.41 | 74.12 | GQ901 | 118.25 | 110.38 | IL038 | 62.64 | 58.46 |
| FL031 | 63.20 | 58.99 | HI002 | 120.91 | 112.85 | IL039 | 67.35 | 62.87 |
| FL032 | 64.92 | 60.58 | HI003 | 131.38 | 122.63 | IL040 | 62.64 | 58.46 |
| FL033 | 82.73 | 77.21 | HI004 | 131.39 | 122.64 | IL042 | 62.64 | 58.46 |
| FL034 | 79.21 | 73.92 | HI005 | 136.18 | 127.11 | IL043 | 62.64 | 58.46 |
| FL035 | 64.40 | 60.11 | HI901 | 131.38 | 122.63 | IL050 | 63.13 | 58.92 |
| FL037 | 75.03 | 70.03 | IA002 | 67.21 | 62.73 | IL051 | 69.33 | 64.72 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| IL052 | 62.64 | 58.46 | IN062 | 57.39 | 53.58 | KY169 | 55.86 | 52.14 |
| IL053 | 63.13 | 58.92 | IN067 | 53.46 | 49.90 | KY171 | 62.61 | 58.44 |
| IL054 | 98.72 | 92.13 | IN071 | 63.30 | 59.07 | KY901 | 69.34 | 64.72 |
| IL056 | 98.72 | 92.13 | IN073 | 53.46 | 49.90 | LA001 | 73.17 | 68.28 |
| IL057 | 62.64 | 58.46 | IN077 | 54.42 | 50.79 | LA002 | 71.63 | 66.86 |
| IL059 | 62.64 | 58.46 | IN078 | 55.96 | 52.23 | LA003 | 79.00 | 73.74 |
| IL061 | 63.38 | 59.15 | IN079 | 65.53 | 61.16 | LA004 | 68.37 | 63.81 |
| IL074 | 67.77 | 63.25 | IN080 | 65.53 | 61.16 | LA005 | 68.37 | 63.81 |
| IL076 | 62.64 | 58.46 | IN086 | 53.46 | 49.90 | LA006 | 68.37 | 63.81 |
| IL079 | 62.64 | 58.46 | IN091 | 53.46 | 49.90 | LA009 | 79.00 | 73.74 |
| IL082 | 62.64 | 58.46 | IN092 | 53.46 | 49.90 | LA012 | 73.17 | 68.28 |
| IL083 | 70.89 | 66.17 | IN094 | 55.35 | 51.65 | LA013 | 73.17 | 68.28 |
| IL084 | 66.44 | 62.01 | IN100 | 58.34 | 54.46 | LA023 | 68.37 | 63.81 |
| IL085 | 63.95 | 59.69 | IN901 | 65.53 | 61.16 | LA024 | 67.58 | 63.08 |
| IL086 | 66.44 | 62.01 | KS001 | 65.89 | 61.49 | LA029 | 68.37 | 63.81 |
| IL087 | 62.64 | 58.46 | KS002 | 62.39 | 58.24 | LA031 | 67.58 | 63.08 |
| IL088 | 62.64 | 58.46 | KS004 | 67.22 | 62.73 | LA032 | 68.37 | 63.81 |
| IL089 | 78.24 | 73.02 | KS006 | 58.67 | 54.76 | LA033 | 67.58 | 63.08 |
| IL090 | 98.72 | 92.13 | KS017 | 58.67 | 54.76 | LA036 | 67.58 | 63.08 |
| IL091 | 62.64 | 58.46 | KS038 | 58.67 | 54.76 | LA037 | 72.99 | 68.13 |
| IL092 | 98.72 | 92.13 | KS041 | 58.67 | 54.76 | LA046 | 68.37 | 63.81 |
| IL095 | 73.47 | 68.57 | KS043 | 65.89 | 61.49 | LA057 | 68.37 | 63.81 |
| IL096 | 62.64 | 58.46 | KS053 | 68.95 | 64.35 | LA063 | 68.37 | 63.81 |
| IL101 | 98.72 | 92.13 | KS062 | 58.67 | 54.76 | LA067 | 67.58 | 63.08 |
| IL103 | 98.72 | 92.13 | KS063 | 59.23 | 55.28 | LA074 | 67.58 | 63.08 |
| IL104 | 77.95 | 72.76 | KS068 | 65.89 | 61.49 | LA086 | 67.58 | 63.08 |
| IL107 | 98.72 | 92.13 | KS073 | 67.22 | 62.73 | LA094 | 73.17 | 68.28 |
| IL116 | 98.72 | 92.13 | KS091 | 58.67 | 54.76 | LA097 | 67.58 | 63.08 |
| IL117 | 69.33 | 64.72 | KS149 | 58.67 | 54.76 | LA101 | 79.00 | 73.74 |
| IL120 | 62.64 | 58.46 | KS159 | 65.89 | 61.49 | LA103 | 73.17 | 68.28 |
| IL122 | 70.89 | 66.17 | KS161 | 58.67 | 54.76 | LA104 | 68.37 | 63.81 |
| IL123 | 62.64 | 58.46 | KS162 | 65.89 | 61.49 | LA111 | 67.58 | 63.88 |
| IL124 | 77.95 | 72.76 | KS165 | 58.67 | 54.76 | LA114 | 67.58 | 63.08 |
| IL126 | 63.13 | 58.92 | KS166 | 58.67 | 54.76 | LA115 | 67.58 | 63.08 |
| IL130 | 98.72 | 92.13 | KS167 | 59.23 | 55.28 | LA120 | 68.37 | 63.81 |
| IL131 | 74.56 | 69.59 | KS168 | 62.39 | 58.24 | LA122 | 68.37 | 63.81 |
| IL136 | 98.72 | 92.13 | KS170 | 58.67 | 54.76 | LA125 | 67.58 | 63.08 |
| IL137 | 99.57 | 92.92 | KY001 | 62.61 | 58.44 | LA128 | 67.58 | 63.08 |
| IL901 | 98.72 | 92.13 | KY003 | 56.90 | 53.11 | LA129 | 68.37 | 63.81 |
| IN002 | 53.46 | 49.90 | KY004 | 69.34 | 64.72 | LA132 | 67.58 | 63.08 |
| IN003 | 59.27 | 55.33 | KY007 | 55.86 | 52.14 | LA159 | 67.58 | 63.08 |
| IN004 | 55.21 | 51.53 | KY008 | 55.86 | 52.14 | LA163 | 67.58 | 63.08 |
| IN005 | 55.21 | 51.53 | KY009 | 62.61 | 58.44 | LA165 | 68.37 | 63.81 |
| IN006 | 65.53 | 61.16 | KY011 | 70.23 | 65.55 | LA166 | 67.58 | 63.08 |
| IN007 | 57.66 | 53.82 | KY012 | 57.29 | 53.47 | LA169 | 67.58 | 63.08 |
| IN009 | 53.46 | 49.90 | KY015 | 71.51 | 66.74 | LA171 | 68.37 | 63.81 |
| IN010 | 72.36 | 67.55 | KY017 | 55.86 | 52.14 | LA172 | 68.37 | 63.81 |
| IN011 | 72.36 | 67.55 | KY021 | 55.86 | 52.14 | LA173 | 68.37 | 63.81 |
| IN012 | 62.61 | 58.44 | KY022 | 55.86 | 52.14 | LA174 | 68.37 | 63.81 |
| IN015 | 58.34 | 54.46 | KY026 | 55.86 | 52.14 | LA178 | 68.37 | 63.81 |
| IN016 | 57.29 | 53.47 | KY027 | 55.86 | 52.14 | LA181 | 73.17 | 68.28 |
| IN017 | 65.53 | 61.16 | KY035 | 55.86 | 52.14 | LA182 | 67.58 | 63.08 |
| IN018 | 53.46 | 49.90 | KY040 | 55.86 | 52.14 | LA184 | 71.63 | 66.86 |
| IN019 | 57.16 | 53.34 | KY047 | 55.86 | 52.14 | LA186 | 68.37 | 63.81 |
| IN020 | 58.34 | 54.46 | KY053 | 55.86 | 52.14 | LA187 | 73.17 | 68.28 |
| IN021 | 55.21 | 51.53 | KY056 | 55.86 | 52.14 | LA188 | 67.58 | 63.08 |
| IN022 | 58.74 | 54.83 | KY061 | 69.34 | 64.72 | LA189 | 68.37 | 63.81 |
| IN023 | 62.61 | 58.44 | KY071 | 62.10 | 57.96 | LA190 | 71.63 | 66.86 |
| IN025 | 62.61 | 58.44 | KY086 | 55.86 | 52.14 | LA192 | 67.58 | 63.08 |
| IN026 | 57.28 | 53.46 | KY107 | 55.86 | 52.14 | LA194 | 70.06 | 65.40 |
| IN029 | 72.36 | 67.55 | KY121 | 55.86 | 52.14 | LA195 | 67.58 | 63.08 |
| IN031 | 53.46 | 49.90 | KY132 | 61.86 | 57.74 | LA196 | 68.37 | 63.81 |
| IN032 | 54.42 | 50.79 | KY133 | 71.51 | 66.74 | LA199 | 79.00 | 73.74 |
| IN035 | 55.21 | 51.53 | KY135 | 71.51 | 66.74 | LA202 | 79.00 | 73.74 |
| IN037 | 57.29 | 53.47 | KY136 | 71.51 | 66.74 | LA204 | 79.00 | 73.74 |
| IN041 | 53.46 | 49.90 | KY137 | 55.86 | 52.14 | LA205 | 79.00 | 73.74 |
| IN043 | 53.46 | 49.90 | KY138 | 55.86 | 52.14 | LA206 | 68.37 | 63.81 |
| IN047 | 53.46 | 49.90 | KY140 | 69.34 | 64.72 | LA207 | 68.37 | 63.81 |
| IN048 | 53.46 | 49.90 | KY141 | 55.86 | 52.14 | LA211 | 70.06 | 65.40 |
| IN050 | 53.46 | 49.90 | KY142 | 62.44 | 58.28 | LA212 | 67.58 | 63.08 |
| IN055 | 54.42 | 50.79 | KY157 | 55.86 | 52.14 | LA213 | 72.99 | 68.13 |
| IN056 | 55.96 | 52.23 | KY160 | 55.86 | 52.14 | LA214 | 68.37 | 63.81 |
| IN058 | 59.81 | 55.83 | KY161 | 62.44 | 58.28 | LA215 | 67.58 | 63.08 |
| IN060 | 57.28 | 53.46 | KY163 | 55.86 | 52.14 | LA220 | 67.58 | 63.08 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| LA222 | 67.58 | 63.08 | MA069 | 130.81 | 122.08 | MD014 | 78.28 | 73.06 |
| LA229 | 67.58 | 63.08 | MA070 | 130.81 | 122.08 | MD015 | 116.27 | 108.53 |
| LA230 | 71.63 | 66.86 | MA072 | 130.81 | 122.08 | MD016 | 93.31 | 87.09 |
| LA232 | 67.58 | 63.08 | MA073 | 130.81 | 122.08 | MD018 | 87.10 | 81.28 |
| LA233 | 67.58 | 63.08 | MA074 | 130.81 | 122.08 | MD019 | 76.79 | 71.66 |
| LA238 | 73.17 | 68.28 | MA075 | 130.81 | 122.08 | MD021 | 98.80 | 92.21 |
| LA241 | 67.58 | 63.08 | MA076 | 121.02 | 112.96 | MD022 | 116.27 | 108.53 |
| LA242 | 67.58 | 63.08 | MA077 | 121.02 | 112.96 | MD023 | 87.10 | 81.28 |
| LA246 | 67.58 | 63.08 | MA078 | 121.02 | 112.96 | MD024 | 116.27 | 108.53 |
| LA247 | 67.58 | 63.08 | MA079 | 130.81 | 122.08 | MD025 | 87.10 | 81.28 |
| LA248 | 67.58 | 63.08 | MA080 | 121.02 | 112.96 | MD027 | 87.10 | 81.28 |
| LA253 | 70.06 | 65.40 | MA081 | 121.02 | 112.96 | MD028 | 68.32 | 63.76 |
| LA257 | 67.58 | 63.08 | MA082 | 121.02 | 112.96 | MD029 | 93.31 | 87.09 |
| LA258 | 67.58 | 63.08 | MA084 | 121.02 | 112.96 | MD032 | 87.10 | 81.28 |
| LA266 | 68.37 | 63.81 | MA085 | 121.02 | 112.96 | MD033 | 87.10 | 81.28 |
| LA888 | 71.63 | 66.86 | MA086 | 121.02 | 112.96 | MD034 | 87.10 | 81.28 |
| LA889 | 73.17 | 68.28 | MA087 | 121.02 | 112.96 | MD901 | 116.27 | 108.53 |
| LA903 | 73.17 | 68.28 | MA088 | 121.02 | 112.96 | ME001 | 66.51 | 62.08 |
| MA001 | 121.02 | 112.96 | MA089 | 130.81 | 122.08 | ME002 | 66.51 | 62.08 |
| MA002 | 130.81 | 122.08 | MA090 | 130.81 | 122.08 | ME003 | 105.84 | 98.80 |
| MA003 | 130.81 | 122.08 | MA091 | 130.81 | 122.08 | ME004 | 66.51 | 62.08 |
| MA005 | 121.02 | 112.96 | MA092 | 130.81 | 122.08 | ME005 | 75.74 | 70.68 |
| MA006 | 118.28 | 110.40 | MA093 | 130.81 | 122.08 | ME006 | 80.94 | 75.53 |
| MA007 | 121.02 | 112.96 | MA094 | 119.92 | 111.93 | ME007 | 75.74 | 70.68 |
| MA008 | 121.02 | 112.96 | MA095 | 131.11 | 122.38 | ME008 | 69.93 | 65.26 |
| MA010 | 121.02 | 112.96 | MA096 | 119.92 | 111.93 | ME009 | 76.88 | 71.77 |
| MA012 | 121.02 | 112.96 | MA098 | 130.81 | 122.08 | ME011 | 93.12 | 86.90 |
| MA013 | 130.81 | 122.08 | MA099 | 130.81 | 122.08 | ME015 | 105.84 | 98.80 |
| MA014 | 130.81 | 122.08 | MA100 | 121.02 | 112.96 | ME018 | 76.88 | 71.77 |
| MA015 | 130.81 | 122.08 | MA101 | 130.81 | 122.08 | ME019 | 84.84 | 79.16 |
| MA016 | 130.81 | 122.08 | MA105 | 121.02 | 112.96 | ME020 | 105.84 | 98.80 |
| MA017 | 130.81 | 122.08 | MA106 | 121.02 | 112.96 | ME021 | 76.88 | 71.77 |
| MA018 | 118.28 | 110.40 | MA107 | 121.02 | 112.96 | ME025 | 66.51 | 62.08 |
| MA019 | 130.81 | 122.08 | MA108 | 121.02 | 112.96 | ME027 | 68.27 | 63.73 |
| MA020 | 130.81 | 122.08 | MA109 | 130.81 | 122.08 | ME028 | 93.12 | 86.90 |
| MA022 | 130.81 | 122.08 | MA110 | 131.11 | 122.38 | ME030 | 69.93 | 65.26 |
| MA023 | 130.81 | 122.08 | MA111 | 130.81 | 122.08 | ME901 | 65.29 | 60.93 |
| MA024 | 121.02 | 112.96 | MA112 | 130.81 | 122.08 | MI001 | 67.95 | 63.42 |
| MA025 | 130.81 | 122.08 | MA116 | 130.81 | 122.08 | MI005 | 67.95 | 63.42 |
| MA026 | 121.02 | 112.96 | MA117 | 130.81 | 122.08 | MI006 | 58.11 | 54.23 |
| MA027 | 130.81 | 122.08 | MA118 | 130.81 | 122.08 | MI008 | 67.95 | 63.42 |
| MA028 | 130.81 | 122.08 | MA119 | 130.81 | 122.08 | MI009 | 58.49 | 54.58 |
| MA029 | 121.02 | 112.96 | MA121 | 130.81 | 122.08 | MI010 | 59.23 | 55.29 |
| MA031 | 130.81 | 122.08 | MA122 | 130.81 | 122.08 | MI019 | 56.79 | 53.00 |
| MA032 | 130.81 | 122.08 | MA123 | 121.02 | 112.96 | MI020 | 56.79 | 53.00 |
| MA033 | 130.81 | 122.08 | MA125 | 130.81 | 122.08 | MI023 | 56.79 | 53.00 |
| MA034 | 121.02 | 112.96 | MA127 | 121.02 | 112.96 | MI027 | 67.95 | 63.42 |
| MA035 | 121.02 | 112.96 | MA133 | 130.81 | 122.08 | MI030 | 56.79 | 53.00 |
| MA036 | 130.81 | 122.08 | MA134 | 130.81 | 122.08 | MI031 | 64.14 | 59.87 |
| MA037 | 121.02 | 112.96 | MA135 | 130.81 | 122.08 | MI032 | 59.23 | 55.29 |
| MA039 | 121.02 | 112.96 | MA138 | 131.11 | 122.38 | MI035 | 61.24 | 57.17 |
| MA040 | 130.81 | 122.08 | MA139 | 121.02 | 112.96 | MI036 | 56.79 | 53.00 |
| MA041 | 121.02 | 112.96 | MA140 | 130.81 | 122.08 | MI037 | 67.95 | 63.42 |
| MA042 | 130.81 | 122.08 | MA147 | 130.81 | 122.08 | MI038 | 58.73 | 54.82 |
| MA043 | 121.02 | 112.96 | MA154 | 130.81 | 122.08 | MI039 | 67.95 | 63.42 |
| MA044 | 130.81 | 122.08 | MA155 | 130.81 | 122.08 | MI040 | 67.95 | 63.42 |
| MA045 | 130.81 | 122.08 | MA165 | 130.81 | 122.08 | MI044 | 67.95 | 63.42 |
| MA046 | 131.11 | 122.38 | MA170 | 118.28 | 110.40 | MI045 | 67.95 | 63.42 |
| MA047 | 131.11 | 122.38 | MA172 | 121.02 | 112.96 | MI047 | 56.79 | 53.00 |
| MA048 | 130.81 | 122.08 | MA174 | 130.81 | 122.08 | MI048 | 67.95 | 63.42 |
| MA050 | 121.02 | 112.96 | MA180 | 131.11 | 122.38 | MI049 | 56.79 | 53.00 |
| MA051 | 121.02 | 112.96 | MA181 | 131.11 | 122.38 | MI050 | 56.79 | 53.00 |
| MA053 | 130.81 | 122.08 | MA188 | 121.02 | 112.96 | MI051 | 67.95 | 63.42 |
| MA054 | 130.81 | 122.08 | MA880 | 130.81 | 122.08 | MI052 | 67.95 | 63.42 |
| MA055 | 130.81 | 122.08 | MA881 | 130.81 | 122.08 | MI055 | 67.95 | 63.42 |
| MA056 | 130.81 | 122.08 | MA882 | 121.02 | 112.96 | MI058 | 65.15 | 60.80 |
| MA057 | 130.81 | 122.08 | MA883 | 130.81 | 122.08 | MI059 | 67.95 | 63.42 |
| MA059 | 130.81 | 122.08 | MA901 | 130.81 | 122.08 | MI060 | 60.91 | 56.84 |
| MA060 | 121.02 | 112.96 | MD001 | 87.10 | 81.28 | MI061 | 61.30 | 57.21 |
| MA061 | 130.81 | 122.08 | MD002 | 87.10 | 81.28 | MI063 | 56.79 | 53.00 |
| MA063 | 130.81 | 122.08 | MD003 | 116.27 | 108.53 | MI064 | 80.96 | 75.56 |
| MA065 | 130.81 | 122.08 | MD004 | 116.27 | 108.53 | MI066 | 64.14 | 59.87 |
| MA066 | 121.02 | 112.96 | MD006 | 68.32 | 63.76 | MI070 | 60.91 | 56.84 |
| MA067 | 130.81 | 122.08 | MD007 | 116.27 | 108.53 | MI073 | 64.14 | 59.87 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| MI074 | 61.30 | 57.21 | MN184 | 92.99 | 86.79 | MS128 | 64.41 | 60.11 |
| MI080 | 63.03 | 58.84 | MN188 | 63.37 | 59.14 | MS301 | 67.01 | 62.54 |
| MI084 | 60.91 | 56.84 | MN190 | 63.37 | 59.14 | MT001 | 89.44 | 83.48 |
| MI087 | 60.91 | 56.84 | MN191 | 63.37 | 59.14 | MT002 | 79.19 | 73.92 |
| MI089 | 67.95 | 63.42 | MN192 | 63.37 | 59.14 | MT003 | 73.94 | 69.00 |
| MI093 | 64.14 | 59.87 | MN193 | 71.20 | 66.46 | MT004 | 85.97 | 80.24 |
| MI094 | 56.79 | 53.00 | MN197 | 63.37 | 59.14 | MT006 | 69.65 | 65.02 |
| MI096 | 67.95 | 63.42 | MN200 | 63.37 | 59.14 | MT015 | 75.47 | 70.43 |
| MI097 | 67.95 | 63.42 | MN203 | 66.48 | 62.04 | MT033 | 80.51 | 75.13 |
| MI100 | 67.95 | 63.42 | MN212 | 92.99 | 86.79 | MT036 | 75.47 | 70.43 |
| MI112 | 56.79 | 53.00 | MN216 | 92.99 | 86.79 | MT901 | 89.44 | 83.48 |
| MI115 | 64.14 | 59.87 | MN219 | 69.08 | 64.47 | NC001 | 67.86 | 63.34 |
| MI117 | 56.79 | 53.00 | MN220 | 69.13 | 64.53 | NC002 | 81.07 | 75.66 |
| MI119 | 56.79 | 53.00 | MN801 | 92.99 | 86.79 | NC003 | 74.35 | 69.38 |
| MI120 | 59.23 | 55.29 | MN802 | 92.99 | 86.79 | NC004 | 64.25 | 59.97 |
| MI121 | 61.30 | 57.21 | MO001 | 67.77 | 63.25 | NC006 | 70.23 | 65.56 |
| MI132 | 56.79 | 53.00 | MO002 | 65.89 | 61.49 | NC007 | 67.86 | 63.34 |
| MI139 | 67.95 | 63.42 | MO003 | 64.97 | 60.64 | NC008 | 74.35 | 69.38 |
| MI157 | 67.95 | 63.42 | MO004 | 67.77 | 63.25 | NC009 | 68.98 | 64.37 |
| MI167 | 65.15 | 60.80 | MO006 | 67.77 | 63.25 | NC011 | 70.23 | 65.56 |
| MI168 | 65.15 | 60.80 | MO007 | 64.97 | 60.64 | NC012 | 70.23 | 65.56 |
| MI186 | 56.79 | 53.00 | MO008 | 64.75 | 60.44 | NC013 | 81.07 | 75.66 |
| MI194 | 65.15 | 60.80 | MO009 | 64.97 | 60.64 | NC014 | 64.25 | 59.97 |
| MI198 | 64.14 | 59.87 | MO010 | 64.75 | 60.44 | NC015 | 67.86 | 63.34 |
| MI880 | 65.15 | 60.80 | MO014 | 64.97 | 60.64 | NC018 | 64.25 | 59.97 |
| MI901 | 67.95 | 63.42 | MO016 | 64.75 | 60.44 | NC019 | 67.86 | 63.34 |
| MN001 | 92.99 | 86.79 | MO017 | 65.89 | 61.49 | NC020 | 64.25 | 59.97 |
| MN002 | 92.99 | 86.79 | MO030 | 65.89 | 61.49 | NC021 | 81.07 | 75.66 |
| MN003 | 68.78 | 64.20 | MO037 | 64.75 | 60.44 | NC022 | 67.86 | 63.34 |
| MN006 | 64.25 | 59.97 | MO040 | 64.75 | 60.44 | NC025 | 64.25 | 59.97 |
| MN007 | 68.78 | 64.20 | MO053 | 65.89 | 61.49 | NC032 | 64.25 | 59.97 |
| MN008 | 63.37 | 59.14 | MO058 | 64.97 | 60.64 | NC035 | 64.86 | 60.53 |
| MN009 | 63.37 | 59.14 | MO064 | 64.75 | 60.44 | NC039 | 66.81 | 62.36 |
| MN018 | 63.37 | 59.14 | MO065 | 64.75 | 60.44 | NC050 | 67.55 | 63.04 |
| MN021 | 76.95 | 71.82 | MO072 | 64.75 | 60.44 | NC056 | 71.50 | 66.74 |
| MN032 | 63.37 | 59.14 | MO074 | 64.75 | 60.44 | NC057 | 74.35 | 69.38 |
| MN034 | 63.37 | 59.14 | MO107 | 64.75 | 60.44 | NC059 | 70.23 | 65.56 |
| MN037 | 63.43 | 59.21 | MO129 | 64.75 | 60.44 | NC065 | 74.35 | 69.38 |
| MN038 | 70.85 | 66.12 | MO133 | 64.75 | 60.44 | NC070 | 70.73 | 66.00 |
| MN049 | 63.37 | 59.14 | MO145 | 64.75 | 60.44 | NC071 | 66.81 | 62.36 |
| MN063 | 69.08 | 64.47 | MO149 | 64.75 | 60.44 | NC072 | 70.43 | 65.74 |
| MN067 | 92.99 | 86.79 | MO188 | 64.97 | 60.64 | NC075 | 64.25 | 59.97 |
| MN073 | 68.78 | 64.20 | MO190 | 64.75 | 60.44 | NC077 | 64.25 | 59.97 |
| MN077 | 69.13 | 64.53 | MO193 | 65.89 | 61.49 | NC081 | 70.23 | 65.56 |
| MN085 | 63.37 | 59.14 | MO196 | 65.89 | 61.49 | NC087 | 67.86 | 63.34 |
| MN090 | 63.37 | 59.14 | MO197 | 65.89 | 61.49 | NC089 | 64.25 | 59.97 |
| MN101 | 63.37 | 59.14 | MO198 | 64.97 | 60.64 | NC098 | 67.86 | 63.34 |
| MN107 | 63.37 | 59.14 | MO199 | 67.77 | 63.25 | NC102 | 70.73 | 66.00 |
| MN128 | 63.37 | 59.14 | MO200 | 64.75 | 60.44 | NC104 | 81.07 | 75.66 |
| MN144 | 92.99 | 86.79 | MO203 | 64.97 | 60.64 | NC118 | 64.25 | 59.97 |
| MN147 | 92.99 | 86.79 | MO204 | 65.89 | 61.49 | NC120 | 81.07 | 75.66 |
| MN151 | 76.99 | 71.87 | MO205 | 67.77 | 63.25 | NC134 | 70.73 | 66.00 |
| MN152 | 92.99 | 86.79 | MO206 | 64.75 | 60.44 | NC137 | 67.86 | 63.34 |
| MN153 | 63.37 | 59.14 | MO207 | 64.75 | 60.44 | NC138 | 64.25 | 59.97 |
| MN154 | 63.37 | 59.14 | MO209 | 64.75 | 60.44 | NC139 | 64.25 | 59.97 |
| MN158 | 76.95 | 71.82 | MO210 | 65.89 | 61.49 | NC140 | 67.86 | 63.34 |
| MN161 | 66.48 | 62.04 | MO212 | 64.75 | 60.44 | NC141 | 64.25 | 59.97 |
| MN163 | 92.99 | 86.79 | MO213 | 65.89 | 61.49 | NC144 | 67.86 | 63.34 |
| MN164 | 76.95 | 71.82 | MO215 | 64.97 | 60.64 | NC145 | 64.25 | 59.97 |
| MN166 | 63.37 | 59.14 | MO216 | 64.97 | 60.64 | NC146 | 64.25 | 59.97 |
| MN167 | 69.08 | 64.47 | MO217 | 64.75 | 60.44 | NC147 | 67.86 | 63.34 |
| MN168 | 66.48 | 62.04 | MO227 | 67.77 | 63.25 | NC149 | 64.25 | 59.97 |
| MN169 | 63.37 | 59.14 | MS004 | 64.41 | 60.11 | NC150 | 64.25 | 59.97 |
| MN170 | 92.99 | 86.79 | MS005 | 67.01 | 62.54 | NC151 | 64.68 | 60.37 |
| MN171 | 65.48 | 61.10 | MS006 | 64.41 | 60.11 | NC152 | 67.86 | 63.34 |
| MN172 | 70.85 | 66.12 | MS016 | 69.33 | 64.71 | NC155 | 64.25 | 59.97 |
| MN173 | 63.37 | 59.14 | MS019 | 64.41 | 60.11 | NC159 | 71.50 | 66.74 |
| MN174 | 63.37 | 59.14 | MS030 | 64.41 | 60.11 | NC160 | 64.25 | 59.97 |
| MN176 | 63.37 | 59.14 | MS040 | 67.01 | 62.54 | NC161 | 64.25 | 59.97 |
| MN177 | 63.37 | 59.14 | MS057 | 64.41 | 60.11 | NC163 | 67.55 | 63.04 |
| MN178 | 66.48 | 62.04 | MS058 | 79.07 | 73.79 | NC164 | 81.07 | 75.66 |
| MN179 | 63.37 | 59.14 | MS095 | 64.41 | 60.11 | NC165 | 64.25 | 59.97 |
| MN180 | 63.37 | 59.14 | MS103 | 79.07 | 73.79 | NC166 | 70.23 | 65.56 |
| MN182 | 63.37 | 59.14 | MS107 | 64.41 | 60.11 | NC167 | 65.46 | 61.09 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| NC173 | 67.86 | 63.34 | NH016 | 77.24 | 72.10 | NJ112 | 114.11 | 106.51 |
| NC175 | 67.86 | 63.34 | NH022 | 121.02 | 112.96 | NJ113 | 111.43 | 103.98 |
| NC901 | 64.25 | 59.97 | NH888 | 100.56 | 93.85 | NJ114 | 114.11 | 106.51 |
| ND001 | 76.95 | 71.82 | NH901 | 94.66 | 88.34 | NJ118 | 93.31 | 87.09 |
| ND002 | 76.20 | 71.12 | NJ002 | 111.43 | 103.98 | NJ204 | 93.31 | 87.09 |
| ND003 | 76.20 | 71.12 | NJ003 | 111.43 | 103.98 | NJ212 | 109.48 | 102.18 |
| ND009 | 76.20 | 71.12 | NJ004 | 95.11 | 88.76 | NJ214 | 111.71 | 104.26 |
| ND010 | 76.95 | 71.82 | NJ006 | 114.11 | 106.51 | NJ880 | 111.71 | 104.26 |
| ND011 | 76.20 | 71.12 | NJ007 | 111.71 | 104.26 | NJ881 | 114.11 | 106.51 |
| ND012 | 76.95 | 71.82 | NJ008 | 111.71 | 104.26 | NJ882 | 111.43 | 103.98 |
| ND013 | 76.20 | 71.12 | NJ009 | 95.11 | 88.76 | NJ912 | 111.43 | 103.98 |
| ND014 | 76.95 | 71.82 | NJ010 | 93.31 | 87.09 | NM001 | 80.56 | 75.19 |
| ND015 | 76.20 | 71.12 | NJ011 | 114.11 | 106.51 | NM002 | 62.05 | 57.91 |
| ND016 | 76.20 | 71.12 | NJ012 | 95.11 | 88.76 | NM003 | 63.93 | 59.67 |
| ND017 | 76.20 | 71.12 | NJ013 | 114.11 | 106.51 | NM006 | 80.18 | 74.83 |
| ND019 | 76.20 | 71.12 | NJ014 | 94.22 | 87.96 | NM009 | 95.34 | 88.97 |
| ND021 | 76.95 | 71.82 | NJ015 | 95.11 | 88.76 | NM020 | 62.79 | 58.59 |
| ND022 | 76.20 | 71.12 | NJ021 | 114.11 | 106.51 | NM033 | 62.05 | 57.91 |
| ND025 | 76.20 | 71.12 | NJ022 | 114.11 | 106.51 | NM039 | 62.05 | 57.91 |
| ND026 | 76.20 | 71.12 | NJ023 | 111.43 | 103.98 | NM050 | 95.34 | 88.97 |
| ND030 | 76.20 | 71.12 | NJ025 | 111.43 | 103.98 | NM057 | 80.56 | 75.19 |
| ND031 | 76.20 | 71.12 | NJ026 | 95.11 | 88.76 | NM061 | 62.05 | 57.91 |
| ND035 | 76.20 | 71.12 | NJ030 | 95.11 | 88.76 | NM063 | 62.79 | 58.59 |
| ND036 | 76.20 | 71.12 | NJ032 | 111.43 | 103.98 | NM066 | 79.28 | 73.99 |
| ND037 | 76.20 | 71.12 | NJ033 | 114.11 | 106.51 | NM067 | 62.05 | 57.91 |
| ND038 | 76.20 | 71.12 | NJ035 | 114.11 | 106.51 | NM077 | 80.56 | 75.19 |
| ND039 | 76.20 | 71.12 | NJ036 | 95.11 | 88.76 | NM088 | 66.17 | 61.76 |
| ND044 | 76.20 | 71.12 | NJ037 | 111.43 | 103.98 | NV001 | 84.09 | 78.48 |
| ND049 | 76.20 | 71.12 | NJ039 | 111.43 | 103.98 | NV018 | 94.46 | 88.17 |
| ND052 | 76.20 | 71.12 | NJ042 | 114.11 | 106.51 | NV905 | 84.09 | 78.48 |
| ND054 | 76.20 | 71.12 | NJ043 | 114.11 | 106.51 | NY001 | 82.33 | 76.85 |
| ND055 | 76.20 | 71.12 | NJ044 | 114.11 | 106.51 | NY002 | 76.95 | 71.83 |
| ND070 | 76.20 | 71.12 | NJ046 | 111.71 | 104.26 | NY003 | 128.16 | 119.62 |
| ND901 | 76.95 | 71.82 | NJ047 | 114.11 | 106.51 | NY005 | 111.40 | 103.97 |
| NE001 | 71.25 | 66.50 | NJ048 | 111.71 | 104.26 | NY006 | 75.37 | 70.36 |
| NE002 | 70.90 | 66.17 | NJ049 | 90.58 | 84.54 | NY009 | 89.47 | 83.51 |
| NE003 | 70.90 | 66.17 | NJ050 | 111.43 | 103.98 | NY012 | 89.47 | 83.51 |
| NE004 | 70.90 | 66.17 | NJ051 | 93.31 | 87.09 | NY015 | 89.47 | 83.51 |
| NE010 | 70.90 | 66.17 | NJ052 | 111.43 | 103.98 | NY016 | 78.07 | 72.86 |
| NE041 | 70.90 | 66.17 | NJ054 | 111.71 | 104.26 | NY017 | 62.96 | 58.77 |
| NE078 | 70.90 | 66.17 | NJ055 | 114.11 | 106.51 | NY018 | 66.75 | 62.30 |
| NE083 | 70.90 | 66.17 | NJ056 | 111.71 | 104.26 | NY019 | 75.37 | 70.36 |
| NE094 | 70.90 | 66.17 | NJ058 | 93.31 | 87.09 | NY020 | 89.47 | 83.51 |
| NE100 | 70.90 | 66.17 | NJ059 | 94.22 | 87.96 | NY021 | 72.69 | 67.85 |
| NE104 | 70.90 | 66.17 | NJ060 | 111.71 | 104.26 | NY022 | 89.47 | 83.51 |
| NE114 | 70.90 | 66.17 | NJ061 | 90.58 | 84.54 | NY023 | 128.16 | 119.62 |
| NE120 | 70.90 | 66.17 | NJ063 | 90.58 | 84.54 | NY025 | 89.47 | 83.51 |
| NE123 | 70.90 | 66.17 | NJ065 | 111.71 | 104.26 | NY027 | 82.33 | 76.85 |
| NE141 | 70.90 | 66.17 | NJ066 | 111.43 | 103.98 | NY028 | 89.47 | 83.51 |
| NE143 | 70.90 | 66.17 | NJ067 | 114.11 | 106.51 | NY033 | 89.47 | 83.51 |
| NE150 | 70.90 | 66.17 | NJ068 | 111.43 | 103.98 | NY034 | 75.37 | 70.36 |
| NE153 | 71.25 | 66.50 | NJ070 | 114.11 | 106.51 | NY035 | 128.16 | 119.62 |
| NE157 | 70.90 | 66.17 | NJ071 | 114.11 | 106.51 | NY038 | 128.16 | 119.62 |
| NE174 | 71.25 | 66.50 | NJ073 | 93.31 | 87.09 | NY041 | 94.19 | 87.91 |
| NE175 | 70.90 | 66.17 | NJ074 | 93.31 | 87.09 | NY042 | 128.16 | 119.62 |
| NE179 | 70.90 | 66.17 | NJ075 | 114.11 | 106.51 | NY044 | 94.19 | 87.91 |
| NE180 | 70.90 | 66.17 | NJ077 | 95.11 | 88.76 | NY045 | 100.76 | 94.04 |
| NE181 | 70.90 | 66.17 | NJ081 | 111.71 | 104.26 | NY048 | 59.72 | 55.74 |
| NE182 | 70.90 | 66.17 | NJ083 | 95.11 | 88.76 | NY049 | 114.50 | 106.87 |
| NH001 | 94.66 | 88.34 | NJ084 | 114.11 | 106.51 | NY050 | 128.16 | 119.62 |
| NH002 | 100.56 | 93.85 | NJ086 | 111.43 | 103.98 | NY051 | 114.50 | 106.87 |
| NH003 | 98.01 | 91.49 | NJ088 | 111.43 | 103.98 | NY054 | 87.99 | 82.14 |
| NH004 | 98.01 | 91.49 | NJ089 | 114.11 | 106.51 | NY057 | 128.16 | 119.62 |
| NH005 | 107.75 | 100.56 | NJ090 | 114.11 | 106.51 | NY059 | 75.37 | 70.36 |
| NH006 | 98.01 | 91.49 | NJ092 | 111.43 | 103.98 | NY060 | 76.49 | 71.39 |
| NH007 | 84.87 | 79.21 | NJ095 | 111.71 | 104.26 | NY061 | 68.94 | 64.35 |
| NH008 | 98.01 | 91.49 | NJ097 | 114.11 | 106.51 | NY062 | 114.50 | 106.87 |
| NH009 | 87.61 | 81.76 | NJ099 | 111.43 | 103.98 | NY065 | 69.85 | 65.20 |
| NH010 | 100.69 | 93.98 | NJ102 | 111.43 | 103.98 | NY066 | 70.39 | 65.70 |
| NH011 | 77.24 | 72.10 | NJ105 | 111.43 | 103.98 | NY067 | 66.62 | 62.17 |
| NH012 | 82.28 | 76.80 | NJ106 | 114.11 | 106.51 | NY068 | 65.27 | 60.91 |
| NH013 | 98.01 | 91.49 | NJ108 | 111.43 | 103.98 | NY070 | 76.95 | 71.83 |
| NH014 | 98.01 | 91.49 | NJ109 | 111.43 | 103.98 | NY071 | 78.04 | 72.84 |
| NH015 | 77.24 | 72.10 | NJ110 | 114.11 | 106.51 | NY077 | 128.16 | 119.62 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| NY079 | 84.71 | 79.06 | NY532 | 89.47 | 83.51 | OH069 | 61.01 | 56.94 |
| NY084 | 111.40 | 103.97 | NY534 | 75.37 | 70.36 | OH070 | 70.05 | 65.37 |
| NY085 | 128.16 | 119.62 | NY535 | 89.47 | 83.51 | OH071 | 73.41 | 68.51 |
| NY086 | 128.16 | 119.62 | NY538 | 89.47 | 83.51 | OH072 | 61.01 | 56.94 |
| NY087 | 64.19 | 59.90 | NY541 | 65.27 | 60.91 | OH073 | 73.85 | 68.92 |
| NY088 | 128.16 | 119.62 | NY552 | 75.37 | 70.36 | OH074 | 62.72 | 58.53 |
| NY089 | 94.19 | 87.91 | NY557 | 89.47 | 83.51 | OH075 | 61.01 | 56.94 |
| NY091 | 76.95 | 71.83 | NY561 | 89.47 | 83.51 | OH076 | 61.01 | 56.94 |
| NY094 | 128.16 | 119.62 | NY562 | 89.47 | 83.51 | OH077 | 61.01 | 56.94 |
| NY098 | 75.37 | 70.36 | NY564 | 89.47 | 83.51 | OH078 | 61.01 | 56.94 |
| NY102 | 82.33 | 76.85 | NY630 | 89.47 | 83.51 | OH079 | 70.05 | 65.37 |
| NY103 | 100.76 | 94.04 | NY888 | 128.16 | 119.62 | OH080 | 62.50 | 58.32 |
| NY107 | 82.33 | 76.85 | NY889 | 62.96 | 58.77 | OH081 | 62.59 | 58.41 |
| NY109 | 75.37 | 70.36 | NY891 | 128.16 | 119.62 | OH082 | 61.16 | 57.07 |
| NY110 | 111.40 | 103.97 | NY892 | 128.16 | 119.62 | OH083 | 70.05 | 65.37 |
| NY113 | 128.16 | 119.62 | NY895 | 128.16 | 119.62 | OH085 | 73.41 | 68.51 |
| NY114 | 111.40 | 103.97 | NY904 | 111.40 | 103.97 | OH086 | 61.01 | 56.94 |
| NY117 | 128.16 | 119.62 | NY912 | 76.95 | 71.83 | OH882 | 73.85 | 68.92 |
| NY120 | 128.16 | 119.62 | OH001 | 70.05 | 65.37 | OK002 | 66.45 | 62.02 |
| NY121 | 128.16 | 119.62 | OH002 | 63.62 | 59.37 | OK005 | 64.64 | 60.33 |
| NY123 | 128.16 | 119.62 | OH003 | 73.85 | 68.92 | OK006 | 63.78 | 59.53 |
| NY125 | 114.50 | 106.87 | OH004 | 71.51 | 66.74 | OK024 | 63.78 | 59.53 |
| NY127 | 128.16 | 119.62 | OH005 | 65.24 | 60.89 | OK027 | 63.78 | 59.53 |
| NY128 | 128.16 | 119.62 | OH006 | 73.41 | 68.51 | OK032 | 63.78 | 59.53 |
| NY130 | 128.16 | 119.62 | OH007 | 72.65 | 67.81 | OK033 | 64.64 | 60.33 |
| NY132 | 128.16 | 119.62 | OH008 | 63.62 | 59.37 | OK044 | 63.78 | 59.53 |
| NY134 | 114.50 | 106.87 | OH009 | 61.01 | 56.94 | OK062 | 63.78 | 59.53 |
| NY137 | 114.50 | 106.87 | OH010 | 61.01 | 56.94 | OK067 | 63.78 | 59.53 |
| NY138 | 111.40 | 103.97 | OH012 | 73.85 | 68.92 | OK073 | 64.64 | 60.33 |
| NY141 | 128.16 | 119.62 | OH014 | 64.05 | 59.78 | OK095 | 65.57 | 61.20 |
| NY146 | 128.16 | 119.62 | OH015 | 71.51 | 66.74 | OK096 | 63.78 | 59.53 |
| NY147 | 128.16 | 119.62 | OH016 | 62.59 | 58.41 | OK099 | 63.78 | 59.53 |
| NY148 | 111.40 | 103.97 | OH018 | 62.59 | 58.41 | OK111 | 63.78 | 59.53 |
| NY149 | 128.16 | 119.62 | OH019 | 62.44 | 58.28 | OK118 | 63.78 | 59.53 |
| NY151 | 128.16 | 119.62 | OH020 | 61.09 | 57.02 | OK139 | 66.45 | 62.02 |
| NY152 | 128.16 | 119.62 | OH021 | 65.24 | 60.89 | OK142 | 64.64 | 60.33 |
| NY154 | 128.16 | 119.62 | OH022 | 65.24 | 60.89 | OK146 | 63.78 | 59.53 |
| NY158 | 114.50 | 106.87 | OH024 | 61.01 | 56.94 | OK148 | 65.57 | 61.20 |
| NY159 | 128.16 | 119.62 | OH025 | 73.85 | 68.92 | OK901 | 66.45 | 62.02 |
| NY160 | 111.40 | 103.97 | OH026 | 62.01 | 57.87 | OR001 | 87.03 | 81.22 |
| NY165 | 128.16 | 119.62 | OH027 | 73.85 | 68.92 | OR002 | 87.03 | 81.22 |
| NY402 | 79.50 | 74.19 | OH028 | 64.96 | 60.63 | OR003 | 87.64 | 81.80 |
| NY403 | 59.45 | 55.49 | OH029 | 71.99 | 67.18 | OR005 | 81.56 | 76.13 |
| NY404 | 76.95 | 71.83 | OH030 | 61.01 | 56.94 | OR006 | 100.01 | 93.35 |
| NY405 | 76.95 | 71.83 | OH031 | 72.65 | 67.81 | OR007 | 83.85 | 78.26 |
| NY406 | 94.19 | 87.91 | OH032 | 61.25 | 57.16 | OR008 | 93.43 | 87.21 |
| NY408 | 89.47 | 83.51 | OH033 | 61.01 | 56.94 | OR011 | 93.43 | 87.21 |
| NY409 | 76.95 | 71.83 | OH034 | 61.25 | 57.16 | OR014 | 93.43 | 87.21 |
| NY413 | 76.49 | 71.39 | OH035 | 61.01 | 56.94 | OR015 | 99.36 | 92.73 |
| NY416 | 89.47 | 83.51 | OH036 | 61.29 | 57.20 | OR016 | 87.03 | 81.22 |
| NY417 | 75.37 | 70.36 | OH037 | 61.01 | 56.94 | OR017 | 80.04 | 74.71 |
| NY421 | 89.47 | 83.51 | OH038 | 71.51 | 66.74 | OR019 | 88.35 | 82.45 |
| NY422 | 89.47 | 83.51 | OH039 | 61.01 | 56.94 | OR020 | 87.64 | 81.80 |
| NY424 | 89.47 | 83.51 | OH040 | 61.01 | 56.94 | OR022 | 87.03 | 81.22 |
| NY427 | 89.47 | 83.51 | OH041 | 61.01 | 56.94 | OR026 | 88.71 | 82.80 |
| NY428 | 89.47 | 83.51 | OH042 | 73.85 | 68.92 | OR027 | 80.04 | 74.71 |
| NY430 | 89.47 | 83.51 | OH043 | 70.05 | 65.37 | OR028 | 87.03 | 81.22 |
| NY431 | 89.47 | 83.51 | OH044 | 63.62 | 59.37 | OR031 | 90.52 | 84.50 |
| NY433 | 59.72 | 55.74 | OH045 | 61.01 | 56.94 | OR032 | 83.85 | 78.26 |
| NY443 | 75.37 | 70.36 | OH046 | 61.01 | 56.94 | OR034 | 96.07 | 89.66 |
| NY447 | 89.47 | 83.51 | OH047 | 61.01 | 56.94 | PA001 | 65.12 | 60.78 |
| NY449 | 76.95 | 71.83 | OH049 | 71.51 | 66.74 | PA002 | 93.31 | 87.09 |
| NY501 | 89.47 | 83.51 | OH050 | 61.01 | 56.94 | PA003 | 63.13 | 58.92 |
| NY503 | 89.47 | 83.51 | OH053 | 61.01 | 56.94 | PA004 | 79.47 | 74.16 |
| NY504 | 82.33 | 76.85 | OH054 | 63.57 | 59.33 | PA005 | 65.12 | 60.78 |
| NY505 | 78.07 | 72.86 | OH056 | 61.01 | 56.94 | PA006 | 65.12 | 60.78 |
| NY512 | 89.47 | 83.51 | OH058 | 61.01 | 56.94 | PA007 | 93.31 | 87.09 |
| NY513 | 89.47 | 83.51 | OH059 | 70.05 | 65.37 | PA008 | 81.33 | 75.91 |
| NY516 | 89.47 | 83.51 | OH060 | 61.01 | 56.94 | PA009 | 77.50 | 72.32 |
| NY519 | 89.47 | 83.51 | OH061 | 62.41 | 58.25 | PA010 | 65.12 | 60.78 |
| NY521 | 82.33 | 76.85 | OH062 | 65.24 | 60.89 | PA011 | 79.47 | 74.16 |
| NY527 | 82.33 | 76.85 | OH063 | 61.01 | 56.94 | PA012 | 93.31 | 87.09 |
| NY529 | 100.76 | 94.04 | OH066 | 61.01 | 56.94 | PA013 | 79.05 | 73.78 |
| NY530 | 76.49 | 71.39 | OH067 | 61.01 | 56.94 | PA014 | 65.12 | 60.78 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| PA015 | 65.12 | 60.78 | RI006 | 118.28 | 110.40 | RQ059 | 74.42 | 69.46 |
| PA016 | 71.40 | 66.64 | RI007 | 118.28 | 110.40 | RQ060 | 74.42 | 69.46 |
| PA017 | 65.12 | 60.78 | RI008 | 102.85 | 95.99 | RQ061 | 74.42 | 69.46 |
| PA018 | 65.12 | 60.78 | RI009 | 118.28 | 110.40 | RQ062 | 74.42 | 69.46 |
| PA019 | 66.83 | 62.37 | RI010 | 118.28 | 110.40 | RQ063 | 79.99 | 74.65 |
| PA020 | 73.37 | 68.47 | RI011 | 118.28 | 110.40 | RQ064 | 79.99 | 74.65 |
| PA021 | 66.83 | 62.37 | RI012 | 118.28 | 110.40 | RQ065 | 74.42 | 69.46 |
| PA022 | 74.65 | 69.67 | RI014 | 118.28 | 110.40 | RQ066 | 74.42 | 69.46 |
| PA023 | 93.31 | 87.09 | RI015 | 118.28 | 110.40 | RQ067 | 74.42 | 69.46 |
| PA024 | 79.47 | 74.16 | RI016 | 118.28 | 110.40 | RQ068 | 74.42 | 69.46 |
| PA026 | 65.55 | 61.17 | RI017 | 118.28 | 110.40 | RQ069 | 74.42 | 69.46 |
| PA027 | 62.12 | 57.97 | RI018 | 118.28 | 110.40 | RQ070 | 79.99 | 74.65 |
| PA028 | 84.75 | 79.11 | RI019 | 118.28 | 110.40 | RQ071 | 74.42 | 69.46 |
| PA029 | 67.11 | 62.64 | RI020 | 118.28 | 110.40 | RQ072 | 79.99 | 74.65 |
| PA030 | 63.13 | 58.92 | RI022 | 118.28 | 110.40 | RQ073 | 74.42 | 69.46 |
| PA031 | 68.82 | 64.23 | RI024 | 118.28 | 110.40 | RQ074 | 74.42 | 69.46 |
| PA032 | 66.41 | 61.98 | RI026 | 118.28 | 110.40 | RQ075 | 79.99 | 74.65 |
| PA033 | 65.55 | 61.17 | RI027 | 118.28 | 110.40 | RQ077 | 79.99 | 74.65 |
| PA034 | 71.00 | 66.26 | RI028 | 118.28 | 110.40 | RQ080 | 74.42 | 69.46 |
| PA035 | 81.33 | 75.91 | RI029 | 118.28 | 110.40 | RQ081 | 79.99 | 74.65 |
| PA036 | 82.60 | 77.10 | RI901 | 118.28 | 110.40 | RQ082 | 79.99 | 74.65 |
| PA037 | 71.40 | 66.64 | RQ005 | 79.99 | 74.65 | RQ083 | 79.99 | 74.65 |
| PA038 | 63.13 | 58.92 | RQ006 | 79.99 | 74.65 | SC001 | 72.44 | 67.61 |
| PA039 | 76.49 | 71.39 | RQ007 | 74.42 | 69.46 | SC002 | 73.23 | 68.34 |
| PA041 | 65.40 | 61.04 | RQ008 | 79.99 | 74.65 | SC003 | 66.84 | 62.39 |
| PA042 | 63.13 | 58.92 | RQ009 | 74.42 | 69.46 | SC004 | 66.84 | 62.39 |
| PA043 | 63.13 | 58.92 | RQ010 | 74.42 | 69.46 | SC005 | 66.84 | 62.39 |
| PA044 | 63.13 | 58.92 | RQ011 | 79.99 | 74.65 | SC007 | 70.23 | 65.55 |
| PA045 | 66.12 | 61.71 | RQ012 | 74.42 | 69.46 | SC008 | 66.84 | 62.39 |
| PA046 | 93.31 | 87.09 | RQ013 | 79.99 | 74.65 | SC015 | 65.28 | 60.92 |
| PA047 | 63.13 | 58.92 | RQ014 | 79.99 | 74.65 | SC016 | 66.84 | 62.39 |
| PA048 | 76.82 | 71.70 | RQ015 | 79.99 | 74.65 | SC018 | 66.84 | 62.39 |
| PA050 | 63.82 | 59.57 | RQ016 | 79.99 | 74.65 | SC019 | 66.84 | 62.39 |
| PA051 | 93.31 | 87.09 | RQ017 | 74.42 | 69.46 | SC020 | 66.84 | 62.39 |
| PA052 | 81.33 | 75.91 | RQ018 | 74.42 | 69.46 | SC021 | 65.28 | 60.92 |
| PA053 | 66.12 | 61.71 | RQ019 | 79.99 | 74.65 | SC022 | 74.35 | 69.38 |
| PA054 | 64.69 | 60.37 | RQ020 | 81.73 | 76.28 | SC023 | 66.84 | 62.39 |
| PA055 | 66.12 | 61.71 | RQ021 | 79.99 | 74.65 | SC024 | 72.44 | 67.61 |
| PA056 | 63.27 | 59.04 | RQ022 | 79.99 | 74.65 | SC025 | 66.84 | 62.39 |
| PA057 | 63.13 | 58.92 | RQ023 | 79.99 | 74.65 | SC026 | 68.22 | 63.66 |
| PA058 | 65.55 | 61.17 | RQ024 | 79.99 | 74.65 | SC027 | 66.84 | 62.39 |
| PA059 | 63.27 | 59.04 | RQ025 | 79.99 | 74.65 | SC028 | 65.28 | 60.92 |
| PA060 | 66.12 | 61.71 | RQ026 | 74.42 | 69.46 | SC029 | 66.84 | 62.39 |
| PA061 | 66.12 | 61.71 | RQ027 | 79.99 | 74.65 | SC030 | 65.28 | 60.92 |
| PA063 | 66.12 | 61.71 | RQ028 | 79.99 | 74.65 | SC031 | 65.28 | 60.92 |
| PA064 | 63.82 | 59.57 | RQ029 | 74.42 | 69.46 | SC032 | 66.84 | 62.39 |
| PA065 | 66.12 | 61.71 | RQ030 | 74.42 | 69.46 | SC033 | 65.28 | 60.92 |
| PA067 | 79.47 | 74.16 | RQ031 | 74.42 | 69.46 | SC034 | 66.84 | 62.39 |
| PA068 | 63.82 | 59.57 | RQ032 | 79.99 | 74.65 | SC035 | 65.28 | 60.92 |
| PA069 | 68.82 | 64.23 | RQ033 | 74.42 | 69.46 | SC036 | 74.35 | 69.38 |
| PA071 | 77.50 | 72.32 | RQ034 | 79.99 | 74.65 | SC037 | 66.84 | 62.39 |
| PA073 | 63.13 | 58.92 | RQ035 | 74.42 | 69.46 | SC046 | 74.35 | 69.38 |
| PA074 | 63.82 | 59.57 | RQ036 | 79.99 | 74.65 | SC056 | 72.44 | 67.61 |
| PA075 | 81.33 | 75.91 | RQ037 | 74.42 | 69.46 | SC057 | 72.44 | 67.61 |
| PA076 | 79.47 | 74.16 | RQ038 | 79.99 | 74.65 | SC059 | 65.28 | 60.92 |
| PA077 | 64.69 | 60.37 | RQ039 | 81.73 | 76.28 | SC911 | 73.23 | 68.34 |
| PA078 | 103.02 | 96.15 | RQ040 | 81.73 | 76.28 | SD010 | 70.38 | 65.68 |
| PA079 | 65.55 | 61.17 | RQ041 | 74.42 | 69.46 | SD011 | 68.37 | 63.81 |
| PA080 | 64.69 | 60.37 | RQ042 | 74.42 | 69.46 | SD014 | 68.37 | 63.81 |
| PA081 | 79.47 | 74.16 | RQ043 | 74.42 | 69.46 | SD016 | 70.38 | 65.68 |
| PA082 | 74.82 | 69.84 | RQ044 | 79.99 | 74.65 | SD021 | 68.37 | 63.81 |
| PA083 | 63.68 | 59.43 | RQ045 | 79.99 | 74.65 | SD026 | 68.37 | 63.81 |
| PA085 | 62.12 | 57.97 | RQ046 | 74.42 | 69.46 | SD034 | 68.37 | 63.81 |
| PA086 | 63.27 | 59.04 | RQ047 | 79.99 | 74.65 | SD035 | 74.29 | 69.33 |
| PA087 | 79.05 | 73.78 | RQ048 | 74.42 | 69.46 | SD036 | 68.37 | 63.81 |
| PA088 | 88.59 | 82.67 | RQ049 | 79.99 | 74.65 | SD037 | 68.37 | 63.81 |
| PA090 | 82.60 | 77.10 | RQ050 | 79.99 | 74.65 | SD039 | 70.38 | 65.68 |
| PA091 | 75.31 | 70.28 | RQ052 | 74.42 | 69.46 | SD043 | 68.37 | 63.81 |
| PA092 | 63.97 | 59.71 | RQ053 | 79.99 | 74.65 | SD045 | 68.54 | 63.97 |
| RI001 | 118.28 | 110.40 | RQ054 | 79.99 | 74.65 | SD047 | 68.37 | 63.81 |
| RI002 | 118.28 | 110.40 | RQ055 | 74.42 | 69.46 | SD048 | 68.37 | 63.81 |
| RI003 | 118.28 | 110.40 | RQ056 | 79.99 | 74.65 | SD055 | 68.37 | 63.81 |
| RI004 | 118.28 | 110.40 | RQ057 | 74.42 | 69.46 | SD056 | 68.37 | 63.81 |
| RI005 | 112.99 | 105.45 | RQ058 | 74.42 | 69.46 | SD057 | 68.37 | 63.81 |

| PHA num | A rate | B rate | PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|---------|--------|--------|
| SD058 | 68.37 | 63.81 | TX105 | 62.40 | 58.24 | TX448 | 65.59 | 61.21 |
| SD059 | 68.37 | 63.81 | TX111 | 66.96 | 62.49 | TX449 | 62.40 | 58.24 |
| TN001 | 69.33 | 64.71 | TX114 | 62.40 | 58.24 | TX452 | 74.83 | 69.85 |
| TN002 | 64.29 | 60.00 | TX128 | 87.28 | 81.47 | TX454 | 62.40 | 58.24 |
| TN003 | 64.67 | 60.37 | TX134 | 62.40 | 58.24 | TX455 | 84.08 | 78.48 |
| TN004 | 70.28 | 65.60 | TX137 | 65.43 | 61.07 | TX456 | 74.60 | 69.63 |
| TN005 | 76.84 | 71.71 | TX147 | 62.40 | 58.24 | TX457 | 69.98 | 65.31 |
| TN006 | 64.29 | 60.00 | TX152 | 62.40 | 58.24 | TX458 | 65.43 | 61.07 |
| TN007 | 64.29 | 60.00 | TX158 | 65.43 | 61.07 | TX459 | 73.38 | 68.49 |
| TN012 | 64.67 | 60.37 | TX163 | 76.29 | 71.20 | TX461 | 66.38 | 61.97 |
| TN013 | 63.68 | 59.43 | TX164 | 76.29 | 71.20 | TX470 | 65.43 | 61.07 |
| TN020 | 76.84 | 71.71 | TX173 | 66.35 | 61.92 | TX472 | 65.43 | 61.07 |
| TN024 | 63.68 | 59.43 | TX174 | 76.29 | 71.20 | TX480 | 85.12 | 79.45 |
| TN026 | 63.68 | 59.43 | TX175 | 62.40 | 58.24 | TX481 | 65.43 | 61.07 |
| TN035 | 76.84 | 71.71 | TX177 | 65.59 | 61.21 | TX482 | 65.43 | 61.07 |
| TN038 | 64.29 | 60.00 | TX178 | 62.40 | 58.24 | TX483 | 77.21 | 72.07 |
| TN042 | 63.68 | 59.43 | TX183 | 62.40 | 58.24 | TX484 | 83.39 | 77.82 |
| TN054 | 64.29 | 60.00 | TX189 | 62.40 | 58.24 | TX485 | 62.40 | 58.24 |
| TN062 | 63.68 | 59.43 | TX193 | 74.83 | 69.85 | TX486 | 63.43 | 59.19 |
| TN065 | 64.67 | 60.37 | TX197 | 65.43 | 61.07 | TX488 | 62.40 | 58.24 |
| TN066 | 64.29 | 60.00 | TX201 | 62.40 | 58.24 | TX493 | 87.28 | 81.47 |
| TN076 | 64.29 | 60.00 | TX202 | 65.59 | 61.21 | TX495 | 81.33 | 75.91 |
| TN079 | 76.84 | 71.71 | TX206 | 66.35 | 61.92 | TX497 | 65.59 | 61.21 |
| TN088 | 64.67 | 60.37 | TX208 | 65.43 | 61.07 | TX498 | 66.96 | 62.49 |
| TN113 | 64.67 | 60.37 | TX210 | 65.43 | 61.07 | TX499 | 65.43 | 61.07 |
| TN117 | 70.28 | 65.60 | TX217 | 62.40 | 58.24 | TX500 | 62.40 | 58.24 |
| TN903 | 76.84 | 71.71 | TX224 | 65.59 | 61.21 | TX505 | 77.21 | 72.07 |
| TQ901 | 118.25 | 110.38 | TX236 | 65.43 | 61.07 | TX509 | 66.35 | 61.92 |
| TX001 | 85.12 | 79.45 | TX242 | 62.40 | 58.24 | TX511 | 62.40 | 58.24 |
| TX003 | 72.32 | 67.49 | TX257 | 65.43 | 61.07 | TX512 | 62.40 | 58.24 |
| TX004 | 81.33 | 75.91 | TX259 | 85.12 | 79.45 | TX514 | 65.43 | 61.07 |
| TX005 | 77.21 | 72.07 | TX263 | 62.40 | 58.24 | TX516 | 62.40 | 58.24 |
| TX006 | 74.83 | 69.85 | TX264 | 85.12 | 79.45 | TX519 | 62.40 | 58.24 |
| TX007 | 66.35 | 61.92 | TX266 | 85.12 | 79.45 | TX522 | 87.28 | 81.47 |
| TX008 | 76.29 | 71.20 | TX272 | 62.40 | 58.24 | TX523 | 66.96 | 62.49 |
| TX009 | 87.28 | 81.47 | TX284 | 62.40 | 58.24 | TX526 | 87.44 | 81.61 |
| TX010 | 65.43 | 61.07 | TX298 | 62.40 | 58.24 | TX533 | 87.28 | 81.47 |
| TX011 | 65.43 | 61.07 | TX300 | 62.40 | 58.24 | TX534 | 84.08 | 78.48 |
| TX012 | 77.21 | 72.07 | TX302 | 76.29 | 71.20 | TX535 | 62.40 | 58.24 |
| TX014 | 65.43 | 61.07 | TX303 | 74.83 | 69.85 | TX537 | 62.40 | 58.24 |
| TX016 | 62.40 | 58.24 | TX309 | 62.40 | 58.24 | TX542 | 65.43 | 61.07 |
| TX017 | 77.21 | 72.07 | TX313 | 76.29 | 71.20 | TX546 | 65.43 | 61.07 |
| TX018 | 65.43 | 61.07 | TX322 | 85.12 | 79.45 | TX559 | 87.28 | 81.47 |
| TX019 | 62.40 | 58.24 | TX327 | 65.43 | 61.07 | TX560 | 77.21 | 72.07 |
| TX021 | 62.40 | 58.24 | TX330 | 62.40 | 58.24 | TX901 | 77.21 | 72.07 |
| TX023 | 74.77 | 69.77 | TX332 | 62.40 | 58.24 | UT002 | 73.48 | 68.58 |
| TX025 | 66.35 | 61.92 | TX335 | 62.40 | 58.24 | UT003 | 73.48 | 68.58 |
| TX027 | 87.28 | 81.47 | TX341 | 73.38 | 68.49 | UT004 | 73.48 | 68.58 |
| TX028 | 65.59 | 61.21 | TX343 | 74.83 | 69.85 | UT006 | 77.30 | 72.13 |
| TX029 | 65.59 | 61.21 | TX349 | 81.33 | 75.91 | UT007 | 73.48 | 68.58 |
| TX030 | 65.43 | 61.07 | TX350 | 74.83 | 69.85 | UT009 | 73.48 | 68.58 |
| TX031 | 85.12 | 79.45 | TX358 | 62.40 | 58.24 | UT011 | 73.48 | 68.58 |
| TX032 | 77.21 | 72.07 | TX372 | 62.40 | 58.24 | UT014 | 87.93 | 82.05 |
| TX034 | 74.77 | 69.77 | TX376 | 62.40 | 58.24 | UT015 | 87.93 | 82.05 |
| TX035 | 62.55 | 58.37 | TX377 | 85.12 | 79.45 | UT016 | 87.93 | 82.05 |
| TX037 | 74.77 | 69.77 | TX378 | 62.55 | 58.37 | UT020 | 73.48 | 68.58 |
| TX039 | 62.40 | 58.24 | TX381 | 62.40 | 58.24 | UT021 | 75.67 | 70.64 |
| TX042 | 62.40 | 58.24 | TX392 | 87.28 | 81.47 | UT022 | 73.48 | 68.58 |
| TX044 | 62.40 | 58.24 | TX395 | 64.46 | 60.16 | UT025 | 73.48 | 68.58 |
| TX046 | 65.59 | 61.21 | TX396 | 62.40 | 58.24 | UT026 | 73.48 | 68.58 |
| TX048 | 62.40 | 58.24 | TX397 | 62.40 | 58.24 | UT028 | 87.93 | 82.05 |
| TX049 | 62.40 | 58.24 | TX421 | 62.40 | 58.24 | UT029 | 87.93 | 82.05 |
| TX051 | 65.59 | 61.21 | TX431 | 81.33 | 75.91 | UT030 | 73.48 | 68.58 |
| TX062 | 65.59 | 61.21 | TX432 | 72.32 | 67.49 | UT031 | 77.30 | 72.13 |
| TX064 | 65.59 | 61.21 | TX433 | 81.33 | 75.91 | VA001 | 78.86 | 73.60 |
| TX065 | 66.35 | 61.92 | TX434 | 87.28 | 81.47 | VA002 | 64.29 | 60.00 |
| TX072 | 62.40 | 58.24 | TX435 | 87.28 | 81.47 | VA003 | 78.86 | 73.60 |
| TX073 | 65.59 | 61.21 | TX436 | 87.28 | 81.47 | VA004 | 116.27 | 108.53 |
| TX075 | 62.40 | 58.24 | TX439 | 72.32 | 67.49 | VA005 | 71.53 | 66.76 |
| TX079 | 65.43 | 61.07 | TX440 | 77.21 | 72.07 | VA006 | 78.86 | 73.60 |
| TX085 | 90.66 | 84.61 | TX441 | 77.21 | 72.07 | VA007 | 71.53 | 66.76 |
| TX087 | 85.12 | 79.45 | TX444 | 65.43 | 61.07 | VA010 | 60.63 | 56.59 |
| TX095 | 87.28 | 81.47 | TX445 | 65.59 | 61.21 | VA011 | 62.95 | 58.75 |
| TX096 | 62.40 | 58.24 | TX447 | 65.59 | 61.21 | VA012 | 78.86 | 73.60 |

| PHA num | A rate | B rate | PHA num | A rate | B rate |
|---------|--------|--------|---------|--------|--------|
| VA013 | 63.66 | 59.41 | WI043 | 56.16 | 52.43 |
| VA014 | 63.66 | 59.41 | WI045 | 55.80 | 52.08 |
| VA015 | 57.04 | 53.24 | WI047 | 55.80 | 52.08 |
| VA016 | 79.98 | 74.65 | WI048 | 55.80 | 52.08 |
| VA017 | 78.86 | 73.60 | WI060 | 92.99 | 86.79 |
| VA018 | 57.04 | 53.24 | WI064 | 61.89 | 57.77 |
| VA019 | 116.27 | 108.53 | WI065 | 56.16 | 52.43 |
| VA020 | 71.53 | 66.76 | WI068 | 56.72 | 52.93 |
| VA021 | 57.04 | 53.24 | WI069 | 56.72 | 52.93 |
| VA022 | 57.87 | 54.01 | WI070 | 55.80 | 52.08 |
| VA023 | 57.87 | 54.01 | WI083 | 66.70 | 62.26 |
| VA024 | 57.04 | 53.24 | WI085 | 55.80 | 52.08 |
| VA025 | 78.86 | 73.60 | WI091 | 55.80 | 52.08 |
| VA028 | 116.27 | 108.53 | WI096 | 55.80 | 52.08 |
| VA030 | 57.04 | 53.24 | WI127 | 55.80 | 52.08 |
| VA031 | 64.29 | 60.00 | WI131 | 55.80 | 52.08 |
| VA032 | 64.29 | 60.00 | WI142 | 66.70 | 62.26 |
| VA034 | 57.04 | 53.24 | WI160 | 55.80 | 52.08 |
| VA035 | 116.27 | 108.53 | WI166 | 55.80 | 52.08 |
| VA036 | 79.98 | 74.65 | WI183 | 60.94 | 56.87 |
| VA037 | 57.18 | 53.36 | WI186 | 55.91 | 52.18 |
| VA038 | 57.04 | 53.24 | WI193 | 55.80 | 52.08 |
| VA039 | 78.86 | 73.60 | WI195 | 68.98 | 64.37 |
| VA040 | 57.04 | 53.24 | WI201 | 66.70 | 62.26 |
| VA041 | 78.86 | 73.60 | WI203 | 61.89 | 57.77 |
| VA042 | 64.29 | 60.00 | WI204 | 56.72 | 52.93 |
| VA044 | 57.84 | 53.99 | WI205 | 55.80 | 52.08 |
| VA046 | 116.27 | 108.53 | WI206 | 55.80 | 52.08 |
| VA901 | 71.53 | 66.76 | WI208 | 55.80 | 52.08 |
| VQ901 | 100.63 | 93.93 | WI213 | 56.16 | 52.43 |
| VT001 | 98.31 | 91.76 | WI214 | 74.24 | 69.29 |
| VT002 | 84.37 | 78.75 | WI218 | 66.70 | 62.26 |
| VT003 | 87.27 | 81.45 | WI219 | 61.89 | 57.77 |
| VT004 | 86.40 | 80.64 | WI221 | 55.80 | 52.08 |
| VT005 | 80.89 | 75.50 | WI222 | 55.80 | 52.08 |
| VT006 | 98.31 | 91.76 | WI231 | 55.80 | 52.08 |
| VT008 | 80.89 | 75.50 | WI233 | 55.80 | 52.08 |
| VT009 | 81.76 | 76.31 | WI237 | 56.84 | 53.05 |
| VT901 | 98.31 | 91.76 | WI241 | 55.80 | 52.08 |
| WA001 | 106.19 | 99.09 | WI244 | 61.26 | 57.17 |
| WA002 | 106.19 | 99.09 | WI245 | 55.80 | 52.08 |
| WA003 | 93.79 | 87.54 | WI246 | 56.41 | 52.64 |
| WA004 | 87.76 | 81.90 | WI248 | 55.80 | 52.08 |
| WA005 | 90.17 | 84.18 | WI256 | 55.80 | 52.08 |
| WA006 | 106.19 | 99.09 | WI901 | 55.80 | 52.08 |
| WA007 | 72.30 | 67.48 | WV001 | 75.74 | 70.69 |
| WA008 | 87.03 | 81.22 | WV003 | 61.09 | 57.02 |
| WA011 | 106.19 | 99.09 | WV004 | 62.44 | 58.28 |
| WA012 | 81.92 | 76.45 | WV005 | 59.94 | 55.94 |
| WA013 | 81.44 | 76.00 | WV006 | 63.13 | 58.91 |
| WA014 | 67.67 | 63.16 | WV009 | 63.80 | 59.54 |
| WA017 | 68.89 | 64.30 | WV010 | 65.66 | 61.29 |
| WA018 | 87.76 | 81.90 | WV015 | 59.94 | 55.94 |
| WA020 | 72.30 | 67.48 | WV016 | 64.05 | 59.78 |
| WA021 | 81.92 | 76.45 | WV017 | 58.81 | 54.89 |
| WA024 | 103.11 | 96.21 | WV018 | 58.81 | 54.89 |
| WA025 | 100.81 | 94.08 | WV027 | 60.03 | 56.04 |
| WA036 | 93.79 | 87.54 | WV034 | 58.81 | 54.89 |
| WA039 | 106.19 | 99.09 | WV035 | 60.03 | 56.04 |
| WA042 | 85.17 | 79.49 | WV037 | 62.44 | 58.28 |
| WA049 | 96.90 | 90.43 | WV039 | 59.94 | 55.94 |
| WA054 | 90.17 | 84.18 | WV042 | 59.94 | 55.94 |
| WA055 | 81.57 | 76.14 | WV045 | 58.81 | 54.89 |
| WA057 | 88.55 | 82.65 | WY002 | 86.18 | 80.44 |
| WA061 | 92.17 | 86.02 | WY003 | 69.31 | 64.69 |
| WA064 | 83.87 | 78.27 | WY004 | 103.83 | 96.92 |
| WA071 | 74.16 | 69.21 | WY013 | 69.31 | 64.69 |
| WI001 | 68.78 | 64.20 | | | |
| WI002 | 66.70 | 62.26 | | | |
| WI003 | 74.24 | 69.29 | | | |
| WI006 | 63.82 | 59.56 | | | |
| WI011 | 56.72 | 52.93 | | | |
| WI020 | 92.99 | 86.79 | | | |
| WI031 | 55.80 | 52.08 | | | |

INTERNATIONAL TRADE COMMISSION

[Investigation No. 337-TA-1198]

Certain Spa Pumps, Jet Pump Housings, Pedicure Spas, Components Thereof, and Products Containing the Same; Commission Determination Not To Review an Initial Determination Granting an Unopposed Motion To Terminate the Investigation; Termination of the Investigation

AGENCY: U.S. International Trade Commission.

ACTION: Notice.

SUMMARY: Notice is hereby given that the U.S. International Trade Commission has determined not to review an initial determination (“ID”) (Order No. 5) of the presiding administrative law judge (“ALJ”) granting an unopposed motion to terminate the investigation based on withdrawal of the complaint.

FOR FURTHER INFORMATION CONTACT: Amanda Pitcher Fisherow, Esq., Office of the General Counsel, U.S. International Trade Commission, 500 E Street SW, Washington, DC 20436, telephone (202) 205-2737. Copies of non-confidential documents filed in connection with this investigation may be viewed on the Commission’s electronic docket (EDIS) at <https://edis.usitc.gov>. For help accessing EDIS, please email EDIS3Help@usitc.gov. General information concerning the Commission may also be obtained by accessing its internet server at <https://www.usitc.gov>. Hearing-impaired persons are advised that information on this matter can be obtained by contacting the Commission’s TDD terminal on (202) 205-1810.

SUPPLEMENTARY INFORMATION: The Commission instituted this investigation on May 11, 2020, based on a complaint filed by Luraco Health & Beauty, LLC of Arlington, Texas (“Complainant”). 85 FR 27762 (May 11, 2020). The complaint, as supplemented, alleges violations of section 337 of the Tariff Act of 1930, as amended, 19 U.S.C. 1337, based upon the importation into the United States, the sale for importation, and the sale within the United States after importation of certain spa pumps, jet pump housings, pedicure spas, components thereof, and products containing same by reason of infringement of certain claims in U.S. Patent No. 9,926,933; U.S. Patent No. D622,736; U.S. Patent No. D751,723; and U.S. Patent No. 10,451,071. The complaint, as amended, further alleges that a domestic industry exists. The

[FR Doc. 2020-12801 Filed 6-12-20; 8:45 am]