

DEPARTMENT OF ENERGY**Federal Energy Regulatory Commission**

[Docket No. EL20–57–000]

Cloverland Electric Cooperative v. Wisconsin Electric Power Company; Notice of Complaint

Take notice that on July 1, 2020, pursuant to sections 206, 306, and 309 of the Federal Power Act, 16 U.S.C. 824e, and 825e, and Rule 206 of the Federal Energy Regulatory Commission's (Commission) Rules of Practice and Procedure, 18 CFR 385.206, Cloverland Electric Cooperative (Complainant) filed a formal complaint against Wisconsin Electric Power Company (Respondent), alleging that the current 11 percent return on equity of Wisconsin Electric Power Company is excessive and should be reduced, all as more fully explained in the complaint.

The Complainant certifies that copies of the complaint were served on the contacts listed for Respondent in the Commission's list of Corporate Officials.

Any person desiring to intervene or to protest this filing must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211, 385.214). Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a notice of intervention or motion to intervene, as appropriate. The Respondent's answer and all interventions, or protests must be filed on or before the comment date. The Respondent's answer, motions to intervene, and protests must be served on the Complainants.

The Commission strongly encourages electronic filings of comments, protests and interventions in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically may mail similar pleadings to the Federal Energy Regulatory Commission, 888 First Street NE, Washington, DC 20426. Hand delivered submissions in docketed proceedings should be delivered to Health and Human Services, 12225 Wilkins Avenue, Rockville, Maryland 20852.

In addition to publishing the full text of this document in the **Federal Register**, the Commission provides all interested persons an opportunity to view and/or print the contents of this document via the internet through the Commission's Home Page (<http://www.ferc.gov>) using the "eLibrary" link.

Enter the docket number excluding the last three digits in the docket number field to access the document. At this time, the Commission has suspended access to the Commission's Public Reference Room, due to the proclamation declaring a National Emergency concerning the Novel Coronavirus Disease (COVID–19), issued by the President on March 13, 2020. For assistance, contact the Federal Energy Regulatory Commission at FERCOnlineSupport@ferc.gov, or call toll-free, (886) 208–3676 or TTY, (202) 502–8659.

Comment Date: 5:00 p.m. Eastern Time on July 21, 2020.

Dated: July 6, 2020.
Nathaniel J. Davis, Sr.,
Deputy Secretary.

[FR Doc. 2020–14910 Filed 7–9–20; 8:45 am]

BILLING CODE 6717–01–P

ENVIRONMENTAL PROTECTION AGENCY

[EPA R08–OW–2019–0404; FRL—10012–05–OMS]

Information Collection Request Submitted to OMB for Review and Approval; Comment Request; Filter Adoption Survey (New)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency (EPA) has submitted an information collection request (ICR), Filter Adoption Survey (EPA ICR Number 2615.01, OMB Control Number 2008–New) to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act. This is a request for approval of a new collection. Public comments were previously requested via the **Federal Register** on March 12, 2020 during a 60-day comment period. This notice allows for an additional 30 days for public comments. A fuller description of the ICR is given below, including its estimated burden and cost to the public. An agency may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number.

DATES: Additional comments may be submitted on or before August 10, 2020.

ADDRESSES: Submit your comments, referencing Docket ID Number EPA–R08–OW–2019–0404, to (1) EPA online using www.regulations.gov (our preferred method) or by mail to: EPA

Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW, Washington, DC 20460. EPA's policy is that all comments received will be included in the public docket without change including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other information whose disclosure is restricted by statute.

Submit written comments and recommendations to OMB for the proposed information collection within 30 days of publication of this notice to www.reginfo.gov/public/do/PRAMain. Find this particular information collection by selecting "Currently under 30-day Review—Open for Public Comments" or by using the search function.

FOR FURTHER INFORMATION CONTACT:

Angelique Diaz, Ph.D., P.E., Section Chief, Drinking Water Section B, Water Division, 8WD–SDB, Environmental Protection Agency Region 8, 1595 Wynkoop Street Denver, Colorado 80202–1129; telephone number: (303)312–6344; email address: diaz.angelique@epa.gov.

SUPPLEMENTARY INFORMATION:

Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202–566–1744. For additional information about EPA's public docket, visit <http://www.epa.gov/dockets>.

Abstract: Denver Water is a public water system which must comply with applicable requirements of the lead and copper rule (LCR). On September 6, 2019 Denver Water submitted to the U.S. Environmental Protection Agency Region 8 office a request for a Variance from the optimal corrosion control treatment requirements under the Safe Drinking Water Act's LCR. The request included a multi-pronged approach to result in at least as efficient lead removal to orthophosphate, the designated optimal corrosion control treatment. Three of those prongs of the variance request are: PH and alkalinity adjustments to reduce corrosivity of the water; accelerated lead service line removal; and a filter program where Denver Water will distribute pitcher filters to consumers with known, suspected, and possible lead service

lines. Under section 1415(a)(3) of the Safe Drinking Water Act, on December 16, 2019, the U.S. EPA granted Denver Water a variance from the definition of "optimal corrosion control treatment" in 40 CFR 141.2. The Variance contains requirements to determine the efficacy the filter program. EPA will use the survey results that Denver Water annually distributes to determine the consumer filter adoption rate, and to confirm whether customers are using and maintaining the filters correctly, and per manufacturer's instructions. Each year, the filter adoption survey will be sent by Denver Water via postal mail to as many as 20,000 consumers that have known, suspected, and possible lead service lines. Surveys will be sent via direct mailings and will include an online completion option (the survey questions are included below). Direct mailings will be sent with a unique QR code to track which addresses responses have been received from. Surveys will be sent out in both English and Spanish. Additionally, Denver Water will annually conduct, in person surveys at a minimum of 50 locations in use by customers enrolled in the filter program. Information being collected is information on if, and how, consumers use the filter (e.g., for drinking, cooking, or making infant-fed formula), whether the customers are using and maintain the filters correctly (e.g., washing, replacing the filters per manufacturer's instructions), as well as demographic information to inform filter adoption rate by neighborhood or demographic group so Denver Water's health equity and environmental justice principles set forth in their variance request can be evaluated.

Form Numbers: 6700–009.

Respondents/affected entities: Customers of Denver Water or of other integrated systems that have either known or suspected lead service lines (LSLs).

Respondent's obligation to respond: Voluntary.

Estimated number of respondents: 20,001 (per year).

Frequency of response: Annually for three years.

Total estimated burden: 1,270 hours (per year). Burden is defined at 5 CFR 1320.03(b).

Total estimated cost: \$100,262 per year, includes \$1,000 annualized capital or operations & maintenance costs.

Changes in the Estimates: This is a new collection and therefore there are no changes in burden.

Courtney Kerwin,

Director, Regulatory Support Division.

[FR Doc. 2020–14822 Filed 7–9–20; 8:45 am]

BILLING CODE 6560–50–P

ENVIRONMENTAL PROTECTION AGENCY

[ER–FRL–9051–7]

Environmental Impact Statements; Notice of Availability

Responsible Agency: Office of Federal Activities, General Information 202–564–5632 or <https://www.epa.gov/nepa>.

Weekly receipt of Environmental Impact Statements (EIS)

Filed June 26, 2020, 10 a.m. EST

Through July 6, 2020, 10 a.m. EST

Pursuant to 40 CFR 1506.9.

Notice: Section 309(a) of the Clean Air Act requires that EPA make public its comments on EISs issued by other Federal agencies. EPA's comment letters on EISs are available at: <https://cdxnodengn.epa.gov/cdx-enepa-public/action/eis/search>.

EIS No. 20200135, Draft, CHSRA, CA, California High-Speed Rail: San Francisco to San Jose Project Section: Draft Environmental Impact Report/ Environmental Impact Statement, Comment Period Ends: 08/24/2020, Contact: Dan McKell 916–330–5668.

EIS No. 20200136, Final, NIH, MD, NIH Bethesda Surgery, Radiology, And Lab Medicine Building, Review Period Ends: 08/10/2020, Contact: Valerie Nottingham 301–496–7775.

EIS No. 20200138, Fourth Draft Supplemental, FHWA, VT, Champlain Parkway or Southern Connector Limited Scope Burlington, Vermont, Comment Period Ends: 08/24/2020, Contact: Patrick Kirby 802–828–4568.

EIS No. 20200139, Draft, FHWA, MD, I–495 & I–270 Managed Lanes Study Draft Environmental Impact Statement and Draft Section 4(f) Evaluation, Comment Period Ends: 10/08/2020, Contact: Jeanette Mar 410–779–7152.

Dated: July 7, 2020.

Robert Tomiak,

Director, Office of Federal Activities.

[FR Doc. 2020–14939 Filed 7–9–20; 8:45 am]

BILLING CODE 6560–50–P

ENVIRONMENTAL PROTECTION AGENCY

[EPA–R06–SFUND–2020–0323; FRL–10010–74–Region 6]

Administrative Settlement Agreement: Conroe Logistics Center, LLC

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice; request for public comment.

SUMMARY: Notice is hereby given by the U.S. Environmental Protection Agency (EPA), Region 6, of a proposed bona fide prospective purchaser settlement agreement, embodied in an Administrative Settlement Agreement for Certain Response Action Activities by Bona Fide Prospective Purchaser, with Conroe Logistics Center, LLC. This agreement pertains to a portion of the Conroe Creosoting Company Superfund Site located at 1776 East Davis Street in Conroe, Montgomery County, Texas.

DATES: Comments must be received by July 27, 2020.

ADDRESSES: The proposed settlement and related site documents can be viewed at the Superfund Records Center, United States Environmental Protection Agency, Region 6, 1201 Elm Street, Suite 500, Dallas, Texas 75270. Electronic copies online can be found at <https://www.epa.gov/superfund/conroe-creosoting>.

FOR FURTHER INFORMATION CONTACT:

Leonard Schilling, Attorney, Office of Regional Counsel, Environmental Protection Agency Region 6, 1201 Elm Street, Suite 500, Dallas, Texas 75270; telephone number (214) 665–7166; email address Schilling.Leonard@epa.gov.

SUPPLEMENTARY INFORMATION: Written

Comments: Submit your comments, identified by Docket ID No. EPA–R06–SFUND–2020–0323, to the *Federal eRulemaking Portal*: <http://www.regulations.gov>. Follow the online instructions for submitting comments. Once submitted, comments cannot be edited or withdrawn. EPA may publish any comment received to its public docket. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Multimedia submissions (audio, video, etc.) must be accompanied by a written comment. The written comment is considered the official comment and should include discussion of all points you wish to make. EPA will generally not consider comments or comment contents located outside of the primary submission (i.e.,