

## PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

**Authority:** 49 U.S.C. 106(g), 40113, 44701.

### § 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

**Saab AB, Support and Services (Formerly Known as Saab AB, Saab Aeronautics):** Docket No. FAA-2020-0855; Project Identifier MCAI-2020-00909-T.

#### (a) Comments Due Date

The FAA must receive comments by November 16, 2020.

#### (b) Affected ADs

None.

#### (c) Applicability

This AD applies to all Saab AB, Support and Services Model SAAB 2000 airplanes, certificated in any category.

#### (d) Subject

Air Transport Association (ATA) of America Code 32, Landing gear.

#### (e) Reason

This AD was prompted by a report of inadvertently reversed connections of the outboard and inboard channel harnesses of the wheel speed transducers in the main landing gear (MLG) wheel axles. The FAA is issuing this AD to address inadvertently reversed connections of the outboard and inboard channel harnesses of the wheel speed transducers in the MLG wheel axles, which could lead to wrong inputs to the anti-skid function, whenever activated, with consequent reduced braking capability, and possibly result in damage to the airplane and loss of control during landing.

#### (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

#### (g) Requirements

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, European Union Aviation Safety Agency (EASA) AD 2020-0137, dated June 18, 2020 (“EASA AD 2020-0137”).

#### (h) Exceptions to EASA AD 2020-0137

(1) Where EASA AD 2020-0137 refers to its effective date, this AD requires using the effective date of this AD.

(2) The “Remarks” section of EASA AD 2020-0137 does not apply to this AD.

#### (i) Other FAA AD Provisions

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs):* The Manager, Large Aircraft Section, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures

found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the Large Aircraft Section, International Validation Branch, send it to the attention of the person identified in paragraph (j)(2) of this AD. Information may be emailed to: [9-AVS-AIR-730-AMOC@faa.gov](mailto:9-AVS-AIR-730-AMOC@faa.gov). Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(2) *Contacting the Manufacturer:* For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, Large Aircraft Section, International Validation Branch, FAA; or EASA; or Saab AB, Support and Services’ EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.

#### (j) Related Information

(1) For information about EASA AD 2020-0137, contact the EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; phone: +49 221 8999 000; email: [ADS@easa.europa.eu](mailto:ADS@easa.europa.eu); Internet: [www.easa.europa.eu](http://www.easa.europa.eu). You may find this EASA AD on the EASA website at <https://ad.easa.europa.eu>. You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195. This material may be found in the AD docket on the internet at <https://www.regulations.gov> by searching for and locating Docket No. FAA-2020-0855.

(2) For more information about this AD, contact Shahram Daneshmandi, Aerospace Engineer, Large Aircraft Section, International Validation Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; phone and fax: 206-231-3220; email: [shahram.daneshmandi@faa.gov](mailto:shahram.daneshmandi@faa.gov).

Issued on September 23, 2020.

#### Gaetano A. Sciortino,

Deputy Director for Strategic Initiatives, Compliance & Airworthiness Division, Aircraft Certification Service.

[FR Doc. 2020-21544 Filed 9-30-20; 8:45 am]

**BILLING CODE 4910-13-P**

## DEPARTMENT OF TRANSPORTATION

### Federal Aviation Administration

#### 14 CFR Part 39

**[Docket No. FAA-2020-0860; Product Identifier 2019-SW-005-AD]**

**RIN 2120-AA64**

#### **Airworthiness Directives; Bell Helicopter Textron Canada Limited Helicopters**

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking (NPRM).

**SUMMARY:** The FAA proposes to adopt a new airworthiness directive (AD) for certain Bell Helicopter Textron Canada Limited Model 429 helicopters. This proposed AD was prompted by the introduction of a new life limit for the centrifugal force bearing (CFB). This proposed AD would require determining the accumulated retirement index number (RIN) and removing each affected CFB from service before it accumulates 8,000 total RIN. The FAA is proposing this AD to address the unsafe condition on these products.

**DATES:** The FAA must receive comments on this proposed AD by November 16, 2020.

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to <https://www.regulations.gov>. Follow the instructions for submitting comments.

- *Fax:* 202-493-2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact Bell Helicopter Textron Canada Limited, 12,800 Rue de l’Avenir, Mirabel, Quebec J7J 1R4; telephone 450-437-2862 or 800-363-8023; fax 450-433-0272; or at <https://www.bellcustomer.com>. You may view this service information at the FAA, Office of the Regional Counsel, Southwest Region, 10101 Hillwood Pkwy., Room 6N-321, Fort Worth, TX 76177.

#### **Examining the AD Docket**

You may examine the AD docket on the internet at <https://www.regulations.gov> by searching for and locating Docket No. FAA-2020-0860; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this AD, the Transport Canada Civil Aviation (TCCA) AD, any comments received, and other information. The street address for Docket Operations is listed above. Comments will be available in the AD docket shortly after receipt.

**FOR FURTHER INFORMATION CONTACT:** Matt Fuller, AD Program Manager, Continued Operational Safety Branch,

Airworthiness Products Section, General Aviation and Rotorcraft Unit, FAA, 10101 Hillwood Pkwy., Fort Worth, TX 76177; telephone 817-222-5110; email [matthew.fuller@faa.gov](mailto:matthew.fuller@faa.gov).

**SUPPLEMENTARY INFORMATION:**

**Comments Invited**

The FAA invites you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the **ADDRESSES** section. Include “Docket No. FAA-2020-0860; Product Identifier 2019-SW-005-AD” at the beginning of your comments. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this NPRM because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to <https://www.regulations.gov>, including any personal information you provide. The FAA will also post a report summarizing each substantive verbal contact received about this NPRM.

**Confidential Business Information**

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or

responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as “PROPIN.” The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to Matt Fuller, AD Program Manager, Continued Operational Safety Branch, Airworthiness Products Section, General Aviation and Rotorcraft Unit, FAA, 10101 Hillwood Pkwy., Fort Worth, TX 76177; telephone 817-222-5110; email [matthew.fuller@faa.gov](mailto:matthew.fuller@faa.gov). Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

**Discussion**

TCCA, which is the aviation authority for Canada, issued Transport Canada AD CF-2019-03, dated January 31, 2019 (referred to after this as the Mandatory Continuing Airworthiness Information, or “the MCAI”), to correct an unsafe condition for certain Bell Helicopter Textron Canada Limited Model 429 helicopters. TCCA advises that an airworthiness limitations schedule document introduces a new life limit for CFB part number (P/N) 429-310-003-103, a component that was not previously included. Failure to observe the CFB life limit could result in excessive vibration and loss of control of the helicopter.

You may examine the MCAI in the AD docket on the internet at <https://www.regulations.gov> by searching for and locating Docket No. FAA-2020-0860.

**Other Related Service Information**

Bell Helicopter has issued Bell Model 429 Maintenance Planning Information BHT-429-MPI, Chapter 4, Airworthiness Limitations Schedule, DMC-429-A-04-00-00-00A-288A-A, Issue 1, dated January 10, 2019. This service information describes new maintenance requirements and airworthiness limitations.

**FAA’s Determination**

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to the FAA’s bilateral agreement with the State of Design Authority, the FAA has been notified of the unsafe condition described in the MCAI and service information referenced above. The FAA is proposing this AD after evaluating all the relevant information and determining the unsafe condition described previously is likely to exist or develop on other products of the same type design.

**Proposed Requirements of This NPRM**

This proposed AD would require, for each CFB having P/N 429-310-003-103, determining the accumulated RIN and removing the CFB from service before it accumulates 8,000 total RIN. If the new life limit has not been reached, this proposed AD would require creating a component history card or equivalent record indicating the new life limit and removing the CFB from service before reaching the new life limit.

**Costs of Compliance**

The FAA estimates that this proposed AD affects 85 helicopters of U.S. registry. The FAA estimates the following costs to comply with this proposed AD:

**ESTIMATED COSTS FOR REQUIRED ACTIONS**

Labor cost	Parts cost	Cost per helicopter	Cost on U.S. operators
28 work-hours × \$85 per hour = \$2,380 .....	\$42,576 (\$10,644 per bearing × 4 blades) .....	\$44,956	\$3,821,260

**Authority for This Rulemaking**

Title 49 of the United States Code specifies the FAA’s authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency’s authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section

44701: General requirements. Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

**Regulatory Findings**

The FAA determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

(1) Is not a “significant regulatory action” under Executive Order 12866,

(2) Will not affect intrastate aviation in Alaska, and

(3) Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

#### List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

#### The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

#### PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

**Authority:** 49 U.S.C. 106(g), 40113, 44701.

##### § 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

**Bell Helicopter Textron Canada Limited:**  
Docket No. FAA-2020-0860; Product Identifier 2019-SW-005-AD.

##### (a) Comments Due Date

The FAA must receive comments by November 16, 2020.

##### (b) Affected ADs

None.

##### (c) Applicability

This AD applies to Bell Helicopter Textron Canada Limited Model 429 helicopters, certificated in any category, serial numbers 57001 through 57351 inclusive.

##### (d) Subject

Joint Aircraft Service Component (JASC) Code 6200, Main rotor system.

##### (e) Reason

This AD was prompted by the introduction of a new life limit for the centrifugal force bearing (CFB). The FAA is issuing this AD to address a CFB remaining in service beyond its fatigue life. Failure to observe the CFB life limit could result in excessive vibration and loss of control of the helicopter.

##### (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

##### (g) Required Actions

For each CFB having part number 429-310-003-103 (the affected CFB): Within 50 hours time-in-service, determine the

accumulated retirement index number (RIN). For purposes of this AD, count 1 RIN each time one or both engines are started. If any affected CFB has accumulated 8,000 or more total RIN, before further flight, remove the affected CFB from service. If any affected CFB has accumulated less than 8,000 total RIN, create a component history card or equivalent record indicating a life limit of 8,000 total RIN. Thereafter, continue to count RIN and record the life limit of the affected CFB on its component history card or equivalent record and remove the affected CFB from service before accumulating 8,000 total RIN.

#### (h) Alternative Methods of Compliance (AMOCs)

(1) The Manager, Rotorcraft Standards Branch, FAA, may approve AMOCs for this AD. Send your proposal to: Matt Fuller, AD Program Manager, Continued Operational Safety Branch, Airworthiness Products Section, General Aviation and Rotorcraft Unit, FAA, 10101 Hillwood Pkwy., Fort Worth, TX 76177; telephone 817-222-5110; email [9-ASW-FTW-AMOC-Requests@faa.gov](mailto:9-ASW-FTW-AMOC-Requests@faa.gov).

(2) For operations conducted under a 14 CFR part 119 operating certificate or under 14 CFR part 91, subpart K, notify your principal inspector or lacking a principal inspector, the manager of the local flight standards district office or certificate holding district office, before operating any aircraft complying with this AD through an AMOC.

#### (i) Related Information

(1) Bell Model 429 Maintenance Planning Information BHT-429-MPI, Chapter 4, Airworthiness Limitations Schedule, DMC-429-A-04-00-00-00A-288A-A, Issue 1, dated January 10, 2019, which is not incorporated by reference, contains additional information about the subject of this AD. For service information identified in this AD, contact Bell Helicopter Textron Canada Limited, 12,800 Rue de l'Avenir, Mirabel, Quebec J7J1R4; telephone 450-437-2862 or 800-363-8023; fax 450-433-0272; or at <https://www.bellcustomer.com>. You may view a copy of the service information at the FAA, Office of the Regional Counsel, Southwest Region, 10101 Hillwood Pkwy., Room 6N-321, Fort Worth, TX 76177.

(2) The subject of this AD is addressed in Transport Canada AD CF-2019-03, dated January 31, 2019. This Transport Canada AD may be found in the AD docket on the internet at <https://www.regulations.gov> by searching for and locating Docket No. FAA-2020-0860.

Issued on September 25, 2020.

**Lance T. Gant,**

*Director, Compliance & Airworthiness Division, Aircraft Certification Service.*

[FR Doc. 2020-21608 Filed 9-30-20; 8:45 am]

**BILLING CODE 4910-13-P**

## DEPARTMENT OF TRANSPORTATION

### Federal Aviation Administration

#### 14 CFR Part 39

[Docket No. FAA-2020-0859; Product Identifier 2020-NM-084-AD]

RIN 2120-AA64

#### Airworthiness Directives; Bombardier, Inc., Airplanes

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking (NPRM).

**SUMMARY:** The FAA proposes to adopt a new airworthiness directive (AD) for certain Bombardier, Inc., Model BD-100-1A10 airplanes. This proposed AD was prompted by reports of failure of a certain fire detection and extinguishing (FIREX) control unit. This proposed AD would require replacing FIREX control units having a certain part number. The FAA is proposing this AD to address the unsafe condition on these products.

**DATES:** The FAA must receive comments on this proposed AD by November 16, 2020.

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to <https://www.regulations.gov>. Follow the instructions for submitting comments.

- *Fax:* 202-493-2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact Bombardier, Inc., 200 Côte Vertu Road West, Dorval, Québec H4S 2A3, Canada; North America toll-free telephone 1-866-538-1247 or direct-dial telephone 1-514-855-2999; email [ac.yul@aero.bombardier.com](mailto:ac.yul@aero.bombardier.com); internet <https://www.bombardier.com>. You may view this service information at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.

#### Examining the AD Docket

You may examine the AD docket on the internet at <https://www.regulations.gov> by searching for