

rely on the relief described in PTE 84–14.

(c) The term “DB QPAM” or “DB QPAMs” means DWS Investment Management Americas, Inc., and any current and future, Deutsche Bank’s asset management affiliates that qualify as a “qualified professional asset manager” (as defined in Section VI(a) of PTE 84–14),⁶ and that rely on the relief provided by PTE 84–14, and with respect to which Deutsche Bank is an “affiliate” (as defined in section VI(d)(1) of PTE 84–14). The term “DB QPAM” excludes DB Group Services.

(d) The term “Deutsche Bank” means Deutsche Bank AG, a publicly-held global banking and financial services company headquartered in Frankfurt, Germany;

(e) The term “Exemption Period” means the three year period from April 18, 2021 and ending on April 17, 2024;

(f) The term “Plea Agreement” means the Plea Agreement entered into between DB Group Services and the U.S. Department of Justice, Fraud Section, Criminal Division, on April 23, 2015 in connection with Case Number 3:15-cr-00062–RNC filed in the U.S. District Court for the District of Connecticut, subsequently adjudged by the Court on March 28, 2017.

Effective Date: This exemption will be in effect for up to three years, beginning on April 18, 2021.

Signed at Washington, DC, this 9th day of April 2021.

Christopher Motta,

*Chief, Division of Individual Exemptions,
Office of Exemption Determinations,
Employee Benefits Security Administration,
U.S. Department of Labor.*

[FR Doc. 2021–07963 Filed 4–16–21; 8:45 am]

BILLING CODE 4510–29–P

DEPARTMENT OF LABOR

Agency Information Collection Activities; Submission for OMB Review; Comment Request; Office of Federal Contract Compliance Programs Construction Recordkeeping and Reporting Requirements

ACTION: Notice of availability; request for comments.

SUMMARY: The Department of Labor (DOL) is submitting this Office of Federal Contract Compliance Programs

⁶In general terms, a QPAM is an independent fiduciary that is a bank, savings and loan association, insurance company, or investment adviser that meets certain equity or net worth requirements and other licensure requirements and that has acknowledged in a written management agreement that it is a fiduciary with respect to each plan that has retained the QPAM.

(OFCCP)-sponsored information collection request (ICR) to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act of 1995 (PRA). Public comments on the ICR are invited.

DATES: The OMB will consider all written comments that agency receives on or before May 19, 2021.

ADDRESSES: Written comments and recommendations for the proposed information collection should be sent within 30 days of publication of this notice to www.reginfo.gov/public/do/PRAMain. Find this particular information collection by selecting “Currently under 30-day Review—Open for Public Comments” or by using the search function.

Comments are invited on: (1) Whether the collection of information is necessary for the proper performance of the functions of the Department, including whether the information will have practical utility; (2) if the information will be processed and used in a timely manner; (3) the accuracy of the agency’s estimates of the burden and cost of the collection of information, including the validity of the methodology and assumptions used; (4) ways to enhance the quality, utility and clarity of the information collection; and (5) ways to minimize the burden of the collection of information on those who are to respond, including the use of automated collection techniques or other forms of information technology.

FOR FURTHER INFORMATION CONTACT: Mara Blumenthal by telephone at 202–693–8538, or by email at DOL_PRA_PUBLIC@dol.gov.

SUPPLEMENTARY INFORMATION: This ICR outlines the legal authority, procedures, burden, and cost associated with the recordkeeping and reporting requirements of construction contractors. It contains one form (Construction Contract Award Notification Form) that construction contractors must give to OFCCP notifying the agency of new contract awards that exceed \$10,000 and three information collection instruments (compliance review scheduling letter and itemized listing, direct federal compliance check letter, and federally assisted compliance check letter) that notify construction contractors that they have been selected to undergo a compliance evaluation. OFCCP is seeking reauthorization of the Construction Contract Award Notification Form (Form CC–314). OFCCP is merging the direct federal compliance check letter and federally assisted compliance check letter

currently approved under OMB Control No. 1250–0011 into this ICR. This ICR also incorporates the requirements and burden for the new Construction Compliance Review Scheduling Letter and Itemized Listing. For additional substantive information about this ICR, see the related notices published in the **Federal Register** on October 30, 2020 (85 FR 68933) and December 23, 2020 (85 FR 84002).

This information collection is subject to the PRA. A Federal agency generally cannot conduct or sponsor a collection of information, and the public is generally not required to respond to an information collection, unless the OMB approves it and displays a currently valid OMB Control Number. In addition, notwithstanding any other provisions of law, no person shall generally be subject to penalty for failing to comply with a collection of information that does not display a valid OMB Control Number. See 5 CFR 1320.5(a) and 1320.6.

DOL seeks PRA authorization for this information collection for three (3) years. OMB authorization for an ICR cannot be for more than three (3) years without renewal. The DOL notes that information collection requirements submitted to the OMB for existing ICRs receive a month-to-month extension while they undergo review.

Agency: DOL–OFCCP.

Title of Collection: Office of Federal Contract Compliance Programs Construction Recordkeeping and Reporting Requirements.

OMB Control Number: 1250–0001.

Affected Public: Private Sector—Businesses or other for-profits and not-for-profit institutions.

Total Estimated Number of Respondents: 12,609.

Total Estimated Number of Responses: 32,316.

Total Estimated Annual Time Burden: 157,570 hours.

Total Estimated Annual Other Costs Burden: \$10,125.

Authority: 44 U.S.C. 3507(a)(1)(D).

Dated: April 9, 2021.

Mara Blumenthal,
Senior PRA Analyst.

[FR Doc. 2021–07964 Filed 4–16–21; 8:45 am]

BILLING CODE 4510–CM–P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50–220; NRC–2021–0082]

Exelon Generation Company, LLC; Nine Mile Point Nuclear Station, Unit 1

AGENCY: Nuclear Regulatory Commission.

ACTION: Exemption; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) has issued an exemption in response to a September 11, 2020, request from Exelon Generation Company, LLC (Exelon), to allow Exelon to submit a subsequent license renewal application for Nine Mile Point Nuclear Station, Unit 1, at least 3 years prior to the expiration of the existing license and, if it is found sufficient, still receive timely renewal protection.

DATES: The exemption was issued on April 9, 2021.

ADDRESSES: Please refer to Docket ID NRC-2021-0082 when contacting the NRC about the availability of information regarding this document. You may obtain publicly available information related to this document using any of the following methods:

- *Federal Rulemaking website:* Go to <https://www.regulations.gov> and search for Docket ID NRC-2021-0082. Address questions about Docket IDs in *Regulations.gov* to Stacy Schumann; telephone: 301-415-0624; email: Stacy.Schumann@nrc.gov. For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly available documents online in the ADAMS Public Documents collection at <https://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document.

- *Attention:* The PDR, where you may examine and order copies of public documents, is currently closed. You may submit your request to the PDR via email at pdr.resource@nrc.gov or call 1-800-397-4209 or 301-415-4737, between 8:00 a.m. and 4:00 p.m. (EST), Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT:

Michael L. Marshall Jr., Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-2871, email: Michael.Marshall@nrc.gov.

SUPPLEMENTARY INFORMATION: The text of the exemption is attached.

Dated: April 13, 2021.

For the Nuclear Regulatory Commission.

Michael L. Marshall,
Senior Project Manager, Plant Licensing Branch I, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.

Attachment—Exemption

NUCLEAR REGULATORY COMMISSION

Docket No. 50-220

Exelon Generation Company, LLC

Nine Mile Point Nuclear Station, Unit 1 Exemption

I. Background

Exelon Generation Company, LLC (Exelon, the licensee), is the holder of Renewed Facility Operating License No. DPR-63 which authorizes operation of the Nine Mile Point Nuclear Station (Nine Mile Point), Unit 1, a boiling-water reactor located in Scriba, New York (6 miles northeast of Oswego, New York). The license provides, among other things, that the facility is subject to all rules, regulations, and orders of the U.S. Nuclear Regulatory Commission (NRC, Commission) now or hereafter in effect. The current operating license for Nine Mile Point, Unit 1, expires on August 22, 2029.

By letter dated September 11, 2020 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML20255A001), Exelon requested an exemption that would allow submittal of a subsequent license renewal application (SLRA) for Nine Mile Point, Unit 1, at least 3 years prior to the expiration of the existing license and, if the NRC finds the application sufficient for docketing, to still receive timely renewal protection under title 10 of the *Code of Federal Regulations* (10 CFR) Part 2, Section 2.109(b). Pursuant to 10 CFR 2.109(b), the NRC provides timely renewal protection to licensees that submit a sufficient license renewal application at least 5 years before the expiration of the existing license.

II. Request/Action

Under 10 CFR 54.17(a), the NRC requires that the filing of an application for a renewed license be in accordance with, among other regulations, 10 CFR 2.109(b). In turn, 10 CFR 2.109(b) states "If the licensee of a nuclear power plant licensed under 10 CFR 50.21(b) or 50.22 files a sufficient application for renewal of either an operating license or a combined license at least 5 years before the expiration of the existing license, the existing license will not be deemed to have expired until the application has been finally determined." In its letter

dated September 11, 2020, Exelon requested an exemption from 10 CFR 54.17(a) to allow Exelon to submit its SLRA for Nine Mile Point, Unit 1, at least 3 years prior to the expiration of the existing license and still receive timely renewal protection under 10 CFR 2.109(b).

III. Discussion

Under 10 CFR 54.15, exemptions from the requirements of Part 54 are governed by 10 CFR 50.12. Pursuant to 10 CFR 50.12, the Commission may, upon application by any interested person or upon its own initiative, grant exemptions from the requirements of 10 CFR part 50 when (1) the exemptions are authorized by law, will not present an undue risk to public health or safety, and are consistent with the common defense and security; and (2) special circumstances are present, as defined in 10 CFR 50.12(a)(2). In its application, Exelon stated that three special circumstances apply to its request. The three special circumstances that Exelon included in its request are:

(1) The special circumstance in 10 CFR 50.12(a)(2)(ii) states, "[a]pplication of the regulation in the particular circumstances would not serve the underlying purpose of the rule or is not necessary to achieve the underlying purpose of the rule;"

(2) The special circumstance in 10 CFR 50.12(a)(2)(iii) states, "[c]ompliance would result in undue hardship or other costs that are significantly in excess of those contemplated when the regulation was adopted, or that are significantly in excess of those incurred by others similarly situated;"

(3) The special circumstance in 10 CFR 50.12(a)(2)(vi) states, "[t]here is present other material circumstance not considered when the regulation was adopted for which it would be in the public interest to grant an exemption."

A. The Exemption Is Authorized by Law

This exemption would allow Exelon to submit a sufficient SLRA for Nine Mile Point, Unit 1, at least 3 years prior to the expiration of its existing license and still receive timely renewal protection under 10 CFR 2.109(b). Section 2.109 implements Section 9(b) of the Administrative Procedure Act (APA), 5 U.S.C. 558(c), which states:

When the licensee has made timely and sufficient application for a renewal or a new license in accordance with agency rules, a license with reference to an activity of a continuing nature does not expire until the application has been finally determined by the agency.

The 5-year time period specified in 10 CFR 2.109 is the result of a discretionary agency rulemaking under Sections 161 and 181 of the Atomic Energy Act of 1954, as amended, and not required by the APA. As stated above, 10 CFR 54.17(a) requires that the filing of an application for a renewed license be in accordance with, among other regulations, 10 CFR 2.109(b). In addition, 10 CFR 54.15 allows the NRC to grant exemptions from the requirements of 10 CFR part 54. The NRC has determined that granting this exemption will not result in a violation of the Atomic Energy Act of 1954, as amended, the APA, or the NRC's regulations. Therefore, the exemption is authorized by law.

B. The Exemption Presents No Undue Risk to Public Health and Safety

The requested exemption to allow a 3-year time period, rather than the 5 years specified in 10 CFR 2.109(b), for Exelon to submit a sufficient SLRA and receive timely renewal protection is a scheduling change. The action does not change the manner in which the plant operates and maintains public health and safety because no additional changes are made as a result of the action. The NRC expects that a period of 3 years provides sufficient time for the NRC to perform a full and adequate safety and environmental review, and for the completion of the hearing process. Pending final action on the SLRA, the NRC will continue to conduct all regulatory activities associated with licensing, inspection, and oversight, and will take whatever action may be necessary to ensure adequate protection of the public health and safety. The existence of this exemption does not affect NRC's authority, applicable to all licenses, to modify, suspend, or revoke a license for cause, such as a serious safety concern. Based on the above, the NRC finds that the action does not cause undue risk to public health and safety.

C. The Exemption Is Consistent With the Common Defense and Security

The requested exemption to allow for a timely renewal protection deadline of at least 3 years instead of 5 years is a scheduling change. The exemption does not change any site security matters. Therefore, the NRC finds that the action is consistent with the common defense and security.

D. Special Circumstances

The purpose of 10 CFR 2.109(b), as it is applied to nuclear power reactors licensed by the NRC, is to implement the "timely renewal" provision of

Section 9(b) of the APA, 5 U.S.C. 558(c), which states:

When the licensee has made timely and sufficient application for a renewal or a new license in accordance with agency rules, a license with reference to an activity of a continuing nature does not expire until the application has been finally determined by the agency.

The underlying purpose of this "timely renewal" provision in the APA is to protect a licensee who is engaged in an ongoing licensed activity and who has complied with agency rules in applying for a renewed or new license from facing license expiration as the result of delays in the administrative process.

On December 13, 1991, the NRC published the final license renewal rule, 10 CFR part 54, with associated changes to 10 CFR parts 2, 50, and 140, in the **Federal Register** (56 FR 64943). The statement of considerations discussed the basis for establishing the latest date for filing license renewal applications and the timely renewal doctrine (56 FR 64962). The statement of considerations stated that:

Because the review of a renewal application will involve a review of many complex technical issues, the NRC estimates that the technical review would take approximately 2 years. Any necessary hearing could likely add an additional year or more. Therefore, in the proposed rule, the Commission modified § 2.109 to require that nuclear power plant operating license renewal applications be submitted at least 3 years prior to their expiration in order to take advantage of the timely renewal doctrine.

No specific comment was received concerning the proposal to add a 3-year provision for the timely renewal provision for license renewal. The current regulations require licensees to submit decommissioning plans and related financial assurance information on or about 5 years prior to the expiration of their operating licenses. The Commission has concluded that, for consistency, the deadline for submittal of a license renewal application should be 5 years prior to the expiration of the current operating license. The timely renewal provisions of § 2.109 now reflect the decision that a 5-year time limit is more appropriate.

Thus, the NRC originally estimated that 3 years was needed to review a renewal application and to complete any hearing that might be held on the application. The NRC changed its original deadline from 3 years to 5 years to have consistent deadlines for when licensees must submit their decommissioning plans and related financial assurance information and when they must submit their license renewal application to receive timely renewal protection.

Application of the 5-year period in 10 CFR 2.109(b) is not necessary to achieve

the underlying purpose of the timely renewal provision in the regulation if Exelon files a sufficient Nine Mile Point, Unit 1, SLRA at least 3 years prior to expiration of the license. The NRC's current schedule for review of SLRAs is to complete its review and make a decision on issuing the renewed license within 18 months of receipt if there is no hearing. If a hearing is held, the NRC's model schedule anticipates completion of the NRC's review and of the hearing process, and issuance of a decision on the license renewal application within 30 months of receipt.

However, it is recognized that the estimate of 30 months for completion of a contested hearing is subject to variation in any given proceeding. A period of 3 years (36 months), nevertheless, is expected to provide sufficient time for performance of a full and adequate safety and environmental review, and completion of the hearing process. Meeting this schedule is based on a complete and sufficient application being submitted and on the review being completed in accordance with the NRC's established license renewal review schedule.

Based on the above, the NRC finds that the special circumstance of 10 CFR 50.12(a)(2)(ii) is present in the particular circumstance of Nine Mile Point, Unit 1.

In addition, the NRC finds that the special circumstance of 10 CFR 50.12(a)(2)(iii) is present in the circumstances of Nine Mile Point, Unit 1. Compliance with § 2.109(b) would result in undue hardship or other costs that are significantly in excess of those contemplated when the regulation was adopted. In its application, Exelon stated that the decision to continue power operation at Nine Mile Point, Unit 1, depended on economic and legislative factors that evolved in a way that did not permit the preparation and submission of an SLRA 5 years prior to the license expiration date. Exelon further stated that if the exemption is not granted, and it submits its SLRA less than 5 years before license expiration, then Exelon would face the risk of being forced to shut down if the application is not approved before the current license expires. The impact of changes in economic and legislative conditions on licensees' decisions to pursue license renewal was not a factor considered at the time the timely renewal rule was issued. The NRC therefore finds that the special circumstance of 10 CFR 50.12(a)(2)(iii) also is present. Because the NRC staff finds that special circumstances exist under 10 CFR 50.12(a)(2)(ii) and 10 CFR 50.12(a)(2)(iii), the NRC staff did not consider whether special circumstances

also exist under 10 CFR 50.12(a)(2)(vi), as presented by Exelon in its exemption request.

E. Environmental Considerations

The NRC has determined that the issuance of the requested exemption meets the provisions of categorical exclusion 10 CFR 51.22(c)(25)(vi)(G). Under 10 CFR 51.22(c)(25), the granting of an exemption from the requirements of any regulation of chapter 10 qualifies as a categorical exclusion if (i) there is no significant hazards consideration; (ii) there is no significant change in the types or significant increase in the amounts of any effluents that may be released offsite; (iii) there is no significant increase in individual or cumulative public or occupational radiation exposure; (iv) there is no significant construction impact; (v) there is no significant increase in the potential for or consequences from radiological accidents; and (vi) the requirements from which an exemption is sought involves scheduling requirements. The basis for NRC's determination is provided in the following evaluation of the requirements in 10 CFR 51.22(c)(25)(i)–(vi).

Requirements in 10 CFR 51.22(c)(25)(i)

To qualify for a categorical exclusion under 10 CFR 51.22(c)(25)(i), the exemption must involve a no significant hazards consideration. The criteria for making a no significant hazards consideration determination are found in 10 CFR 50.92(c). The NRC has determined that the granting of the exemption request involves no significant hazards consideration because allowing the submittal of the license renewal application at least 3 years before the expiration of the existing license while maintaining the protection of the timely renewal provision in 10 CFR 2.109(b) does not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. Therefore, the requirements of 10 CFR 51.22(c)(25)(i) are met.

Requirements in 10 CFR 51.22(c)(25)(ii) and (iii)

The exemption constitutes a change to the schedule by which Exelon must submit its SLRA and still receive timely renewal protection, which is administrative in nature, and does not involve any change in the types or

significant increase in the amounts of effluents that may be released offsite and does not contribute to any significant increase in occupational or public radiation exposure. Accordingly, there is no significant change in the types or significant increase in the amounts of any effluents that may be released offsite, and no significant increase in individual or cumulative public or occupational radiation exposure. Therefore, the requirements of 10 CFR 51.22(c)(25)(ii) and (iii) are met.

Requirements in 10 CFR 51.22(c)(25)(iv)

The exempted regulation is not associated with construction, and the exemption does not propose any changes to the site, alter the site, or change the operation of the site. Therefore, the requirements of 10 CFR 51.22(c)(25)(iv) are met because there is no significant construction impact.

Requirements in 10 CFR 51.22(c)(25)(v)

The exemption constitutes a change to the schedule by which Exelon must submit its SLRA and still receive timely renewal protection, which is administrative in nature, and does not impact the probability or consequences of accidents. Thus, there is no significant increase in the potential for, or consequences of, a radiological accident. Therefore, the requirements of 10 CFR 51.22(c)(25)(v) are met.

Requirements in 10 CFR 51.22(c)(25)(vi)

To qualify for a categorical exclusion under 10 CFR 51.22(c)(25)(vi)(G), the exemption must involve scheduling requirements. The exemption involves scheduling requirements because it would allow Exelon to submit a SLRA for Nine Mile Point, Unit 1, at least 3 years prior to the expiration of the existing license, rather than the 5 years specified in 10 CFR 2.109(b), and still receive timely renewal protection under 10 CFR 2.109(b). Therefore, the requirements of 10 CFR 51.22(c)(25)(vi) are met.

Based on the above, the NRC concludes that the proposed exemption meets the eligibility criteria for a categorical exclusion set forth in 10 CFR 51.22(c)(25). Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the approval of this exemption request.

IV. Conclusions

Accordingly, the NRC has determined that, pursuant to 10 CFR 54.15 and 10 CFR 50.12, the exemption is authorized by law, will not present an undue risk to the public health and safety, and is consistent with the common defense

and security. Also, special circumstances, as defined in 10 CFR 50.12(a)(2), are present. Therefore, the NRC hereby grants the licensee a one-time exemption for Nine Mile Point, Unit 1, from 10 CFR 54.17(a) to allow the submittal of the Nine Mile Point, Unit 1, SLRA at least 3 years prior to expiration of the operating license while maintaining the protection of the timely renewal provision in 10 CFR 2.109(b).

This exemption is effective upon issuance.

Dated: April 9, 2021.

For the Nuclear Regulatory Commission.

/RA/

Craig G. Erlanger,

Director, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.

[FR Doc. 2021–07975 Filed 4–16–21; 8:45 am]

BILLING CODE 7590–01–P

POSTAL REGULATORY COMMISSION

[Docket Nos. MC2021–83 and CP2021–86]

New Postal Products

AGENCY: Postal Regulatory Commission.

ACTION: Notice.

SUMMARY: The Commission is noticing a recent Postal Service filing for the Commission's consideration concerning a negotiated service agreement. This notice informs the public of the filing, invites public comment, and takes other administrative steps.

DATES: *Comments are due:* April 21, 2021.

ADDRESSES: Submit comments electronically via the Commission's Filing Online system at <http://www.prc.gov>. Those who cannot submit comments electronically should contact the person identified in the **FOR FURTHER INFORMATION CONTACT** section by telephone for advice on filing alternatives.

FOR FURTHER INFORMATION CONTACT: David A. Trissell, General Counsel, at 202–789–6820.

SUPPLEMENTARY INFORMATION:

Table of Contents

- I. Introduction
- II. Docketed Proceeding(s)

I. Introduction

The Commission gives notice that the Postal Service filed request(s) for the Commission to consider matters related to negotiated service agreement(s). The request(s) may propose the addition or removal of a negotiated service agreement from the market dominant or