

# Rules and Regulations

Federal Register

Vol. 87, No. 108

Monday, June 6, 2022

This section of the FEDERAL REGISTER contains regulatory documents having general applicability and legal effect, most of which are keyed to and codified in the Code of Federal Regulations, which is published under 50 titles pursuant to 44 U.S.C. 1510.

The Code of Federal Regulations is sold by the Superintendent of Documents.

## DEPARTMENT OF HOMELAND SECURITY

### 8 CFR Parts 214 and 274a

[CIS No. 2719–22]

RIN 1615–AC79

## DEPARTMENT OF LABOR

### Employment and Training Administration

#### 20 CFR Part 655

[DOL Docket No. ETA–2022–0004]

RIN 1205–AC10

### Exercise of Time-Limited Authority To Increase the Numerical Limitation for Second Half of FY 2022 for the H–2B Temporary Nonagricultural Worker Program and Portability Flexibility for H–2B Workers Seeking To Change Employers; Correction

**AGENCY:** U.S. Citizenship and Immigration Services (USCIS), Department of Homeland Security (DHS), and Employment and Training Administration and Wage and Hour Division, U.S. Department of Labor (DOL).

**ACTION:** Temporary rule; correction.

**SUMMARY:** On May 18, 2022, the Department of Homeland Security and Department of Labor jointly published a temporary rule titled “Exercise of Time-Limited Authority to Increase the Numerical Limitation for Second Half of FY 2022 for the H–2B Temporary Nonagricultural Worker Program and Portability Flexibility for H–2B Workers Seeking to Change Employers.” This is the second correction. The first correction was published in the **Federal Register** on May 23, 2022. The **ADDRESSES** section contained an incorrect regulatory information numbers (RIN). This document corrects the RIN.

**DATES:** Effective on May 18, 2022.

### FOR FURTHER INFORMATION CONTACT:

Pamela Peters, Acting Director, Office of Regulatory and Programmatic Policy, Office of the Assistant Secretary for Policy, U.S. Department of Labor, 200 Constitution Avenue NW, Washington, DC 20210; telephone 202–693–5959 (this is not a toll-free number).

**SUPPLEMENTARY INFORMATION:** On May 18, 2022, the Department of Homeland Security and Department of Labor jointly published a temporary rule. This is the second correction. The first correction was published in the **Federal Register** on May 23, 2022 (87 FR 31095).

### Correction

In the temporary rule, FR Doc. 2022–10631, beginning on page 30334 in the issue of Wednesday, May 18, 2022, make the following correction in the **ADDRESSES** section. On page 30334 in the second column, lines 5 and 12 the RIN is corrected to read “1205–AC10.”

**Christina E. McDonald,**

*Federal Register Liaison, U.S. Department of Homeland Security.*

**Laura Dawkins,**

*Federal Register Liaison, U.S. Department of Labor.*

[FR Doc. 2022–11989 Filed 6–3–22; 8:45 am]

**BILLING CODE 4510–FP–P**

## DEPARTMENT OF ENERGY

### 10 CFR Part 431

[EERE–2019–BT–STD–0034]

RIN 1904–AE56

### Energy Conservation Program: Energy Conservation Standards for Commercial Prerinse Spray Valves

**AGENCY:** Office of Energy Efficiency and Renewable Energy, Department of Energy.

**ACTION:** Final determination.

**SUMMARY:** The Energy Policy and Conservation Act (“EPCA”), as amended, prescribes energy conservation standards for various consumer products and certain commercial and industrial equipment, including commercial prerinse spray valves (“CPSVs”) equipment. EPCA also requires the U.S. Department of Energy (“DOE” or “the Department”) to periodically determine whether more stringent, amended standards would be

technologically feasible and economically justified, and would result in significant energy savings. In this final determination, DOE has determined that amended energy conservation standards for commercial prerinse spray valves are not needed.

**DATES:** The effective date of this rule is July 6, 2022.

**ADDRESSES:** The docket for this rulemaking, which includes **Federal Register** notices, public meeting attendee lists and transcripts, comments, and other supporting documents/materials, is available for review at [www.regulations.gov](http://www.regulations.gov). All documents in the docket are listed in the [www.regulations.gov](http://www.regulations.gov) index. However, not all documents listed in the index may be publicly available, such as information that is exempt from public disclosure.

The docket web page can be found at [www.regulations.gov/docket/EERE-2019-BT-STD-0034](http://www.regulations.gov/docket/EERE-2019-BT-STD-0034). The docket web page contains instructions on how to access all documents, including public comments, in the docket.

For further information on how to review the docket, contact the Appliance and Equipment Standards Program staff at (202) 287–1445 or by email: [ApplianceStandardsQuestions@ee.doe.gov](mailto:ApplianceStandardsQuestions@ee.doe.gov).

**FOR FURTHER INFORMATION CONTACT:** Mr. Bryan Berringer, U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Building Technologies Office, EE–5B, 1000 Independence Avenue SW, Washington, DC 20585–0121. Telephone: (202) 586–0371. Email: [ApplianceStandardsQuestions@ee.doe.gov](mailto:ApplianceStandardsQuestions@ee.doe.gov).

Ms. Kathryn McIntosh, U.S. Department of Energy, Office of the General Counsel, GC–33, 1000 Independence Avenue SW, Washington, DC 20585–0121. Telephone: (202) 586–2002. Email: [Kathryn.McIntosh@hq.doe.gov](mailto:Kathryn.McIntosh@hq.doe.gov).

### SUPPLEMENTARY INFORMATION:

#### Table of Contents

- I. Synopsis of the Final Determination
- II. Introduction
  - A. Authority
  - B. Background
    1. Current Standards
    2. History of Standards Rulemakings for Commercial Prerinse Spray Valves
- III. General Discussion