

listed in paragraph (b) of this section. Licensees may, at any time in their code of record interval, elect to use the Appendix VIII in the latest edition and addenda of the ASME BPV Code incorporated by reference in paragraph (a) of this section, subject to any applicable conditions listed in paragraph (b) of this section. Licensees using this option must also use the same edition and addenda of Appendix I, Subarticle I-3200, as Appendix VIII, including any applicable conditions listed in paragraph (b) of this section.

(ii) *Applicable ISI Code: Successive code of record intervals.* Inservice examination of components and system pressure tests conducted during successive code of record intervals must comply with the requirements of the latest edition and addenda of the ASME BPV Code incorporated by reference in paragraph (a) of this section no more than 18 months before the start of the code of record interval (or the optional ASME Code Cases listed in NRC Regulatory Guide 1.147, when using ASME BPV Code, Section XI, or NRC Regulatory Guide 1.192, when using the ASME OM Code, as incorporated by reference in paragraphs (a)(3)(ii) and (iii) of this section), subject to the conditions listed in paragraph (b) of this section. Licensees may, at any time in their code of record interval, elect to use the Appendix VIII in the latest edition and addenda of the ASME BPV Code incorporated by reference in paragraph (a) of this section, subject to any applicable conditions listed in paragraph (b) of this section. Licensees using this option must also use the same edition and addenda of Appendix I, Subarticle I-3200, as Appendix VIII, including any applicable conditions listed in paragraph (b) of this section.

(y) *Definitions.* (1) *Code of record* means:

(i) For the ASME BPV Code, Section XI, the edition (and addenda) implemented by a licensee in accordance with the requirements of this section.

(ii) For the ASME OM Code, the edition (and addenda) implemented by a licensee in accordance with the requirements of this section.

(iii) For the ASME BPV Code, Section III, the edition implemented by a licensee in accordance with the requirements of this section, which may vary by component.

(2) *Code of record interval* means the period of time between the code of record updates required by paragraphs (f)(4) and (g)(4) of this section for the inservice inspection and inservice

examination and test programs, respectively.

(i) For licensees with codes of record prior to ASME BPV Code, Section XI, 2019 Edition, and OM Code, 2020 Edition, as incorporated by reference in paragraph (a) of this section, the code of record interval is the same as the inspection interval or inservice examination and test interval.

(ii) For licensees with codes of record of ASME BPV Code, Section XI, 2019 Edition and OM Code, 2020 Edition, or later, as incorporated by reference in paragraph (a) of this section, the code of record interval is two consecutive inservice inspection or inservice examination and test intervals.

(3) *Inservice examination and test (IST) interval*, for the purposes of this section, means the inservice examination and test interval described by the licensee's code of record (paragraph ISTA-3120 of the ASME OM Code, 2001 Edition through 2009 Edition, or paragraph ISTA-3120 of the ASME OM Code, 2012 Edition and later).

(4) *Inservice inspection (ISI) program*, for the purposes of this section, means the set of all administrative and technical requirements pertaining to periodic examination of nuclear components, as specified in ASME BPV Code, Section XI, and this section, including but not limited to:

(i) The requirements of IWA-2400 of ASME BPV Code, Section XI, 1991 Addenda and later.

(ii) Relief requested under paragraph (g)(5)(iii) of this section and granted under paragraph (g)(6)(i) of this section.

(iii) The augmented inspection program described in paragraph (g)(6) of this section.

(iv) Alternatives authorized under paragraph (z) of this section.

(5) *Inservice examination and testing (IST) program*, for the purposes of this section, means the requirements for preservice and inservice examination and testing of pumps, valves, and dynamic restraints within the scope of this section to assess their operational readiness in nuclear power plants, including but not limited to:

(i) The requirements specified in the ASME OM Code, as incorporated by reference in this section, such as for test or examination, responsibilities, methods, intervals, parameters to be measured and evaluated, criteria for evaluating the results, corrective action, personnel qualification, and recordkeeping.

(ii) Relief requested under paragraph (f)(5)(iii) of this section and granted under paragraph (f)(6)(i) of this section.

(iii) Augmented IST requirements as applied by the Commission under paragraph (f)(6)(ii) of this section.

(iv) Alternatives authorized under paragraph (z) of this section.

(6) *Inspection interval*, as used in this section, means the inservice inspection interval described by the licensee's code of record (Article IWA-2432 of ASME BPV Code, Section XI, 1989 Edition with 1991 Addenda through the 2008 Addenda, or Article IWA-2431 of ASME BPV Code, Section XI, 2009 Addenda and later).

* * * * *

■ 3. In section III of option A of appendix J to part 50, remove and reserve footnote 2 and revise paragraph D.1.(a) to read as follows:

Appendix J to Part 50—Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors

* * * * *

Option A—Prescriptive Requirements

* * * * *

III. * * *

D. * * *

1. * * *

(a) After the preoperational leakage rate tests, a set of three Type A tests shall be performed, at approximately equal intervals during each inspection interval, as defined in § 50.55a(y). The third test of each set shall be conducted when the plant is shutdown for the final plant inservice inspections of the inspection interval.

* * * * *

Dated: February 17, 2023.

For the Nuclear Regulatory Commission.

Michael F. King,

Acting Director, Office of Nuclear Reactor Regulation.

[FR Doc. 2023-03742 Filed 3-3-23; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

10 CFR Parts 50 and 52

[NRC-2023-0028]

Draft Regulatory Guide: Sizing of Large Lead-Acid Storage Batteries

AGENCY: Nuclear Regulatory Commission

ACTION: Proposed guide; request for comment.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is issuing for public comment a draft regulatory guide (DG), DG-1418, "Sizing of Large Lead-Acid Storage Batteries." This DG is proposed

Revision 2 of Regulatory Guide (RG) 1.212 of the same name. DG-1418 describes an approach that is acceptable to the NRC staff to meet regulatory requirements for sizing of large lead-acid storage batteries for production and utilization facilities. It endorses, with clarifications, the Institute of Electrical and Electronic Engineers (IEEE) Standard 485-2020, "IEEE Recommended Practice for Sizing Lead-Acid Batteries for Stationary Applications."

DATES: Submit comments by April 5, 2023. Comments received after this date will be considered if it is practical to do so, but the NRC is able to ensure consideration only for comments received on or before this date.

ADDRESSES: You may submit comments by any of the following methods; however, the NRC encourages electronic comment submission through the Federal rulemaking website:

- *Federal rulemaking website:* Go to <https://www.regulations.gov> and search for Docket ID NRC-2023-0028. Address questions about Docket IDs in *Regulations.gov* to Stacy Schumann; telephone: 301-415-0624; email: Stacy.Schumann@nrc.gov. For technical questions, contact the individuals listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *Mail comments to:* Office of Administration, Mail Stop: TWFN-7-A60M, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, ATTN: Program Management, Announcements and Editing Staff.

For additional direction on obtaining information and submitting comments, see "Obtaining Information and Submitting Comments" in the **SUPPLEMENTARY INFORMATION** section of this document.

FOR FURTHER INFORMATION CONTACT: Solomon Sahle, Office of Nuclear Regulatory Research, telephone: 301-415-3781, email: Solomon.Sahle@nrc.gov and Liliana Ramadan, Office of Nuclear Reactor Regulation, telephone: 301-415-2463, email: Liliana.Ramadan@nrc.gov. Both are staff of the U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

SUPPLEMENTARY INFORMATION:

I. Obtaining Information and Submitting Comments

A. Obtaining Information

Please refer to Docket ID NRC-2023-0028 when contacting the NRC about the availability of information for this action. You may obtain publicly

available information related to this action by any of the following methods:

- *Federal Rulemaking Website:* Go to <https://www.regulations.gov> and search for Docket ID NRC-2023-0028.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly available documents online in the ADAMS Public Documents collection at <https://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to PDR.Resource@nrc.gov. The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document.

- *NRC's PDR:* You may examine and purchase copies of public documents, by appointment, at the NRC's PDR, Room P1 B35, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852. To make an appointment to visit the PDR, please send an email to PDR.Resource@nrc.gov or call 1-800-397-4209 or 301-415-4737, between 8 a.m. and 4 p.m. eastern time (ET), Monday through Friday, except Federal holidays.

B. Submitting Comments

The NRC encourages electronic comment submission through the Federal rulemaking website (<https://www.regulations.gov>). Please include Docket ID NRC-2023-0028 in your comment submission.

The NRC cautions you not to include identifying or contact information that you do not want to be publicly disclosed in your comment submission. The NRC will post all comment submissions at <https://www.regulations.gov> as well as enter the comment submissions into ADAMS. The NRC does not routinely edit comment submissions to remove identifying or contact information.

If you are requesting or aggregating comments from other persons for submission to the NRC, then you should inform those persons not to include identifying or contact information that they do not want to be publicly disclosed in their comment submission. Your request should state that the NRC does not routinely edit comment submissions to remove such information before making the comment submissions available to the public or entering the comments into ADAMS.

II. Additional Information

The NRC is issuing for public comment a DG in the NRC's "Regulatory Guide" series. This series was developed to describe methods that are acceptable to the NRC staff for implementing specific parts of the agency's regulations, to explain techniques that the staff uses in evaluating specific issues or postulated events, and to describe information that the staff needs in its review of applications for permits and licenses.

The DG, entitled "Sizing of Large Lead-Acid Storage Batteries," is temporarily identified by its task number, DG-1418 (ADAMS Accession No. ML22307A132).

DG-1418 is proposed Revision 2 to RG 1.212 and it endorses, with some limitations and a clarification, IEEE Standard (Std.) 485-2020, and includes production and utilization facilities licensed under parts 50 and 52 of title 10 of the *Code of Federal Regulations* (10 CFR). The previous version of this RG endorsed, with certain clarifications, IEEE Std. 485-2010. In 2020, the IEEE revised IEEE Std. 485 to refine the methods for defining direct current (dc) load guidance and sizing large lead acid batteries to ensure consistent performance. The revised IEEE standard provides a succinct document for the sizing of batteries with informative annexes. The NRC staff determined that, based on the revised IEEE standard, a revision to this RG is needed to support applications for new reactor licenses, design certifications, and license amendments.

The staff is also issuing for public comment a draft regulatory analysis (ADAMS Accession No. ML22307A144). The staff developed a regulatory analysis to assess the value of issuing or revising a regulatory guide as well as alternative courses of action.

As noted in the **Federal Register** on December 9, 2022 (87 FR 75671), this document is being published in the "Proposed Rules" section of the **Federal Register** to comply with publication requirements under 1 CFR chapter I.

III. Backfitting, Forward Fitting, and Issue Finality

Issuance of DG-1418, if finalized, would not constitute backfitting as defined in 10 CFR 50.109, "Backfitting," and as described in NRC Management Directive (MD) 8.4, "Management of Backfitting, Forward Fitting, Issue Finality, and Information Requests"; affect issue finality of any approval issued under 10 CFR part 52, "Licenses, Certificates, and Approvals for Nuclear Power Plants"; or constitute forward

fitting as defined in MD 8.4, because, as explained in this DG, licensees would not be required to comply with the positions set forth in this DG.

IV. Submitting Suggestions for Improvement of Regulatory Guides

A member of the public may, at any time, submit suggestions to the NRC for improvement of existing RGs or for the development of new RGs. Suggestions can be submitted on the NRC's public website at <https://www.nrc.gov/reading-rm/doc-collections/reg-guides/contactus.html>. Suggestions will be considered in future updates and enhancements to the "Regulatory Guide" series.

Dated: February 28, 2023.

For the Nuclear Regulatory Commission.

Meraj Rahimi,

Chief, Regulatory Guide and Programs Management Branch, Division of Engineering, Office of Nuclear Regulatory Research.

[FR Doc. 2023-04460 Filed 3-3-23; 8:45 am]

BILLING CODE 7590-01-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Docket No. FAA-2023-0328; Airspace Docket No. 22-ASO-37]

RIN 2120-AA66

Revocation, Amendment, and Establishment of Air Traffic Service (ATS) Routes Due to the Decommissioning of the Greene County, MS, VOR

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: This action proposes to remove Jet Route J-590, amend Very High Frequency (VHF) Omnidirectional Range (VOR) Federal airways V-11 and V-70, and establish Area Navigation (RNAV) route T-365. The FAA is proposing this action due to the planned decommissioning of the VOR portion of the Greene County, MS (GCV), VOR/Tactical Air Navigation (VORTAC) navigational aid (NAVAID). The Greene County VOR is being decommissioned in support of the FAA's VOR Minimum Operational Network (MON) program.

DATES: Comments must be received on or before April 20, 2023.

ADDRESSES: Send comments identified by FAA Docket No. FAA-2023-0328 and Airspace Docket No. 22-ASO-37 using any of the following methods:

* *Federal eRulemaking Portal:* Go to www.regulations.gov and follow the online instructions for sending your comments electronically.

* *Mail:* Send comments to Docket Operations, M-30; U.S. Department of Transportation, 1200 New Jersey Avenue SE, Room W12-140, West Building Ground Floor, Washington, DC 20590-0001.

* *Hand Delivery or Courier:* Take comments to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

* *Fax:* Fax comments to Docket Operations at (202) 493-2251.

Privacy: In accordance with 5 U.S.C. 553(c), DOT solicits comments from the public to better inform its rulemaking process. DOT posts these comments, without edit, including any personal information the commenter provides, to www.regulations.gov, as described in the system of records notice (DOT/ALL-14 FDMS), which can be reviewed at www.dot.gov/privacy.

Docket: Background documents or comments received may be read at www.regulations.gov at any time. Follow the online instructions for accessing the docket or go to the Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FAA Order JO 7400.11G, Airspace Designations and Reporting Points, and subsequent amendments can be viewed online at www.faa.gov/air_traffic/publications/.

FOR FURTHER INFORMATION CONTACT: Colby Abbott, Rules and Regulations Group, Office of Policy, Federal Aviation Administration, 800 Independence Avenue SW, Washington, DC 20591; telephone: (202) 267-8783.

SUPPLEMENTARY INFORMATION:

Authority for This Rulemaking

The FAA's authority to issue rules regarding aviation safety is found in Title 49 of the United States Code. Subtitle I, Section 106 describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the agency's authority. This rulemaking is promulgated under the authority described in Subtitle VII, Part A, Subpart I, Section 40103. Under that section, the FAA is charged with prescribing regulations to assign the use of the airspace necessary to ensure the safety of aircraft and the efficient use of

airspace. This regulation is within the scope of that authority as it would modify the National Airspace System (NAS) as necessary to preserve the safe and efficient flow of air traffic.

Comments Invited

The FAA invites interested persons to participate in this rulemaking by submitting written comments, data, or views. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. To ensure the docket does not contain duplicate comments, commenters should submit only one time if comments are filed electronically, or commenters should send only one copy of written comments if comments are filed in writing.

The FAA will file in the docket all comments it receives, as well as a report summarizing each substantive public contact with FAA personnel concerning this proposed rulemaking. Before acting on this proposal, the FAA will consider all comments it receives on or before the closing date for comments. The FAA will consider comments filed after the comment period has closed if it is possible to do so without incurring expense or delay. The FAA may change this proposal in light of the comments it receives.

Availability of Rulemaking Documents

An electronic copy of this document may be downloaded through the internet at www.regulations.gov. Recently published rulemaking documents can also be accessed through the FAA's web page at www.faa.gov/air_traffic/publications/airspace_amendments/.

You may review the public docket containing the proposal, any comments received and any final disposition in person in the Dockets Operations office (see **ADDRESSES** section for address, phone number, and hours of operations). An informal docket may also be examined during normal business hours at the office of the Operations Support Group, Central Service Center, Federal Aviation Administration, 10101 Hillwood Parkway, Fort Worth, TX 76177.

Incorporation by Reference

Jet Routes are published in paragraph 2004, VOR Federal airways are published in paragraph 6010(a), and United States Area Navigation Routes