

a current account or through another process.

For these reasons, government enforcers should consider whether a financial institution has violated the prohibition against unfair acts or practices in the CFPB if they discover that a financial institution has unilaterally reopened accounts that consumers previously

About Consumer Financial Protection Circulars

Consumer Financial Protection Circulars are issued to all parties with authority to enforce Federal consumer financial law. The CFPB is the principal Federal regulator responsible for administering Federal consumer financial law, *see* 12 U.S.C. 5511, including the Consumer Financial Protection Act's prohibition on unfair, deceptive, and abusive acts or practices, 12 U.S.C. 5536(a)(1)(B), and 18 other "enumerated consumer laws," 12 U.S.C. 5481(12). However, these laws are also enforced by State attorneys general and State regulators, 12 U.S.C. 5552, and prudential regulators including the Federal Deposit Insurance Corporation, the Office of the Comptroller of the Currency, the Board of Governors of the Federal Reserve System, and the National Credit Union Administration. *See, e.g.*, 12 U.S.C. 5516(d), 5581(c)(2) (exclusive enforcement authority for banks and credit unions with \$10 billion or less in assets). Some Federal consumer financial laws are also enforceable by other Federal agencies, including the Department of Justice and the Federal Trade Commission, the Farm Credit Administration, the Department of Transportation, and the Department of Agriculture. In addition, some of these laws provide for private enforcement.

Consumer Financial Protection Circulars are intended to promote consistency in approach across the various enforcement agencies and parties, pursuant to the CFPB's statutory objective to ensure Federal consumer financial law is enforced consistently. 12 U.S.C. 5511(b)(4).

Consumer Financial Protection Circulars are also intended to provide transparency to partner agencies regarding the CFPB's intended approach when cooperating in enforcement actions. *See, e.g.*, 12 U.S.C. 5552(b) (consultation with CFPB by State attorneys general and regulators); 12 U.S.C. 5562(a) (joint investigatory work between CFPB and other agencies).

Consumer Financial Protection Circulars are general statements of policy under the Administrative Procedure Act. 5 U.S.C. 553(b). They

provide background information about applicable law, articulate considerations relevant to the Bureau's exercise of its authorities, and, in the interest of maintaining consistency, advise other parties with authority to enforce Federal consumer financial law. They do not restrict the Bureau's exercise of its authorities, impose any legal requirements on external parties, or create or confer any rights on external parties that could be enforceable in any administrative or civil proceeding. The CFPB Director is instructing CFPB staff as described herein, and the CFPB will then make final decisions on individual matters based on an assessment of the factual record, applicable law, and factors relevant to prosecutorial discretion.

Rohit Chopra,

Director, Consumer Financial Protection Bureau.

[FR Doc. 2023-10982 Filed 5-23-23; 8:45 am]

BILLING CODE 4810-AM-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. FAA-2023-0068; Special Conditions No. 25-821-SC]

Special Conditions: B/E Aerospace Ltd., MHI RJ Aviation ULC Model CL-600-2B19 Airplane; Installation of a Therapeutic Oxygen System for Medical Use

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final special conditions; request for comments.

SUMMARY: These special conditions are issued for the MHI RJ Aviation ULC Model CL-600-2B19 airplane. This airplane, as modified by B/E Aerospace Ltd. (B/E Aerospace), will have a novel or unusual design feature when compared to the state of technology envisioned in the airworthiness standards for transport-category airplanes. This design feature is an installation of a therapeutic oxygen system for medical use. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for this design feature. These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

DATES: This action is effective on B/E Aerospace Ltd. on May 24, 2023. Send comments on or before July 10, 2023.

ADDRESSES: Send comments identified by Docket No. FAA-2023-0068 using any of the following methods:

- *Federal eRegulations Portal:* Go to <https://www.regulations.gov/> and follow the online instructions for sending your comments electronically.

- *Mail:* Send comments to Docket Operations, M-30, U.S. Department of Transportation (DOT), 1200 New Jersey Avenue SE, Room W12-140, West Building Ground Floor, Washington, DC 20590-0001.

- *Hand Delivery or Courier:* Take comments to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

- *Fax:* Fax comments to Docket Operations at 202-493-2251.

Docket: Background documents or comments received may be read at <https://www.regulations.gov/> at any time. Follow the online instructions for accessing the docket or go to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: Robert Hettman, Mechanical Systems, AIR-623, Technical Policy Branch, Policy and Standards Division, Aircraft Certification Service, Federal Aviation Administration, 2200 South 216th Street, Des Moines, Washington 98198; telephone and fax 206-231-3171; email robert.hettman@faa.gov.

SUPPLEMENTARY INFORMATION: The substance of these special conditions has been published in the **Federal Register** for public comment in several prior instances with no substantive comments received. Therefore, the FAA finds, pursuant to § 11.38(b), that new comments are unlikely, and notice and comment prior to this publication are unnecessary.

Comments Invited

The FAA invites interested people to take part in this rulemaking by sending written comments, data, or views. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data.

The FAA will consider all comments received by the closing date for comments, and will consider comments filed late if it is possible to do so

without incurring delay. The FAA may change these special conditions based on the comments received.

Privacy

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in title 14, Code of Federal Regulations (14 CFR) 11.35, the FAA will post all comments received without change to <https://www.regulations.gov/>, including any personal information you provide. The FAA will also post a report summarizing each substantive verbal contact received about these special conditions.

Confidential Business Information

Confidential Business Information (CBI) is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to these special conditions contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to these special conditions, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as "PROPIN." The FAA will treat such marked submissions as confidential under the FOIA, and the indicated comments will not be placed in the public docket of these special conditions. Send submissions containing CBI to the individual listed in the **FOR FURTHER INFORMATION CONTACT** section above. Comments the FAA receives, which are not specifically designated as CBI, will be placed in the public docket for these special conditions.

Background

On November 17, 2022, B/E Aerospace applied for a supplemental type certificate for the modification of the oxygen distribution system on the MHI RJ Aviation ULC Model CL-600-2B19 airplane (type certificate previously held by Bombardier, Inc). This airplane, which is currently approved under Type Certificate A21EA-1, is a twin-engine transport category airplane with a maximum takeoff weight of 47,450 pounds. The Model CL-600-2B19 (Challenger 850 series) airplane has a seating capacity of 19 passengers.

Type Certification Basis

Under the provisions of title 14, Code of Federal Regulations (14 CFR) 21.101, B/E Aerospace must show that the MHI RJ Aviation ULC Model CL-600-2B19 airplane, as changed, continues to meet the applicable provisions of the regulations listed in Type Certificate No. A21EA-1 or the applicable regulations in effect on the date of application for the change, except for earlier amendments as agreed upon by the FAA.

If the Administrator finds that the applicable airworthiness regulations (e.g., 14 CFR part 25) do not contain adequate or appropriate safety standards for the MHI RJ Aviation ULC Model CL-600-2B19 airplane because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

Special conditions are initially applicable to the model for which they are issued. Should the applicant apply for a supplemental type certificate to modify any other model included on the same type certificate to incorporate the same novel or unusual design feature, these special conditions would also apply to the other model under § 21.101.

In addition to the applicable airworthiness regulations and special conditions, the MHI RJ Aviation ULC Model CL-600-2B19 airplane must comply with the fuel-vent and exhaust-emission requirements of 14 CFR part 34, and the noise-certification requirements of 14 CFR part 36.

The FAA issues special conditions, as defined in § 11.19, in accordance with § 11.38, and they become part of the type certification basis under § 21.101.

Novel or Unusual Design Features

The MHI RJ Aviation ULC Model CL-600-2B19 airplane will incorporate the following novel or unusual design feature:

A modification of the oxygen-distribution system that affects how the common source of oxygen supply on board is shared between the flightcrew and passengers to provide supplemental and therapeutic oxygen.

Discussion

No specific regulations address the design and installation of required passenger oxygen systems that share a supply source with an optional oxygen system used specifically for therapeutic applications. Therapeutic oxygen systems have been previously certified, and were generally considered an extension of the passenger oxygen system for the purpose of defining the applicable regulations. As a result,

existing requirements, such as §§ 25.1309, 25.1441(b) and (c), 25.1451, and 25.1453, in the MHI RJ Aviation ULC Model CL-600-2B19 airplanes' certification basis applicable to this STC project, provide some design standards appropriate for oxygen system installations. In addition, § 25.1445 includes standards for oxygen distribution systems when oxygen is supplied to flightcrew and passengers. If a common source of supply is used, § 25.1445(a)(2) requires a means to separately reserve the minimum supply required by the flightcrew.

Section 25.1445 is intended to protect the flightcrew by ensuring that an adequate supply of oxygen is available to complete a descent and landing following a loss of cabin pressure. When the regulation was written, the only passenger oxygen system designs were supplemental oxygen systems intended to protect passengers from hypoxia in the event of a decompression. Existing passenger oxygen systems did not include design features that would allow the flightcrew to control oxygen to passengers during flight. There are no similar requirements in § 25.1445 when oxygen is supplied from the same source to passengers for use during a decompression, and for discretionary or first-aid use any time during the flight. In the design, the passenger and therapeutic oxygen systems use the same source of oxygen. These special conditions contain additional design requirements for the equipment involved in this dual therapeutic oxygen plus gaseous oxygen installation.

These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

Applicability

As discussed above, these special conditions are applicable to the MHI RJ Aviation ULC Model CL-600-2B19 airplane. Should B/E Aerospace apply at a later date for a supplemental type certificate to modify any other model included on Type Certificate No. A21EA-1 to incorporate the same novel or unusual design feature, these special conditions would apply to that model as well.

Conclusion

This action affects only a certain novel or unusual design feature on one model of airplane. It is not a rule of general applicability and affects only the applicant who applied to the FAA for approval of these features on the airplane.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

Authority Citation

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(f), 106(g), 40113, 44701, 44702, and 44704.

The Special Conditions

Accordingly, pursuant to the authority delegated to me by the Administrator, the following special conditions are issued as part of the type certification basis for MHI RJ Aviation ULC Model CL-600-2B19 airplanes, as modified by B/E Aerospace Ltd.

The distribution system for the passenger therapeutic oxygen system must be designed and installed to meet requirements as follows:

When oxygen is supplied to passengers for both supplemental and therapeutic purposes, the distribution system must be designed for either—

(1) A source of supplemental oxygen for protection following a loss of cabin pressure, and a separate source for therapeutic purposes; or

(2) A common source of supply with means to separately reserve the minimum supply required by the passengers for supplemental use following a loss of cabin pressure.

Issued in Kansas City, Missouri, on May 18, 2023.

Patrick R. Mullen,

Manager, Technical Policy Branch, Policy and Standards Division, Aircraft Certification Service.

[FR Doc. 2023-10987 Filed 5-23-23; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES**Food and Drug Administration****21 CFR Part 101**

[Docket No. FDA-2022-N-2898]

Food Labeling, Infant Formula Requirements, Food Additives and Generally Recognized as Safe Substances, New Dietary Ingredient Notification; Technical Amendments; Correction

AGENCY: Food and Drug Administration, HHS.

ACTION: Final rule; technical amendments; correction.

SUMMARY: The Food and Drug Administration is correcting a final rule entitled “Food Labeling, Infant Formula

Requirements, Food Additives and Generally Recognized as Safe Substances, New Dietary Ingredient Notification; Technical Amendments” that appeared in the **Federal Register** of March 24, 2023. The final rule corrected typographical errors, corrected errors in sample labels, restored inadvertent omissions, and updated office and organization names, addresses, and other references. The document was published with an incorrect abbreviation to “Potassium” in the codified language. This document corrects that error.

DATES: Effective May 24, 2023.

FOR FURTHER INFORMATION CONTACT: Mark Kantor, Office of Nutrition and Food Labeling (HFS-830), Center for Food Safety and Applied Nutrition, Food and Drug Administration, 5001 Campus Dr., College Park, MD 20740, 240-402-1450; or Alexandra Jurewitz, Office of Regulations and Policy (HFS-024), Center for Food Safety and Applied Nutrition, Food and Drug Administration, 5001 Campus Dr., College Park, MD 20740, 240-402-2378.

SUPPLEMENTARY INFORMATION: In the **Federal Register** of Friday, March 24, 2023 (88 FR 17710 at 17718), an incorrect abbreviation to “Potassium” appeared in § 101.9(j)(13)(ii)(B) of the codified language. This document corrects that error.

List of Subjects in 21 CFR Part 101

Food Labeling, Nutrition, Reporting and recordkeeping requirements.

For the reasons stated in the preamble, FDA is correcting 21 CFR part 101 with the following correcting amendment:

PART 101—FOOD LABELING

■ 1. The authority citation for part 101 continues to read as follows:

Authority: 15 U.S.C. 1453, 1454, 1455; 21 U.S.C. 321, 331, 342, 343, 348, 371; 42 U.S.C. 243, 264, 271.

§ 101.9 [Amended]

■ 2. In § 101.9, amend paragraph (j)(13)(ii)(B) by removing “Potassium—Pot.” and replacing it with “Potassium—Potas.”.

Dated: May 15, 2023.

Lauren K. Roth,

Associate Commissioner for Policy.

[FR Doc. 2023-10602 Filed 5-23-23; 8:45 am]

BILLING CODE 4164-01-P

FEDERAL COMMUNICATIONS COMMISSION**47 CFR Part 27**

[GN Docket No. 18-122; GN Docket No. 23-97; DA 23-408; FR ID 141458]

Wireless Telecommunications Bureau Announces C-Band Phase II Certification Procedures

AGENCY: Federal Communications Commission.

ACTION: Final action.

SUMMARY: In this document, the Federal Communications Commission (Commission) announces the procedures related to the filing of Phase II Certifications of Accelerated Relocation (Certifications) and implements the Commission’s incremental reduction plan for Phase II Accelerated Relocation Payments (ARPs) as part of the ongoing transition of the 3.7 GHz band.

DATES: Effective June 1, 2023.

ADDRESSES: Federal Communications Commission, 45 L St. NE, Washington, DC 20554.

FOR FURTHER INFORMATION CONTACT: For additional information on this proceeding, contact Susan Mort of the Wireless Telecommunications Bureau, at (202) 418-2429 or Susan.Mort@fcc.gov.

SUPPLEMENTARY INFORMATION: This is a summary of the document, *Wireless Telecommunications Bureau Announces Procedures for Filing of C-Band Phase II Certifications of Accelerated Relocation and Implementation of the Commission’s Incremental Reduction Plan for Phase II Accelerated Relocation Payments*, released on May 15, 2023. The full text of this document is available for public inspection online at <https://docs.fcc.gov/public/attachments/DA-23-408A1.pdf>.

1. With this document, the Bureau adopts filing procedures for the submission of Phase II Certifications, as proposed in *C-Band Phase II Certification of Accelerated Relocation Procedures and Implementation of the Commission’s Incremental Reduction Plan for Phase II Accelerated Relocation Public Notice* (Phase II Certification Procedures and Incremental Reduction Comment PN), released in March 2023 in this proceeding (88 FR 16932, Mar. 21, 2023). These procedures are modeled after those previously adopted for Phase I to allow eligible space station operators to submit Certifications, and stakeholders to file related challenges, with respect to the