

SUMMARY: The Secretary of Commerce, through the Office of Trade and Economic Analysis (OTEA) of the International Trade Administration, has received an application for an amended Export Trade Certificate of Review (“Certificate”). This notice summarizes the proposed application and seeks public comments on whether the Certificate should be issued.

FOR FURTHER INFORMATION CONTACT: Joseph Flynn, Director, OTEA, International Trade Administration, (202) 482–5131 (this is not a toll-free number) or email at etca@trade.gov.

SUPPLEMENTARY INFORMATION: Title III of the Export Trading Company Act of 1982 (15 U.S.C. 4001–21) authorizes the Secretary of Commerce to issue Export Trade Certificates of Review. An Export Trade Certificate of Review protects the holder and the members identified in the Certificate from State and Federal government antitrust actions and from private treble damage antitrust actions for the export conduct specified in the Certificate and carried out in compliance with its terms and conditions. The regulations implementing Title III are found at 15 CFR part 325. OTEA is issuing this notice pursuant to 15 CFR 325.6(a), which requires the Secretary of Commerce to publish a summary of the application in the **Federal Register**, identifying the applicant and each member and summarizing the proposed export conduct.

Request for Public Comments

Interested parties may submit written comments relevant to the determination whether a Certificate should be issued. If the comments include any privileged or confidential business information, it must be clearly marked and a nonconfidential version of the comments (identified as such) should be included. Any comments not marked as privileged or confidential business information will be deemed to be nonconfidential.

Written comments should be sent to ETCA@trade.gov. An original and two (2) copies should also be submitted no later than 20 days after the date of this notice to: Office of Trade and Economic Analysis, International Trade Administration, U.S. Department of Commerce, Room 21028, Washington, DC 20230.

Information submitted by any person is exempt from disclosure under the Freedom of Information Act (5 U.S.C. 552). However, nonconfidential versions of the comments will be made available to the applicant if necessary for determining whether or not to issue the

Certificate. Comments should refer to this application as “Export Trade Certificate of Review, application number 03–5A008.”

Summary of the Application

Applicant: California Pistachio Export Council, LLC, 512 C. St. NE, Washington, DC 20002.

Contact: Robert Schramm, Principal at Schramm, Williams & Associates, Inc.

Application No.: 03–6A008.

Date Deemed Submitted: July 10, 2023.

Proposed Amendment:

1. California Pistachio Export Council, LLC seeks to amend its Certificate as follows: add the following entity as a Member of the Certificate within the meaning of section 325.2(l) of the Regulations (15 CFR 325.2(l)):

a. Nichols Pistachio

The proposed amendment would result in the following Members under the Certificate:

1. Horizon Nut, LLC
2. Keenan Farms, Inc.
3. Meridian Nut Growers, LLC
4. Monarch Nut Company
5. Nichols Pistachio
6. Primex Farms, LLC
7. Setton Pistachio of Terra Bella, Inc.
8. Zymex Industries, Inc.

Dated: July 19, 2023.

Joseph Flynn,

Director, Office of Trade and Economic Analysis, International Trade Administration, U.S. Department of Commerce.

[FR Doc. 2023–15594 Filed 7–21–23; 8:45 am]

BILLING CODE 3510–DR–P

DEPARTMENT OF COMMERCE

International Trade Administration

[A–570–133, C–570–134]

Certain Metal Lockers and Parts Thereof From the People’s Republic of China: Initiation and Expedited Preliminary Results of Changed Circumstances Reviews, and Intent To Revoke the Antidumping and Countervailing Duty Orders, in Part

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: The U.S. Department of Commerce (Commerce) is initiating and issuing expedited preliminary results of changed circumstances reviews (CCR) of the antidumping duty (AD) and countervailing duty (CVD) orders on certain metal lockers and parts thereof (metal lockers) from the People’s Republic of China (China), to revoke the orders, in part, with respect to certain

gun safes. Interested parties are invited to comment on these preliminary results.

DATES: Applicable July 24, 2023.

FOR FURTHER INFORMATION CONTACT: Matthew Palmer, AD/CVD Operations, Office III, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue NW, Washington, DC 20230; telephone: (202) 482–1678.

SUPPLEMENTARY INFORMATION:

Background

On August 20, 2021, Commerce published the AD and CVD orders on metal lockers from China.¹ On June 21, 2023, Tractor Supply Company (TSC), requested, through a CCR, the partial revocation of the *Orders* pursuant to section 751(b)(1)(A) of the Tariff Act of 1930, as amended (the Act), 19 CFR 351.216, and 19 CFR 351.221(c)(3)(ii).² TSC stated that it qualifies as an importer of certain gun safes currently subject to duties and, as such, is an interested party pursuant to section 771(9)(A) of the Act and 19 CFR 351.102(b)(29)(ii).³

On June 22, 2023, List Industries, Inc. (List) and Tenssco LLC (Tenssco), petitioners in the original investigations leading to the *Orders*, filed comments in support of partially revoking the *Orders* with regard to certain gun safes as defined in TSC’s request.⁴ TSC’s Request includes additional letters of support from the domestic industry,⁵ that, when including List and Tenssco’s support,⁶ represents substantially all of the production of the domestic like product.⁷ On July 10, 2023, TSC filed follow-up comments reiterating its previous request.⁸

Scope of the Orders

The scope of the *Orders* covers certain metal lockers, with or without doors, and parts thereof (metal lockers). The

¹ See *Certain Metal Lockers and Parts Thereof from the People’s Republic of China: Antidumping and Countervailing Duty Orders*, 86 FR 46826 (August 20, 2021) (*Orders*).

² See TSC’s Letter, “Request for Changed Circumstances Review,” dated October 25, 2022 (TSC’s Request).

³ See TSC’s Letter, “Supporting Documents for Entry of Appearance and APO Application,” dated June 20, 2023.

⁴ See Petitioner’s Letter, “Response to Changed Circumstance Review Request,” dated June 22, 2023 (Petitioner’s Comments) (citing TSC’s proposed exclusion language for certain gun safes that would cover TSC’s TS12–30 and TS20–30 products).

⁵ See TSC’s Request at 2 (citing Exhibit 1).

⁶ See Petitioner’s Comments at 12–13.

⁷ See TSC’s Request at 2 (citing Exhibit 1); see also Petitioner’s Comments at 2.

⁸ See TSC’s Letter, “Follow-Up to Request for Changed Circumstances Review,” dated July 10, 2023.

subject metal lockers are secure metal storage devices less than 27 inches wide and less than 27 inches deep, whether floor standing, installed onto a base or wall-mounted. In a multiple locker assembly (whether a welded locker unit, otherwise assembled locker unit or knocked down unit or kit), the width measurement shall be based on the width of an individual locker not the overall unit dimensions. All measurements in this scope are based on actual measurements taken on the outside dimensions of the single-locker unit. The height is the vertical measurement from the bottom to the top of the unit. The width is the horizontal (side to side) measurement of the front of the unit, and the front of the unit is the face with the door or doors or the opening for internal access of the unit if configured without a door. The depth is the measurement from the front to the back of the unit. The subject certain metal lockers typically include the bodies (back, side, shelf, top and bottom panels), door frames with or without doors which can be integrated into the sides or made separately, and doors.

The subject metal lockers typically are made of flat-rolled metal, metal mesh and/or expanded metal, which includes but is not limited to alloy or non-alloy steel (whether or not galvanized or otherwise metallurgically coated for corrosion resistance), stainless steel, or aluminum, but the doors may also include transparent polycarbonate, Plexiglas or similar transparent material or any combination thereof. Metal mesh refers to both wire mesh and expanded metal mesh. Wire mesh is a wire product in which the horizontal and transverse wires are welded at the cross-section in a grid pattern. Expanded metal mesh is made by slitting and stretching metal sheets to make a screen of diamond or other shaped openings.

Where the product has doors, the doors are typically configured with or for a handle or other device or other means that permit the use of a mechanical or electronic lock or locking mechanism, including, but not limited to: A combination lock, a padlock, a key lock (including cylinder locks) lever or knob lock, electronic key pad, or other electronic or wireless lock. The handle and locking mechanism, if included, need not be integrated into one another. The subject locker may or may not also enter with the lock or locking device included or installed. The doors or body panels may also include vents (including wire mesh or expanded metal mesh vents) or perforations. The bodies, body components and doors are typically powder coated, otherwise painted or epoxy coated or may be

unpainted. The subject merchandise includes metal lockers imported either as welded or otherwise assembled units (ready for installation or use) or as knocked down units or kits (requiring assembly prior to installation or use).

The subject lockers may be shipped as individual or multiple locker units preassembled, welded, or combined into banks or tiers for ease of installation or as sets of component parts, bulk packed (*i.e.*, all backs in one package, crate, rack, carton or container and sides in another package, crate, rack, carton or container) or any combination thereof. The knocked down lockers are shipped unassembled requiring a supplier, contractor or end-user to assemble the individual lockers and locker banks prior to installation.

The scope also includes all parts and components of lockers made from flat-rolled metal or expanded metal (*e.g.*, doors, frames, shelves, tops, bottoms, backs, side panels, *etc.*) as well as accessories that are attached to the lockers when installed (including, but not limited to, slope tops, bases, expansion filler panels, dividers, recess trim, decorative end panels, and end caps) that may be imported together with lockers or other locker components or on their own. The particular accessories listed for illustrative purposes are defined as follows:

a. *Slope tops*: Slope tops are slanted metal panels or units that fit on the tops of the lockers and that slope from back to front to prevent the accumulation of dust and debris on top of the locker and to discourage the use of the tops of lockers as storage areas. Slope tops come in various configurations including, but not limited to, unit slope tops (in place of flat tops), slope hoods made of a back, top and end pieces which fit over multiple units and convert flat tops to a sloping tops, and slope top kits that convert flat tops to sloping tops and include tops, backs and ends.

b. *Bases*: Locker bases are panels made from flat-rolled metal that either conceal the legs of the locker unit, or for lockers without legs, provide a toe space in the front of the locker and conceal the flanges for floor anchoring.

c. *Expansion filler panel*: Expansion filler panels or fillers are metal panels that attach to locker units to cover columns, pipes or other obstacles in a row of lockers or fill in gaps between the locker and the wall. Fillers may also include metal panels that are used on the sides or the top of the lockers to fill gaps.

d. *Dividers*: Dividers are metal panels that divide the space within a locker unit into different storage areas.

e. *Recess trim*: Recess trim is a narrow metal trim that bridges the gap between lockers and walls or soffits when lockers are recessed into a wall.

f. *Decorative end panels*: End panels fit onto the exposed ends of locker units to cover holes, bolts, nuts, screws and other fasteners. They typically are painted to match the lockers.

g. *End caps*: End caps fit onto the exposed ends of locker units to cover holes, bolts, nuts, screws and other fasteners.

The scope also includes all hardware for assembly and installation of the lockers and locker banks that are imported with or shipped, invoiced, or sold with the imported locker or locker system except the lock.

Excluded from the scope are wire mesh lockers. Wire mesh lockers are those with each of the following characteristics:

(1) At least three sides, including the door, made from wire mesh;

(2) the width and depth each exceed 25 inches; and

(3) the height exceeds 90 inches.

Also excluded are lockers with bodies made entirely of plastic, wood, or any nonmetallic material.

Also excluded are exchange lockers with multiple individual locking doors mounted on one master locking door to access multiple units. Excluded exchange lockers have multiple individual storage spaces, typically arranged in tiers, with access doors for each of the multiple individual storage space mounted on a single frame that can be swung open to allow access to all of the individual storage spaces at once. For example, uniform or garment exchange lockers are designed for the distinct function of securely and hygienically exchanging clean and soiled uniforms. Thus, excluded exchange lockers are a multi-access point locker whereas covered lockers are a single access point locker for personal storage. The excluded exchange lockers include assembled exchange lockers and those that enter in 'knock down' form in which all of the parts and components to assemble a completed exchange locker unit are packaged together. Parts for exchange lockers that are imported separately from the exchange lockers in 'knock down' form are not excluded.

Also excluded are metal lockers that are imported with an installed electronic, internet-enabled locking device that permits communication or connection between the locker's locking device and other internet connected devices.

Also excluded are locks and hardware and accessories for assembly and

installation of the lockers, locker banks and storage systems that are separately imported in bulk and are not incorporated into a locker, locker system or knocked down kit at the time of importation. Such excluded hardware and accessories include but are not limited to locks and bulk imported rivets, nuts, bolts, hinges, door handles, door/frame latching components, and coat hooks. Accessories of sheet metal, including but not limited to end panels, bases, dividers and sloping tops, are not excluded accessories.

Mobile tool chest attachments that meet the physical description above are covered by the scope of the *Orders*, unless such attachments are covered by the scope of the *Orders* on certain tool chests and cabinets from China. If the *Orders* on certain tool chests and cabinets from China are revoked, the mobile tool chest attachments from China will be covered by the scope of the *Orders*.

The scope also excludes metal safes with each of the following characteristics: (1) Pry resistant, concealed hinges; (2) body walls and doors of steel that are at least 17 gauge (0.05625 inch or 1.42874 mm thick); and (3) an integrated locking mechanism that includes at least two round steel bolts 0.75 inch (19 mm) or larger in diameter; or three bolts 0.70 inch (17.78 mm) or more in diameter; or four or more bolts at least 0.60 inch (15.24 mm) or more in diameter, that project from the door into the body or frame of the safe when in the locked position.

The scope also excludes gun safes meeting each of the following requirements:

(1) Shall be able to fully contain firearms and provide for their secure storage.

(2) Shall have a locking system consisting of at minimum a mechanical or electronic combination lock. The mechanical or electronic combination lock utilized by the safe shall have at least 10,000 possible combinations consisting of a minimum three numbers, letters, or symbols. The lock shall be protected by a casehardened (Rc 60+) drill-resistant steel plate, or drill-resistant material of equivalent strength.

(3) Boltwork shall consist of a minimum of three steel locking bolts of at least 1-2 inch thickness that intrude from the door of the safe into the body of the safe or from the body of the safe into the door of the safe, which are operated by a separate handle and secured by the lock.

(4) The exterior walls shall be constructed of a minimum 12-gauge thick steel for a single-walled safe, or the sum of the steel walls shall add up

to at least 0.100 inches for safes with walls made from two pieces of flat-rolled steel.

(5) Doors shall be constructed of a minimum one layer of 7-gauge steel plate reinforced construction or at least two layers of a minimum 12-gauge steel compound construction.

(6) Door hinges shall be protected to prevent the removal of the door. Protective features include, but are not limited to: Hinges not exposed to the outside, interlocking door designs, dead bars, jeweler's lugs and active or inactive locking bolts.

The scope also excludes metal storage devices that (1) have two or more exterior exposed drawers regardless of the height of the unit, or (2) are no more than 30 inches tall and have at least one exterior exposed drawer.

Also excluded from the scope are free standing metal cabinets less than 30 inches tall with a single opening, single door and an installed tabletop.

The scope also excludes metal storage devices less than 27 inches wide and deep that: (1) Have two doors hinged on the right and left side of the door frame respectively covering a single opening and that open from the middle toward the outer frame; or (2) are free standing or wall-mounted, single-opening units 20 inches or less high with a single door.

The subject certain metal lockers are classified under Harmonized Tariff Schedule of the United States (HTSUS) subheading 9403.20.0078. Parts of subject certain metal lockers are classified under HTS subheading 9403.90.8041. In addition, subject certain metal lockers may also enter under HTS subheading 9403.20.0050. While HTSUS subheadings are provided for convenience and Customs purposes, the written description of the scope of the *Orders* is dispositive.

Proposed Revocation of the Orders, in Part

TSC requested that the Orders be revoked, in part, with respect to certain gun safes, specifically requesting that TSC's gun safe models TS12-30 and TS20-30 be excluded from the Orders and further, that Commerce conduct an expedited CCR.⁹ TSC's Request proposes that Commerce adopt new exclusion language to the scope of the Orders as follows:¹⁰

The scope also excludes gun safes meeting each of the following requirements:

(1) Shall be able to fully contain firearms and provide for their secure storage.

(2) Shall have a locking system consisting of at minimum a mechanical or electronic combination lock with a lock body that is integrated into the door of the safe. The mechanical or electronic combination lock utilized by the safe shall have at least 10,000 possible combinations consisting of a minimum three numbers, letters, or symbols.

(3) Bolt work shall consist of a minimum of three steel locking bolts of at least 1/2-inch diameter that intrude from the door of the safe into the body of the safe or from the body of the safe into the door of the safe, which are operated by a separate handle and secured by the lock.

(4) The exterior walls (inclusive of the floor and top) shall be constructed of a minimum 14-gauge thick steel and shall be lined with one or more layers of fire-retardant gypsum board bonded, affixed with brackets or otherwise securely attached to the exterior walls. The fire retardant gypsum board shall be at least 15 mm in thickness for a single layer or shall sum to at least 19 mm in thickness where multiple layers are combined together.

(5) Doors shall be constructed of a minimum of one layer of 14-gauge steel lined with a minimum of one layer of 15 mm thick, fire-retardant gypsum board bonded, affixed with brackets or otherwise securely attached to the door. The doors shall fit into jambs equipped with a fire seal fitted completely around the door frame consisting of a hydrated sodium silicate encapsulated in a plastic film or sleeve that, when heat-activated by temperatures of over 210 degrees, expands to cover the space between the jambs and door, providing a barrier to prevent the intrusion of flames, gas, or smoke into the safe.

(6) Door hinges shall be protected to prevent the removal of the door. Protective features include but are not limited to: hinges not exposed to the outside, interlocking door designs, dead bars, jeweler's lugs and active or inactive locking bolts.

(7) The excluded safe must be imported in the fully assembled condition.

For a complete description of the proposed scope of these *Orders*, see the appendix to this notice.

Initiation of CCRs

Pursuant to section 751(b) of the Act, Commerce will conduct a CCR upon receipt of a request from an interested party that shows changed circumstances sufficient to warrant a review of the *Orders*. In accordance with 19 CFR 351.216(d), Commerce determines that the information submitted by TSC, along with substantially all of the domestic industry's support, constitutes a sufficient basis to conduct an expedited CCR of the *Orders*.

Section 782(h)(2) of the Act and 19 CFR 351.222(g)(1)(i) provide that Commerce may revoke an order (in whole or in part) if it determines that producers accounting for substantially all of the production of the domestic like product have expressed a lack of

⁹ See TSC's Request at 1.

¹⁰ *Id.* at 3-4.

interest in the order, in whole or in part. In its administrative practice, Commerce has interpreted “substantially all” to mean producers accounting for at least 85 percent of the total U.S. production of the domestic like product covered by the order.¹¹

Furthermore, section 751(b)(4)(B) of the Act states that, “in the absence of good cause shown,” the Secretary of Commerce may not review a final determination less than 24 months after the date of publication of the notice of final determination or notice of suspension of an investigation. The final determinations in the less-than-fair-value-investigation and countervailing duty investigation of metal lockers from China published on July 7, 2021.¹² Therefore, because we are initiating this review more than 24 months after July 7, 2021, it is not necessary to establish good cause for conducting this review.

Preliminary Results of CCR and Intent To Revoke the Orders, in Part

Section 351.221(c)(3)(ii) of Commerce’s regulations permits Commerce to combine the notice of initiation of a CCR and the notice of preliminary results if Commerce concludes that expedited action is warranted.¹³ In this instance, because the record contains information necessary to make a preliminary finding, we find that expedited action is warranted and have combined the notice of initiation and the notice of preliminary results.¹⁴

Pursuant to section 751(d)(1) of the Act, and 19 CFR 351.222(g), Commerce may revoke an AD or CVD order, in whole or in part, based on a review under section 751(b) of the Act (*i.e.*, a

CCR). Section 751(b)(1) of the Act requires a CCR to be conducted upon receipt of a request which shows changed circumstances sufficient to warrant a review. Section 782(h)(2) of the Act gives Commerce the authority to revoke an order if producers accounting for substantially all of the production of the domestic like product have expressed a lack of interest in the order. Section 351.222(g) of Commerce’s regulations provides that Commerce will conduct a CCR of an AD or CVD order under 19 CFR 351.216, and may revoke an order (in whole or in part), if it concludes that: (i) producers accounting for substantially all of the production of the domestic like product to which the order pertains have expressed a lack of interest in the relief provided by the order, in whole or in part; or (ii) if other changed circumstances sufficient to warrant revocation exist. Thus, both the Act and Commerce’s regulations require that “substantially all” domestic producers express a lack of interest in the order for Commerce to revoke the order, in whole or in part.¹⁵ In its administrative practice, Commerce has interpreted “substantially all” to represent producers accounting for at least 85 percent of U.S. production of the domestic like product.¹⁶

As explained above, domestic locker producers accounting for greater than 85 percent of the domestic industry have expressed support for TSC’s requested CCR, which includes support from the original petitioners and other domestic locker producers.¹⁷ The domestic industry did not oppose the request for expedited changed circumstances reviews, or the addition of the specific exclusion language proposed by TSC.¹⁸

In the Petitioner’s Comments, List and Tennsco state their support for “the addition of TSC’s proposed exclusion language for certain gun safes that would cover its TS12–30 and TS20–30 models,”¹⁹ further stating that they “support retroactivity of the exclusion back to the date of the *Orders*.”²⁰ The

Petitioner’s Comments explain that the support for the exclusion is conditioned on the new exclusion language not being applied to entries prior to the *Orders*, effective August 20, 2021.²¹

In light of the domestic producers’ statements of support in modifying the *Orders*, in part, with respect to certain gun safes as described by TSC, and in the absence of any other interested party comments addressing the issue of domestic industry support, we preliminarily conclude that producers accounting for substantially all of the production of the domestic like product to which the *Orders* pertain lack interest in the relief provided by the *Orders* with respect to certain gun safes that are the subject of TSC’s CCR request. Thus, we preliminarily determine that changed circumstances warrant revocation of the *Orders*, in part, with respect to such gun safes, with retroactivity of the revocation only back to the date of the *Orders*. Accordingly, we are notifying the public of our intent to revoke the *Orders*, in part, with respect to certain gun safes described in the “Proposed Revocation of the *Orders*, in Part” section above, with retroactivity of the revocation applying back to the date of publication of the *Orders*, August 20, 2021.

Public Comment

In accordance with 19 CFR 351.309(c)(1)(ii), interested parties may submit case briefs not later than 14 days after the date of publication of this notice.²² Rebuttal briefs, limited to issues raised in the case briefs, may be filed no later than seven days after the due date for case briefs, in accordance with 19 CFR 351.309(d). Parties who submit case or rebuttal briefs are encouraged to submit with each argument: (1) a statement of the issue; (2) a brief summary of the argument; and (3) a table of authorities.²³ All comments are to be filed electronically via ACCESS and must be served on interested parties.²⁴ Note that Commerce has temporarily modified certain of its requirements for serving documents containing business proprietary information, until further notice.²⁵ An electronically filed document must be received successfully in its entirety by ACCESS by 5:00 p.m.

²¹ *Id.*

²² Commerce is exercising its discretion under 19 CFR 351.309(c)(1)(ii) to alter the time limit for the filing of case briefs.

²³ See 19 CFR 351.30(c)(2) and (d)(2).

²⁴ See, generally, 19 CFR 351.303.

²⁵ See *Temporary Rule Modifying AD/CVD Service Requirements Due to COVID–19: Extension of Effective Period*, 85 FR 41363 (July 10, 2020).

¹¹ See, e.g., *Certain Cased Pencils from the People’s Republic of China: Initiation and Preliminary Results of Antidumping Duty Changed Circumstances Review, and Intent to Revoke Order in Part*, 77 FR 42276 (July 18, 2012), unchanged in *Certain Cased Pencils from the People’s Republic of China: Final Results of Antidumping Duty Changed Circumstances Review, and Determination to Revoke Order, in Part*, 77 FR 53176 (August 31, 2012).

¹² See *Certain Metal Lockers and Parts Thereof from the People’s Republic of China: Final Affirmative Determination of Sales at Less Than Fair Value*, 86 FR 35737 (July 7, 2021); see also *Certain Metal Lockers and Parts Thereof from the People’s Republic of China: Final Affirmative Countervailing Duty Determination*, 86 FR 35741 (July 7, 2021).

¹³ See 19 CFR 351.221(c)(3)(ii); see also *Certain Pasta from Italy: Initiation and Preliminary Results of Antidumping Duty Changed Circumstances Review*, 80 FR 33480, 33480–41 (June 12, 2015) (*Pasta from Italy Preliminary Results*), unchanged in *Certain Pasta from Italy: Final Results of Changed Circumstances Review*, 80 FR 48807 (August 14, 2015) (*Pasta from Italy Final Results*).

¹⁴ See, e.g., *Pasta from Italy Preliminary Results*, 80 FR at 33480–41, unchanged in *Pasta from Italy Final Results*, 80 FR at 48807.

¹⁵ See section 782(h) of the Act; and 19 CFR 351.222(g).

¹⁶ See, e.g., *Honey from Argentina: Antidumping and Countervailing Duty Changed Circumstances Reviews; Preliminary Intent to Revoke Antidumping and Countervailing Duty Orders*, 77 FR 67790, 67791 (November 14, 2012), unchanged in *Honey from Argentina: Final Results of Antidumping and Countervailing Duty Changed Circumstances Reviews; Revocation of Antidumping and Countervailing Duty Orders*, 77 FR 77029 (December 31, 2012).

¹⁷ See TSC’s Request at 2 (citing Exhibit 1); see also Petitioner’s Comments at 12–13.

¹⁸ See TSC’s Request at 2 (citing Exhibit 1); see also Petitioner’s Comments at 12–13.

¹⁹ See Petitioner’s Comments at 12–13.

²⁰ *Id.* (specifically citing August 20, 2021).

Eastern Time on the day on which it is due.

Pursuant to 19 CFR 351.310(c), any interested party may request a hearing within 14 days of publication of this notice in the **Federal Register**. Hearing requests should contain the following information: (1) the party's name, address, and telephone number; (2) the number of participants; and (3) a list of the issues to be discussed. Oral presentations at the hearing will be limited to issues raised in the briefs. If a request for a hearing is made, Commerce intends to hold the hearing at a time and date to be determined. Parties should confirm the date and the time of the hearing two days before the scheduled date.

Final Results of Review

Unless extended, consistent with 19 CFR 351.216(e), Commerce intends to issue the final results of this CCR no later than 270 days after the date on which this review was initiated or 45 days if all parties agree to the outcome of the review.

Notification to Interested Parties

This initiation notice is published in accordance with section 751(b)(1) of the Act and 19 CFR 351.221(b)(1).

Dated: July 17, 2023.

Lisa W. Wang,

Assistant Secretary for Enforcement and Compliance.

Appendix

Proposed Scope of the Orders

The scope of the *Orders* covers certain metal lockers, with or without doors, and parts thereof (metal lockers). The subject metal lockers are secure metal storage devices less than 27 inches wide and less than 27 inches deep, whether floor standing, installed onto a base or wall-mounted. In a multiple locker assembly (whether a welded locker unit, otherwise assembled locker unit or knocked down unit or kit), the width measurement shall be based on the width of an individual locker not the overall unit dimensions. All measurements in this scope are based on actual measurements taken on the outside dimensions of the single-locker unit. The height is the vertical measurement from the bottom to the top of the unit. The width is the horizontal (side to side) measurement of the front of the unit, and the front of the unit is the face with the door or doors or the opening for internal access of the unit if configured without a door. The depth is the measurement from the front to the back of the unit. The subject certain metal lockers typically include the bodies (back, side, shelf, top and bottom panels), door frames with or without doors which can be integrated into the sides or made separately, and doors.

The subject metal lockers typically are made of flat-rolled metal, metal mesh and/or

expanded metal, which includes but is not limited to alloy or non-alloy steel (whether or not galvanized or otherwise metallurgically coated for corrosion resistance), stainless steel, or aluminum, but the doors may also include transparent polycarbonate, Plexiglas or similar transparent material or any combination thereof. Metal mesh refers to both wire mesh and expanded metal mesh. Wire mesh is a wire product in which the horizontal and transverse wires are welded at the cross-section in a grid pattern. Expanded metal mesh is made by slitting and stretching metal sheets to make a screen of diamond or other shaped openings.

Where the product has doors, the doors are typically configured with or for a handle or other device or other means that permit the use of a mechanical or electronic lock or locking mechanism, including, but not limited to: A combination lock, a padlock, a key lock (including cylinder locks) lever or knob lock, electronic key pad, or other electronic or wireless lock. The handle and locking mechanism, if included, need not be integrated into one another. The subject locker may or may not also enter with the lock or locking device included or installed. The doors or body panels may also include vents (including wire mesh or expanded metal mesh vents) or perforations. The bodies, body components and doors are typically powder coated, otherwise painted or epoxy coated or may be unpainted. The subject merchandise includes metal lockers imported either as welded or otherwise assembled units (ready for installation or use) or as knocked down units or kits (requiring assembly prior to installation or use).

The subject lockers may be shipped as individual or multiple locker units preassembled, welded, or combined into banks or tiers for ease of installation or as sets of component parts, bulk packed (*i.e.*, all backs in one package, crate, rack, carton or container and sides in another package, crate, rack, carton or container) or any combination thereof. The knocked down lockers are shipped unassembled requiring a supplier, contractor or end-user to assemble the individual lockers and locker banks prior to installation.

The scope also includes all parts and components of lockers made from flat-rolled metal or expanded metal (*e.g.*, doors, frames, shelves, tops, bottoms, backs, side panels, *etc.*) as well as accessories that are attached to the lockers when installed (including, but not limited to, slope tops, bases, expansion filler panels, dividers, recess trim, decorative end panels, and end caps) that may be imported together with lockers or other locker components or on their own. The particular accessories listed for illustrative purposes are defined as follows:

a. *Slope tops*: Slope tops are slanted metal panels or units that fit on the tops of the lockers and that slope from back to front to prevent the accumulation of dust and debris on top of the locker and to discourage the use of the tops of lockers as storage areas. Slope tops come in various configurations including, but not limited to, unit slope tops (in place of flat tops), slope hoods made of a back, top and end pieces which fit over multiple units and convert flat tops to a

sloping tops, and slope top kits that convert flat tops to sloping tops and include tops, backs and ends.

b. *Bases*: Locker bases are panels made from flat-rolled metal that either conceal the legs of the locker unit, or for lockers without legs, provide a toe space in the front of the locker and conceal the flanges for floor anchoring.

c. *Expansion filler panel*: Expansion filler panels or fillers are metal panels that attach to locker units to cover columns, pipes or other obstacles in a row of lockers or fill in gaps between the locker and the wall. Fillers may also include metal panels that are used on the sides or the top of the lockers to fill gaps.

d. *Dividers*: Dividers are metal panels that divide the space within a locker unit into different storage areas.

e. *Recess trim*: Recess trim is a narrow metal trim that bridges the gap between lockers and walls or soffits when lockers are recessed into a wall.

f. *Decorative end panels*: End panels fit onto the exposed ends of locker units to cover holes, bolts, nuts, screws and other fasteners. They typically are painted to match the lockers.

g. *End caps*: End caps fit onto the exposed ends of locker units to cover holes, bolts, nuts, screws and other fasteners.

The scope also includes all hardware for assembly and installation of the lockers and locker banks that are imported with or shipped, invoiced, or sold with the imported locker or locker system except the lock.

Excluded from the scope are wire mesh lockers. Wire mesh lockers are those with each of the following characteristics:

- (1) At least three sides, including the door, made from wire mesh;
- (2) the width and depth each exceed 25 inches; and
- (3) the height exceeds 90 inches.

Also excluded are lockers with bodies made entirely of plastic, wood, or any nonmetallic material.

Also excluded are exchange lockers with multiple individual locking doors mounted on one master locking door to access multiple units. Excluded exchange lockers have multiple individual storage spaces, typically arranged in tiers, with access doors for each of the multiple individual storage space mounted on a single frame that can be swung open to allow access to all of the individual storage spaces at once. For example, uniform or garment exchange lockers are designed for the distinct function of securely and hygienically exchanging clean and soiled uniforms. Thus, excluded exchange lockers are a multi-access point locker whereas covered lockers are a single access point locker for personal storage. The excluded exchange lockers include assembled exchange lockers and those that enter in 'knock down' form in which all of the parts and components to assemble a completed exchange locker unit are packaged together. Parts for exchange lockers that are imported separately from the exchange lockers in 'knock down' form are not excluded.

Also excluded are metal lockers that are imported with an installed electronic,

internet-enabled locking device that permits communication or connection between the locker's locking device and other internet connected devices.

Also excluded are locks and hardware and accessories for assembly and installation of the lockers, locker banks and storage systems that are separately imported in bulk and are not incorporated into a locker, locker system or knocked down kit at the time of importation. Such excluded hardware and accessories include but are not limited to locks and bulk imported rivets, nuts, bolts, hinges, door handles, door/frame latching components, and coat hooks. Accessories of sheet metal, including but not limited to end panels, bases, dividers and sloping tops, are not excluded accessories.

Mobile tool chest attachments that meet the physical description above are covered by the scope of the *Orders*, unless such attachments are covered by the scope of the *Orders* on certain tool chests and cabinets from China. If the *Orders* on certain tool chests and cabinets from China are revoked, the mobile tool chest attachments from China will be covered by the scope of the *Orders*.

The scope also excludes metal safes with each of the following characteristics: (1) Pry resistant, concealed hinges; (2) body walls and doors of steel that are at least 17 gauge (0.05625 inch or 1.42874 mm thick); and (3) an integrated locking mechanism that includes at least two round steel bolts 0.75 inch (19 mm) or larger in diameter; or three bolts 0.70 inch (17.78 mm) or more in diameter; or four or more bolts at least 0.60 inch (15.24 mm) or more in diameter, that project from the door into the body or frame of the safe when in the locked position.

The scope also excludes gun safes meeting each of the following requirements:

(1) Shall be able to fully contain firearms and provide for their secure storage.

(2) Shall have a locking system consisting of at minimum a mechanical or electronic combination lock. The mechanical or electronic combination lock utilized by the safe shall have at least 10,000 possible combinations consisting of a minimum three numbers, letters, or symbols. The lock shall be protected by a case-hardened (Rc 60+) drill-resistant steel plate, or drill-resistant material of equivalent strength.

(3) Boltwork shall consist of a minimum of three steel locking bolts of at least 1–2 inch thickness that intrude from the door of the safe into the body of the safe or from the body of the safe into the door of the safe, which are operated by a separate handle and secured by the lock.

(4) The exterior walls shall be constructed of a minimum 12-gauge thick steel for a single-walled safe, or the sum of the steel walls shall add up to at least 0.100 inches for safes with walls made from two pieces of flat-rolled steel.

(5) Doors shall be constructed of a minimum one layer of 7-gauge steel plate reinforced construction or at least two layers of a minimum 12-gauge steel compound construction.

(6) Door hinges shall be protected to prevent the removal of the door. Protective features include, but are not limited to: Hinges not exposed to the outside,

interlocking door designs, dead bars, jeweler's lugs and active or inactive locking bolts.

The scope also excludes gun safes meeting each of the following requirements:

(1) Shall be able to fully contain firearms and provide for their secure storage.

(2) Shall have a locking system consisting of at minimum a mechanical or electronic combination lock with a lock body that is integrated into the door of the safe. The mechanical or electronic combination lock utilized by the safe shall have at least 10,000 possible combinations consisting of a minimum three numbers, letters, or symbols.

(3) Bolt work shall consist of a minimum of three steel locking bolts of at least 1/2-inch diameter that intrude from the door of the safe into the body of the safe or from the body of the safe into the door of the safe, which are operated by a separate handle and secured by the lock.

(4) The exterior walls (inclusive of the floor and top) shall be constructed of a minimum 14-gauge thick steel and shall be lined with one or more layers of fire-retardant gypsum board bonded, affixed with brackets or otherwise securely attached to the exterior walls. The fire retardant gypsum board shall be at least 15 mm in thickness for a single layer or shall sum to at least 19 mm in thickness where multiple layers are combined together.

(5) Doors shall be constructed of a minimum of one layer of 14-gauge steel lined with a minimum of one layer of 15 mm thick, fire-retardant gypsum board bonded, affixed with brackets or otherwise securely attached to the door. The doors shall fit into jambs equipped with a fire seal fitted completely around the door frame consisting of a hydrated sodium silicate encapsulated in a plastic film or sleeve that, when heat-activated by temperatures of over 210 degrees, expands to cover the space between the jambs and door, providing a barrier to prevent the intrusion of flames, gas, or smoke into the safe.

(6) Door hinges shall be protected to prevent the removal of the door. Protective features include but are not limited to: hinges not exposed to the outside, interlocking door designs, dead bars, jeweler's lugs and active or inactive locking bolts.

(7) The excluded safe must be imported in the fully assembled condition.

The scope also excludes metal storage devices that (1) have two or more exterior exposed drawers regardless of the height of the unit, or (2) are no more than 30 inches tall and have at least one exterior exposed drawer.

Also excluded from the scope are free standing metal cabinets less than 30 inches tall with a single opening, single door and an installed tabletop.

The scope also excludes metal storage devices less than 27 inches wide and deep that: (1) Have two doors hinged on the right and left side of the door frame respectively covering a single opening and that open from the middle toward the outer frame; or (2) are free standing or wall-mounted, single-opening units 20 inches or less high with a single door.

The subject certain metal lockers are classified under Harmonized Tariff Schedule

of the United States (HTSUS) subheading 9403.20.0078. Parts of subject certain metal lockers are classified under HTS subheading 9403.90.8041. In addition, subject certain metal lockers may also enter under HTS subheading 9403.20.0050. While HTSUS subheadings are provided for convenience and Customs purposes, the written description of the scope of the *Orders* is dispositive.

[FR Doc. 2023–15557 Filed 7–21–23; 8:45 am]

BILLING CODE 3510–DS–P

DEPARTMENT OF COMMERCE

International Trade Administration

[A–549–820]

Prestressed Concrete Steel Wire Strand From Thailand: Final Results of Antidumping Duty Administrative Review; 2021

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: The U.S. Department of Commerce (Commerce) determines that The Siam Industrial Wire Co. Ltd. (SIW) made sales of subject merchandise in the United States at prices below normal value during the period of review (POR) January 1, 2021, through December 31, 2021.

DATES: Applicable July 24, 2023.

FOR FURTHER INFORMATION CONTACT: Samantha Kinney or Brian Smith, AD/CVD Operations, Office VIII, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue NW, Washington, DC 20230; telephone: (202) 482–2285 or (202) 482–1766, respectively.

SUPPLEMENTARY INFORMATION:

Background

On February 10, 2023, Commerce published the *Preliminary Results* of the 2021 administrative review of the antidumping duty order on prestressed concrete steel wire strand (PC Strand) from Thailand.¹ We invited interested parties to comment on the *Preliminary Results*. On June 6, 2023, Commerce extended the deadline for the final results of this administrative review until July 20, 2023.² For a summary of the events that occurred since the *Preliminary Results*, see the Issues and

¹ See *Prestressed Concrete Steel Wire Strand from Thailand: Preliminary Results of Antidumping Duty Administrative Review; 2021*, 88 FR 8798 (February 10, 2023) (*Preliminary Results*), and accompanying Preliminary Decision Memorandum.

² See Memorandum, “Prestressed Concrete Steel Wire Strand from Thailand: Extension of Deadline for Final Results of Antidumping Duty Administrative Review; 2021,” dated June 6, 2023.