

have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify that the proposed regulation:

- (1) Is not a “significant regulatory action” under Executive Order 12866,
- (2) Would not affect intrastate aviation in Alaska, and
- (3) Would not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

#### List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

#### The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

#### PART 39—AIRWORTHINESS DIRECTIVES

- 1. The authority citation for part 39 continues to read as follows:

**Authority:** 49 U.S.C. 106(g), 40113, 44701.

##### § 39.13 [Amended]

- 2. The FAA amends § 39.13 by:
  - a. Removing Airworthiness Directive 2023–12–17, Amendment 39–22475 (88 FR 42604, July 3, 2023); and
  - b. Adding the following new AD:

**Pilatus Aircraft Ltd.:** Docket No. FAA–2024–0045; Project Identifier MCAI–2023–01088–A.

##### (a) Comments Due Date

The FAA must receive comments on this airworthiness directive (AD) by March 18, 2024.

##### (b) Affected ADs

This AD replaces AD 2023–12–17, Amendment 39–22475 (AD 2023–12–17).

##### (c) Applicability

This AD applies to Pilatus Aircraft Ltd. Model PC–12, PC–12/45, PC–12/47, and PC–12/47E airplanes, all serial numbers, certificated in any category.

##### (d) Subject

Joint Aircraft System Component (JASC) Code 3211, Main Landing Gear Attach Section.

##### (e) Unsafe Condition

This AD was prompted by a revision to the airworthiness limitations section (ALS) of the existing aircraft maintenance manual (AMM) introducing new and more restrictive instructions and maintenance tasks as

specified in the component limitations section, which include repetitive eddy current inspections for cracks in the main landing gear yoke fitting, could result in an unsafe condition. The FAA is issuing this AD to address failure of certain parts, which could result in asymmetric main landing gear failure that could lead to loss of airplane control during take-off, landing, and taxiing operations.

##### (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

##### (g) Required Actions

Except as specified in paragraphs (h) and (i) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, European Union Aviation Safety Agency (EASA) AD 2023–0184, dated October 19, 2023 (EASA AD 2023–0184).

##### (h) Exceptions to EASA AD 2023–0184

(1) Where EASA AD 2023–0184 refers to its effective date, this AD requires using the effective date of this AD.

(2) This AD does not adopt the requirements specified in paragraphs (1), (2), (4), and (5) of EASA AD 2023–0184.

(3) Where paragraph (3) of EASA AD 2023–0184 specifies “Within 12 months after the effective date of this AD, revise the AMP,” this AD requires replacing those words with “Within 30 days after the effective date of this AD, revise the airworthiness limitations section of your existing airplane maintenance manual or instructions for continued airworthiness and your existing approved maintenance or inspection program, as applicable.”

(4) The initial compliance time for doing the tasks specified in paragraph (3) of EASA AD 2023–0184 is on or before the applicable “limitations” and “associated thresholds” as incorporated by the requirements of paragraph (3) of EASA AD 2023–0184 or within 30 days after the effective date of this AD, whichever occurs later.

(5) This AD does not adopt the “Remarks” section of EASA AD 2023–0184.

##### (i) Provisions for Alternative Actions and Intervals

No alternative actions and associated thresholds and intervals, including life limits, are allowed for compliance with paragraph (g) of this AD unless they are approved as specified in the provisions of the “Ref. Publications” section of EASA AD 2023–0184.

##### (j) Alternative Methods of Compliance (AMOCs)

The Manager, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Validation Branch, send it to the attention of the person identified in paragraph (k) of this AD or email to: 9-AVS-

*AIR-730-AMOC@faa.gov*. If mailing information, also submit information by email. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the responsible Flight Standards Office/certificate holding district office.

##### (k) Additional Information

For more information about this AD, contact Doug Rudolph, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: (816) 329–4059; email: *doug.rudolph@faa.gov*.

##### (l) Material Incorporated by Reference

(1) The Director of the Federal Register approved the incorporation by reference (IBR) of the service information listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) You must use this service information as applicable to do the actions required by this AD, unless the AD specifies otherwise.

(i) European Union Aviation Safety Agency (EASA) AD 2023–0184, dated October 19, 2023.

(ii) [Reserved]

(3) For EASA AD 2023–0184, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; phone: +49 221 8999 000; email: *ADS@easa.europa.eu*; website: *easa.europa.eu*. You may find this EASA AD on the EASA website at *ad.easa.europa.eu*.

(4) You may view this service information at the FAA, Airworthiness Products Section, Operational Safety Branch, 901 Locust, Kansas City, MO 64106. For information on the availability of this material at the FAA, call (817) 222–5110.

(5) You may view this material at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, visit *www.archives.gov/federal-register/cfr/ibr-locations* or email *fr.inspection@nara.gov*.

Issued on January 29, 2024.

##### Victor Wicklund,

*Deputy Director, Compliance & Airworthiness Division, Aircraft Certification Service.*

[FR Doc. 2024–02055 Filed 2–1–24; 8:45 am]

BILLING CODE 4910–13–P

## DEPARTMENT OF TRANSPORTATION

### Federal Aviation Administration

#### 14 CFR Part 39

[Docket No. FAA–2024–0219; Project Identifier MCAI–2023–00764–T]

RIN 2120–AA64

#### Airworthiness Directives; MHI RJ Aviation ULC (Type Certificate Previously Held by Bombardier, Inc.) Airplanes

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking (NPRM).

**SUMMARY:** The FAA proposes to adopt a new airworthiness directive (AD) for certain MHI RJ Aviation ULC Model CL-600-2B19 (Regional Jet Series 100 & 440) airplanes. This proposed AD was prompted by a determination that a more restrictive airworthiness limitation is necessary. This proposed AD would require revising the existing maintenance or inspection program, as applicable, to incorporate a more restrictive airworthiness limitation, as specified in a Transport Canada AD, which is proposed for incorporation by reference (IBR). The FAA is proposing this AD to address the unsafe condition on these products.

**DATES:** The FAA must receive comments on this proposed AD by March 18, 2024.

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to [regulations.gov](https://www.regulations.gov). Follow the instructions for submitting comments.

- *Fax:* 202-493-2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

*AD Docket:* You may examine the AD docket at [regulations.gov](https://www.regulations.gov) under Docket No. FAA-2024-0219; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the mandatory continuing airworthiness information (MCAI), any comments received, and other information. The street address for Docket Operations is listed above.

*Material Incorporated by Reference:*

- For Transport Canada material that is identified in this NPRM, contact Transport Canada, Transport Canada National Aircraft Certification, 159 Cleopatra Drive, Nepean, Ontario K1A 0N5, Canada; phone 888-663-3639; email [TC.AirworthinessDirectives-Consignesdenavigabilite.TC@tc.gc.ca](mailto:TC.AirworthinessDirectives-Consignesdenavigabilite.TC@tc.gc.ca). You may find this material on the Transport Canada website [tc.canada.ca/en/aviation](https://tc.canada.ca/en/aviation). It is also available at [regulations.gov](https://www.regulations.gov) under Docket No. FAA-2024-0219.

- You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th Street, Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.

**FOR FURTHER INFORMATION CONTACT:**

Mark Taylor, Aviation Safety Engineer,

FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone 516-228-7300; email [9-avs-nyaco-cos@faa.gov](mailto:9-avs-nyaco-cos@faa.gov).

**SUPPLEMENTARY INFORMATION:**

#### Comments Invited

The FAA invites you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under **ADDRESSES**. Include “Docket No. FAA-2024-0219; Project Identifier MCAI-2023-00764-T” at the beginning of your comments. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this proposal because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to [regulations.gov](https://www.regulations.gov), including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this NPRM.

#### Confidential Business Information

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as “PROPIN.” The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to Mark Taylor, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone 516-228-7300; email [9-avs-nyaco-cos@faa.gov](mailto:9-avs-nyaco-cos@faa.gov). Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

#### Background

Transport Canada, which is the aviation authority for Canada, has issued Transport Canada AD CF-2023-41, dated June 15, 2023 (Transport

Canada AD CF-2023-41) (also referred to as the MCAI), to correct an unsafe condition on certain MHI RJ Aviation ULC Model CL-600-2B19 (Regional Jet Series 100 & 440) airplanes. The MCAI states that a more restrictive airworthiness limitation has been developed due to reports of an unclear effectivity for airworthiness limitation (AWL) task number 53-41-180 in the Maintenance Requirements Manual (MRM), Part 2. If the revised task, AWL number 53-41-180, is not performed at the required intervals, failures of the strap modification to the fuselage station (FS) 409 and 128 bulkhead could remain undetected and could result in the loss of the structural integrity of the airplane.

The FAA is proposing this AD to address the unsafe condition on these products. You may examine the MCAI in the AD docket at [regulations.gov](https://www.regulations.gov) under Docket No. FAA-2024-0219.

#### Related Service Information Under 1 CFR Part 51

The FAA reviewed Transport Canada AD CF-2023-41, which specifies a more restrictive airworthiness limitation for AWL task number 53-41-180.

This material is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in **ADDRESSES**.

#### FAA's Determination

This product has been approved by the aviation authority of another country and is approved for operation in the United States. Pursuant to the FAA's bilateral agreement with this State of Design Authority, it has notified the FAA of the unsafe condition described in the MCAI referenced above. The FAA is issuing this NPRM after determining that the unsafe condition described previously is likely to exist or develop in other products of the same type design.

#### Proposed AD Requirements in This NPRM

This proposed AD would require revising the existing maintenance or inspection program, as applicable, to incorporate or a more restrictive airworthiness limitation, which is specified in Transport Canada AD CF-2023-41 described previously, as incorporated by reference. Any difference with Transport Canada AD CF-2023-41 are identified as exceptions in the regulatory text of this proposed AD.

This proposed AD would require revisions to certain operator maintenance documents to include new

actions (e.g., inspections). Compliance with these actions is required by 14 CFR 91.403(c). For airplanes that have been previously modified, altered, or repaired in the areas addressed by this proposed AD, the operator may not be able to accomplish the actions described in the revisions. In this situation, to comply with 14 CFR 91.403(c), the operator must request approval for an alternative method of compliance (AMOC) according to paragraph (j)(1) of this proposed AD.

### Explanation of Required Compliance Information

In the FAA's ongoing efforts to improve the efficiency of the AD process, the FAA developed a process to use some civil aviation authority (CAA) ADs as the primary source of information for compliance with requirements for corresponding FAA ADs. The FAA has been coordinating this process with manufacturers and CAAs. As a result, the FAA proposes to incorporate Transport Canada AD CF-2023-41 by reference in the FAA final rule. This proposed AD would, therefore, require compliance with Transport Canada AD CF-2023-41 in its entirety through that incorporation, except for any differences identified as exceptions in the regulatory text of this proposed AD. Service information required by Transport Canada AD CF-2023-41 for compliance will be available at *regulations.gov* under Docket No. FAA-2024-0219 after the FAA final rule is published.

### Airworthiness Limitation ADs Using the New Process

The FAA's process of incorporating by reference MCAI ADs as the primary source of information for compliance with corresponding FAA ADs has been limited to certain MCAI ADs (primarily those with service bulletins as the primary source of information for accomplishing the actions required by the FAA AD). However, the FAA is now expanding the process to include MCAI ADs that require a change to airworthiness limitation documents, such as airworthiness limitation sections.

For these ADs that incorporate by reference an MCAI AD that changes airworthiness limitations, the FAA requirements are unchanged. Operators must revise the existing maintenance or inspection program, as applicable, to incorporate the information specified in the new airworthiness limitation document. The airworthiness limitations must be followed according to 14 CFR 91.403(c) and 91.409(e).

The previous format of the airworthiness limitation ADs included a paragraph that specified that no alternative actions (e.g., inspections) or intervals may be used unless the actions and intervals are approved as an AMOC in accordance with the procedures specified in the AMOC paragraph under "Additional AD Provisions." This new format includes a "Provisions for Alternative Actions and Intervals" paragraph that does not specifically refer to AMOCs, but operators may still request an AMOC to use an alternative action or interval.

### Costs of Compliance

The FAA estimates that this AD, if adopted as proposed, would affect 78 airplanes of U.S. registry. The FAA estimates the following costs to comply with this proposed AD:

The FAA has determined that revising the existing maintenance or inspection program takes an average of 90 work-hours per operator, although the agency recognizes that this number may vary from operator to operator. Since operators incorporate maintenance or inspection program changes for their affected fleet(s), the FAA has determined that a per-operator estimate is more accurate than a per-airplane estimate. Therefore, the agency estimates the average total cost per operator to be \$7,650 (90 work-hours × \$85 per work-hour).

### Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: General requirements. Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

### Regulatory Findings

The FAA determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the

States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

- (1) Is not a "significant regulatory action" under Executive Order 12866,
- (2) Would not affect intrastate aviation in Alaska, and
- (3) Would not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

### List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

### The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

### PART 39—AIRWORTHINESS DIRECTIVES

- 1. The authority citation for part 39 continues to read as follows:

**Authority:** 49 U.S.C. 106(g), 40113, 44701.

#### § 39.13 [Amended]

- 2. The FAA amends § 39.13 by adding the following new airworthiness directive:

**MHI RJ Aviation ULC (Type Certificate Previously Held by Bombardier, Inc.):**  
Docket No. FAA-2024-0219; Project Identifier MCAI-2023-00764-T.

#### (a) Comments Due Date

The FAA must receive comments on this airworthiness directive (AD) by March 18, 2024.

#### (b) Affected ADs

None.

#### (c) Applicability

This AD applies to MHI RJ Aviation ULC (Type Certificate previously held by Bombardier, Inc.) Model CL-600-2B19 (Regional Jet Series 100 & 440) airplanes, certificated in any category, as identified in Transport Canada AD CF-2023-41, dated June 15, 2023 (Transport Canada AD CF-2023-41).

#### (d) Subject

Air Transport Association (ATA) of America Code 05, Time Limits/Maintenance Checks.

#### (e) Unsafe Condition

This AD was prompted by a determination that a more restrictive airworthiness limitation is necessary. The FAA is issuing this AD to address failure of the strap modification to the fuselage station (FS) 409

and 128 bulkhead. The unsafe condition, if not addressed, could result in the loss of the structural integrity of the airplane.

#### (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

#### (g) Requirements

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, Transport Canada AD CF-2023-41.

#### (h) Exception to Transport Canada AD CF-2023-41

(1) Where Transport Canada AD CF-2023-41 refers to its effective date, this AD requires using the effective date of this AD.

(2) Where paragraph A. of Transport Canada AD CF-2023-41 specifies to “incorporate the revised task AWL number 53-41-180 in Appendix B of the MRM CSP A-053 Part 2,” this AD requires replacing those words with “revise the existing maintenance or inspection program, as applicable, by incorporating the revised task AWL number 53-41-180 specified in MHI RJ Temporary Revision 2B-2283, dated March 16, 2023.”

(3) The initial compliance time for doing the task specified in paragraph A. of Transport Canada AD CF-2023-41 is at the applicable “threshold” as specified in the service information referenced in paragraph B. of Transport Canada AD CF-2023-41, or within 60 days after the effective date of this AD, whichever occurs later.

(4) This AD does not adopt paragraph B. of Transport Canada AD CF-2023-41.

#### (i) Provisions for Alternative Actions and Intervals

After the existing maintenance or inspection program has been revised as required by paragraph (g) of this AD, no alternative actions (e.g., inspections) and intervals are allowed unless they are approved as specified in the provisions of the “Corrective Actions” section of Transport Canada AD CF-2023-41.

#### (j) Additional AD Provisions

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs)*: The Manager, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or responsible Flight Standards Office, as appropriate. If sending information directly to the manager of the International Validation Branch, mail it to the address identified in paragraph (k) of this AD or email to: [9-AVS-NYACO-COS@faa.gov](mailto:9-AVS-NYACO-COS@faa.gov). If mailing information, also submit information by email. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the responsible Flight Standards Office.

(2) *Contacting the Manufacturer*: For any requirement in this AD to obtain instructions

from a manufacturer, the instructions must be accomplished using a method approved by the Manager, International Validation Branch, FAA; or Transport Canada; or MHI RJ Aviation ULC’s Transport Canada Design Approval Organization (DAO). If approved by the DAO, the approval must include the DAO-authorized signature.

#### (k) Additional Information

For more information about this AD, contact Mark Taylor, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone 516-228-7300; email [9-avs-nyaco-cos@faa.gov](mailto:9-avs-nyaco-cos@faa.gov).

#### (l) Material Incorporated by Reference

(1) The Director of the Federal Register approved the incorporation by reference (IBR) of the service information listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) You must use this service information as applicable to do the actions required by this AD, unless this AD specifies otherwise.

(i) Transport Canada AD CF-2023-41, dated June 15, 2023.

(ii) [Reserved]

(3) For Transport Canada AD CF-2023-41, contact Transport Canada, Transport Canada National Aircraft Certification, 159 Cleopatra Drive, Nepean, Ontario K1A 0N5, Canada; phone 888-663-3639; email [TC.AirworthinessDirectives-Consignesdenavigabilite.TC@tc.gc.ca](mailto:TC.AirworthinessDirectives-Consignesdenavigabilite.TC@tc.gc.ca). You may find this Transport Canada AD on the Transport Canada website [tc.canada.ca/en/aviation](http://tc.canada.ca/en/aviation).

(4) You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th Street, Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.

(5) You may view this material at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, visit [www.archives.gov/federal-register/cfr/ibr-locations/](http://www.archives.gov/federal-register/cfr/ibr-locations/) or email [fr.inspection@nara.gov](mailto:fr.inspection@nara.gov).

Issued on January 29, 2024.

#### Victor Wicklund,

Deputy Director, Compliance & Airworthiness Division, Aircraft Certification Service.

[FR Doc. 2024-02058 Filed 2-1-24; 8:45 am]

BILLING CODE 4910-13-P

## DEPARTMENT OF TRANSPORTATION

### Federal Aviation Administration

#### 14 CFR Part 39

[Docket No. FAA-2024-0042; Project Identifier MCAI-2023-00659-R]

RIN 2120-AA64

#### Airworthiness Directives; Airbus Helicopters

AGENCY: Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking (NPRM).

**SUMMARY:** The FAA proposes to adopt a new airworthiness directive (AD) for all Airbus Helicopters Model AS332C, AS332C1, AS332L, AS332L1, AS332L2, and EC225LP helicopters. This proposed AD was prompted by a report of cracks on the fuel filter bowl (bowl) due to over-torquing. This proposed AD would require visually inspecting the bowls of the right hand (RH) and left hand (LH) fuel filters for any cracks and seepage. Depending on the inspection results, this proposed AD would require removing an affected fuel filter from service and replacing that part. This proposed AD would also allow a certain fuel filter to be installed on a helicopter if certain actions are accomplished, as specified in a European Union Aviation Safety Agency (EASA) AD, which is proposed for incorporation by reference. The FAA is proposing this AD to address the unsafe condition on these products.

**DATES:** The FAA must receive comments on this proposed AD by March 18, 2024.

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to [regulations.gov](http://regulations.gov). Follow the instructions for submitting comments.

- *Fax:* (202) 493-2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

*AD Docket:* You may examine the AD docket at [regulations.gov](http://regulations.gov) under Docket No. FAA-2024-0042; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the EASA AD, any comments received, and other information. The street address for Docket Operations is listed above.

*Material Incorporated by Reference:*

- For EASA material identified in this NPRM, contact EASA, Konrad-Adenauer Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email [ADs@easa.europa.eu](mailto:ADs@easa.europa.eu); internet [easa.europa.eu](http://easa.europa.eu). You may find the EASA material on the EASA website at [ad.easa.europa.eu](http://ad.easa.europa.eu).

- You may view this material at the FAA, Office of the Regional Counsel, Southwest Region, 10101 Hillwood Pkwy., Room 6N 321, Fort Worth, TX