

identification of Draft Regulatory Guide, (DG)-1421 (ADAMS Accession No. ML23277A276.) This revision of this guide (Revision 3) describes an approach that is acceptable to the NRC staff to meet the regulatory requirements for installation, inspection, and testing for Class 1E power, instrumentation, and control equipment at production and utilization facilities. RG 1.128, Revision 3 endorses, with clarifications, Institute of Electrical and Electronics Engineers (IEEE) Standard 484–2019, “IEEE Recommended Practice for Installation Design and Installation of Vented Lead-Acid Batteries for Stationary Applications.”

II. Additional Information

The NRC published a notice of the availability of DG–1421 in the **Federal Register** on January 8, 2024 (89 FR 895) for a 30-day public comment period. The public comment period closed on February 7, 2024. Public comments on DG–1421 and the staff responses to the public comments are available in ADAMS under Accession No. ML24052A078.

As noted in the **Federal Register** on December 9, 2022 (87 FR 75671), this document is being published in the “Rules” section of the **Federal Register** to comply with publication requirements under chapter 1 of title 1 of the *Code of Federal Regulations* (CFR).

III. Congressional Review Act

This RG is a rule as defined in the Congressional Review Act (5 U.S.C. 801–808). However, the Office of Management and Budget has not found it to be a major rule as defined in the Congressional Review Act.

IV. Backfitting, Forward Fitting, and Issue Finality

Issuance of RG 1.128, Revision 3, does not constitute backfitting as that term is defined in 10 CFR 50.109, “Backfitting,” and as described in NRC Management Directive (MD) 8.4, “Management of Backfitting, Forward Fitting, Issue Finality, and Information Requests;” does not affect the issue finality of an approval issued under 10 CFR part 52, “Licenses, Certifications, and Approvals for Nuclear Power Plants;” and does not constitute forward fitting as that term is defined and described in MD 8.4 because, as explained in RG 1.128, Revision 3, licensees would not be required to comply with the positions set forth in the RG.

V. Submitting Suggestions for Improvement of Regulatory Guides

A member of the public may, at any time, submit suggestions to the NRC for improvement of existing RGs or for the development of new RGs. Suggestions can be submitted on the NRC’s public website at <https://www.nrc.gov/reading-rm/doc-collections/reg-guides/contactus.html>. Suggestions will be considered in future updates and enhancements to the “Regulatory Guide” series.

Dated: April 19, 2024.

For the Nuclear Regulatory Commission.

Meraj Rahimi,

Chief, Regulatory Guide and Programs Management Branch, Division of Engineering, Office of Nuclear Regulatory Research.

[FR Doc. 2024–08866 Filed 4–24–24; 8:45 am]

BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

10 CFR Parts 50 and 52

[NRC–2023–0216]

Regulatory Guide: Installation, Inspection, and Testing for Class 1E Power, Instrumentation, and Control Equipment at Production and Utilization Facilities

AGENCY: Nuclear Regulatory Commission.

ACTION: Final guide; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is issuing Revision 1 to Regulatory Guide (RG) 1.30, “Installation, Inspection, and Testing for Class 1E Power, Instrumentation, and Control Equipment at Production and Utilization Facilities.” This RG describes an approach that is acceptable to the NRC staff to meet the regulatory requirements for installation, inspection, and testing for Class 1E power, instrumentation, and control equipment at production and utilization facilities.

DATES: Revision 1 to RG 1.30 is available on April 25, 2024.

ADDRESSES: Please refer to Docket ID NRC–2023–0216 when contacting the NRC about the availability of information regarding this document. You may obtain publicly available information related to this document using any of the following methods:

- *Federal Rulemaking Website:* Go to <https://www.regulations.gov> and search for Docket ID NRC–2023–0216. Address questions about Docket IDs in *Regulations.gov* to Stacy Schumann; telephone: 301–415–0624; email:

Stacy.Schumann@nrc.gov. For technical questions, contact the individuals listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC’s Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly available documents online in the ADAMS Public Documents collection at <https://www.nrc.gov/reading-rm/adams.html>. To begin the search, select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC’s Public Document Room (PDR) reference staff at 1–800–397–4209, at 301–415–4737, or by email to *PDR.Resource@nrc.gov*. The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document.

- *NRC’s PDR:* The PDR, where you may examine and order copies of publicly available documents, is open by appointment. To make an appointment to visit the PDR, please send an email to *PDR.Resource@nrc.gov* or call 1–800–397–4209 or 301–415–4737, between 8 a.m. and 4 p.m. eastern time (ET), Monday through Friday, except Federal holidays.

Revision 1 to RG 1.30 and the regulatory analysis may be found in ADAMS under Accession Nos. ML24040A161 and ML23235A321, respectively.

Regulatory guides are not copyrighted, and NRC approval is not required to reproduce them.

FOR FURTHER INFORMATION CONTACT: Michael Eudy, Office of Nuclear Regulatory Research, telephone: 301–415–3104; email: *Michael.Eudy@nrc.gov* and Darrell Murdock, Office of Nuclear Regulatory Research, telephone: 301–415–1591; email: *Darrell.Murdock@nrc.gov*. Both are staff of the U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

SUPPLEMENTARY INFORMATION:

I. Discussion

The NRC is issuing a revision in the NRC’s “Regulatory Guide” series. This series was developed to describe methods that are acceptable to the NRC staff for implementing specific parts of the agency’s regulations, to explain techniques that the staff uses in evaluating specific issues or postulated events, and to describe information that the staff needs in its review of applications for permits and licenses.

The proposed Revision 1 to RG 1.30 was issued with a temporary identification of Draft Regulatory Guide (DG)-1419 (ADAMS Accession No. ML23222A182). This revision of this

guide (Revision 1) describes an approach that is acceptable to the NRC staff to meet the regulatory requirements for installation, inspection, and testing for Class 1E power, instrumentation, and control equipment at production and utilization facilities. RG 1.30, Revision 1 endorses, with a clarification, Institute of Electrical and Electronics Engineers (IEEE) Standard 336–2020, “IEEE Recommended Practice for Installation, Inspection, and Testing for Class 1E Power, Instrumentation, and Control Equipment at Nuclear Facilities.”

II. Additional Information

The NRC published a notice of the availability of DG–1419 in the **Federal Register** on December 20, 2023 (88 FR 87967) for a 30-day public comment period. The public comment period closed on January 19, 2024. Public comments on DG–1419 and the staff responses to the public comments are available in ADAMS under Accession No. ML24040A165.

As noted in the **Federal Register** on December 9, 2022 (87 FR 75671), this document is being published in the “Rules” section of the **Federal Register** to comply with publication requirements under chapter I of title 1 of the *Code of Federal Regulations* (CFR).

III. Congressional Review Act

This RG is a rule as defined in the Congressional Review Act (5 U.S.C. 801–808). However, the Office of Management and Budget has not found it to be a major rule as defined in the Congressional Review Act.

IV. Backfitting, Forward Fitting, and Issue Finality

Issuance of RG 1.30, Revision 1, does not constitute backfitting as that term is defined in 10 CFR 50.109, “Backfitting,” and as described in NRC Management Directive (MD) 8.4, “Management of Backfitting, Forward Fitting, Issue Finality, and Information Requests”; affect the issue finality of an approval issued under 10 CFR part 52, “Licenses, Certifications, and Approvals for Nuclear Power Plants”; or constitute forward fitting as that term is defined and described in MD 8.4 because, as explained in RG 1.30, Revision 1, licensees are not required to comply with the positions set forth in the RG.

V. Submitting Suggestions for Improvement of Regulatory Guides

A member of the public may, at any time, submit suggestions to the NRC for improvement of existing RGs or for the development of new RGs. Suggestions

can be submitted on the NRC’s public website at <https://www.nrc.gov/reading-rm/doc-collections/reg-guides/contactus.html>. Suggestions will be considered in future updates and enhancements to the “Regulatory Guide” series.

Dated: April 18, 2024.

For the Nuclear Regulatory Commission.

Meraj Rahimi,

Chief, Regulatory Guide and Programs Management Branch, Division of Engineering, Office of Nuclear Regulatory Research.

[FR Doc. 2024–08720 Filed 4–24–24; 8:45 am]

BILLING CODE 7590–01–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Docket No. FAA–2023–2247; Airspace Docket No. 23–ACE–4]

RIN 2120–AA66

Amendment of VOR Federal Airway V–132 and Revocation of VOR Federal Airways V–131, V–307, and V–350 in the Vicinity of Chanute, KS

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule.

SUMMARY: This action amends Very High Frequency Omnidirectional Range (VOR) Federal Airway V–132 and revokes VOR Federal Airways V–131, V–307, and V–350. The FAA is taking this action due to the planned decommissioning of the VOR portion of the Chanute, KS (CNU), VOR/Distance Measuring Equipment (VOR/DME) navigational aid (NAVAID). The Chanute VOR is being decommissioned in support of the FAA’s VOR Minimum Operational Network (MON) program.

DATES: Effective date 0901 UTC, July 11, 2024. The Director of the Federal Register approves this incorporation by reference action under 1 CFR part 51, subject to the annual revision of FAA Order JO 7400.11 and publication of conforming amendments.

ADDRESSES: A copy of the Notice of Proposed Rulemaking (NPRM), all comments received, this final rule, and all background material may be viewed online at www.regulations.gov using the FAA Docket number. Electronic retrieval help and guidelines are available on the website. It is available 24 hours each day, 365 days each year.

FAA Order JO 7400.11H, Airspace Designations and Reporting Points, and subsequent amendments can be viewed

online at www.faa.gov/air_traffic/publications/. You may also contact the Rules and Regulations Group, Office of Policy, Federal Aviation Administration, 800 Independence Avenue SW, Washington, DC 20591; telephone: (202) 267–8783.

FOR FURTHER INFORMATION CONTACT:

Colby Abbott, Rules and Regulations Group, Office of Policy, Federal Aviation Administration, 800 Independence Avenue SW, Washington, DC 20591; telephone: (202) 267–8783.

SUPPLEMENTARY INFORMATION:

Authority for This Rulemaking

The FAA’s authority to issue rules regarding aviation safety is found in Title 49 of the United States Code. Subtitle I, Section 106 describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the agency’s authority. This rulemaking is promulgated under the authority described in Subtitle VII, Part A, Subpart I, Section 40103. Under that section, the FAA is charged with prescribing regulations to assign the use of the airspace necessary to ensure the safety of aircraft and the efficient use of airspace. This regulation is within the scope of that authority as it modifies the Air Traffic Service (ATS) route structure as necessary to preserve the safe and efficient flow of air traffic within the National Airspace System.

History

The FAA published a notice of proposed rulemaking for Docket No. FAA–2023–2247 in the **Federal Register** (88 FR 78265; November 15, 2023), proposing to amend VOR Federal Airway V–132 and revoke VOR Federal Airways V–131, V–307, and V–350 due to the planned decommissioning of the VOR portion of the Chanute, KS, VOR/DME NAVAID. Interested parties were invited to participate in this rulemaking effort by submitting written comments on the proposal. No comments were received.

Incorporation by Reference

VOR Federal airways are published in paragraph 6010(a) of FAA Order JO 7400.11, Airspace Designations and Reporting Points, which is incorporated by reference in 14 CFR 71.1 on an annual basis. This document amends the current version of that order, FAA Order JO 7400.11H, dated August 11, 2023, and effective September 15, 2023. FAA Order JO 7400.11H is publicly available as listed in the **ADDRESSES** section of this document. These amendments will be published in the next update to FAA Order JO 7400.11.