



to Design a Customized Land **Management Strategy for Your Small Acreage Property** 



!-- And more!

Provide wildlife habitat.

Protect water quality.

Conserve natural resources

scenic value.

Improve your property's

· Control weeds.

• Care for the land.

Enhance your quality of life.

of your land. Inside, you will find information and resources to help you: identify strategies to meet your goals and improve the long-term health and sustainability rural property. Whichever best describes your situation, the STEPS packet can help you wooded areas for timber or just want to protect the natural beauty and functions of your You may own 5 or 50 acres. You may keep horses or cattle, grow a specialty crop, manage

for you, your family and your land.

acreage landowners—like you—evaluate conditions and identify options that are right STEPS FOR SMALL ACREAGE, RURAL LIVING IN OREGON was developed to help small



## TABLE OF CONTENTS







HEALTHY HABITAT RD.



- Introduction to the STEPS Workbook
- **3** Set Your Land Management Goals
- **5** Map Your Property
- **7** Inventory Your Resources

## **Completing the Worksheets**

- **9** Completing Your STEPs Worksheets
  - 11 Forest Assessment
  - 21 **Grazing Assessment**
  - 29 **Irrigation Assessment**
  - 37 Manure Assessment
  - 45 Soil Assessment
  - 53 Stream Assessment
  - 63 Weed Assessment
  - 71 Wildlife Assessment
- **79** Glossary
- **87** Contacts and Acronyms
- **92** Acknowledgements



In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at How to File a Program Discrimination Complaint (www.ascr.usda.gov/filing-program-discrimination-complaint-usda-customer) and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov.

USDA is an equal opportunity provider, employer, and lender.





#### STEPS FOR SMALL ACREAGE, RURAL LIVING ON SMALL ACREAGES IN OREGON

Is a comprehensive tool designed to help small acreage landowners evaluate the condition of their property and identify methods for managing and enhancing the land. The following steps will help you navigate this workbook to develop an effective land management plan.



## **STEP 1: Complete the Land Management Goals Worksheet**

This worksheet was developed to help focus your efforts. Each goal includes common management considerations that you may need to address. Space is provided to add additional items specific to your unique production.



## **STEP 2: Develop a Baseline Map**

Use the worksheet provided to develop a map of your property to aid in envisioning the results of your management plan.



## **STEP 3: Inventory your Resources**

This will provide the foundation information for your land to use as a reference as you work through the other worksheets.



## **STEP 4: Complete the STEP Worksheets for Your Operation**

Each worksheet contains a set of questions to help you assess conditions and evaluate how your management decisions affect natural resources. Select and then complete the set of worksheets relevant to your acreage.



## **STEP 5: Identify the Options and Actions Right for You**

On each worksheet, you will find management options, information resources, and contact information. You may find you can make improvements on your own, or you may decide to obtain professional assistance for more intensive treatments, such as structural or engineered practices. Whatever options you choose, each section of the STEPs packet will help you find more information and assistance.





The worksheets in this packet will help you identify strategies to maintain and improve the natural resources on your property. To begin, develop a vision of how you want your land to look in the coming years. Whether you want to improve conditions or maintain the land as it is, establishing a plan will help you make good decisions both now and in the future. This is the first step to a successful land management strategy that is right for you, your family and your property.

Instructions: First, record your vision for the land in the coming years. Include what you want the property to look like and how you plan to use the land. Then, identify the specific land management goals that relate to your overall vision. For goals you have checked, identify the relevant outcomes for your acreage from the corresponding list or add your own in the space provided.

		VISION FOR THE LAND IN 5-10 YEARS				
Exa	<b>Example:</b> The water in our stream is clean and provides habitat for native fish. Blackberries and weeds have been eliminated and/or controlled on our property. We have established a productive pumpkin patch in the northeast field. We are able to keep and graze four horses while protecting the condition of our pastures and streams.					
	Goals	Outcomes				
	Improve or maintain the aesthetic beauty of the property and quality of life	<ul> <li>Selected land uses are carried out in a sustainable manner that helps maintain a desirable quality of life</li> <li>Plant and animal pests are kept in check</li> <li>Healthy plant communities and a scenic landscape are maintained</li> <li>Excess water from heavy rains does not damage structures, roads, streambanks, livestock or crops; runoff does not convey contaminants to ground and surface waters</li> </ul>				
	Keep healthy horses, cattle or other livestock on the property	<ul> <li>Animals are healthy with proper diet and conditions</li> <li>Animals have plenty of high-quality forage to graze</li> <li>Streams are protected from animal waste and trampled streambanks</li> <li>Manure is properly handled and does not present a hazard to people, water bodies or animals</li> <li>Livestock odors are managed appropriately for the area</li> </ul>				



	Vision for the Land continued
Goals	Outcomes
Maintain healthy soil to support plants and animals, as well as natural water and nutrient cycles	<ul> <li>The soil is fertile and contains a healthy mix of organic matter to support plant growth</li> <li>Healthy plant communities provide cover at the appropriate times of year</li> <li>Soil erosion is controlled</li> <li>Animals are rotated among pastures to prevent heavy traffic and overuse causing soil compaction and poor water infiltration</li> </ul>
Protect the quality and quantity of water in local streams, groundwater sources, and other water bodies	<ul> <li>Streambanks are protected from erosion with thick, diverse streamside vegetation</li> <li>Fertilizer and pesticide applications are applied properly to keep chemicals out of water bodies</li> <li>Landowners with an irrigation right use only the water needed at the appropriate time to optimize plant health and conserve stream water</li> <li>Irrigation systems are maintained and updated for maximum efficiency</li> <li>Natural floodplains, wetlands and unpaved natural areas are utilized to recharge groundwater supplies and act as buffers for water runoff</li> </ul>
Provide healthy habitats for native wildlife	<ul> <li>Natural cover and nesting habitat for desired wildlife species are provided by a variety of plants</li> <li>Food and water sources are available year-round</li> <li>Fish have plenty of clean, cool water to support migration, spawning and rearing</li> <li>Fish screens protect aquatic species from irrigation intakes</li> <li>Wildlife is not threatened by human activity, roadways or domestic pets</li> </ul>
Other	


**Congratulations!** You have completed the first step in developing a customized land management strategy. As you work through the following *STEPs Worksheets*, keep these goals and outcomes in mind and look for activities that will help you address these priorities.



The next step in a customized land management strategy is to inventory the features of your property on a land use map. The example below illustrates the types of features to include when developing a map of your property. The base image of the schematic is from Web Soil Survey, a free online natural resource information system. Web Soil Survey is available for public use at: <a href="http://websoilsurvey.nrcs.usda.gov">http://websoilsurvey.nrcs.usda.gov</a>.

To create your own map, download a map image from the Web Soil Survey or any other map source. Various websites provide resources to generate and print maps for free. If you prefer, you may create your own schematic by hand. A template is provided on the following page.

Next, mark the fields, structures, land forms, water bodies, problem areas, and other notable uses and features, including historic and/or archaeological sites. If you draw your own map, sketch the property's main features on the following page. The map you create will serve as your reference point for planning future activities, such as the placement of fences or trees. Keep the map as a record of your baseline or starting point. As you implement changes, be sure to update your property map.




## **Using Web Soil Survey**

You can do much more than generate a map with Web Soil Survey. Go to the **Suitabilities and Limitations for Use** section under the Soil Data Explorer tab. The information available here includes:

- Land Classification: Maps and reports for Farmland Classification to identify areas of prime farmland or Capability Class (a ranking of soil suitability for cropland).
- **Vegetative Productivity**: Maps and reports of expected crop yields for a variety of crops, including hay and pasture.
- Building Site Development: Maps and reports with information on soil limitations for home sites.
- Soil Properties and Qualities: Information on depth to seasonal high water tables as well as flooding and ponding frequency.



**Instructions:** Print and attach your property map here, or create your own schematic using the template provided below. As you make improvements to your property, be sure to attach updated maps or add features to your original image.





Now that you have mapped your property, use the worksheet on the following page to capture more detailed information about each section of your property, including the land use, size, soils, plants, problems, and general observations about current conditions. An example of a completed worksheet based on the sample property mapped in the previous section is provided below

Use the directions below to complete the following worksheet:

Field: List each section of your property.

**Acres:** List the approximate size of each section of your property.

Land Use: List the major land use for each section of your property (i.e. hay, pasture,

crops, wetland).

Land Describe the natural resources present on your land. Be sure to include

Characteristics: soil information. Look up soil types using the Web Soil Survey website:

http://websoilsurvey.nrcs.usda.gov. Information is also available on soil suitability, limitations, properties, and reports for your area. For further information, consult the Web Soil Survey home page, or contact your local USDA Natural Resources Conservation Service (NRCS) or Soil and

Water Conservation District (SWCD) office.

**Opportunities:** Record any opportunities to make improvements. Make note of all natural

resource concerns, seasonal problems, eyesores, maintenance hassles or

production issues.

	Site: Breezy Farms	Date: October 2018
Field: Pasture # 1 Acres:	5 acres Land Use: Pasture	
Land Characteristics:	Map indicates a clay surface layer	with 8-15% slopes and a slow
	intake rate for water	
Opportunities: Natural Resource	Correct Uneven Grazing; Improve	poor grass stands, decreasing
Maintenance & Others	invasive species and weeds; Mudd	y areas on south side

Resource Worksheet continued →



		Site:		Date:
Field:	Acres	s:	Land Use:	
Land Charae	cteristics:			
	ortunities: Resource e & Others			
Field:	Acre	es:	Land Use	
Land Chara				
	ortunities:   Resource e & Others			
Field:	Acre	es:	Land Use	
Land Chara				
	ortunities: I Resource e & Others			
Field:	Acre	es:	Land Use	
Land Chara	cteristics:			
	ortunities:   Resource e & Others			



Now that you have established your land management goals and inventoried your property, you are ready to complete the steps worksheets.

As you begin going through the worksheets and answering the questions provided, you will begin to assess conditions on your land and learn about a number of management options. Keep in mind that the alternatives provided are general in nature. The distinct features of your land — and the specific uses and goals you have for it — make each section unique.

As you begin to identify actions that may be appropriate, consider whether you can make improvements on your own. Many options will require specific considerations pertaining to the unique geography, hydrology, plants, wildlife, and other features and conditions on your property. Some of these activities may require technical expertise. Sources for more information and assistance are listed in each section.

In addition, you should know that regulations and permit requirements vary depending on location, land use, and other factors. As a landowner, it is important to learn about the regulations applicable in your area. As you move forward with your land management goals, remember that an abundance of information and assistance is available through natural resource agencies, organizations and businesses.

The following worksheets are available to complete. Select the worksheets that best fit your operation:

FOREST ASSESSMENT
GRAZING ASSESSMENT
IRRIGATION ASSESSMENT
MANURE ASSESSMENT
SOIL ASSESSMENT
STREAM ASSESSMENT
WEED ASSESSMENT



# **P** FOREST ASSESSMENT

With proper management, you can maintain healthy forestland on your property. Forests can be managed for a single use, such as timber production, or for multiple uses, such as wildlife habitat, recreation, livestock grazing and/or timber production. To help you manage your forestland, you need to decide which of these uses are important to you. You likely have a primary use planned that will guide your overall management and decision-making processes. If secondary and tertiary uses are also important to you, allow these to guide your decisions as well. This worksheet will help you ensure that the vegetation and ecosystems on your forestland function properly for the land uses you have identified.

In a healthy forest, the larger overstory trees, smaller understory trees, and ground vegetation are all in good condition. The distribution of vegetation and the number of trees per acre will differ depending on where you property is located within the state. Soil type, precipitation, temperature, tree species and your land use objectives are also factors that affect the density and distribution of vegetation on your forestland.

STEF	<b>1</b> :	Identify The	e Tre	e Species On Your F	orestland	
ln	Instructions: Conduct a basic assessment of your forestland by answering the following questions. If you identify management needs and/or issue that may require professional assistance, refer to the last page of this assessment for a list of resources.					
1.	Com		the F	Pacific Northwest page	y tree species present in Oregon. Refer to the on the Oregon State University website at:	
Sele	ct all t	hat are prese	ent:		Others (list):	
	Doug	glas-fir		Western larch		_
	Pond	derosa pine		Bigleaf maple		_
	Gran	d fir		Red alder		-
	West	tern hemlock		Oregon white oak	-	-
2.	ident				est additional sources of information for cation sources and forestry websites below for	
						-
						-
_						-



## **STEP 2:** Determine The Types Of Trees Your Soil Will Support

Refer to the Web Soil Survey (http://websoilsurvey.nrcs.usda.gov), described earlier in the *Map Your Property* section to complete the following worksheet. Please, note forest productivity data may not be available in Web Soil Survey for some properties due to the lack of forest site data during the initial survey.

of forest site data during the initial survey.
Describe the soils present on your property.
After you delineate your property in Web Soil Survey, click the "Soil Map" tab. On the left-hand side of the screen, you will see a list of the soils present on your land. Click on a soil name to view the description, which will provide information on the soil's properties, qualities, and major land uses.
2. Record the site index values for the trees found on each soil.
Next, click on the "Soil Data Explorer" tab. On the left-hand side of the screen, you will see a list of the soils reports available to you. Under "Vegetative Productivity," select "Forest Productivity," then click "View Soil Report." Scroll down to the bottom right-hand side of the screen to view the site index values for relevant tree species. The site index value gives you the average height trees will attain at a given age (either 50 or 100 years) on a specific soil. Generally, a higher site index value means the soils can support more trees per acre. The value allows you to compare the growth potential for trees on different soils. The site index will also help you evaluate you current stand.
List the trees identified to manage for on your property.
On the same table with the site index values, you will see a column titled "Trees to Manage." The species listed here are preferred for planting, seeding or natural regeneration on the respective soils.
4. Record any additional information.



## **STEP 3:** Evaluate The Health Of Your Trees

Record any indications of possible tree health problems by answering the questions below. For any YES answer, provide a description in the space provided.

No	Yes	<b>Dead Trees/Plant Matter:</b> Are there dead or dying branches in the tree canopy and/or discolored leaves or needles?
No	Yes	Evidence of Insect Attack: This may include signs of white or pink pitch tubes on the bark, brown sawdust at the base of the tree, dead sections of a tree canopy, and/or large amounts of green needles on the ground.
No	Yes	Witches Brooms: Are there thick masses of dense foliage in the tree canopy?
No	Yes	Dead/Forked Treetops: Do trees have forked tops, dead tops with new leaders (dominant upright stems) developing or dead tops with no new leader?
No	Yes	Weeds: Are there any native or non-native plants that are overcrowding or dominating the plant community?



## **STEP 4:** Research and Apply Management Options to Improve Tree Health

If you answered "yes" to any of the health problems identified on the previous page, consider applying the following management options:

applying the following management options:				
Dead Trees/Plant Matter:		Remove dead trees  Designate areas for wildlife habitat  Other:		
Insect Attack:		Cut infected trees  Cut trees adjacent to infected trees to prevent spread  Other:		
Witches Brooms:		Prune infected branches  Remove infected trees and plant with more persistent stock  Other:		
Dead/Forked Treetops:		Remove deformed or injured trees  Maintain trees for wildlife  Other:		
Weeds:		Spray or mow weeds  Plant trees and maintain planting  Other:		



STEP 5: Complete The Forest Stand	d Inventory					
Do you know the density of the forest stand (the number of trees per acre)?						
Yes No						
2. Do you know the average diameter	of the trees on ve	ur forestla	nd?			
	or the trees on yo	ui iorestiai	10 :			
☐ Yes ☐ No						
If you answered "No" to either of the Discuss your results with a professio will help you assess proper manager	nal forester in you					
A. Establish a fixed plot size. A representative of the entire standepends on the size of the plot	and. Round plots a					
radius for 1/100 acre, 1 2. Consider using a 1/35 a	6.6 foot radius for acre plot. The radi	1/50 acre o us is 20 fe	measurement (e.g. 11.8 foot or 20 foot radius for 1/35 acre). et and is a manageable size. Establish a plot center point and			
of your plot radius. F the radial length from the trees when you c	Holding the measure the center point. ount the trees in yo	ring tape, v You will ha our plot.	measure out 20 feet, or the length valk around the circle maintaining ave to maneuver the tape around  X" with the plot center being the			
center of the "X". Me	easure out 20 feet o circle's edge. Ma	(or your ra	dius) from the center in an "X" pates with a stake or flagging; these			
	cie.					
<b>Plot size</b> :	lot 11 8 inch radius					
B. After establishing a plot, co						
Count only the trees that are great	er than 4 feet in height.	. Number	of Trees:			
C. Compute the number of tree	es per acre.					
Number of trees per a	inverse of the ni	ot oi=o * num	har of troop country			
inverse of the plot size * number of trees counted						
Example: $(100/1) * 5 = 500$ trees per acre						
D. Record the average tree diameter. Measure the diameter of all the trees that are taller than 4.5 feet and have a diameter of 3 inches or more in the established plot. Measure the diameter of the trees at 4.5 feet above the ground.						
than 4.5 feet and have a diame	eter of 3 inches or	he diamete more in the	er of all the trees that are taller			
than 4.5 feet and have a diame	eter of 3 inches or et above the ground	he diamete more in the	er of all the trees that are taller			
than 4.5 feet and have a diameter of the trees at 4.5 feet  Average Tree Diameter  Calculate by taking the	eter of 3 inches or et above the ground er: EXAMPLE:	he diamete more in the	— — — — — — — — — — — — — — — — — — —			
than 4.5 feet and have a diameter of the trees at 4.5 feet  Average Tree Diameter  Calculate by taking the sum of all diameters measured divided by the	eter of 3 inches or et above the ground er: EXAMPLE: Number of Trees	he diamete more in the d.	er of all the trees that are taller e established plot. Measure the  Average by totalling the diameters			
than 4.5 feet and have a diameter of the trees at 4.5 feet  Average Tree Diameter  Calculate by taking the sum of all diameters	eter of 3 inches or et above the ground er: EXAMPLE: Number of Trees	he diamete more in the d.  Diameter	er of all the trees that are taller e established plot. Measure the  Average by totalling the diameters  5.0 + 6.1 + 3.0 + 4.6 + 9.0 = 27.5			
than 4.5 feet and have a diameter of the trees at 4.5 feet  Average Tree Diameter  Calculate by taking the sum of all diameters measured divided by the	eter of 3 inches or et above the ground er: EXAMPLE: Number of Trees	he diamete more in the d.  Diameter 5.0" 6.1"	er of all the trees that are taller e established plot. Measure the  Average by totalling the diameters  5.0 + 6.1 + 3.0 + 4.6 + 9.0 = 27.5  Divide by total trees			
than 4.5 feet and have a diameter of the trees at 4.5 feet  Average Tree Diameter  Calculate by taking the sum of all diameters measured divided by the	eter of 3 inches or et above the ground er: EXAMPLE: Number of Trees	he diamete more in the d.  Diameter	er of all the trees that are taller e established plot. Measure the  Average by totalling the diameters  5.0 + 6.1 + 3.0 + 4.6 + 9.0 = 27.5			



STEP 6: Implem	nent Man	agement Practices To Reduce Risk Of Wildfire		
Is wildfire a source of concern on your property?				
		No  Yes		
If YES,	consider tl	he following management options:		
		Reduce brush quantity		
		Thin overstocked stands		
		Prune lower tree branches		
		Reduce tree material on the forest floor		
		Establish permanent firebreaks		
		Contact the Oregon Department of Forestry at least 15 days prior to		
	_	beginning any forest management activities		
STEP 7: Comp	lete The	Forestland Enhancement Worksheet On The Following Page		
Complete each		he accompanying Woodland Enhancement Worksheet. Use the each section.		
Fi	ield: In	dicate each section of your property		
Dead	dline: In	ndicate a deadline for completing your goals.		
G	oal: Li	st goals for each section of your property		
Act		escribe methods for achieving your goals. Include a list of the resources nd assistance you may need to achieve your goals		
Field: SW fore	2st	Deadline: June 2018		
Goal:	Restore p	plant diversity		
		TANLE		
Action:	Plant tre	es including diverse understory species		

Forestland Enhancement Worksheet continued  $\rightarrow$ 



Field:	Deadline:
Goal:	
Action:	
Field:	Deadline:
Goal:	Deadinie.
Action:	
Field:	Deadline:
Goal:	
Action:	
Field:	Deadline:
Goal:	
Action:	
Field:	Deadline:
Goal:	
Action:	
	Deadline:
Goal:	
Action:	



#### **TIP: 1** Improve Your Woodlands

- ✓ Maintain diverse tree ages.
- Thin tree stands periodically to prevent overcrowding.
- Design, construct and maintain roads to provide drainage, prevent erosion and reduce costs. Ensure roads are located far from stream edges.
- Control competing vegetation and protect seedlings from grazing until established.
- When using chemicals for control, obtain the necessary permits. Avoid spraying neighboring vegetation and surroundings. Be sure to select the correct chemical for the type of vegetation and follow all label directions.
- Dispose of large amounts of slash (logging debris) to reduce the risk of fire. Pruning trees may also reduce fire hazards, while improving the stand.

#### **Gather Additional Information and Assistance**

- Oregon Department of Forestry (ODF): www.oregon.gov/ODF
- ODF Private Forests Program:
  www.oregon.gov/ODF/Working/Pages/default.aspx
- Oregon State University Extension Service: http://extensionweb.forestry.oregonstate.edu
- ✓ Know Your Forest

  http://www.knowyourforest.orgh
- Natural Resources Conservation Service (NRCS): www.or.nrcs.usda.gov



NOTES:	



## **GRAZING ASSESSMENT**

With good management, your pasture can produce vigorous grass stands with sufficient forage for the type and number of livestock you keep. The amount and quality of forage will depend on how you manage your land for grazing. Livestock will graze less in areas containing plants not palatable as forage; areas too far from water and mineral supplements; or areas too large in size to encourage even use of the entire unit. With proper management, you can control how and where your animals graze, and as a result, improve both plant conditions and herd health. For example, many livestock owners fence large pastures into smaller units. Animals can then be rotated through the pastures on a planned schedule that gives forage time to rest and regrow vigorous stands. With rotational grazing, you also have the opportunity to inspect animals more frequently and are often able to detect health problems in the herd earlier. At the same time, the soil will benefit from less erosion and damage from heavily used areas. Controlling livestock movement also results in better distribution of manure as plant fertilizer and reduces the risk of water contamination from concentrated nutrients in runoff.

### STEP 1: Complete The Following Grazing Assessment Instructions: The following questions will help you conduct a basic self-assessment of your grazing management. Answer the questions below to identify areas where you may be able to improve grazing with pasture management strategies. 1. On pastures and grazed lands, how many of the plants are grazed by livestock, as compared to plants that livestock do not touch? You are managing for uniform grazing use and likely have a healthy More than 80% mix of plants. Grazing may be slightly improved with additional water points, smaller 50% to 80% grazing units, and targeted placement of salt or mineral supplements. Grazing would likely be improved by incorporating additional 20% to 50% watering points, smaller grazing units, and/or targeted placement of salt or mineral supplements. Consider replanting with forage species that are more suited to your Less than 20% livestock. Also, consider adding additional water points, smaller grazing units, and/or targeted placement of salt or mineral supplements. 2. Do you have a problem with livestock eating or coming into contact with noxious plants, invasive or undesirable plants? Check all that apply. Consider control measures as recommended by a licensed pesticide Noxious weeds consultant. Change management practices to favor desired plants. Consider control measures as recommended by a licensed pesticide Invasive plants consultant. Change management practices to favor desired plants. Consider improving grazing uniformity. Replanting with more Undesirable plants desirable species and adding additional watering points, smaller grazing units, and/or targeted placement of salt or mineral supple-

ments may help.

*Grazing Assessment* continued →



		Grazing Assessment (cont.)
3. At the	beginning of the grazin	ng season, usually in April, how tall is the forage on your pasture?
	More than 8 inches	If the forage is leafy, this is a good height to begin grazing. If stems are present in the spring, you may consider earlier management activities, such as clipping, haying or increasing grazing to leave 4-8 inches of leafy materials at the end of the season.
	4 — 8 inches	Try to allow the forage to reach 8 inches in height before grazing.
	Less than 4 inches	Consider allowing more time without grazing in the latter half of the growing season to encourage better regrowth of leaves and roots. This will improve the vigor of your grass stand in the spring.
	the grazing season in s restock to graze a diffe	spring and summer, how tall is the forage when you typically decide to rent area?
	More than 8 inches	Consider extending the grazing time in the pasture, reducing the size of the pasture, grazing with more animals or use one or more pastures for hay to increase grazing intensity.
	4 — 8 inches	A height of 4 - 8 inches may be preferable when you remove livestock from the pasture.
	Less than 4 inches	Consider reducing the grazing time and/or animal numbers, enlarging the grazed area, or adding supplemental feed.
5. When g	grazing is finished at th	e end of the season, usually in October, how tall is the forage?
	More than 8 inches	Consider clipping, haying or increasing grazing earlier in the season to achieve an 8-inch forage height.
	4 — 8 inches	If forage is under 8 inches in height, consider ending grazing earlier to allow for regrowth.
	Less than 4 inches	Defer grazing in the latter half of the growing season to encourage plant regrowth.
6. Do you	rotate livestock regula	rly between pastures or do they graze on a single pasture continuously?
	Continuous	Consider dividing livestock into several groups and rotating them between pastures. You may need to subdivide existing pastures. Rotational grazing allows plants to re-establish leaf and root systems.
	Rotated	Allow for 4 to 8 inches of plant height (mostly leaves) prior to grazing to improve forage quality and plant health.
7. How w	ould you describe the o	condition of your livestock?
	Underweight/ unhealthy	Work with your veterinarian to determine the causes. If poor animal health is associated with grazing conditions, contact a professional for help.
	Healthy	Maintain your grazing system and re-assess animal health if changes



#### **Consider Additional Grazing Improvements** STEP 2:

your responses on the Grazing Assessment in Stan 1, consider implementing one or

more of the following actions to improve grazing conditions for your animals while protecting the soil, water and plants on your grazed land.
Add permanent or temporary fencing to control grazing patterns and movement of livestock
Balance grazing pressure with plant growth by rotating animals among pastures based on the number of animals, height of grasses and timing of scheduled grazing
Replant pastures with more desirable forage species
Add or develop sources of water for livestock
Reduce the number of animals on your land
Graze less and increase the amount of feed you purchase
Secure additional pastureland
Implement a fertilizer program
STEP 3: Complete the Grazing Enhancement Worksheet on the Following Page
Using the guide below, complete the Grazing Enhancement Worksheet.
Field: Indicate each section of your property
Deadline: Indicate a deadline for completing your goals
Goal: List your goals for each section of your property
Action: Describe methods for achieving your goals and include a list of the
resources and assistance you may need to achieve your goals
Field: SW pasture Deadline: January 2018
Goal: <u>Manage weeds</u>
Action: Implement a weed management plan

 $\textbf{\textit{Grazing Enhancement Worksheet}} \ continued \rightarrow$ 



Field:	Deadline:
Goal:	
Action:	
Field:	Deadline:
Goal:	
Action:	
Field:	Deadline:
Goal:	
Action:	
Field:	Deadline:
Goal:	
Action:	
Field:	Deadline:
Goal:	
Action:	
Field:	Doodling
Goal:	Deadline:
Action:	



#### TIP: 1 Implement a Rotational Grazing System

The process of moving livestock among multiple pastures is known as rotational grazing. Rotational grazing improves pasture health by encouraging forage regrowth.

- **STEP 1:** Fence pastures into smaller units. Ensure water is available in each section.
- STEP 2: Rotate animals on a planned schedule that allows forage time to rest and regrow (roughly 30 days for irrigated pastures and three months for non-irrigated pasture). Beginning stands should be between 6" to 8" in height.
- STEP 3: Move livestock to another pasture when grass height is reduced below 4 inches.

## **Benefits of Rotational Grazing:**

- Maintains healthy grass stands
- Improves ability to monitor livestock health
- Reduces erosion and soil damage
- Improves manure distribution and reduces the risk of water contamination from concentrated nutrients in runoff

## TIP: 2 Manage Overgrazing

Overgrazing occurs when more than 50 percent of the plant's leaf volume is removed in one rotation (see Table 1). Overgrazing stops root growth and reduces grass production. Pay special attention to areas close to water where livestock tend to graze more heavily.

To improve grazing distribution, consider the following management options:

- Install additional water sources, such as a stock tank or nose pump. (Be sure to check on your water rights prior to installation.)
- Add additional tanks and pumps rather than allow livestock to drink from creeks and rivers. This will protect streambanks and maintain streamside grasses and shrubs.

Overgrazin	ıg As	sessment Chart
% Grass Pla Removed		% Root Growth Stopped
10%	$\longrightarrow$	0%
20%	$\longrightarrow$	0%
30%	$\longrightarrow$	0%
40%	$\longrightarrow$	0%
50%	$\longrightarrow$	
60%	$\longrightarrow$	50%
70%	$\longrightarrow$	78%
80%	$\longrightarrow$	100%
90%	$\longrightarrow$	100%

Table 1: Impact of grazing on root growth

**TIPS** continued →



TIP: 3 Selecting the B	Sest Fence for Your Pasture	·
Fence Type	Advantages	Disadvantages
4-Strand Barbed Wire	✓ Good for cattle control	<ul> <li>✓ May cause injury to animals</li> <li>✓ Labor and materials cost is high</li> <li>✓ Periodic maintenance required</li> </ul>
Woven Wire	✓ Good for sheep control ✓ Discourages predators	<ul> <li>✓ Unsafe for wildlife</li> <li>✓ Labor and materials cost is high</li> <li>✓ Moderate maintenance is necessary</li> </ul>
4-10 Strand Smooth Wire	✓ Good for horses ✓ Good for wildlife ✓ 8-10 strand will contain large, exotic animals	<ul> <li>✓ Labor and materials cost is high</li> <li>✓ Periodic maintenance required</li> </ul>
Electric	✓ Good for establishing pasture rotation program on small acreages ✓ Lightweight and portable ✓ Relatively inexpensive	<ul> <li>✓ Weathers poorly</li> <li>✓ May not exceed lengths over 1,000 feet</li> <li>✓ Requires regular maintenance</li> <li>✓ Requires solar or electric power source</li> </ul>
Jackleg	<ul> <li>✓ Aesthetically appealing</li> <li>✓ Durable</li> <li>✓ Withstands heavy snow</li> <li>✓ Good in areas where it is hard to dig or drive posts</li> <li>✓ May be adapted to marshy, wet areas</li> <li>✓ Low maintenance</li> </ul>	✓ High labor and materials cost
Post and Pole (Rail Fence)	<ul> <li>✓ Durable in many areas</li> <li>✓ Withstands heavy snowfall</li> <li>✓ Low maintenance</li> </ul>	<ul> <li>✓ High labor and materials cost</li> <li>✓ Less durable in high rainfall areas</li> </ul>
Hog Panels	<ul> <li>✓ May be formed into small, portable pen</li> <li>✓ Inexpensive and easy to construct</li> <li>✓ Good for establishing rotational grazing</li> </ul>	<ul> <li>✓ Appropriate for only a few small animals</li> <li>✓ High labor - should be moved once or twice each day</li> </ul>
		TIPS continued →



## **Gather Additional Information and Assistance**

- Oregon State University Extension Service http://smallfarms.oregonstate.edu/
- Soil and Water Conservation District www.oacd.org/
- Natural Resources Conservation Service (NRCS)
  www.or.nrcs.usda.gov



NOTES:			

# **PIRRIGATION ASSESSMENT**

You can improve the health of your plants, help keep local water supplies clean, and save water, energy and money by managing how water is used during irrigation. Keep in mind that the right balance of water for plants creates a healthy crop or pasture. According to the U.S. Geological survey, irrigation to produce our nations food and fiber, accounts for the largest use of fresh water in the United States, totalling 137 billion gallons used each day. You can save water and help keep your streams and groundwater clean by adjusting the way you irrigate. Irrigation Water Management (IWM) is a term for irrigation strategies landowners and farmers employ to help them save water, conserve energy and reduce the amount of contaminants entering water supplies, ultimately improving plant health. This worksheet will help you determine which irrigation water management strategies may fit the conditions on your property.

## **STEP 1:** Assess Your Current Irrigation Practices

Instructions: Complete the following worksheet to identify where you may be able to improve irrigation effectiveness and efficiency. This information will also be useful if you choose to work with a natural resource professional to develop a detailed irrigation plan.

1. Do you irrigate only when plants need water, rather than on a regular schedule?

🔲 No 🔲 Ye

If "no," be aware that scheduling regular irrigation by the calendar is less effective than watering according to actual plant needs. The weather, plant size and age, plant variety and condition, rooting depth, soil type and soil moisture available at a given time all affect how much and how often you need to water. Generally speaking, the greatest water use is in the middle of the growing season or when plants are growing rapidly and nearing maturity. Young, developing plants use less water as do mature plants. Water use by perennial crops like grass and pasture is different from those crops that mature within the season. Current crop water use information is available from AgriMet (www.usbr.gov/pn/agrimet/). Over-watering can reduce plant quality by drowning roots, stressing plants, causing plant diseases, reducing nutrient uptake, and leaching nutrients and pesticides away from the root zone and into water supplies where they may be harmful. Applying only the amount of water needed will result in healthier plants that will be more resistant to disease and pests.

Consider the following STEPs to determine when to irrigate:

GATHER information to help y	ou time irrigation	application with:
• OATTIER IIIIOTHIALIOH to help y	ou time irrigation	application with

- Crop water use information from AgriMet (www.usbr.gov/pn/agrimet/), historical evapotranspiration data (http://extension.oregonstate.edu/catalog/pdf/em/em8530.pdf), and/or on-site weather monitoring equipment.
- ✓ Crop observations



	Irrigation Assessment (cont.,
	SSESS soil moisture by feel or by using field probes or other instruments
✓	Soil-probe and estimating soil moisture by feel and appearance https://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs144p2_051845.pdf.
$\checkmark$	Soil moisture sensors
$\checkmark$	Estimate soil moisture youtube: www.youtube.com/watch?v=B8hRPziKkAY
. •	OJUST your irrigation schedule according to seasonal changes.
2. Does your syst are too dry or too	m irrigate in a uniform manner across the entire area so that there are no areas that vet?  No Yes
manner will h sprinklers and	re that properly functioning irrigation equipment that applies water in a uniform ve a tremendous impact on irrigation efficiency and plant health. When nozzles deliver water to the ground evenly, you can avoid creating areas that while others remain too dry.
to water. This surface. If you	ent delivers water unevenly, it is difficult to determine when and how much fact is true for areas irrigated by all irrigation systems—sprinkler, drip, and do not know whether your irrigation system delivers water evenly across the u can easily conduct an irrigation system field test, as described in Tip 3 on
3. Do you inspect functioning prope	your irrigation system (sprinklers, nozzles, pumps, hoses, etc.) to ensure it is ly?  No Yes
needs simply conduct a mo Walk-through	re that you may be able to reduce water use, chemical applications, and energy y keeping your irrigation equipment in good repair. A useful tool to help you thorough evaluation of your irrigation system is the Irrigation System aspection Analysis, publication number PNW 293 developed by the Pacific ension (Oregon, Idaho and Washington) This is found online at:
htt	://ir.library.oregonstate.edu/jspui/bitstream/1957/15996/1/pnw293.pdf
Potential prob	ems to look for, include:
<b>_</b>	Pressure that is too low or too high
	Nozzles that are mismatched or improperly sized
	Plugged nozzles
	Spray deflection or other obstruction to the flow of water
	Drip line with plugged emitters and uneven water distribution
	System leaks - including sprinklers, gaskets, fittings and pipes
	Ditches with dense grass and/or weed growth and poor water control structures



#### STEP 2: Complete the Irrigation Enhancement Worksheet on the following page

Use the guide below to complete each section of the Irrigation Enhancement Worksheet.

Unit: Indicate each irrigated section of your property

Deadline: Indicate a deadline for completing your irrigation goals

Goal: List your goals for each irrigated section of your property

Action: Describe methods for achieving your goals and included a list of the

resources and assistance you may need to achieve your goals

Unit: SW field
Goal: Improve water efficiency

Action: Determine irrigation schedule based on plant needs

*Irrigation Enhancement Worksheet* continued →



Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	
Hait.	Dandling
Unit: Goal:	Deadline:
Action:	
Unit:	Deadline:
Goal:	
Action:	
	Deadline:
Unit: Goal:	Deadline:
Goal:	Deadline:
	Deadline:
Goal:	Deadline:
Goal: Action:	
Goal:	Deadline:
Goal: Action: Unit:	
Goal: Action: Unit:	



#### TIP: 1 Determine Your Soil Texture

Irrigation management depends on the texture of your soil. Sandy soils drain water quickly and do not store much water for plant use after irrigating. Clay soils, however, tend to drain poorly and can become waterlogged.

✓ How does the soil feel when wet?

 $\square$  Silky Smooth  $\rightarrow$  SILT

lue Coarse and gritty o SAND

 $\square$  Sticky  $\rightarrow$  CLAY

Combination of all of the above ightarrow LOAM

## TIP: 2 Determining When And How To Irrigate

#### When do I need to irrigate?

Irrigate when the soil moisture drops to about 50 percent of its water-holding capacity in the top 2 feet of soil. Check the moisture content by squeezing several handfuls of soil taken at depths of 6 inches, 12 inches and 18 inches. Irrigate before the soil at 18 inches begins to crumble in your hand, since most of the plants' roots are above 18 inches.

## ✓ How long should I irrigate?

In general, irrigate sand soils for short periods (2-3 hours) and clay soils for longer periods (9-12 hours). Ask your farm supply store or local NRCS office to recommend the correct size spray nozzle for your soil type and your irrigation system. When it rains, see if the rain has gone deeper than the soil surface before considering it a source of water for the plants you are growing.

## TIP: 3 Conducting An Irrigation System Field Test

#### Sprinkler System

- 1. Place "catch cans" in different spots within the irrigated area. Empty tuna cans or other similar containers work well; just be sure that the catch cans you use are all the same size. Also, be sure to conduct the test only when the wind speed is less than 8 mph to ensure accurate results.
- Place the catch cans evenly across the area you are evaluating. The number of cans needed depends on the size of the area. Generally, you will want to use as many as possible, placing them in a five-foot by five-foot grid.
- 3. Run your irrigation system for the usual amount of time. Note which catch cans receive water from more than one sprinkler or nozzle.
- 4. After irrigating, compare the water level in the different catch cans to identify where adjustments are needed.
- 5. At this time, you may also want to dig small holes in the ground in different areas or use a soil probe to evaluate soil moisture levels. You may notice areas where the soil has absorbed more or less water than others. If so, you might decide to adjust your irrigation system to account for the different soils.



## Conducting an Irrigation System Field Test (Cont.)

Drip Irrigation System

Measure the amount of water delivered from each of several emitters and compare the results. Also, probe the soil to determine the depth of infiltration in areas around the field.

Surface Irrigation System

Determine the uniformity of application for a surface irrigation system by probing the soil after irrigating to measure the depth of infiltration. Include measurements at regular intervals throughout the field to determine the uniformity of application.

TIP: 4 Irriga	ation System Op	tions			
Irrigation Method	Common Systems	Water Efficiency	Install Cost	Operation Cost	Typical Use
Micro-Drip	Poly Tubes, lay flat tubes with inline and online emitters.	High	High	Medium	Orchard, Vineyard, Row Crops, Nursery Crops, Landscaping, Gardens
Sprinkler Irrigation	Hand Lines, Wheel lines, Micro Sprinklers, Solid Set, Pivots, Pod Lines, Linears, Big Guns, Travelling Guns	Medium to High	Medium	Medium	AllAgricultural/ Nursery/ Landscape/ Garden applications
Flood Irrigation	Controlled Flood, Wild Flood, Gated Pipe, Siphon Tubes	Low	Medium to low	Low	All Agricultural Crops. Row Crops, Forage Crops, Rice



#### **Gather Additional Information and Assistance**

Review your answers to the previous questions and identify where you may be able to make improvements to your irrigation operations. Consider seeking professional assistance to develop a detailed **Irrigation Water Management Plan**. If you would like additional information or assistance, contact one of the entities listed below:

- ✓ Oregon Soil and Water Conservation Districts www.oacd.org
- Natural Resources Conservation Service www.or.nrcs.usda.gov
- ✓ Oregon State University Extension Service http://smallfarms.oregonstate.edu/
- ✓ Oregon Department of Agriculture http://oregon.gov/ODA



NOTES:		

# **Q**MANURE MANAGEMENT

The way livestock owners manage animal manure can have a dramatic effect on the quality of surface and groundwater as well as the overall health of your animals. To effectively manage nutrients from manure, livestock owners should evaluate the concentration of animals on the property, the amount and timing of manure applications to crop fields, how manure is stored and the area's soils, slope, precipitation and water table. These and other factors contribute to decisions regarding effective animal waste management and the relationship to the soil, water, air quality, plant health and wildlife habitat—as well as to livestock and human health. This worksheet' can help you assess your operation and identify the next steps for successful animal waste management.

STEP 1:	Evaluate How Manure is Handled on Your Property
Instructio	ons: Complete the following questions if you own horses, cattle, goats, sheep or other animals. Each of the assessment areas below addresses a different aspect of animal waste management. For each question that relates to your operation, select the statement that best describes practices and conditions on your land.
-	use a <b>Nutrient Management Plan</b> <sup>2</sup> for balanced manure application to meet crop and needs?  No Yes
Ass	sess the needs of your operation:
	<b>LOW:</b> A nutrient management plan exists and the nutrient value of the manure is considered to balance the nutrient needs of the growing crop or pasture.
	<b>MODERATE:</b> There is no nutrient management plan <b>OR</b> nutrients are spread evenly on the available fields during the growing season but there is no accounting system to estimate the nutrients in the manure versus the nutrient needs of the crop.
	<b>HIGH:</b> Nutrients (manure) are not evenly distributed (i.e. Nutrients (manure) are always applied to the same plot of land regardless of need by the crop or pasture).
	<i>Manure Assessment</i> continued →

<sup>&</sup>lt;sup>1</sup>The questions in the Manure Management Assessment were adapted, with permission, from the University of Nebraska Cooperative Extension publications, EC 98-750-S, EC 98-752-S, EC 98-756-S, EC 98-758-S, EC 98-761-S, Farm\*A\*Syst (University of Nebraska, Lincoln, Nebraska, July 1998, 16 pages.

<sup>&</sup>lt;sup>2</sup> A <u>Nutrient Management Plan</u> is an assessment of manure produced on a farm, how much of that manure is appropriate to apply on crops, and how to safely apply, remove or store it.



Manure Asses	
2. Do you cor	nduct regular Soil Tests?
	☐ No ☐ Yes
Asses	s the needs of your operation:
	LOW: Soil tests are conducted every 2 to 4 years.
	MODERATE: Soil tests are conducted every 5 years.
	HIGH: Soils tests are conducted either irregularly or not at all.
3. Are you kn	owledgeable about the nutrient content in manure?  No  Yes
Asses	s the needs of your operation:
	<b>LOW:</b> Book values or manure testing is done to estimate nutrient content of the manure and the presence of pathogens and bacteria in the manure is recognized and accounted for in the manure handling system.
	<b>MODERATE:</b> No manure analysis or book value estimates are done to obtain the nutrient value of the manure but it is recognized that manure contains nutrients.
	<b>HIGH:</b> Management of manure is not based on awareness of the nutrients that could be used to fertilize plants or pathogens and bacteria that could be harmful to the environment if not managed properly.
4. Do you kee	ep records on manure application to fields?
	No Yes
Asses	s the needs of your operation:
	<b>LOW:</b> Records of individual field applications for the past year are available and used in the decision making process of when and where to apply manure.
	<b>MODERATE:</b> Manure is being evenly distributed over the field(s) but records of manure application are not kept.
	<b>HIGH:</b> Manure applications are not being made and/or manure is being applied to the same spot year after year.
5. Do you kee	ep records of the application RATE manure is applied to fields?
	□ No □ Yes
Asses	s the needs of your operation:
	<b>LOW:</b> A good estimate of the manure application rate based on equipment settings is available OR the manure application equipment is calibrated.
	<b>MODERATE:</b> Manure spreading equipment is available but application rates for manure spreading are not known or estimated.
	<b>HIGH:</b> Manure applications tend to kill grass or crop OR no manure application equipment is available OR manure tends to accumulate in one area (i.e. manure is never or rarely applied to the field).



	Manure Assessment (cont.)
6. Do you ens	sure fields are in good condition for manure application?  No  Yes
Asses	s the needs of your operation:
	<b>LOW:</b> Manure is applied primarily to growing crops or pasture within several weeks prior to planting.
	MODERATE: Manure is applied in late summer or fall.
	<b>HIGH:</b> Manure is applied to ponded or saturated soils AND/OR applied to snow-covered or frozen fields from which runoff is common.
7. Do you sta	ck manure in fields or on bare soil?  No  Yes
Asses	s the needs of your operation:
	<b>LOW:</b> Manure is never stacked on a field or bare soil OR manure is stored on an impermeable surface (i.e., concrete) and protected from rainfall events.
	<b>MODERATE:</b> Manure is stacked outdoors during the dry season and either land applied or covered before the start of the wet season.
	<b>HIGH:</b> Manure is stacked year round and susceptible to leaching during rainfall events (i.e, manure is not protected with a tarp or cover during the wet season).
8. Do you sta	ck manure in a feeding or holding area?  No  Yes
Asses	s the needs of your operation:
	<b>LOW:</b> There is no surface runoff OR there is a containment storage system for all surface runoff.
	MODERATE: All feed or holding area runoff is directed to a grass filter strip. All upslope surface flows during an average rainfall event are diverted.
	HIGH: There is visible runoff from the feeding area.
9. Do you ma	intain distance between manure and/or silage storage to nearest surface water source?  No Yes
Asses	s the needs of your operation:
	LOW: Greater than 300 feet OR buffer greater than 20 feet wide next to surface waters.
	MODERATE: 100 to 299 feet OR buffer 10-19 feet wide next to surface waters.
	HIGH: Less than 100 feet AND no buffer next to surface water.



Manure Assess	sment (cont.)
10. Do you ma source?	aintain distance between manure and/or silage storage to nearest well or drinking water
	□ No □ Yes
Assess	s the needs of your operation:
	LOW: The well is more than 100 feet away AND upslope from manure storage.
	<b>MODERATE:</b> The well is more than 100 feet away AND downslope from manure storage.
	HIGH: The well is within 100 feet of manure storage.
11. Are stream	ns utilized for livestock watering?
	□ No □ Yes
Assess	s the needs of your operation:
	<b>LOW:</b> Stock are excluded from streams and ditches. Stock water is provided in troughs AND no trough overflow/runoff enters a stream or ditch.
	<b>MODERATE:</b> Stock are excluded from streams and ditches. Stock water is provided in troughs where overflow may enter stream or ditch.
	HIGH: Livestock are allowed to drink directly from a stream or ditch.



#### **STEP 2:** Evaluate Your Answers And Determine A Course Of Action

Review your answers to the previous questions and identify areas in need of improvement. Contact your local SWCD, NRCS or OSU Extension Service office for more information and assistance on how to develop a proper manure management plan.

#### **STEP 3:** Complete The Manure Enhancement Worksheet On The Following Page

Use the guide below to complete each section of the Manure Enhancement Worksheet.

Unit: Indicate each section of your property relevant to manure management

Deadline: Indicate a deadline for completing your manure management goals

Goal: List your goals for each section of your property

Action: Describe methods for achieving your goals. Included a list of the resources

and assistance you may need to achieve your goals

Unit: SW field
Goal: Reduce odor

Action: Implement a nutrient management plan

Manure Enhancement Worksheet continued →



Unit:	Deadline:
Goal:	
Action:	
11.76	5 "
Unit: Goal:	Deadline:
Action:	
Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	



### **TIP: 1** Preventing Water Pollution

- Establish and maintain shrubs and grasses along streams and around animal confinement areas to trap and absorb pollution-laden runoff before it reaches streams or groundwater.
- Locate manure piles, corrals and other livestock confinement areas away from wells and streams. Use water gaps or off-stream stockwater tanks to minimize livestock trampling of streambanks.
- Cover manure piles to retain nutrients. Test manure for nutrients. Apply manure to pasture when plants are actively growing and can use this natural fertilizer. To avoid polluted runoff, do not spread manure on wet soils or frozen ground.

#### **Gather Additional Information and Assistance**

Because animal wastes have the potential to contaminate streams, certain regulations may apply to your operation. In addition, some measures to address animal waste issues require engineered solutions. If you would like to take additional steps to address issues with manure management, consider working with a natural resource professional to develop a nutrient management plan. Conservation planning assistance is available from the local SWCD, NRCS, OSU Extension Service or the Oregon Department of Agriculture, as well as through a number of private natural resource consultants.

- ✓ Oregon Soil and Water Conservation Districts www.oacd.org
- ✓ Natural Resources Conservation Service www.or.nrcs.usda.gov
- Oregon State University Extension Service http://smallfarms.oregonstate.edu/
- Oregon Department of Agriculture http://oregon.gov/ODA



NOTES:	

# **O** SOIL ASSESSMENT

As you complete the other worksheets that relate to your property, you will see that most of your management decisions should take into account the qualities of the soil. The soil is inherently related to all other natural resources on your land. This worksheet was developed to help you identify the attributes of the soil, improve soil conditions, and make informed management decisions for your overall property.

#### STEP 1: Conduct a Visual Soil Assessment

condition of the soil as necessary.

Instructions: For each distinct section of your property, answer the following questions as appropriate for your land. Select the best time for assessment and take measurements at the same time every year. Take all measurements under adequate moisture conditions (i.e., not excessively dry or wet). Certain measurements, such as soil life, earthworms, structure and tillage are affected greatly by field operations and should be assessed before major tillage. Remember, this list is not all-inclusive, so be sure to take additional notes on the

Indicator	When to	R	ating Descripti	ion		Rating (circle one)		
	Evaluate	Low	Medium	High	Low	Med	High	
Available Water Holding Capacity	Any time plants are actively growing; also when management changes	Plants are stressed immediately after rain or irrigation; soil has limited capacity to hold water; requires frequent irrigation	Crops are not the first in the area to suffer from a dry spell; soil requires average irrigation	Soil holds water well over time; deep topsoil for water storage; crops do well in dry spells; soil requires less than average irrigation	L	M	Н	
Compaction	When soil is moist but not wet; when roots have penetrated to tillage depth	Hard layers and tight soil; restricted root penetration; obvious hardpan; roots turned awkwardly	Firm soil; slightly restricted root penetration; moderate shovel resistance and penetration of wire flag beyond tillage layer	Loose soil; unrestricted root penetration; no hardpan; mostly vertical root plant growth	L	M	Н	
Crop Vigor/ Appearance/Crop Disease	When plants are actively growing and soil moisture is adequate	Stunted growth, uneven stand, discoloration, low yields	Some uneven or stunted growth, slight discoloration, signs of stress	Healthy, vigorous, and uniform stand	L	М	Н	
Crusting	Before planting or during active growth and when soil moisture is adequate	Soil surface seals easily; seed emergence inhibited	Some surface sealing	Soil surface has open or porous surface all season	L	М	Н	
Earthworms/Soil Organisms	Before planting or tillage; when soil is moist	Few worms, insects, fungi, or instances of soil life per shovel; no casts or holes	More worms, insects, fungi, or soil life per shovel; some casts or holes	Many worms, insects, fungi, and/or soil life per shovel; many casts or holes	L	М	Н	



Indicator	When to	Rating Description			Rating (circle one)		
marcator	Evaluate	Low	Medium	High	Low	Med	High
Management Altered Drainage (wetter soil surface and decreasing wetness with depth)	Late wet season; beginning of growing season	Excessive wet spots in field, ponding, root disease	Some wet spots in field and soil profile; some root disease	Water is evenly drained through field and soil profile; no evidence of root disease	L	М	Н
Plant Roots	Crop is actively growing; moisture is similar for each assessment	Poor growth/ structure, brown or mushy roots; roots are mostly horizontal	Some fine roots, mostly healthy; some horizontal roots	Vigorous, healthy root system; deep roots; good color; many vertical and horizontal roots	L	M	Н
Salts/ Sodiums	When soil starts to dry and weather gets hot; throughout the growing season	Salts: Visible salt/alkali; dead plants	Salts: Stunted growth; signs of leaf burn from salts	Salts: No visible salt, alkali or plant damage, especially after rains			
		Sodium: Surface seals or severe crusting; little infiltration and fluffy surface when dry; high pH	Sodium: Only some spots with sealed surface	Sodium: No crusting or fluff at surface	L	М	Н
Soil/ Tilth/ Structure/ Porosity	Soil is moist and not extremely wet or dry; after a period without soil disturbance (note the time since last tillage)	Soil clods difficult to break; crusting; tillage creates large clods; soil falls apart in hands; very powdery; few worm and root channels	Moderate porosity; some crusting; small clods; soil breaks apart with medium pressure; few aggregates; some old and new root and worm channels	Soil crumbles well; is friable, porous; many small, soft aggregates; many worm and root channels	L	М	Н
Surface Organic Material/ Residue	After harvest and again before tillage/ spring planting	No visible roots or residue; very slow or rapid decomposition	Some residue	Lots of roots/ residue in many stages of decomposition	L	М	Н
Water Infiltration	After rain or irrigation; evaluate crusting as soil surface dries	Water on surface for long period of time after rain or irrigation; may have crust on surface when dry	Water drains slowly after rain or irrigation; some ponding	No ponding after heavy rain or irrigation; water moves steadily through soil	L	М	н
Wind/Water Erosion	Early season before any tillage; after wind or rain events; after irrigation	Soil deposits; large gullies joined; obvious soil drifting	Some deposition; few gullies; some discolored runoff; some evidence of soil drifting	No visible soil movement; no gullies; clear or no runoff; no obvious soil drifting	L	М	Н



STEP 2:	Evaluate Your Soil Quality
•	our assessment of each indicator and determine where you want to improve your land.

# STEP 3: Identify Soil Management Options

For each issue you identified in your soil assessment, review the associated management options below and on the following page. Remember, soil quality is specific to the type of soil you have and the goals you have for it.

Problem	Cause		Management Option	S (ch	eck all that apply)
No Water Holding Capacity	<ul> <li>Sandy Soil</li> <li>Compaction</li> <li>Low organic matter</li> <li>Excessive drainage</li> <li>Low biological activity</li> </ul>		Reduce compaction Increase organic residues, diversify crop rotation Add animal manure		Use cover crops Improve conditions for earthworms/ soil life Avoid tillage when soil is wet
Compaction	<ul> <li>Working wet soil</li> <li>Heavy machinery</li> <li>Repeated tillage at the same depth</li> <li>Excessive animal traffic</li> <li>Poor aggregation</li> <li>Low organic matter</li> </ul>		Avoid working wet soil Reduce traffic/tillage operations Use controlled traffic patterns Alter tillage depth Add cover crops Use non-compacting tillage (e.g. chisel v. moldboard)		Add organic residue Avoid heavy machinery Subsoil or rip when soil is not excessively wet or dry Use crop rotations Add animal manure
Low Crop Vigor/ Appearance Crop Disease	<ul> <li>Compacted layers</li> <li>Saturated soil</li> <li>Soil pathogen problems</li> <li>Nutrient deficiencies or imbalance</li> <li>Low organic matter</li> <li>Monoculture</li> <li>Low biological diversity</li> <li>pH levels affecting nutrient availability</li> <li>Use of ammonium fertilizers</li> </ul>	0 0 0 0 0	Soil test and correct nutrient and pH levels Check for pathogens/ pests Reduce compaction following harvest Improve drainage Use animal manure Add cover crops		Use crop rotation Diversify cropping system
Crusting	<ul><li>Excess sodium</li><li>Low organic matter</li><li>Low crop residues</li></ul>	0 0 0	Increase organic residues Reduce tillage depth Use animal manure		Add cover crops  For sodium problem, apply gypsum and flush with irrigation water



Problem	Cause	Management Options (check all that apply)
Minimal Earthworms/ Soil Life/ Organisms	<ul> <li>Low organic matter</li> <li>Low residues</li> <li>Excess pesticides or fertilizers</li> <li>Excess tillage</li> <li>Poor aeration</li> </ul>	☐ Increase organic residues ☐ Use crop rotation ☐ Add cover crops ☐ Use conservation tillage
Management Altered Drainage	<ul> <li>Tillage pan</li> <li>High water table under natural conditions</li> <li>Poor soil structure</li> </ul>	Subsoil to break up tillage pan  Add cover crops to the rotation  Reduce soil disturbance  Add high residue crops
Unhealthy Plant Roots	<ul> <li>Compaction</li> <li>Low biological activity</li> <li>Poor soil structure/ aggregation</li> <li>Nutrient imbalance</li> <li>Incorrect pH range</li> </ul>	<ul> <li>□ Avoid tillage when soil is wet</li> <li>□ Increase organic residues</li> <li>□ Diversify crop rotations</li> <li>□ Reduce compaction Test soil and correct nutrient and pH levels</li> </ul>
Appearance of Salts/ Sodium	<ul> <li>Saline or low calcium irrigation water/well</li> <li>Shallow water table</li> <li>Poor drainage</li> <li>Excess evaporation</li> </ul>	□ Leach excess salts □ Plant deep-rooted crops □ Grow salt tolerant crops □ For sodium, get a soil test and apply gypsum, if appropriate □ Increase vegetative cover to improve soil structure and lower soil temperature □ Manage irrigation water □ Improve drainage
Low Soil Tilth/Structure/ Porosity	<ul><li>Low residues</li><li>Low organic matter</li><li>Excess tillage</li><li>Fallow</li><li>Compaction</li></ul>	☐ Increase organic residues ☐ Use cover crops ☐ Add animal manure ☐ Diversify crop rotation ☐ Reduce number of tillage passes ☐ Use cover crops ☐ Avoid tillage when wet ☐ Diversify crop rotation
Low Surface Organic Matter/ Residue	<ul> <li>Excess tillage</li> <li>Residue burned off</li> <li>Low residue crops</li> <li>Too much fallow</li> <li>Insufficient additions of crop residue</li> </ul>	<ul> <li>□ Diversify or increase crop rotations</li> <li>□ Add animal manure</li> <li>□ Use high residue crops</li> <li>□ Reduce tillage</li> </ul>
Low Water Infiltration	<ul> <li>Compaction</li> <li>Surface crusting</li> <li>Plow pan</li> <li>Poor soil structure/ aggregation</li> <li>Excess sodium</li> </ul>	<ul> <li>□ Add organic residue</li> <li>□ Add animal manure</li> <li>□ Use cover crops</li> <li>□ Diversify crop rotations</li> <li>□ For sodium problem, apply gypsum and flush with irrigation water</li> <li>□ Subsoil or rip when soil is not excessively wet or dry</li> <li>□ Minimize tillage to preserve soil structure</li> </ul>
Wind/Water Erosion	<ul> <li>Lack of cover/residue</li> <li>Low organic matter</li> <li>Poor aggregation</li> <li>Tillage pan or compacted layer</li> <li>Tillage practices that move soil downslope</li> <li>Excessive tillage</li> <li>Low diversity crop rotation</li> </ul>	<ul> <li>□ Diversify crop rotations</li> <li>□ Reduce tillage</li> <li>□ Use animal manure</li> <li>□ Use cover crops</li> <li>□ Apply irrigation water management practices</li> <li>□ Increase surface residue or roughness</li> <li>□ Shorten slope length</li> <li>□ Plant strip crops</li> <li>□ Use windbreaks</li> </ul>



## STEP 4: Complete the Soil Enhancement Worksheet on the Following Page

Use the guide below to complete each section of the Soil Enhancement Worksheet.

Unit: Indicate each section of your property

Deadline: Indicate a deadline for completing your goals

Goal: List your goals for each section of your property

Action: Describe methods for achieving your goals, and include a list of the

resources and assistance you may need to achieve your goals

Unit: SW field Deadline: January 2018

**Goal:** *Improve crop health* 

**Action:** Add cover crops and diversify cropping system

Soil Enhancement Worksheet continued →



Unit:	Deadline:
Goal:	
Action:	
Addon	
Unit:	Deadline:
Goal:	
Action:	
Action.	
Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Unit: Goal:	Deadline:
	Deadline:
	Deadline:
Goal:	Deadline:
Goal:	Deadline:
Goal: Action: Unit:	Deadline:
Goal:	
Goal: Action: Unit:	
Goal: Action: Unit:	
Goal:  Action:  Unit: Goal:	
Goal:  Action:  Unit: Goal:  Action:	Deadline:
Goal:  Action:  Unit: Goal:  Action:	Deadline:
Goal:  Action:  Unit: Goal:  Action:	Deadline:
Goal:  Action:  Unit: Goal:  Unit: Goal:	Deadline:
Goal:  Action:  Unit: Goal:  Action:	Deadline:
Goal:  Action:  Unit: Goal:  Unit: Goal:	Deadline:



#### TIP: 1 What's in Soil?

Every soil is unique in that it contains a mixture of particle sizes and pore spaces that influence how it is managed. The mixture of sand, silt, and clay mineral particles in soils influence many soil functions, including how much water is held in the soil, how quickly the soil dries, the nutrients that can be held in the soil before leaching losses occur, ease and timing of tillage, and susceptibility to wind and water erosion.

In addition, most soils contain about 50 percent pore space, which is essentially a place for water, air, roots and living organisms to reside. All plants depend on soil organisms to decompose organic materials matter and make nutrients available.

A high functioning soil has a diverse population of soil organisms. Soil organisms can be favored by limiting soil disturbance, maintaining a cover of growing plants or plant residue on the soil, and by providing a diversity of crops or organic matter inputs to the soils.

### TIP: 2 Changing Your Landscape: Rules and Regulations

Both Oregon state laws and federal laws regulate the manipulation of natural wetland areas. Wetland soils occur in areas where water covers the soil, or is present either at or near the soil surface all year or for varying periods of time during the year. Wetland soils, also known as hydric soils, also include soils that formed under wet conditions. As such, they can be very difficult to identify, and local experts should be consulted before you alter these soils.

Contact your local NRCS specialist before doing any management that removes water such as tiling (drainage), filling in wet areas or adding ditches to remove water.

# Gather Additional Information and Assistance

- ✓ Oregon Soil and Water Conservation Districts www.oacd.org
- ✓ Oregon State University Extension Service http://smallfarms.oregonstate.edu/
- ✓ Oregon Department of Agriculture http://oregon.gov/ODA



NOTES:	

# **STREAM ASSESSMENT**

This assessment will help you identify potential concerns for the stream or streamside area on your property. The questions below are designed to draw your attention to items that you may be able to improve. This tool was adapted from the Oregon State University Extension *Stream\* A\*Syst¹* publication.

STEP 1:	Complete the Stream Assessment Worksheet
Instruction	ons: Answer the questions below. For items to which you answer "Yes," read the following suggestions on how you can improve or protect your stream. A "Yes" answer does not necessarily mean there is a problem, but it can help you focus your efforts as you learn more about the particular situation and possible courses of action. You can find resources for more information or assistance in the contact list at the bottom of each section.
	re ever any signs of pollution, such as soap bubbles, oil sheen, unusual odors, manure, or trash in or along the stream?  No Yes
If Y	ES, consider the following management options:
	Use the <i>Home*A*Syst</i> <sup>2</sup> online assessment and/or the Nutrient Management worksheet in this packet to evaluate the situation.
	Have your septic system pumped and inspected. If problems with the septic system are found, make repairs.
	Work with the Oregon Department of Agriculture (ODA) to assess whether the problem requires notification of additional agencies.
	Remove trash with care. If potentially hazardous, contact the Oregon Department of Environmental Quality (DEQ).
	Contacts: septic pumping company, Oregon State University (OSU) Extension, local soil and water conservation district (SWCD), Natural Resources Conservation Service (NRCS), local watershed council, Oregon Department of Agriculture (ODA), Oregon Department of Environmental Quality (DEQ). <sup>3</sup>
	Fence livestock from stream.

<sup>&</sup>lt;sup>1</sup>The Stream Condition Assessment worksheet was adapted, with permission, from the Oregon State University Extension publication, EM 8671, Stream\*A\*Syst: A tool to help you examine conditions on your property (Oregon State University, Corvallis, Oregon, June 2000, reprinted March 2001), 16 pages; available online at: <a href="https://www.wcc.nrcs.usda.gov/ftpref/wntsc/strmRest/StreamASyst2001.pdf">https://www.wcc.nrcs.usda.gov/ftpref/wntsc/strmRest/StreamASyst2001.pdf</a>

<sup>&</sup>lt;sup>2</sup> Home\*A\*Syst is a homestead assessment system provided by the Oregon State University Extension developed to help evaluate possible risks to the groundwater and drinking water; available online at: <a href="http://wellwater.oregonstate.edu/">http://wellwater.oregonstate.edu/</a> under "assessment tools."

<sup>&</sup>lt;sup>3</sup> An acronym reference sheet along with contact information is provided in the **Resources** section of the STEPS Workbook.



Stream Assessr	ment (cont.)
	r green? Is there a green scum or thick, stringy, green clumps? Or, is there a heavy, ish, slimy material coating underwater objects?
	□ No □ Yes
If YES,	, consider the following management options:
u	Determine whether nutrients from fertilizer or manure runoff are entering the stream from your property. If so, take corrective steps.  Preventative steps include:  Ensuring the nutrients are being applied at the correct amount  Planting herbaceous vegetation along the stream as a buffer  Ensure that fertilizer is not being mixed near the stream
	Contact: SWCD, NRCS, watershed council, OSU Extension
3. Do water w	ithdrawals or upstream dams ever result in extremely low water levels?
	□ No □ Yes
If YES	consider the following management options:
723,	Improve the efficiency of water use on your property.
_	Check into financial incentives for returning allocated water to the stream.
Ц	Contact: SWCD, NRCS, watershed council, Freshwater Trust
	tream become muddy after storms and then take a long time to clear up again? Or is, the stream muddier or cloudier when it leaves your property than when it enters?  No Pes
If YES,	consider the following management options:
	Determine whether sediment is entering the stream from your property; look for runoff from unpaved roads, fields, severe bank erosion or other sources. When you find the problem, contact natural resource professionals to assist you.
	Provide natural, long-term streambank protection by planting vegetation that was historically on your site (grasses, trees, shrubs). Contact a natural resource specialist for assistance in determining this.
	Contact: SWCD, NRCS, watershed council, OSU Extension, FSA

**Stream Assessment** continued  $\rightarrow$ 



Stream Assessment (cont.)		
Oregon DE	your stream in the bound copy of DEQ's 2006 303(d) database or online on the EQ Web site at: www.deq.state.or.us/wq/assessment/rpt0406/search.asp. or other data show that your stream is limited in any water quality measurements?  No Pes	
If YES	S, consider the following management options:	
	Learn more about limiting factors and the connection with activities on your land.	
	Contact: SWCD, NRCS, OSU Extension	
	Contact. GWCD, NICCS, CGC Extension	
6. Are there confish passage	ulverts, dams or other artificial structures in your portion of the stream that could block e?  No Yes	
	U No U fes	
If YES,	, consider the following management options:	
ш	Contact ODFW for more information. If the barrier prevents fish passage, modify it according to ODFW recommendations and with assistance from natural resource specialists. Be aware that some barriers may be owned by the county or other organizations, which will need to be contacted prior to any repair.	
	Contact: ODF, Oregon Department of Fish and Wildlife (ODFW), SWCD, NRCS, USFWS	
7. Are bridges	s or in-stream culverts inadequate in size, and as a result unable to handle high,	
OVERDATIK III	No Yes	
If YES,	consider the following management options:	
	Measure or estimate the culvert's length and width and contact an expert to help determine the culvert size needed for that site.	
	Contact: ODF, OSU Extension forestry agent, ODFW, SWCD, NRCS, USFWS	
8. Are any irr the stream	igation ditches, tile lines, drainage ditches or other artificial waterways connected to ?	
	□ No □ Yes	
If YES,	consider the following management options:	
	Create grass buffer or tree/shrub corridor adjacent to the waterway that is at least 20 feet wide or more to remove contaminants before drainage water enters the stream.	
	Screen pumps or irrigation diversions to prevent aquatic life from becoming trapped in the irrigation system. Screens must be designed according to ODFW standards. Also, irrigation ditches can be screened at the original point of diversion thereby removing the need for screens at multiple points (every landowner) along the ditch. Consider this watershed scale solution with your neighbors.	
	Contact: SWCD, NRCS, ODFW, local irrigation district, FSA	



Stream Assess	ment (cont.)
9. Are there a	any berms, dikes, or riprap along the stream or has the stream been straightened?  No Yes
If YES	, consider the following management options:
	With the help of a natural resource expert, determine how the structures or straightening may be affecting the condition of the stream. If a problem exists, modify as recommended by the expert.
	Contact: SWCD, NRCS, USFWS,ODFW
noticeabl changes	annel much wider and shallower than in the past? Are gravel, sand or silt bars y building? Are there high, vertical banks in straight sections? Or, are there major to the stream after large flow events? For example, are pools filled in, riffle areas treambanks greatly eroded, or has the whole channel moved?  No Yes
If YES	, consider the following management options:
	Work with an expert to determine the causes and possible solutions. Permits are needed to do this work. Do not be tempted to fix this on your own.
	The stream might be out of balance with the amount of water and sediment it is carrying. Ask about possible changes or restoration efforts. Keep in mind that changes might be needed up and downstream, so coordinate your efforts with neighbors.
	Contact: watershed council, SWCD, NRCS, neighbors, USFWS, ODFW
	e areas of bare soil along the stream that will come into contact with water during verbank flows?  No Yes
If YES	, consider the following management options:
	Establish an appropriate riparian planting and work with a natural resource specialist to determine whether artificial protection measures are needed while plants become established.
	Contact: SWCD, NRCS, watershed council, Farm Services Agency (FSA)
	tivities such as construction, grazing, landscaping or tilling within 35 feet of the top reambank disturbed permanent vegetation?
	■ No ■ Yes
	, consider the following management options:
	Identify streamside areas that need vegetation and commit to management changes in that area.
_	If the area is grazed by livestock, develop and follow a prescribed grazing program, build off-stream watering facilities or water gaps, and establish fencing as necessary. Work with a natural resource specialist to assist you with these items.
	Contact: SWCD, NRCS, watershed council, OSU Extension, FSA



Stream Assessr	nent (cont.)
13. Does the v	vegetation along the stream have trouble surviving or reproducing?  No Yes
If YES,	consider the following management options:
	Determine whether the water level has dropped or the channel has deepened. If so, roots might not be able to reach the water table.
	If the water level is not the problem, remove weeds or invasive plants that might be shading young trees, shrubs or competing with desired grasses. Protect young trees with tubes to prevent animals from eating them. Protect desired grasses with fences and prescribed grazing. Plant vegetation recommended for your site.
	Contact: SWCD, NRCS, OSU Extension, watershed council
	large areas with plants considered to be weeds or invasives, such as blackberry, Scotch anarygrass, English ivy, thistle, cheatgrass or others?  No Yes
If YES,	consider the following management options:
	Complete the <i>Weed Management Strategy worksheet</i> in this packet to help you identify the most appropriate method for removing weeds. Contact your local County Weed Inspector for assistance in controlling invasive species along streams: www.oregon.gov/ODA/PLANT/WEEDS/county_contacts.shtml. Contact a natural resource specialist and find information on pesticide use along salmon streams at the following Web site: www.oregon.gov/ODA/PEST/buffers.shtml.
	Determine whether grazing management changes are needed.
	Contact: SWCD, NRCS, OSU Extension, watershed council, ODA
	soil or stands of grass or other herbacious vegetation dominate the area where trees or naturally grow? Or is there bare soil where native grasses should naturally grow?  No Yes
If YES,	consider the following management options:
	Identify the reason(s) for lack of vegetation and address the causes.
	Restore vegetation to the streamside area. Make sure to plant a combination of trees, shrubs and/or grasses suited to your location and follow through to ensure their survival.
	Ask about available assistance.
	Contact: SWCD, NRCS, watershed council, FSA



### **STEP 2:** Complete the Stream Enhancement Worksheet on the Following Page

Use the guide below to complete each section of the Stream Enhancement Worksheet.

Unit: Indicate each section of your property with a stream

Deadline: Indicate a deadline for completing related stream goals

Goal: List your goals for these identified units on your property

Action: Describe methods for achieving your goals. Included a list of the resources

and assistance you may need to achieve your goals

Unit: SW stream Deadline: January 2018

**Goal:** *Improve fish habitat* 

**Action**: Enhance riparian area by planting vegetation

Stream Enhancement Worksheet continued →



Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	
	Deadline:
Goal:	
Action:	
Action.	
	Deadline:
Goal:	
Action:	



#### TIP: 1 Management Practices to Improve Stream Health

- Consider protecting the stream corridor and associated wetlands from other land use activities.
- Maintain fences and manage grazing activities.
- Maintain a 15 foot wide or greater vegetated buffer next to the stream.
- Preserve healthy floodplains to slow and filter flood water.

#### TIP: 2 Enhancing Riparian Areas

- Delay mowing or haying grassy areas until late July when birds have finished nesting.
- Increase the buffer width around open water. In general, studies show that widths of 50 feet trap eroded soils, 100 feet filter pollutants, and 200-300 feet provide wildlife corridors.
- Avoid applying fertilizers, herbicides and pesticides in the buffer to keep pollutants out of the water.
- Fence livestock away from streambanks to reduce erosion and protect water quality.
- Provide offstream water sources for livestock.
- Remove weeds and replace them with native plants.

### TIP: 3 Making Your Property Fish Friendly

To thrive, fish and other aquatic organisms require specific environmental conditions:

- ✓ Clean, cold water.
- Riparian vegetation to filter pollutants and sediment while shading and cooling the water.
- Rocks and riffles to churn and add oxygen to the water.
- Overhanging vegetation and large pieces of wood to hide under.
- Deep pools to provide colder water in the summer and unfrozen water in the winter.

**TIPS** continued →



#### **Gather Additional Information and Assistance**

- ✓ Oregon Department of Agriculture (ODA)

  http://oregon.gov/ODA
- ✓ Oregon Department of Fish and Wildlife (ODFW)

  www.dfw.state.or.us/
- Local watershed council http://oregonwatersheds.org/
- ✓ Oregon State University Extension Service (OSU Extension) http://smallfarms.oregonstate.edu/
- ✓ Natural Resources Conservation Service (NRCS) www.or.nrcs.usda.gov
- ✓ Oregon Soil and Water Conservation Districts (SWCD) www.oacd.org
- Farm Service Agency
  https://www.fsa.usda.gov/
- ✓ US Fish and Wildlife Service https://www.fws.gov/
- Freshwater Trust
  https://www.thefreshwatertrust.org/



NOTES:			



All landowners should be prepared to address problems with noxious and invasive weeds. No matter how you use your land, weeds can find their way onto your property. Once they do, they can spread rapidly, choke out forage for livestock and wildlife, and reduce the productivity of pastures, gardens, and crops. Because weeds are often less effective at holding the soil in place, they also contribute to soil erosion and water pollution. Many weeds are also poisonous to livestock. Complete the following assessment to begin developing your management strategy to control weeds on your property.

#### STEP 1: Familiarize Yourself with the Weeds in Your Area Refer to the following online resources to obtain a better understanding of the weeds in your area. Site **Description** Address The Silent Invasion Clickable Oregon map www.opb.org/news/series.silentinvasion showing potential invaders by region; includes photos and additional information **Oregon Department** Weed list with pictures, http://oregon.gov/ODA/PLANT/WEEDS/ of Agriculture profiles, grant information, Weed Page contacts for assistance, and more **INVADERS** Database Query by area to search http://invader.dbs.umt.edu/ weeds in your county Weed identification by color, **Washington State** www.nwcb.wa.gov/search.asp **Noxious Weed** habitat, toxicity, or plant **Control Board** characteristics 100 Most Dangerous Priority concerns regarding www.oregon.gov/OISC/most Invaders invasive plants in Oregon dangerous.shtml

List any additional sites you find in your research for future reference:		



# **STEP 2:** Develop a Weed Watch List Compile a list of targeted weeds for your property. Take notes on identifying features, print photographs and attach any information that will help you identify these plants. Species: \_\_\_\_\_ Notes: ——— Season Visible: \_\_ Notes: ——— Season Visible: Notes: Season Visible: \_ Species: Notes: \_ Season Visible: Notes: -Season Visible: \_\_\_\_\_ Species: Notes: -Season Visible: \_\_\_\_\_ Notes: Season Visible: Species: Notes \_ Season Visible: \_\_\_



STEP 3: I	nventory the Weeds on Your Property
disturbed, hairy or th advisable	inspect your property for signs of weeds. Weeds often occur in areas that are highly so check those areas closely. Be especially suspicious of plants that are prickly, thorny, not bleed milky sap, as many noxious plants will have these characteristics. Note that it is to repeat a weed inventory during different seasons, as some plants are more prevalent or ntifiable at different times of year. List known weeds below.
STEP 4:	Create a Weed Management Strategy
your local complete	ons: Complete the <b>Weed Inventory</b> (the first two columns of the worksheet). Then, refer to weed management contacts and online resources to help you assess your options. Next, the Management Strategy portion of the worksheet (column three). Refer to the example below as a guide.
	Site: Breezy Hills Farm Date: December 2018
Field: Pastu	Species Present: Tansy ragwort Control Method & Timing: Repeated hand-pulling to remove all roots
Field: Hav I	Species Control Method  Field 1 Present: Scotch broom & Timing: Cut mature plants, pull or dia out

Weed Inventory continued  $\rightarrow$ 

young plants



		Site: _		Date:
Field:	Species Present:		Control Met & Timing:	hod
Field:	Species Present:		Control Met & Timing:	hod
Field:	Species Present:		Control Met & Timing:	hod
Field:	Species Present:		Control Met & Timing:	hod
Field:	Species Present:		Control Met & Timing:	hod
Field:	Species Present:		Control Met & Timing:	hod
Field:	Species Present:		Control Met & Timing:	hod
Field:	Species Present:		Control Met & Timing:	hod



#### TIP: 1 Weeds to Watch For

The weeds listed here are aggressive and competitive - stealing moisture, nutrients and sunlight from other plants. Keep in mind, however that this is just a starting point for your research. Review relevant websites and talk to professionals to learn about other key species.

Map Legend: Yellow - limited distribution, Red = abundant, Grey= unknown

#### Weed

#### **Distribution**

#### **Description**

Canada Thistle





Perennial; blooms midsummer. Wavy margined leaves, up to 6 inches long and armed with yellowish spines. Small purple to white flowers in clusters. Extensive deep seated root system spreading horizontally. Canada thistle can be found in cultivated fields, riparian areas, pastures, rangeland, forests, lawns, gardens, roadsides, and waste areas.

Field Bindweed





Perennial; blooms June to September. Stems are prostrate, one to four foot long from an extensive root system that often climbs or forms dense tangled mats. Flowers bell or trumpet shaped, white to pinkish and one inch in diameter. It competes with crops for moisture and nutrients, and is difficult to remove once established. The twining nature of the plant hampers harvesting of crops, especially in orchards and vineyard. Morning Glory is closely related to Field Bindweed and causes similar resource problems.

Leafy Spurge





An aggressive perennial herb. Grows upright, branching, and reaches two-three feet tall with tough woody stems that exude milky white latex sap when broken. Leafy spurge is capable of invading disturbed sites, including prairies, savannas, pastures, abandoned fields and roadside areas. All parts of this plant contain a poisonous latex sap that can cause skin irritations in humans, cattle, and horses and may cause permanent blindness if rubbed into the eye.

Purple Loosestrife





Perennial; blooms midsummer. Grows up to 7 feet tall. Upright bushy plant. Flowers pink to purple, possessing 5-6 petals and numerous on a long spike. Its showy purple flowers crown a vigorous plant that crowds out marsh vegetation required by wildlife for food and shelter. Decreased waterfowl and songbird production has been well documented in heavily infested marshes. This former ornamental species can be found along wetlands, stream banks, and shorelines of shallow ponds.

Scotch Broom





Perennial; blooms April to June. Grows 3 to 10 feet tall. Evergreen shrub with many slender, erect, dark green angled branches with small, simple leaves. Seeds of Scotch broom are long-lived (50 years plus) and mature plants are prolific seed producers, establishing persistent seed banks requiring long-term management objectives.

Spotted Knapweed





Perennial; blooms July to August. Grows 2 to 4 feet tall. Typically forms a basal rosette of leaves in its first year and flowers in subsequent years. It has a single, thistle-like pinkish purple flower that measures up to 3/4 inch in diameter. The slender, hairy stems grow in an erect and branched arrangement. It makes and secretes chemicals into the soil that kill surrounding plants (allelopathy).

Yellow Starthistle





Annual; flowers July to August. Grows 2 to 3 feet tall. Stems are rigid, branching, winged and covered with cottony hairs. Flower heads yellow, located on the ends of branches and armed with thorns up to 3/4 inch long. Yellow starthistle will grow wherever cheatgrass grows, in addition to growing in canyon grasslands, rangelands, pastures, edges of cropland, roadsides, and disturbed areas. Can dramatically reduce forage quantity and quality.



#### TIP: 2 Weed Control

Weeds spread fast, so regularly look for new weed patches on your property. Act immediately to treat them by using one or more of the practices listed below. Team up with neighbors to improve effectiveness. Remember, weed control itself is not enough. It is also necessary to modify the practices that caused weeds to become established in the first place.

- ✔ Prevention. Good land management will help keep desirable vegetation healthy and weeds under control. Avoid over-grazing that leaves bare spots for weeds, buy weed-free hay, plant certified seed, wash your vehicle after being in a weed-infested area, monitor your property, and respond quickly to any new weed infestations.
- **Biological.** Biological control attempts to find something in nature that can weaken or eventually kill a weed plant. Successful bio-agents include certain fungi and insects that weaken weeds by attacking seed heads and other plant parts. Bio control methods are used when eradication is not possible.
- **Mechanical.** Mow annually before weeds go to seed. Pull small patches and weeds near streams by hand.
- Livestock Grazing. Graze weeds before they go to seed using sheep, goats or cattle. Because livestock and wildlife can easily carry and spread seed on their coats and in their feces, avoid moving livestock from a weedy area to a weed-free area. Some weed species, if eaten, will make livestock sick.
- Chemical Herbicides. Herbicides can be safe and effective when properly applied. Always read the chemical label carefully and follow directions. Use chemicals away from water to avoid harming you, your animals or wildlife, and to prevent stream and groundwater pollution. Only certified pesticide applicators can use restricted herbicides. Call a farm supply store to find out about hiring custom chemical applicators. Be sure herbicides will not reach and kill desirable trees and shrubs. Dispose of leftover chemicals at hazardous waste facilities.



#### **Gather Additional Information and Assistance**

- King County, Weed Index http://kingcounty.gov/environment/animalsAndPlants/noxious-weeds/weedidentification.aspx
- Oregon Department of Agriculture Weed Page Weed lists with pictures, profiles, grant information, and more http://oregon.gov/ODA/PLANT/WEEDS/
- PNW Weed Management Handbook https://pnwhandbooks.org/weed
- Weed Control in Pasture, Rangeland, Forestry and Aquatic Situations
  Oregon State University Extension
  <a href="http://smallfarms.oregonstate.edu/weedsplants%2526pests">http://smallfarms.oregonstate.edu/weedsplants%2526pests</a>



NOTES:	

Habitat suitability for any given species is highly dependent on where your land is located and the quality, quantity and distribution of food, water, cover, and living space. Each species has a daily and seasonal home range within which it is willing to travel to fulfill its life cycle. All of an animal's life requirements for food, cover, water, and space must be available and safely accessible within their home range to maintain or increase its population size.

The following assessment is designed to help you identify the role your land may play in the life cycle of species in your area and to evaluate ways to make your land more attractive for wildlife.

### **STEP 1:** Complete the Wildlife Assessment Instructions: Generate a species list. Navigate to the Oregon Explorer's Wildlife Viewer at: http://oe.oregonexplorer.info/Wildlife/wildlifeviewer/. Use the map to identify your location. Select the tab labeled "List by Place." Select your watershed and a list of species that are known to occur in that area will appear. Explore the information about each species in your area. Print this list and maintain with your plan. Create a supplementary list of wildlife you see on you land in the space below. List the date or season you see a particular species. Space is also provided for additional notes. Species: Notes: Season Visible: Species: \_\_\_\_\_\_ Notes: \_\_\_\_\_ Season Visible: Species: \_\_\_\_\_ Season Visible: Season Visible: Species: Notes: -Season

Visible:



		Wildlife Assessment (cont.)
2. Are there any rare spec	cies known to occur on or	near your land?
□ No	Yes (list below)	
3. Do you have particular	wildlife you would like to	encourage or discourage from using your land?
<b></b>		Diagourana
Encourage		Discourage
☐ No ☐	Yes (list below)	No Yes (list below)
4. Are there areas of natu	ral vegetation on your lan	d?
☐ No	Yes (list below)	
Grassland	Describe Condition:	
Shrubland	Describe Condition:	
Siliubiand	Describe Condition.	
Woodland	Describe Condition:	
VVOcaland	Describe Condition.	
Forestland	Describe Condition:	
Wetland	Describe Condition:	



Wildlife Assessment (cont.)
5. Have you taken any special measures to provide for or protect wildlife on areas that are farmed or grazed?
No Yes (list below)
6. Are there water sources available and safely accessible to wildlife on or nearby your property?
No Yes (list below)
7. Do you allow your dogs and cats to roam the property freely?
No Yes
8. Are there activities that occur on a regular basis that may disturb wildlife, such as, off-highway
vehicle (OHV) use, tillage, mowing or burning?
□ No □ Yes
9. Do you leave outside lights on at night?
□ No □ Yes
10. Do you spray pesticides on your property?
No Yes
dd. Ann than a than activities that accommon condition that many districts at 1975.
11. Are there other activities that occur on your land that may disturb wildlife?
No Yes (list below)



### STEP 2: Complete the Wildlife Enhancement Worksheet on the following page.

Refer to the guide below to complete each section of the Wildlife Enhancement Worksheet.

Unit: Indicate each section of your property

Deadline: Indicate a deadline for completing your goals

Goal: List your goals for each section of your property

Action: Describe methods for achieving your goals, and include a list of the

resources and assistance you may need to achieve your goals

Unit: SW field Deadline: January 2018

Goal: Improve upland game bird population

**Action**: Reduce accidental mortality due to mowing by implementing wildlife-friendly

harvesting techniques. Keep cats indoors.



Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Goal:	
Action:	
Unit:	Deadline:
Unit: Goal:	Deadline:
Goal:	
Goal:	
Goal:	
Goal: Action: Unit:	
Goal:  Action:  Unit:	
Goal:  Action:  Unit: Goal:  Action:	Deadline:
Goal:  Action:  Unit:	
Goal:  Action:  Unit: Goal:  Action:	Deadline:



### TIP: 1 Wildlife Regulations

- ✓ Migratory Bird Treaty Act This federal law protects migratory birds, their eggs, feathers or nests from any means, manner, or attempt at hunting, pursuing, wounding, killing, possessing or transporting. Most birds are protected by this law. Consult your local U.S. Fish and Wildlife Service office for more information on which species are protected.
- ✓ Oregon State Laws and Administrative Rules There are several state laws and administrative rules that protect, or regulate harvest of, various game and non-game species of wildlife. Consult your local Oregon Department of Fish and Wildlife office for more information.
- ✓ Endangered Species Act This federal law protects threatened and endangered plants and animals and the habitats in which they are found. Consult your local U.S. Fish and Wildlife Service office for more information on which species are protected.

### TIP: 2 Reduce Human Impact on Wildlife Habitat

- ✓ Keep pets indoors or kenneled. Cats and dogs pose a serious risk to wildlife. For more information visit: www.abcbirds.org/abcprograms/policy/cats/
- ✓ **Limit off-road recreation activities**. This is particularly important during sensitive periods of the year when wildlife may be vulnerable, such as, bird nesting season and deer and elk fawning/calving or wintering season.
- ✓ Kill the lights at night. Many wildlife species are active at night and the presence of lights can inhibit their ability to utilize and move through your property.

### TIP: 3 Improve Water Resources for Wildlife Use

- Establish vegetation buffers around water sources to allow wildlife to access water without being detected.
- Create water sources near natural habitat areas and away from houses, roads, and other areas of human activity.
- Provide well-designed access and escape ramps for all stock troughs. Wildlife that fall into troughs swim around the inside perimeter of the tank until they encounter something that allows them to get out. Simply placing a floating board in the trough generally will not be sufficient to prevent drowning. For more information, refer to *Water for Wildlife* at:

  www.batcon.org/pdfs/water/bciwaterforwildlife.pdf
- ✓ Place logs in ponds to provide basking and hiding cover.



TIP: 4	Improve Agricultural Land for Wildlife Use
$\checkmark$	Leave plots of unharvested crop, pasture, or hayland adjacent to native habitats to provide food for wildlife close to their cover.
$\checkmark$	Manage grazing utilization provides cover, as well as forage for wildlife.
$\checkmark$	Provide nest and/or roost structures (such as bat boxes, nest boxes for wester bluebirds, perches for raptors, etc.)
$\checkmark$	Adjust the timing of harvest to avoid the primary nesting season for birds (approximately March 1 – July 15) if possible.
<b>√</b>	Harvest crops in a manner that allows wildlife to escape the field (i.e., harvest fields from the inside-out or side-to-side instead of from the outside-in).
✓	Limit pesticide use as much as possible. Consider using Integrated Pest Management strategies to control pests. Many types of beneficial wildlife, such as bats, raptors, and owls, can be attracted to your land to assist in controlling pests. For more information, refer to the Artificial Nesting Structures and Integrated Pest Management (IPM) and Wildlife at: https://www.nrcs.usda.gov/wps/portal/nrcs/detail/or/technical/ecoscience/bio/?cid=nrcs142p2_045877
✓	Ensure that fences are designed to be safe for wildlife. Fences can be a major barrier to wildlife movement across the landscape. Wildlife frequently die from becoming entangled in poorly designed fences. For more information, refer to How to Build a Fence with Wildlife in Mind at <a href="https://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_0076">https://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_0076</a>

Gather Additional Information and Assistance		
✓	Oregon Soil and Water Conservation Districts www.oacd.org	
✓	Natural Resources Conservation Service www.or.nrcs.usda.gov	
<b>√</b>	Oregon Department of Fish and Wildlife (ODFW) www.dfw.state.or.us	
<b>√</b>	US Fish and Wildlife Service (USFWS) www.fws.gov/oregonfwo	



NOTES:		
-		
-		



Acid / alkaline / neutral soil	An aspect of the soil's chemical reaction. A pH of 7 indicates the soil is neutral, neither acid nor alkaline. A pH below 7 indicates acidity, while above 7 indicates alkalinity. Most plants grow well within a pH range varying from slightly acid to slightly alkaline.
Aeration	The process of loosening or puncturing the soil to increase water and air permeability.
Aggregation	The process of sand, silt and clay coming together to form larger granules. Good aggregation is apparent in a crumbly soil with water-stable granules that do not disintegrate easily. Well-aggregated soil has greater water entry at the surface, better aeration, and more water-holding capacity than poorly aggregated soil.
Annual	A plant that completes its life cycle in one growing season or a single year.
Aquifer	A sand, gravel or rock formation capable of storing or conveying water; an underground geological formation or group of formations containing usable amounts of groundwater that may supply wells or springs.
Available nutrients	Minerals or chemicals in the soil in a form plants can absorb and use for growth.
Beneficial Insect	Insects that act as pollinators, prey on pests, or perform other useful services in the garden, as opposed to those that are considered pests; examples include green lacewings, ladybugs and praying mantises
Berm	A mound or bank of earth.
Biennial	A plant that completes its life cycle in two years. Typically, these plants grow vegetatively during the first year, then fruit and die the second year.
Border	A soil berm 15-to-18-inches tall created by tillage to keep flood irrigation water inside a portion of a pasture.
Broadcast seeding	The application of seed by hand or with the aid of a seed spreader.
Buffer strip	A narrow area of permanent vegetation often planted along the edge of a field, typically implemented to slow water flow and wind velocity, or filter sediment and chemicals from runoff.



Buffer zone	A neutral area that acts as a protective barrier separating two conflicting forces such as, an area that acts to minimize the impact of pollutants on the environment or public.
Capability class	A classification system that demonstrates the suitability of soils for most varieties of crops.
Claypan	A hard, compact layer in the subsoil primarily consisting of clay; separated from overlying materials by a sharply defined boundary in the soil profile. Claypans usually impede the movement of water, air and plant roots.
Clay	Also known as "heavy" soil; a soil composed of extremely small mineral particles; sticky, heavy soil that is difficult to work. Wet clay soil dries out slowly because the downward movement of water (drainage) is slow. Clay soil expands when wet and cracks when dry.
Complete fertilizer	Any organic or inorganic material, natural or synthetic, that supplies all three of the primary nutrient elements for plant growth: nitrogen (N), phosphorous (P) and potassium (K).
Compost	A soil amendment made from organic waste materials (dead leaves, etc.). Materials are stored in a manner where moisture, heat and microorganisms may break them down.
Conifer	A plant that produces cones; a plant belonging to the family Coniferae, such as pines, junipers and cedars.
Cover Crops	Species grown in order to improve soil quality, rather than to harvest something
Cultural resources	Achaeological and historic resources, as well as the historic, aesthetic and cultural elements of the environment.
Deciduous	A plant that sheds all of its leaves at a single time each year (typically autumn).
Dike	An earth ridge built to guide or hold water within prescribed limits; a small levee.
Dissolved oxygen (DO)	Oxygen dissolved in water and readily available to fish and other aquatic organisms.
Diversion	A channel to slow, divert or collect water and/or reduce runoff.
Drainage	Movement of water out of the soil profile. When this happens quickly, the soil is considered "well drained." When this happens slowly, soil is considered "poorly drained."



Drip irrigation	A system for watering at points on or just below the soil surface so that a plant's root zone is thoroughly moistened without wasting water. This is accomplished with very low pressure over a long period of time to achieve the necessary penetration.
Drip irrigation	A system for watering at points on or just below the soil surface so that a plant's root zone is thoroughly moistened without wasting water. This is accomplished with very low pressure over a long period of time to achieve the necessary penetration.
Ecosystem	A community of plants, animals and people, as well as the physical environment in which they live.
Effluent	Discharge or emission of a liquid or gas.
Erosion	The detachment and movement of soil particles caused by wind or water.
Eutrophication	Degradation of water quality due to the water's enrichment by nutrients, primarily nitrogen (N) and phosphorous (P), which results in excessive plant (principally algae) growth and decay. When levels of N:P are about 7:1, algae will thrive. Low dissolved oxygen (DO) in the water is a common consequence, resulting in a loss of aquatic organisms.
Evapotranspiration (ET)	Movement of water into the atmosphere by evaporation from the earth's surface and by transpiration from plants.
Evergreen	Plants that retain their foliage throughout the year.
Fallow	The practice of leaving land either uncropped, weed-free, or with volunteer vegetation at a time when a crop would typically be grown; the objective may be to control weeds or accumulate water and/or available plant nutrients.
Floodplain	The land bordering a stream, built up of sediments from stream flood deposits, and subject to inundation during flooding. Also, the surface of an alluvial fan subject to flash flooding from the canyon above.
Fungicide	Pesticide used to control fungi, including mold, rot and mildew.
Green Manure	Growing plants that accumulate nutrients and organic matter, which are tilled into the earth to improve soil quality; the terms green manure and cover crops are often used interchangeably
Groundwater	Water from wells and underground aquifers.
Gully erosion	The erosion process whereby water accumulates and often recurs in narrow channels and, over short periods, removes the soil from these narrow areas to considerable depths; often causes channels too deep to easily repair with ordinary farm equipment.



Hard water	Water that has a high dissolved mineral content.
Hardpan	A soil layer with physical characteristics that limit root penetration and restrict water movement.
Heavy metals	High density metals. In agronomic use, these include copper, iron, manganese, molybdenum, cobalt, zinc, cadmium, mercury, nickel and lead. In small quantities, these metals may supply nutrition for plants, although they become toxic when accumulated at high levels.
Herbaceous	Plants that do not have woody stems, only soft green stalks, and leaves
Herbicide	Pesticide used to control undesirable vegetation. An herbicide may be applied as a pre-emergent to prevent germination of weed seeds or as a post-emergent to kill weeds after growth.
Hydrologic cycle	The movement of water in and on the earth and throughout the atmosphere through processes such as precipitation, evaporation, runoff and infiltration.
Infiltration	The downward entry of water into the soil profile from precipitation, irrigation and runoff; also called percolation.
Integrated Pest Management	A strategy of controlling crop pests through biological methods and cultivation practices, as opposed to chemical pesticides
Insecticide	Pesticide used to control insects.
Invasive species	A non-native species. Introduction of an invasive species often results in harm to the environment. An invasive species may be a plant, animal or any other biologically viable species that enters an ecosystem beyond its native range.
Irrigation	The application of water to soil to maintain desirable soil moisture for plant growth when rainfall is insufficient.
Irrigation Water Management (IWM)	The set of irrigation strategies that landowners and growers use to save water, conserve energy and prevent contaminants from entering water supplies.
Leaching	The process by which chemicals (fertilizers, pesticides, manure, etc.) are dissolved and transported through the soil by water; the washing out or flushing of a soluble substance from an insoluble one. Gardeners leach soil with water when they want to remove excess salts (see "salinity"). In high-rainfall areas, rainwater leaches both good and harmful substances from the soil.
Load	The quantity of a substance (possibly a contaminant) entering receiving waters.



Loam	Soil that is rich in organic material, does not compact easily, and drains well after watering; an "ideal" garden soil; a mix of sand, silt and clay.
Microclimate	The climate of a small area or locality, as opposed to the climate of a county or state.
Monoculture	The cultivation or growth of a single crop or organism, especially on agricultural or forestland.
Mulch	Any plant residue, by-product or other suitable material that is applied to the soil surface to conserve moisture, control erosion, suppress weed growth, moderate soil temperatures, improve soil condition or assist in establishing plant cover. Examples include bark, wood chips, sawdust, straw and plastic.
Nitrogen	One of three major elements required for plant growth; the first nutrient listed in the formulation on a fertilizer label. For example, on a fertilizer label that reads "10-8-6," 10 is the amount of nitrogen.
Nonpoint source	The entry of a pollutant into a water body from widespread or diffuse sources with no definite point of entry; the source is not a readily discernible point, like a discharge pipe.
Noxious weed	Invasive plants that harm the environment. Noxious weeds choke out crops, destroy range and pasture lands, clog waterways, affect human and animal health, and/or threaten native plant communities.
N-P-K	Shorthand for the ratio of nitrogen, phosphorus, and potassium, the three most important plant nutrients; the three numbers listed on bags of fertilizer correspond to the percentage of these nutrients contained in the product
Nutrients, Available Nutrients	Elements in the soil that can be readily absorbed and assimilated as nourishment by growing plants, e.g., nitrogen, phosphorous, iron and potassium.
Nutrient Management Plan	A plan used by landowners for assessing and managing how nutrients (commercial fertilizers and animal wastes) are utilized on their farm; it includes a determination of how much fertilizer is appropriate to apply on crops. For a livestock operation, it also includes an assessment of manure production, collection, storage and utilization.
Organic matter, soil organic matter	Dead and decaying plant or animal tissues, including leaves, roots, manure, and the bodies of insects, earthworms, and microbes; compost piles are comprised primarily of organic matter, an essential ingredient of fertile soil. The organic components in soil, including undecayed and decaying plant and animal tissues, sometimes called "humus."



Overstory	The larger and taller trees that occupy a forest area and shade the young trees, brush, grass, forbs, etc. that grow below.
Perennial	A plant that lives for more than two years. The top growth may die down each winter, followed by new growth in the spring.
Permeability	A characteristic of soil that aids water movement through the soil layers
Pesticide	A chemical used to control pests, such as animals, weeds, insects and diseases.
рН	A value that indicates the acidity of the soil. The scale ranges from 0 to 14, with 0 being strongly acidic, 7 neutral, and greater than 7 alkaline or basic.
Phosphorous	One of three major elements required for plant growth; the second nutrient listed on a fertilizer label. For example, on a fertilizer label that reads "10-8-6," 8 is the amount of phosphorus.
Pitch tube	A tubular mass of resin that forms on the surface of a tree's bark as the tree attempts to "pitch out" an insect.
Point source	The release of a substance from a pipe or discrete conveyance into a water body or a water course, e.g., a wastewater treatment plant.
Porosity	The volume of pores in a soil sample (non-solid volume) divided by the bulk volume of the sample; the amount of all open spaces between the solid grains of soil. Porosity determines how much water the soil can hold.
Potassium	Essential nutrient involved in various metabolic functions in plants (abbreviated K on fertilizer products); greensand, kelp meal and wood ashes are the primary sources of organic potassium
Recharge	The periodic replacement of groundwater.
Recharge area	A land area over which precipitation infiltrates into the soil and percolates downward to replenish an aquifer.
Riffle	A rocky shoal or sandbar lying just below the surface of a waterway.
Rill erosion	An erosion process where numerous small channels, typically a few inches deep, are formed.
Riparian zone	The transition area between a water ecosystem and the adjacent upland area. These zones are identified by their soil characteristics or plant communities and include the wet areas near streams, ponds, lakes, springs and other surface waters.
Runoff	That portion of precipitation or irrigation water which fails to infiltrate the soil and instead flows over the soil surface.



Salinity	In agronomy, an excess of salts in the soil. Salinity can harm many plants, causing leaves to scorch and turn yellow and stunting plant growth.
Sand	A soil with comparatively large particles (more than 0.05 millimeters in diameter) that are rounded rather than flattened. Compared to clay soils, sandy soils contain much more soil and air, drain well and warm quickly. They also dry out quickly, which, if used for crops, necessitates frequent watering that washes out valuable nutrients. Also referred to as "light" soil with a "gritty" feel.
Saturated zone	A portion of the soil profile in which all large pores are filled with water.
Sediment	The soil material, both mineral and organic, that is in suspension, is being transported, or has been moved from its site of origin by erosion (by air, water, gravity, etc.).
Septic tank	A sewage disposal tank in which a continuous flow of waste materials is decomposed by anaerobic (in the absence of oxygen) bacteria.
Sheet erosion	The removal of a relatively uniform, thin layer of soil from the land surface by rainfall and largely unchanneled surface runoff (sheet flow).
Silage	A mixture of raw chopped materials such as field corn, sorghum, grass, or clover that is converted into winter feed for livestock through a process of fermentation; this feed can be stored for several years with little loss of nutrients.
Silt	An intermediate soil textural class between sand and clay. Silt consists of particles between 0.05 and 0.002 millimeters in diameter, has a smooth feel, and is not sticky when moist.
Soil amendment	Matter (organic or inorganic) that is added to soil to improve its texture, aeration, drainage and retention of nutrients or moisture.
Soil profile	The arrangement of soil horizons (layers) below the surface of the ground.
Soil survey	A detailed report on the soils in a defined area. A soil survey contains maps with soil boundaries, photos, descriptions and tables of soil properties and features. Soil surveys are used by farmers, real estate agents, land use planners, engineers and others who desire information about the soil's properties.
Soil texture	The texture of a soil resulting from the relative proportions of the various soil separates (sand, silt and clay) it contains.
Soluble	Capable of being dissolved easily.
State Historic Preservation Officer (SHPO)	The official responsible for administering the National Historic Preservation Act and the appropriate state statutes.



Strip cropping	The practice of growing two or more crops in alternating strips along the land's contours, often perpendicular to the prevailing direction of wind or surface water flow to reduce erosion.
Subsoil	(noun) The stratum of weathered material that underlies the surface soil. (verb) To plow or turn up the subsoil.
Systemic pesticide	A pesticide that moves inside a pest through absorption; the movement is usually upward and outward. There are systemic insecticides, fungicides and herbicides.
Taproot	A main root that grows straight down. Dandelions have taproots, so do oak trees. Taproots can grow very deep if there is a lack of surface water.
Tillage pan, plow pan	A layer or layers in the soil which are highly compacted, hardened or very high in clay content relative to the layer immediately above.
Tilth	A qualitative measure of soil quality, based on parameters such as organic matter content, water-holding capacity, and texture
Topsoil	The fertile, biologically-active layer of soil closest to the surface; topsoil includes organic matter, humus and a plethora of microbes, earthworms, and insects.
Transpiration	The release of moisture (absorbed largely by plant roots) through leaves. Temperature and humidity affect the transpiration rate.
Understory	Any vegetation (trees, shrubs, grasses, forbs, lichens, mosses, etc.) growing under a relatively continuous cover of branches and foliage formed by the overstory.
Unsaturated zone	A portion of the soil profile that contains both air and water. Water in this zone cannot enter a well.
Vole	A small, typically burrowing, mouselike rodent with a rounded muzzle.
Water right(s)	The right to draw water from a particular source, such as a lake, irrigation canal or stream.
Watershed (drainage basin)	The land area (catchment) which captures precipitation and conveys it to a particular water body. It is bounded by ridges or "divides." A large watershed is made up of the smaller watersheds of all its tributaries.
Water table	The upper level of a saturated zone in an aquifer below the soil surface.
Wellhead protection	The practice of preventing pollutants from seeping into well water at or near any active or abandoned wells.
Wetlands	Areas that are regularly wet or flooded; areas with a water table within the root zone or standing at or above the land surface for at least part of the growing season. These areas are host to a prevalence of water-loving plants and wildlife.

# **OCONTACTS & ACRONYMS**

Common Name	Official Title	Web Address
Conservation District	Soil and Water Conservation District	www.oacd.org
DEQ	Oregon Department of Environmental Quality	www.oregon.gov/DEQ
Extension	Oregon State University Extension Service	extension.oregonstate.edu/
FSA	Farm Service Agency	www.fsa.usda.gov
GLCI	Grazing Lands Conservation Initiative	www.grazinglands.org/
NOWC	Network of Oregon Watershed Councils	www.oregonwatersheds.org/
NRCS	USDA Natural Resources Conservation Service	www.or.nrcs.usda.gov
OACD	Oregon Association of Conservation Districts	www.oacd.org
ODA	Oregon Department of Agriculture	oregon.gov/ODA
ODF	Oregon Department of Forestry	www.oregon.gov/ODF
ODFW	Oregon Department of Fish and Wildlife	www.dfw.state.or.us/
OSU Extension	Oregon State University Extension Service	extension.oregonstate.edu/
Oregon Heritage Commission	Oregon Parks and Recreation Dept: Heritage Programs: Oregon Heritage Commission	www.oregon.gov/OPRD/ HCD/OHC/index.shtml
OHS	Oregon Historical Society	www.ohs.org/
OWEB	Oregon Watershed Enhancement Board	www.oregon.gov/OWEB



Common Name	Official Title	Web Address
OWRD	Oregon Water Resources Department	www.oregon.gov/OWRD
RD	USDA Rural Development	https://www.rd.usda.gov/or
SHPO	State Historic Preservation Officer	www.oregon.gov/OPRD/ HCD/SHPO/index.shtml
SWCD	Soil and Water Conservation District	www.oacd.org
USDA	United States Department of Agriculture	www.usda.gov
USGS	United States Geological Survey	www.usgs.gov
Watermaster	listed on the Oregon Water Resources Dept. Web site	www.oregon.gov/OWRD/ offices.shtml#Region_ Watermaster_Map
Watershed Council	Listed on the Oregon Watershed Enhancement Board Web site and the Network of Oregon Watershed Councils (NOWC) Web site	www.oregon.gov/OWEB http://www. oregonwatersheds.org/
Web Soil Survey	Online soil information provided by NRCS	https://websoilsurvey. sc.egov.usda.gov/App/ HomePage.htm
Weed Board	Listed on the Oregon Department of Agriculture Web site	www.oregon.gov/ODA/ PLANT/WEEDS



NOTES:	



NOTES:	



NOTES:	



## **ACKNOWLEDGEMENTS**





**USDA NATURAL RESOURCES CONSERVATION SERVICE** 



**United States** Department of Agriculture

Natural Resources Conservation Service

### Production & design:

Catherine Bailey, USDA NRCS

#### With Technical Expertise and Review by:

Alexis Collins, Bill Cronin, Bob Gillaspy, Deborah Virgovic, Denise Troxell, Chris Hamilton, Heather Medina, Jeremy Maestas, Kathy Ferge, Louann Brant, Kathy Pendergrass, Misty Seaboldt, Meghan Walter, Teresa Morales, and Ron Raney, USDA-NRCS

Melissa Fery, OSU Small Farms **Extension** 









# **OREGON**United States Department of Agriculture Natural Resources Conservation Service

USDA is an equal opportunity provider, employer, and lender.