

NATIONAL BUREAU OF STANDARDS REPORT

2279

Statistical Engineering Laboratory
National Bureau of Standards
Washington, D. C. 20234

TABLES USEFUL IN ESTIMATING THE MEAN VALUE FUNCTION OF A FUNDAMENTAL RANDOM PROCESS

by

I. R. Savage and E. Lukacs



U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS

U. S. DEPARTMENT OF COMMERCE

Sinclair Weeks, Secretary

NATIONAL BUREAU OF STANDARDS

A. V. Astin, Director



THE NATIONAL BUREAU OF STANDARDS

The scope of activities of the National Bureau of Standards is suggested in the following listing of the divisions and sections engaged in technical work. In general, each section is engaged in specialized research, development, and engineering in the field indicated by its title. A brief description of the activities, and of the resultant reports and publications, appears on the inside of the back cover of this report.

Electricity. Resistance Measurements. Inductance and Capacitance. Electrical Instruments. Magnetic Measurements. Applied Electricity. Electrochemistry.

Optics and Metrology. Photometry and Colorimetry. Optical Instruments. Photographic Technology. Length. Gage.

Heat and Power. Temperature Measurements. Thermodynamics. Cryogenics. Engines and Lubrication. Engine Fuels. Cryogenic Engineering.

Atomic and Radiation Physics. Spectroscopy. Radiometry. Mass Spectrometry. Solid State Physics. Electron Physics. Atomic Physics. Neutron Measurements. Infrared Spectroscopy. Nuclear Physics. Radioactivity. X-Rays. Betatron. Nucleonic Instrumentation. Radiological Equipment. Atomic Energy Commission Instruments Branch.

Chemistry. Organic Coatings. Surface Chemistry. Organic Chemistry. Analytical Chemistry. Inorganic Chemistry. Electrodeposition. Gas Chemistry. Physical Chemistry. Thermochemistry. Spectrochemistry. Pure Substances.

Mechanics. Sound. Mechanical Instruments. Aerodynamics. Engineering Mechanics. Hydraulics. Mass. Capacity, Density, and Fluid Meters.

Organic and Fibrous Materials. Rubber. Textiles. Paper. Leather. Testing and Specifications. Polymer Structure. Organic Plastics. Dental Research.

Metallurgy. Thermal Metallurgy. Chemical Metallurgy. Mechanical Metallurgy. Corrosion.

Mineral Products. Porcelain and Pottery. Glass. Refractories. Enameled Metals. Concreting Materials. Constitution and Microstructure. Chemistry of Mineral Products.

Building Technology. Structural Engineering. Fire Protection. Heating and Air Conditioning. Floor, Roof, and Wall Coverings. Codes and Specifications.

Applied Mathematics. Numerical Analysis. Computation. Statistical Engineering. Machine Development.

Electronics. Engineering Electronics. Electron Tubes. Electronic Computers. Electronic Instrumentation.

Radio Propagation. Upper Atmosphere Research. Ionospheric Research. Regular Propagation Services. Frequency Utilization Research. Tropospheric Propagation Research. High Frequency Standards. Microwave Standards.

Ordnance Development. These three divisions are engaged in a broad program of research and development in advanced ordnance. Activities include basic and applied research, engineering, pilot production, field testing, and evaluation of a wide variety of ordnance matériel. Special skills and facilities of other NBS divisions also contribute to this program. The activity is sponsored by the Department of Defense.

Missile Development. Missile research and development: engineering, dynamics, intelligence, instrumentation, evaluation. Combustion in jet engines. These activities are sponsored by the Department of Defense.

● Office of Basic Instrumentation

● Office of Weights and Measures.

NATIONAL BUREAU OF STANDARDS REPORT

NBS PROJECT
1103-20-5119

16 February 1953

NBS REPORT 2279

TABLES USEFUL IN ESTIMATING THE MEAN VALUE FUNCTION OF A FUNDAMENTAL RANDOM PROCESS*

by

I. Richard Savage and Eugene Lukacs

*The preparation of this paper was sponsored by the
U. S. Naval Ordnance Test Station, Inyokern.


NBS

The publication,
unless permitted
by the Director,
25, D. C. Such
report has been prepared

Approved for public release by the
Director of the National Institute of
Standards and Technology (NIST)
on October 9, 2015

For in part, is prohibited
Standards, Washington
report has been specifi-
cally prepared for its own use.

TABLES USEFUL IN ESTIMATING THE MEAN
VALUE FUNCTION OF A FUNDAMENTAL
RANDOM PROCESS*

by

I. Richard Savage and Eugene Lukacs
National Bureau of Standards

1. Introduction. Let $y(t)$ be a stochastic process and assume that

$$(1.1) \quad y(t) = x(t) + f(t)$$

$$(1.2) \quad f(t) = K_1\phi_1(t) + K_2\phi_2(t) + \dots + K_s\phi_s(t)$$

where $x(t)$ is a fundamental random process.

In a forthcoming paper [4] H. B. Mann assumes that the $y(t)$ process is observed over an interval $[0, T]$ and develops a method for finding the maximum likelihood estimates for the parameters $K_1, K_2, \dots, K_s$ of the mean value function $f(t)$ **. In a technical note [5] he gives a brief exposition of his results and also explicit formulae for the practically important case where $f(t)$ is a polynomial in t . As in least squares estimates it seems also here advantageous to use orthogonal polynomials. However, it is here necessary to assume that the derivatives $\phi'_j(t)$ are the first s polynomials of a system orthogonal with respect to the weight function 1 over an interval $[0, T]$. The functions $\phi_j(t)$ become then the integrals of Legendre polynomials adapted to the interval $[0, 1]$. As a consequence the mean value function must have initial and terminal value zero, i.e.,

$$(1.3) \quad f(0) = f(T) = 0.$$

While (1.3) will apply in certain physical situations its failure will in general prevent the use of orthogonal polynomials in estimating a mean value function***. It will then be necessary

*The preparation of this paper was sponsored by the U. S. Naval Ordnance Test Station, Inyokern.

**The $\phi_j(t)$ are known functions, and are subject to certain restrictions, stated in [4] and [5].

***Ordinarily the condition (1.3) could be obtained by a rotation of axis, but in the situation under consideration such a rotation would disturb the nature of the random process, and hence can not be used.

to assume that $\phi(t) = t^j$ and to use the methods developed for this case.

Let us therefore suppose that

$$(1.4) \quad f(t) = K_1 t + K_2 t^2 + \dots + K_s t^s$$

According to the formulae given in [4] and [5] the estimate $\hat{K}_j$ of K_j is given by

$$(1.5) \quad \hat{K}_j = \sum_{r=1}^s \Phi^{jr} \int_0^T t^{r-1} dy(t) \quad (j = 1, 2, \dots, s)$$

Here $\Phi^{jr} = \frac{S^{jr}}{j! r! T^{j+r-1}}$ where the matrix $\|S^{jr}\|$ is the inverse

of the matrix $\left\| \frac{1}{j+r-1} \right\|_{j,r=1,\dots,s}$. The purpose of the

present note is to simplify the computations necessary for obtaining the estimates (1.5). This is done by studying first the matrix

$\left\| \frac{1}{i+j-1} \right\|$ and giving formulae for finding its inverse. Tables

of the coefficients S^{jr} are then computed for $n = 2(1)10$. These tables will be found at the end of this report. The same matrix occurs in least square theory when an integral is minimized instead of a sum. The inversion of this and related matrices was studied by A. R. Collar [2], [3] it is however believed that the proofs given here are somewhat more elementary.

2. A theorem due to A. Cauchy. The following theorem is due to A. Cauchy [1]. Let $a_1, \dots, a_n, b_1, \dots, b_n$ be $2n$ numbers and consider the determinant whose elements are of the form $1/(a_i + b_k)$ ($i, k = 1, 2, \dots, n$). Then

$$(2.1) \quad \left\| \frac{1}{a_i + b_k} \right\|_{i,k=1,\dots,n} = \frac{\prod_{j>k}^{1..n} (a_j - a_k)(b_j - b_k)}{\prod_{j,k}^{1..n} (a_j + b_k)}$$

This theorem as well as an indication of its proof may also be found in [7], page 98, problem 3.

3. Inversion of a certain matrix. In the introduction we proposed to consider the matrix

$$(3.1) \quad S_n = \left\| \frac{1}{i+j-1} \right\|_{i,j=1,\dots,n}$$

and to find its inverse. Clearly the determinant of S_n as well as all its minors are of the form discussed in Section 2. We can therefore compute the inverse S_n^{-1} by applying Cauchy's theorem. We denote by Δ_n^{ij} the minor of the element in the i -th row and j -th column of the determinant Δ_n of the matrix S_n . If we write S_n^{ij} for the element in the i -th row and j -th column of the inverse S_n^{-1} then

$$(3.2) \quad S_n^{ij} = (-1)^{i+j} \frac{\Delta_n^{ij}}{\Delta_n}.$$

If we use (2.1) to find Δ_n^{ij} and Δ_n we obtain by an elementary computation

$$(3.3) \quad \Delta_n = \frac{\left(\prod_{k=1}^{n-1} k! \right)^2}{n^n \prod_{k=1}^{n-1} (n^2 - k^2)^{n-k}}$$

and

$$(3.4) \quad \Delta_n^{ij} = \frac{(n+i-1)!(n+j-1)!}{[(i-1)!(j-1)!]^2 n!(n-i)!(n-j)!} \frac{\left(\prod_{k=1}^{n-1} k! \right)^3}{\prod_{k=1}^{n-1} (n+k)!} \frac{1}{j+i+1}$$

It is easy to show inductively that

$$(3.5) \quad \frac{n^n}{n!} \prod_{k=1}^{n-1} \frac{(n^2 - k^2)^{n-k} k!}{(n+k)!} = 1$$

so that we obtain from (3.2), (3.3) and (3.4)

$$(3.6) \quad S_n^{ij} = \frac{(-1)^{i+j}}{i+j-1} \frac{(n+i-1)!(n+j-1)!}{[(i-1)!(j-1)!]^2 (n-i)!(n-j)!}.$$

4. Formulae for the numerical computation of the S_n^{ij} . It is quite convenient to compute the S_n^{ij} recursively. We obtain immediately from (3.6)

$$(4.1) \quad S_{n+1}^{ij} = \frac{(n+i)(n+j)}{(n+1-i)(n+1-j)} S_n^{ij} \quad \text{for } i, j=1, 2, \dots, n.$$

By means of (4.1) it is possible to compute from the elements of S_n^{-1} the elements of S_{n+1}^{-1} in the first n rows and columns. We still have to determine the elements of the last column. We can

do this by deriving a relation between the elements of S_n^{-1} and the coefficients of certain orthogonal polynomials. Consider a polynomial of degree m

$$(4.2) \quad P_m(x) = 1 + a_{m,1}x + \dots + a_{m,m}x^m \quad (a_{m,m} \neq 0)$$

such that

$$(4.3) \quad \int_0^1 x^k P_m(x) dx = 0 \quad \text{for } k = 0, 1, \dots, (m-1) \quad .$$

Equation (4.3) determines the polynomials $P_m(x)$, they are the Legendre polynomials adapted to the interval $0 \leq x \leq 1$. They are obtained from the Legendre polynomials formed for the interval $-1 \leq x \leq +1$ by a linear transformation of the variables. They are discussed and to a certain extent tabulated in [6]. This system of polynomials is orthogonal and we have

$$(4.4) \quad \int_0^1 P_m(x) P_n(x) dx = \begin{cases} 0 & \text{if } m \neq n \\ \frac{1}{2m+1} & \text{if } m = n \end{cases} .$$

Moreover,

$$(4.5) \quad a_{m,k} = (-1)^k \binom{m}{k} \binom{m+k}{k} .$$

For the proof of (4.4) and (4.5) the reader is referred to W. E. Milne's book [6] chapter IX, Section 69.

We write $a_{m,0} = 1$ and substitute (4.2) and (4.3) and obtain, considering also (4.4),

$$\sum_{j=0}^m \frac{a_{m,j}}{k+j+1} = \frac{1}{(2m+1)a_{m,m}} \delta_{k,m} \quad (k=0, 1, \dots, m) ,$$

where $\delta_{k,m}$ is the Kronecker delta. We rewrite these equations as

$$(4.6) \quad \sum_{j=1}^{m+1} \frac{a_{m,j-1}}{k+j-1} = \frac{1}{(2m+1)a_{m,m}} \delta_{k,m+1} \quad (k=1, \dots, m+1) .$$

Considering the obvious relation

$$\sum_{k=1}^{m+1} \frac{1}{j+k-1} S_{m+1}^{hk} = \delta_{hk}$$

we solve the system (4.6) and obtain

$$a_{m,k-1} = \frac{1}{(2m+1)a_{m,m}} S_{m+1}^{m+1,k}$$

or

$$(4.7) \quad S_{m+1}^{m+1,k} = (2m+1) a_{m,k-1} = S_{m+1}^{k,m+1} .$$

From (4.7) and (4.5) we see then that for $k = 1, \dots, (m+1)$

$$(4.8) \quad S_{m+1}^{m+1,k} = S_{m+1}^{k,m+1} = (-1)^{m+k-1} (2m+1) \binom{2m}{m} \binom{m}{k-1} \binom{m+k-1}{k-1} .$$

Formulae (4.1) and (4.8) can be used to compute systematically tables of the elements of S_m^{-1} .

5. An alternate method for computing S_m^{-1} . We normalize the polynomials (4.2) and obtain

$$(5.1) \quad Q_m(x) = \sqrt{2m+1} P_m(x) = \sum_{k=0}^m b_{m,k} x^k \quad (m=0,1,2,\dots)$$

It is seen from (4.5) and (4.4) that

$$(5.2) \quad b_{m,k} = (-1)^k \sqrt{2m+1} \binom{m}{k} \binom{m+k}{k}$$

and

$$(5.3) \quad \int_0^1 Q_m(x) Q_n(x) dx = \delta_{m,n} .$$

We consider the matrix

$$B_N = \left\| b_{m,k} \right\|_{m,k=0,\dots,(N-1)} .$$

It follows then from (5.3) that

$$(5.4) \quad B_N S_N B_N' = I .$$

Here I denotes the identity matrix and B_N' the transposed of B_N . From (5.4) we see that

$$(5.5) \quad S_N^{-1} = B_N^{-1} B_N .$$

If tables of the coefficients of the polynomials $P_m(x)$ are known it is possible to find S_N^{-1} from (5.5). On the other hand one could also derive (3.6) from (5.5) and (5.2).

6. Description of Tables and their preparation. Tables are given for the inverse of the matrix S_n [see equation (3.1)] for $n=2, \dots, 10$. That is the quantities S_n^{-1j} [see equation (3.2)] are tabulated for $1 \leq i \leq j \leq n \leq 10$.

Since the matrix S_n is symmetric its inverse is also, hence in the following tables S_n^{-1j} is given only for $j \geq i$.

These tables were obtained by the use of equations (4.1), (4.7) and (4.8).

The tables were checked by using the relationships:

$$(6.1) \quad \sum_{i=1}^n S_n^{-1j} / (i+k-1) = \delta_{jk} \quad (j, k = 1, \dots, n).$$

All of the above relations were checked for $j=k$, and supplementarily a few others were examined and found correct.

Acknowledgement: The authors wish to thank Mr. Edwin L. Grab who prepared and checked the tables.

REFERENCES

- [1] A. Cauchy, Exercices d'Analyse et de phys. math. Vol. 2, pp. 151-159, Paris 1841. Also Oeuvres complètes 2^e serie XII.
- [2] A. R. Collar, On the Reciprocation of Certain Matrices. Proceedings of the Royal Society of Edinburgh, Vol. 59, pp. 195-206, (1939).
- [3] A. R. Collar, On the Reciprocal of a Segment of a Generalized Hilbert Matrix. Proceedings of the Cambridge Philosophical Society, Vol. 47, pp. 11-17, (1951).
- [4] H. B. Mann, On the Estimation of Parameters Determining the Mean Value Function of a Stochastic Process. To be published in Sankhya.
- [5] H. B. Mann, Statistical Techniques Applicable to the Analysis of a Fundamental Random Process. Technical Note WCRR-52-7 Flight Research Laboratory, Wright Air Development Center, Dayton, Ohio, 1952.
- [6] W. E. Milne, Numerical Calculus. Princeton University Press, Princeton, New Jersey, 1949.
- [7] G. Pólya-G. Szegő, Aufgaben und Lehrsätze aus der Analysis, Vol. 2. (Grundlehren der math. Wiss. Vol. 20) J. Springer Berlin, 1924. Reprinted by Dover Publications, New York, 1945.

TABLES $T_n = S_n^{-1}$

T_2		T_3		T_4				
4	-6	9	-36	30	16	-120	240	-1440
-6	12	-36	192	-180	-120	1200	-2700	1680
		30	-180	180	240	-2700	6480	-4200
					-1440	1680	-4200	2800

					T ₆					
T ₅										
25	-300	1050	-14400	630	36	-630	3360	-7560	7560	-2772
-300	4800	-18900	26880	-12600	-630	144700	-88200	2 11680	-2 20500	83160
1050	-18900	79380	-1 17600	56700	3360	-88200	5 64480	-14 11200	15 12000	-5 82120
14400	26880	-1 17600	1 79200	-88200	-7560	2 11680	-14 11200	36 28800	-39 69000	15 52320
630	-12600	56700	-88200	44100	7560	-2 20500	15 12000	-39 69000	44 10000	-17 46360
					-2772	83160	-5 82120	15 52320	-17 46360	6 98544

T₇

49	-1176	8820	-29400	48510	-38808	12012	
-1176	37632	-3 17520	11 28960	-19 40400	15 96672	-5 04504	H
8820	-3 17520	28 57680	-105 84000	187 11000	-157 17240	50 45040	
-29400	11 28960	-105 84000	403 20000	-727 65000	620 92800	-201 80160	
48510	-19 40400	187 11000	-727 65000	1334 02500	-1152 59760	378 37800	
-38808	15 96672	-157 17240	620 92800	-1152 59760	1005 90336	-332 97264	
12012	-5 04504	50 45040	-201 80160	378 37800	-332 97264	110 99088	

T₈

III

64	-2016	20160	-92400	2 21760	-2 88288	1 92192	-51480
-2016	84672	-9 52560	46 56960	-116 42400	155 67552	-105 94584	28 82880
20160	-9 52560	114 30720	-582 12000	1496 88000	-2043 24120	1412 61120	-389 18880
-92400	46 56960	-582 12000	3049 20000	-8004 15000	11099 08800	-7769 36160	2162 16000
2 21760	-116 42400	1496 88000	-8004 15000	21344 40000	-29967 53760	21189 16800	-5945 94000
-2 88288	155 67552	-2043 24120	11099 08800	-29967 53760	42499 41696	-30300 51024	8562 15360
1 92192	-105 94584	1412 61120	-7769 36160	21189 16800	-30300 51024	21754 21248	-6183 77760
-51480	28 82880	-389 18880	2162 16000	-5945 94000	8562 15360	-6183 77760	1766 79360

T9

81	-3240	41580	-2 49480	8 10810	-15 13512	16 21620	-9 26640	2 18790
-3240	1 72800	-24 94800	159 66720	-540 54000	1037 83680	-1135 13400	658 94400	-157 52880
41580	-24 94800	384 19920	-2561 32800	8918 91000	-17481 06360	19423 40400	-11416 20480	2756 75400
-2 49480	159 66720	-2561 32800	17563 39200	-62432 37000	1 24309 78560	-1 39848 50880	83026 94400	-20216 19600
8 10810	-540 54000	8918 91000	-62432 37000	2 25450 22500	-4 54507 65360	5 16485 97000	-3 09188 88000	75810 73500
-15 13512	1037 83680	-17481 06360	1 24309 78560	-4 54507 65360	9 25542 85824	-10 60517 85840	6 39307 46880	-1 57686 32880
16 21620	-1135 13400	19423 40400	-1 39848 50880	5 16485 97000	-10 60517 85840	12 23674 45200	-7 42053 31200	1 83967 38360
-9 26640	658 94400	-11416 20480	83026 94400	-3 09188 88000	6 39307 46880	-7 42053 31200	4 52299 16160	-1 12633 09200
2 18790	-157 52880	2756 75400	-20216 19600	75810 73500	-1 57686 32880	1 83967 38360	-1 12633 09200	28158 27300

T₁₀

100	-4950	79200	-6 00600	25 22520	-63 06300	96 09600	-87 51600	43 75800	-9 23780
-4950	3 26700	-58 80600	475 67520	-2081 07900	5351 34600	-8324 31600	7701 40800	-3898 83780	831 40200
79200	-58 80600	1129 07520	-9513 50400	42810 76800	-1 12378 26600	1 77585 40800	-1 66350 41280	85065 55200	-18290 84400
-6 00600	475 67520	-9513 50400	82450 36800	-3 78756 37800	10 10017 00800	-16 16027 21280	15 29079 55200	-7 88431 64400	1 70714 54400
25 22520	-2081 07900	42810 76800	-3 78756 37800	17 67529 76400	-47 72330 36280	77 12857 15200	-73 58695 34400	38 20861 04400	-8 32233 40200
-43 06300	5351 34600	-1 12378 26600	10 10017 00800	-47 72330 36280	130 15446 44400	-212 10357 16800	203 77925 56800	-106 43827 19400	23 30253 52560
96 09600	-8324 31600	1 77585 40800	-16 16027 21280	77 12857 15200	-212 10357 16800	348 06739 96600	-336 39750 14400	176 60868 82560	-38 83755 87600
-87 51600	7701 40800	-1 66350 41280	15 29079 55200	-73 58695 34400	203 77925 56800	-336 39750 14400	326 78614 42560	-172 32863 07600	38 04495 55200
43 75800	-3898 83780	85065 55200	-7 88431 64400	38 20861 04400	-106 43827 19400	176 60868 82560	-172 32863 07600	91 23280 45200	-20 21138 26200
-9 23780	831 40200	-18290 84400	1 70714 54400	-8 32233 40200	23 30253 52560	-38 83755 87600	38 04495 55200	-20 21138 26200	4 49141 83600

THE NATIONAL BUREAU OF STANDARDS

Functions and Activities

The functions of the National Bureau of Standards are set forth in the Act of Congress, March 3, 1901, as amended by Congress in Public Law 619, 1950. These include the development and maintenance of the national standards of measurement and the provision of means and methods for making measurements consistent with these standards; the determination of physical constants and properties of materials; the development of methods and instruments for testing materials, devices, and structures; advisory services to Government Agencies on scientific and technical problems; invention and development of devices to serve special needs of the Government; and the development of standard practices, codes, and specifications. The work includes basic and applied research, development, engineering, instrumentation, testing, evaluation, calibration services and various consultation and information services. A major portion of the Bureau's work is performed for other Government Agencies, particularly the Department of Defense and the Atomic Energy Commission. The scope of activities is suggested by the listing of divisions and sections on the inside of the front cover.

Reports and Publications

The results of the Bureau's work take the form of either actual equipment and devices or published papers and reports. Reports are issued to the sponsoring agency of a particular project or program. Published papers appear either in the Bureau's own series of publications or in the journals of professional and scientific societies. The Bureau itself publishes three monthly periodicals, available from the Government Printing Office: The Journal of Research, which presents complete papers reporting technical investigations; the Technical News Bulletin, which presents summary and preliminary reports on work in progress; and Basic Radio Propagation Predictions, which provides data for determining the best frequencies to use for radio communications throughout the world. There are also five series of nonperiodical publications: The Applied Mathematics Series, Circulars, Handbooks, Building Materials and Structures Reports, and Miscellaneous Publications.

Information on the Bureau's publications can be found in NBS Circular 460, Publications of the National Bureau of Standards (\$1.00). Information on calibration services and fees can be found in NBS Circular 483, Testing by the National Bureau of Standards (25 cents). Both are available from the Government Printing Office. Inquiries regarding the Bureau's reports and publications should be addressed to the Office of Scientific Publications, National Bureau of Standards, Washington 25, D. C.

