Nat'l Bureau of Standards
Library, N.B. Bldg
MAR 1 1 1955

Reference book not to be
taken from the Library.

NBS CIRCULAR 558

Bibliography and Index on Dynamic Pressure Measurement

UNITED STATES DEPARTMENT OF COMMERCE

NATIONAL BUREAU OF STANDARDS

AUTHENTICATED
U.S. GOVERNMENT
INFORMATION
GPO

PERIODICALS OF THE NATIONAL BUREAU OF STANDARDS

(Published monthly)

The National Bureau of Standards is engaged in fundamental and applied research in physics, chemistry, mathematics, and engineering. Projects are conducted in fifteen fields: electricity and electronics, optics and metrology, heat and power, atomic and radiation physics, chemistry, mechanics, organic and fibrous materials, metallurgy, mineral products, building technology, applied mathematics, data processing systems, cryogenic engineering, radio propagation, and radio standards. The Bureau has custody of the national standards of measurement and conducts research leading to the improvement of scientific and engineering standards and of techniques and methods of measurement. Testing methods and instruments are developed; physical constants and properties of materials are determined; and technical processes are investigated.

Journal of Research

The Journal presents research papers by authorities in the specialized fields of physics, mathematics, chemistry, and engineering. Complete details of the work are presented, including laboratory data, experimental procedures, and theoretical and mathematical analyses. Annual subscription: domestic. $4.00; foreign, $5.25.

Technical News Bulletin

Summaries of current research at the National Bureau of Standards are published each month in the Technical News Bulletin. The articles are brief, with emphasis on the results of research, chosen on the basis of their scientific or technologic importance. Lists of all Bureau publications during the preceding month are given, including Research Papers, Handbooks, Applied Mathematics Series, Building Materials and Structures Reports, Miscellaneous Publications, and Circulars. Each issue contains 12 or more two-column pages; illustrated. Annual subscription: domestic, $1.00; foreign, $1.35.

Basic Radio Propagation Predictions

The Predictions provide the information necessary for calculating the best frequencies for communication between any two points in the world at any time during the given month. The data are important to all users of long-range radio communications and navigation, including broadcasting, airline, steamship, and wireless services, as well as to investigators of radio propagation and ionosphere. Each issue, covering a period of one month, is released three months in advance and contains 16 large pages, including pertinent charts, drawings, and tables. Annual subscription: domestic, $1.00; foreign, $1.25.

Publications of the National Bureau of Standards **Circular 460**

This Circular and its supplement lists all Bureau publications from 1901 through June 1952, including Applied Mathematics Series, Building Materials and Structures Reports, Circulars, Handbooks, Research Papers, and Miscellaneous Publications. Brief abstracts for the publications issued after January 1, 1942, are also included. National Bureau of Standards Circular 460, 375 pages, $1.25. Supplement to Circular 460, 223 pages, 75 cents.

A mimeographed list of the titles of the publications issued since June 30, 1952, is available on request to the National Bureau of Standards.

Order all publications from the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C.

UNITED STATES DEPARTMENT OF COMMERCE • Sinclair Weeks, *Secretary*
NATIONAL BUREAU OF STANDARDS • A. V. Astin, *Director*

Bibliography and Index on Dynamic Pressure Measurement

W. G. Brombacher and T. W. Lashof

National Bureau of Standards Circular 558

Issued February 14, 1955

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.
Price 75 cents

PREFACE

This bibliography and index on dynamic pressure measurement is one of a series of reports intended to summarize the state-of-the-art in various areas of the field of instrumentation. These reports are the results of surveys conducted as part of a program of instrumentation research and development which is cooperatively sponsored at the National Bureau of Standards by the Atomic Energy Commission, the Office of Naval Research and the Air Research and Development Command. This program is administered by the Office of Basic Instrumentation, W. A. Wildhack, Chief.

It has been the aim in these surveys to include critical evaluation and organization of the available information. In dealing with the broad area of dynamic pressure measurements it was considered desirable to limit the scope of the initial work to the preparation of a bibliography. The references have been extensively indexed and classified by subject and author to assist the user in the task of making detailed analyses with respect to his particular interest. The bibliography may also serve as the starting point for more detailed surveys of more specialized parts of the subject.

The work on this project was conducted in the Mechanics Division, Walter Ramberg, Chief, under the direct supervision of E. C. Lloyd, Chief of the Mechanical Instruments Section.

A. V. Astin
Director

Contents

	Page
Preface	III
1. Introduction	1
1.1. Scope of bibliography	1
a. Pressure-sensing elements	2
b. Transducers	2
c. Auxiliary apparatus	3
d. Design and performance data	3
1.2. Scope and use of subject index	3
2. Bibliography	5
3. Author index	67
4. Subject index	79

BIBLIOGRAPHY AND INDEX ON DYNAMIC PRESSURE MEASUREMENT

W. G. Brombacher and T. W. Lashof

This circular contains a bibliography of 850 items on dynamic pressure measurement and, in less detail, on related subjects such as static pressure measurement and general information on the components of instruments. An index of the bibliography by both subject and author is included.

1. INTRODUCTION

1.1. Scope of Bibliography

A number of decisions had to be made on the scope of this bibliography. These included (a) the applications to be included, (b) the degree that so-called static instrumentation should be covered, and (c) the extent that design parameters should be included. Obviously coverage could not be complete in any of these cases, without increasing inordinately the size of the bibliography and the labor.

At this point a definition of dynamic instrumentation will be ventured. If a measurement can be made, while the pressure (or other quantity) is changing, even very slowly, the instrument for that measurement is a dynamic instrument. It is assumed here that corrections for lag and other factors can be made so that a true value of pressure (or other quantity) can be deduced. Under this definition many instruments ordinarily classed as "static", including liquid columns and piston gages, may be "dynamic" for low rates of change of pressure, if means for securing dynamic reading are devised.

Thus, pressure instrumentation cannot be divided uniquely into static and dynamic types for all possible applications. An instrument "too slow" for a particular application may be classed by the engineer as good only for static measurement, while for another application the same instrument may be classed as dynamic. From this viewpoint it seemed reasonable to include some references in the bibliography on instrumentation ordinarily classed as suitable only for static measurements. Another point considered in including references to static instrumentation was usefulness of such instruments as a standard in making static calibrations of dynamic instruments.

There was some question as to how far to go in including references on basic design and performance factors. A limited number of references are given on such quantities as drift or creep, hysteresis, temperature coefficient of elasticity, on important diaphragm and electrical resistance materials, on piezoelectric materials and on seals and solders. There are probably significant omissions and on most of these subsidiary subjects the coverage is far from complete.

The fields of application covered in the bibliography include blast pressures, underwater explosions, automotive powerplants, ballistics, meteorology, aeronautics, and physiology. Less well covered, but perhaps adequately for an introduction to the field, are applications in acoustics, geophysics, industrial and miscellaneous explosions, hydraulics, structures, high pressure and high vacuum.

Pressure measuring instrumentation and associated factors are outlined below in order to give an indication of the coverage in the bibliography.

a. Pressure Sensing Elements

(a) Crusher gages, indenter gages, rupture disks, and permanently deformed diaphragms or other shaped structures form a class which without additional mechanism, are direct indicators or recorders of a dynamic pressure, usually in the nature of a shock.

(b) Diaphragms in their various forms, bellows, Bourdon tubes, bells, and cylinders and pistons form a class of pressure sensing elements of which the deflection, converted to an indication or record by mechanical, optical, or electrical means, is a measure of a pressure change. Of these, diaphragms, bellows, and pistons and cylinders, are commonly used for dynamic measurement to the limit of their utility.

(c) Piezoelectric crystals, pressure sensitive electrical resistors (liquid or solid), and electro-kinetic pickups form a class of sensing elements the output of which under a dynamic change in pressure is electrical in nature. This output is converted to a usable indication or record by suitable electrical circuits. Hot-wire and ionization vacuum gages fall into this class also, but are suitable only for essentially static measurements; accordingly, only a few references on them are listed in the bibliography.

(d) Optical pressure sensing elements are indirect in nature; the phenomena occurring in a gas are photographed so as to obtain spectra or diffraction effects from which the pressure is deduced. The application is largely in aeronautics.

(e) Primary sensing elements, not falling into any of the above classes, include a combination of a vibrating wire and diaphragm capsule "Vibratron", and vapor pressure from a boiling liquid or subliming solid in equilibrium with the gas the pressure of which is to be measured, with sensing by a thermometer (hypsometer).

b. Transducers

Transducers may be divided into three types:

(a) A first type includes the types of pickups or transducers which convert the deflections of selected primary sensing elements listed in paragraph 1 (b) above to an electrical signal which is usually amplified

to give a usable indication or record. Commonly a diaphragm is used as the primary element. Transducers include the following types: capacitance, inductance in its various forms, potentiometer, resistance wire strain gages, self generator of a voltage, photoelectric tube, vacuum tube (controlling position of the grid or plate), magnetostriction, electrical contact (for pressure balance), frequency (of vibrating wire), and most of that class of pickups called microphones which for the most part fall into one of the types of pickups just listed.

(b) A second type are pickups or transducers for converting the deflections of the primary sensing elements listed in paragraph 1 (b) above to an indication, or record, essentially by optical means, excluding electrical indication or recording. These are principally the optical lever and the interferometer.

(c) Mechanical pickups associated with a number of the primary sensing elements listed in paragraph 1 (b) form the third class which includes the common pressure gage. These include mechanical multiplying linkages, pressure-pressure balance, force-pressure balance and scales (for liquid columns). This class has limited application in dynamic instrumentation.

c. Auxiliary Apparatus

This includes amplifiers, electrical circuits and circuit elements, timers, indicators, recording methods and telemetering, largely for the primary elements, paragraph 1 (c), and transducers, paragraph 2 (a).

d. Design and Performance Data

Included is the performance of instruments and instrument elements, pressure lag in connecting lines, electrical cable problems, and calibration methods both dynamic and static are all pertinent to dynamic instrumentation, on which coverage is essential.

1.2. Scope and Use of Subject Index

The policy of rather heavy cross indexing was followed in two directions. First, to aid the user, synonyms and differences in technical nomenclature and cross referenced insofar as known to the authors. For example, papers covering pressure lag in liquid and pneumatic lines are listed under "Lag, fluid lines" and cross-indexed under Lines; Pneumatic lines: Pipe-line lag; Pressure lag in lines; and Tubing, connecting, pressure lag. In spite of all efforts, completeness has not been achieved.

Second, each paper and report on instrumentation, as applicable, is listed under the application, the primary sensing element, the transducer, the electrical circuit, and where significant, under the recording means. Under the heading "Frequency response data", some papers and reports are listed in which experimental data on frequency response or natural frequency are given.

It was found impractical to do more than indicate the topics covered in a paper, and in many cases incompletely. Books on subjects not directly concerned with pressure measurement, such as those on circuits or magnetism, are not indexed in any detail, usually only under "Books and surveys" and under the subject of the book.

Under the heading "Bibliographies" are also listed papers which contain at least 20 pertinent references. "Books and surveys" and "Symposia" are also listed under the applicable heading.

Since many of the unpublished reports will be difficult to locate, it is worthwhile to use the subject index to determine roughly the scope of those containing a discussion of instrumentation. Often the title of the report is sufficient. Otherwise the cross indexing feature may be used with profit to determine for example the application, the primary sensing element, the type of transducer, the circuit and the recording method. It can be determined for example from the index whether the paper is a review, and with reasonable assurance whether any frequency response data is included, or if it contains an extensive list of references, by searching under the heading Books and Surveys or under headings suggested by the title of the paper, under Frequency response data, and under Bibliography, respectively.

The authors desire to acknowledge the assistance of Mr. Leo B. Orbach in preparing a substantial part of the bibliography.

2. BIBLIOGRAPHY

The references are divided into a list of books and a list of papers and reports, all listed chronologically, by years. Books are designated by the letter "B" followed by two digits giving the year of publication and by a single digit identifying the order of listing. For example, B524 indicates a book published in 1952, listed fourth under 1952 in the book list. Papers and reports are designated by four digits, the first two indicating the year of publication or issue, and the last two the order of listing. Thus 4956 indicates publication in 1949 and 56th in the list for 1949.

About 850 books, papers and published reports are referenced. On strictly dynamic pressure measurement considerable effort was made to insure complete coverage of published papers from about 1940 to May 1, 1954. A special effort was made to include unpublished, open reports issued by defense agencies and their contractors, and other governmental agencies. Some of these reports have had to be indexed from the title because a copy could not be located. Although some of the topics covered may not be closely related to dynamic pressure measurement, it was decided to cover in the bibliography as many as possible of the various factors affecting the design and performance of dynamic pressure instruments. Coverage of these factors is not intended to be complete.

A few primary papers on static calibration were listed because such calibrations are made on dynamic pressure-measuring instruments in the cases where an indication of static pressure is obtainable.

With minor exceptions neither catalogs, nor announcements in trade journals of new instruments without technical data, are listed. However, references 5235 and B534 supply considerable data on the pressure instrumentation commercially available at the present time.

Books

B271 R. B. Sosman. The properties of silica; Am. Chem. Soc. Monograph No. 37. Chem. Catalog Co., pp. 856, 1927.

B301 M. F. Behar. Handbook of Instrumentation: Pressure measurement instruments; Instr. Pub. Co., pp. 729, Dec. 1930.

B302 C. G. Stewart. Aircraft instruments; Chapman & Hall, pp. 269, 1930.

B311 P. W. Bridgman. The physics of high pressure; G. Bell & Sons, Ltd., London, 1931.

B341 K. J. DeJuhasz. The engine indicator, its design, theory and special applications; Instr. Pub. Co., New York, N.Y., 1934.

B351 E. Kleinschmidt. Handbuch der Meterologischen Instruments; J. Springer, pp. 733, 1935. Chapter on measurement of air pressure.

B371 S. Timoshenko. Vibration problems in engineering; D. Van Nostrand, pp. 470, 1937.

B381 M. Serruys. La Combustion Détonante dans les Moteurs `a Explosion; Gauthier-Villars, Paris, 1938.

B391 A. Farkas and H. W. Mellville. Methods in gas reactions; Macmillan & Co., pp. 374, 1939.

B392 J. Reilly and W. N. Rae. Physico-chemical methods, vol. 1; D. Van Nostrand, pp. 822, 1939.

B401 S. Timoshenko. Theory of plates and shells; McGraw-Hill Book Co., New York, N. Y., 1940.

B431 P. M. Pflier. Elektrische Messung Mechanischer Grössen; Springer-Verlag, Berlin, 1943 and 1948.

B441 H. D. Green. Chapter on Circulation: Physical Principles; Medical Physics, O. Glasser, editor; Year Book Pub. Inc., Chicago, Ill. pp. 208, 1944.

B461 R. R. Batcher and W. Moulic. Electronic control handbook; Caldwell-Clements, Inc., N.Y., pp. 45, 1946.

B462 W. G. Cady. Piezoelectricity; McGraw-Hill Book Co., Inc., New York, N. Y., pp. 806, 1946.

B463 H. Diederichs and W. C. Andrae. Experimental mechanical engineering, I. Engineering instruments; John Wiley & Sons, (1930) 1946.

B464 H. C. Roberts. Mechanical measurements by electrical methods; Instr. Pub. Co., Pittsburgh, Pa., pp. 357, 1946.

B471 W.E.K. Middleton. Meteorological instruments; Univ. of Toronto Press, pp. 227, 1947. (Chapter on pressure measurement.)

B472 J. P. Den Hartog. Mechanical vibrations; McGraw-Hill Book Co., pp. 478, 1947.

B473 H. W. Liepmann and A. E. Puckett. Aerodynamics of a compressible fluid; John Wiley & Sons, pp. 262, 1947.

B474 E.W.F. Feller. Instrument and control manual for operating engineers; McGraw-Hill Book Co., pp. 426, 1947.

B481 R. H. Cole. Underwater explosions; Princeton Univ. Press, pp. 437, 1948.

B482 W. T. Thomson. Mechanical vibrations; Prentice-Hall, pp. 222, 1948.

B483 Am. Soc. for Metals, Metals Handbook, Metals Handbook Committee, pp. 1444, 1948.

B484 H. C. Torrey and C. A. Whitmer. Crystal rectifiers; McGraw-Hill Book Co., pp. 443, 1948.

B485 R. Courant and K. O. Friederichs. Supersonic flow and shock waves; Interscience Publishers, Inc., pp.464, 1948.

B486 C. M. Zener. Elasticity and anelasticity of metals; Univ. of Chicago Press, pp. 170, 1948.

B487 L. B. Arguimbau. Vacuum tube circuits; Wiley & Sons, pp. 668,1948.

B488 W. P. Mason. Electromechanical transducers and wave filter; D. Van Nostrand, pp. 419, 1948.

B491 L. L. Beranek. Acoustic measurements; John Wiley & Sons, pp. 913, 1949.

B492 A. Sully. Metallic creep and creep resistant alloys; Interscience Publishers, pp. 278, 1949 (200+ references).

B493 Saul Dushman. Scientific foundations of vacuum technique; John Wiley & Sons, pp. 882, 1949.

B494 C. J. Wiggers. Physiology in health and disease; Lea & Febiger, pp. 1242, 5th Ed., 1949.

B501 J. D. Trimmer, Response of physical systems; John Wiley & Sons, 1950.

B502 M. Hetényi. Handbook of experimental stress analysis; John Wiley & Sons, pp. 1077, 1950.

B503 W. P. Mason. Piezoelectric crystals and their application to ultrasonics; D. Van Nostrand, pp. 508, 1950.

B504 C. H. Best & N. B. Taylor. Physiological basis of medical practice; Williams & Wilkins Co., pp. 1330, 1950.

B505 D. P. Eckman. Industrial instrumentation; John Wiley & Sons,1950.

B506 A. L. Nadai. Theory of flow and fracture of solids, vol. 1; McGraw-Hill Book Co., pp. 567, 1950.

B507 J. Lukasiewicz. Shock tube theory and applications; Can. Nat. Res. Council, Div. of Mech. Eng., Supersonics & Gas Dyn. Sec. report No. MT-10, pp. 147, 1950. 33 references.

B511 B. Lewis & G. Von Elbe. Combustion, flames, and explosion of gases; Academic Press, New York, N.Y., 1951.

B512 M. F. Behar. Handbook of measurement and control; Instr. Pub. Co., pp. 291, 1951.

B513 W. Praeger & P. G. Hodge. Theory of perfectly plastic solids; John Wiley & Sons, pp. 261, 1951.

B514 R. M. Bozorth. Ferromagnetism; D. Van Nostrand, pp. 968, 1951.

B515 August Hund. High-frequency measurements; McGraw-Hill Book Co., pp. 676, 1951.

B516 Anon. Internal ballistics; Gt. Brit. Ministry of Supply, London, H. M. Stationery Office, pp. 311, 1951. 340 references.

B517 J. Yarnell. Resistance strain gages, their construction and use; Electronic Eng. (London), pp. 128, 1951.

B518 H. Ziebolz. Analysis and design of translator chains, vol. 1, text; vol. 2, diagrams; Askania Reg. Co., pp. 279 plus 392 figures, 1951.

B521 C. S. Draper, W. McKay, S. Lees. Instrument Engineering, vol. 1; McGraw-Hill Book Co., pp. 269, 1952.

B522 L. Marton (Editor). Advances in electronics; Academic Press, Inc., pp. 344, 1952, (Chapter on multichannel radio telemetering.)

B523 G. E. Ferguson & W. G. Brombacher. Manometer tables; Instr. Soc. Am. RP2.1, pp. 32, 1952.

B524 J. J. Koch, R. G. Boiten, A. L. Biermaez, G. P. Roszbach, & G. W. Van Santen. Strain gauges; theory and application; Elsevier Press, Inc., pp. 95, 1952. (Experience in Holland.)

B531 C. S. Draper, W. McKay, W. & S. Lees; Instrument Engineering, vol. 2; McGraw-Hill Book Co., pp. 827, 1953.

B532 C. H. Samans. Engineering metals and their alloys; Macmillan Co., pp. 913, 1953.

B533 R. F. Shea (Editor). Principles of transistor circuits; John Wiley & Sons, pp. 535, 1953.

B534 DuMont Laboratories, Transducers. Allen B. DuMont Lab., Inc., pp. 151, 1953.

B535 B. Lewis, H. C. Hottel, & A. J. Nerad. Fourth symposium (international) on combustion (combustion and detonation waves). Williams & Wilkins Co., pp. 926, 1953.

B536 E. G. Richardson (Editor). Technical aspects of sound, vol. 1, sonic range and airborne sound; Elsevier Pub. Co., pp. 544, 1953.

B537 I. I. Glass, W. Martin & G. N. Patterson. A theoretical and experimental study of the shock tube. Inst. Aero Physics, Univ. Toronto Report No. 2, pp. 281, 1953. 73 references.

Periodicals and Reports

0301 O. Frank. Kritik der elastichen Manometer; z. für Biologie, 44, 445, 1903.

0801 W. Watson. On the thermal and cumbustion efficiency of a four-cylinder petrol motor; Proc. Inst. Auto. Eng., 3, 387, 1098-9.

1701 P. W. Bridgman. Theoretical considerations on the nature of metallic resistance, with especial regard to the pressure effects; Phys. Rev., 9, 269-89, 1917.

2001 R. Whiddington. The ultra-micrometer; an application of the thermionic valve to the measurement of very small distances; Phil. Mag., 40, 635, 1920.

2101 A. Trowbridge. A new type of indicator for high-speed internal-combustion engine; Power, 53, 704, 1921.

2102 H. C. Dickinson and F. B. Newell. A high-speed engine pressure indicator of the balanced diaphragm type; NACA Tech. Rpt. No. 107, 1921.

2103 D. A. Keys. Piezoelectric method of measuring explosion pressures; Phil. Mag., 42, 473, 1921.

2201 W. G. Collins. Micro-indicator for high speed engines; Engineering, 113, 716, 1022; 115, 123, 1923.

2202 J. C. Karcher. A piezoelectric method for the instantaneous measurement of high pressures; Natl. Bur. Stds. Sci. Paper No. 445, 18, 257, 1922.

2203 A. Trowbridge. Photographic recording of engine data; Trans. Soc. Auto. Eng., 17, 184, 1922.

2204 S. Smith. On the depression of the center of a thin circular disc of steel under normal pressure; Trans. Roy. Soc. Can., 16, 217-25, 1922.

2301 E. K. Carver. An improved optical lever manometer; J. Am. Chem. Soc., 45, 59, 1923.

2302 M. D. Hersey. Diaphragms for aeronautical instruments; NACA TR No. 165, pp. 32, 1923.

2303 D. A. Keys. The cathode-ray oscillograph and its application to the exact measurement of explosion pressures, potential changes in vacuum tubes, and high tension magnetos; J. Franklin Inst., 196, 577, 1923.

2304 T. Midgley, Jr. Engine indicators; Engineer, 135, 236, 1923.

2305 O. S. Peters and R. S. Johnston. New developments in electric telemeters; Proc. Am. Soc. Testing Materials, 23 II, 592, 1923.

2306 R. Vogel and E. Trilling. Gold-chromium alloys; Z. anorg. Chem., 129, 276-292, 1923.

2401 B. McCollum and O. S. Peters. A new electrical telemeter; NBS Tech. Paper No. 247, 17, 737, 1924.

2402 D. F. Smith and N. W. Taylor. A simple pressure-measuring device for use with corrosive gases; J. Am. Chem. Soc., 46, 1393, 1924.

2403 J. E. P. Wagstaff. The application of oscillating valve circuits to the precise measurement of certain physical quantities; Phil. Mag., 47, 66, 1924.

2404 C. J. Wiggers and W. R. Baker. A new universal optical manometer; J. Lab. Clin. Med., 10, 54-56, 1924.

2405 H. N. Eaton and C. T. Buckingham. Nonmetallic diaphragms for instruments; NACA Report No. 206, pp 44, 1924.

2501 O. Frank. Ein neues optisches Federmanometer; Z. für Biologie, 82, 49, 1925.

2502 O. Frank. Die Dehnung einer Membran in zwei Richtungen; Z. f. Biol., 82, 66, 1925.

2601 H. A. Thomas. An electrical method of measuring small fluid pressures; Engineer, 141, 88, 1926.

2602 T. H. Keulegan. Statical hysteresis in the flexure of bars; Bur. Standards Tech. Paper No. 332, 1926.

2701 P. Broemser. Ein optisches Plattenmanometer; Z. für Biologie, 86, 619-625, 1927.

2702 J. Obata and Y. Yosida. An electrical indicator for high-speed internal-combustion engines; Aer. Res. Inst., Tokyo Imp. Univ., 2, 397-405, 1927.

2703 J. L. Wilson, H. N. Eaton and H. B. Henrickson. Use and testing of sphygmomanometers; Bur. Standards Tech. Paper No. 352, 1927.

2801 F. Daniels. An improved glass manometer; J. Am. Chem. Soc., 50, 1115, 1928.

2802 A. A. Griffith. The theory of pressure capsules, Part I General discussion, Part II The complete flat disc without control spring; Gt. Brit. Aero. Res. Council, R & M No. 1136, 1928.

2803 E. J. Martin and D. F. Caris. A new type of electrical engine-indicator; J. Soc. Auto. Eng., 22, 620, 1928.

2804 E. J. Martin and D. F. Caris. A new electrical engine indicator; J. Soc. Auto. Eng., 23, 87, 1928.

2805 Anon. The Thring high pressure indicator; Engineer, 145, 298, 1928.

2806 G. H. Keulegan. Statical hysteresis in cycles of equal load range; Bur. Standards Tech. Paper No. 365, 1928.

2901 H. Gerdien. Eine Elektrische Messdose nach dem Prinzip des Kondensator Mikrometers; Wiss, Veroff, Siemens-Werk 8, 2, 126, 1929-30.

2902 J. Kluge and H. E. Linckh. Piezoelectric measurements of pressure and accelerator forces; Z. Ver. Deut. Ing., 73, 1311, 1929.

2903 G. Kornfeld and E. Klinger. Kinetics of combination of nitric oxide and oxygen at low pressures and under a strong magnetic field; Z. für Physik Chem., B4, 37, 1929.

2904 H. R. Olson and L. L. Hoist. A new differential pressure gage; J. Am. Chem. Soc., 51, 2378, 1929.

2905 S. Watanabe. A new design of the cathode-ray oscillograph and its application in the measurement of piezo-electricity; Proc. World Engineering Congress, Tokyo, 5-6, 141-156, 1929.

2906 S. Watanabe. A new design of cathode-ray oscillograph and its application to piezo-electric measurements; Tokyo Inst. Phys. Chem. Research Sci. Papers, 12, 82, 1929.

2907 K.C.D. Hickman. The mercury meniscus; J. Opt. Soc. & Rev. Sci. Insts., 19, 190-212, 1929.

2908 L. Scriba. Elastiche Nachwirkung, elastiche Hysteresis, and Temperatur Compensation on Aneroiddosen; Luftfahrtforschung, 5, 107-129, 1929.

3001 J. H. Collins, Jr. Alteration and test of the Farnboro engine indicator; NACA TN No. 348, 1930.

3002 J. Kluge and H. E. Linckh. Piezo-electrischer Indicator für schnellaufende Verbrennungsmotoren, Z. Ver. Deut. Ing., 74, 887-889, 1930.

3003 E. J. Martin and D. F. Caris. Rapidly fluctuating pressures measured electrically by indicator combined with spark plug; Aut. Indus., 62, 230-237, Feb. 1930.

3004 J. A. Spanogle and J. H. Collins. A balanced diaphragm type of maximum cylinder pressure indicator; NACA TN No. 359, Dec. 1930.

3005 K. Schnauffer. Indizieren von schnellfende Motoren; Z. Ver. Deut. Ing., 74, 1066, 1930.

3006 W. G. Brombacher and E. R. Melton. Temperature coefficient of the modulus of rigidity of aircraft instrument diaphragm and spring materials; NACA Report No. 358, 1930.

3101 W. Kaufmann. Druck in Flüssigkeiten. Druckmessung an Hochleistungsschaltern; Arch. Tech. Messen V133-2, 1 No. 1, July 1931.

3102 K. Schnauffer. Messung oszellierender Drucke Indizieren raschlaufender Motoren nach der Kondensatormethode; Arch. Tech. Messen V1344-2, 1 No. 6, Dec. 1931.

3103 E. Schütz. Konstruktion einer Manometrischen Sonde mit elektrischer Transmission; Z. für Biologie, 91, 515-51, 1931.

3104 K. Sommermeyer. Sensitive membrane manometer; Zeits f. Physik Chemie., A155, 208, 1931.

3105 T. Theodorsen. Investigation of the diaphragm-type pressure cell; NACA Report No. 388, 1931.

3106 R. Wagner. Die Beeinflussung des Druckablaufes in verschiedenen Herzabschnitten bei wechselnden Bedingungen der Herztätigkeit; Z. für Biologie, 92, 54-86, 1931.

3107 B. Noyes, Jr. A comparison of mercurial and aneroid sphygmomanometers; Rev. Sci. Instr., 2, 632-637, 1931.

3108 C. H. Meyers and R. S. Jessup. A multiple manometer and piston gages for precision measurements; Bur. Standards J. Research, 6, 1061, 1931. (RP 324)

325607 O - 54 - 2

3201 C. Campbell, W. B. Littler and C. Whitworth. The measurement of pressures developed in explosion waves; Proc. Roy. Soc. (London), 137, 380, 1932.

3202 S. E. Goodall. An oscillographic recorder of fluid pressure; Metropolitan-Vickers Gazette, 13, 325, 1932.

3203 G. Keinath. Elecktrische Druckmessung übersicht der Messverfahren; Arch. Tech. Messen V132-1, 2 No. 15, 1932.

3204 G. Keinath. Elektrische Druckmessung durch änderung einer Induktivität; Arch. Tech. Messen V132-4, 2 No. 16, Oct. 1932.

3205 G. Keinath. Druck Messung mit der Kondensator Messdose; Arch. Tech. Messen V132-5, 2 No. 17, 1932.

3206 A. Michels. The calibration of a pressure balance in absolute units; Proc. Roy. Acad. Amsterdam, 35, 994, 1932.

3207 F. L. Prescott. Indicators as a means of improving aircraft engine performance; J. Soc. Auto. Eng., 31, 361, 1932.

3208 J. Kluge and H. E. Linckh. Druckmessung mit piezoelektrischen Kristallen; Archiv. f. Tech. Mess. V132-3, 2, pp. 2, 1932.

3209 H.G.I. Watson and D. A. Keyes. Piezoelectric method of measuring pressure variations in internal-combustion engines; Can. J. Research, 6, 322-331, 1932.

3210 R. H. Sherlock and M. B. Stout. Picturing the structure of the wind. Civil Eng., 2, 358-363, 1932.

3211 K. H. Beij. Aircraft speed instruments; NACA Report No. 420, pp. 60, 1932.

3212 G. H. Keulegan. Investigation of the method of determining the relation of statical hysteresis and flexural stresses by measurement of the decrement of a freely vibrating U bar; J. Research Natl. Bur. Standards, 8, 635, 1932. (RP 443).

3213 G. Keinath. Druck-messung mit der Kondensator-messdose; Arch. f. Tech. Mess. V132-5, 2, pp. 2, Nov. 1932.

3214 G. Keinath. Elektrische Druckmessung durch Aenderung einer Induktivaet; Arch. f. Tech. Mess. V132-4, 2, pp. 4, Oct. 1932.

3301 W. Glamann and H. Triebnigg. Der trägheitslose elektrische Halbleiterindikator für Druckmessungen (an inertialess electrical indicator using a semiconductor for pressure measurement); Forschung, 4, 137-46, 1933.

3302 W. Janovsky. Magnetoelastische Messung von Druck - Zug - und Torsionsdräften; Arch. Tech. Messen V132-6, 2 No. 22, pp 4, Apr. 1933; Z. Tech. Physik., 14, 466-472, 1933.

3303 B. Lewis and G. Von Elbe. The recording of pressure and time in gas explosions; J. Am. Chem. Soc., 55, 504, 1933.

3304 T.S.E. Thomas. The pressures produced by the striking of momentary arcs in closed vessels; Gt. Brit. Safety in Mines Res. Bd. Paper No. 77, 1933.

3305 Prof. Wawrziniok. Pressure rise, gas vibrations and combustion noises during the explosions of fuels; NACA TM No. 711, 1933.

3306 E. S. Taylor and C. S. Draper. A new high-speed engine indicator; Mech. Eng., 55, 169, 1933.

3307 W. G. Brombacher. Temperature coefficient of the elastic moduli of spring materials used in instrument design; Rev. Sci. Instr., 4, 688, 1933.

3308 G. H. Keulegan and M. R. Houseman. Temperature coefficient of the moduli of metals and alloys used as elastic elements; J. Research Natl. Bur. Standards, 10, 289, 1933. (RP 531)

3309 F. A. Gould and J. C. Evans. A new form of barostat; J. Sci. Instr., 10, 215-218, 1933.

3310 J. E. Sears and J. S. Clark. New Primary standard barometer; Proc. Roy. Soc. A., 139, 130, 1933.

3311 W. Janovsky. Magnetoelastische Messung von Druck, Zug und Torsions-Kraeften; Arch. f. Tech. Mess. V132-6, 2, pp 4, Apr. 1933.

3312 W. Janovsky. Dynamische Eichung von Druck und Zugmessen; Arch. f. Tech. Mess. V132-7, 3, pp 4, Nov. 1933.

3401 C. F. Bachle. Combined spark plug and indicator valve developed for use with Farnboro Instrument; Auto. Indus., 71, 686-88, 1934.

3402 C. S. Draper. The physical effects of detonation in a closed cylindrical chamber; NACA Tech. Report No. 493, 1934.

3403 K. M. Dolezalek. Zur Technologie des Stanzens; Ver. Deut. Ing. Z., 78 S, 871-874, 1934.

3404 W. F. Hamilton, G. Brewer and O. Brotman. Pressure pulse contours in the intact animal; analytical description of a new high-frequency hypodermic manometer with illustrative curves of simultaneous arterial and intracardiac pressures; J. Amer. Physiol., 107, 427-435, 1934.

3405 P. M. Heldt. Photo-electric cell used with mirror diaphragm in new Labarthe indicator; Auto. Indus., 70, 160-63, 1934.

3406 P. M. Heldt. Japanese scientists develop single optical indicator, Auto. Indus., 70, 813-14, 1934.

3407 P. M. Heldt. The M.I.T. indicator; Auto. Indus., 71, 110-13, 1934.

3408 W. Rimarski and M. Konschak. Experimentelk Untersuchungen zur Frage des Druckes in Hochdruck Azetylenanlagen; Autogen Metallbearbeitung, 27, July 1, 209-215; July 15, 205-232, 1934.

3409 C. F. Taylor, C. S. Draper, E. S. Taylor and G. L. Williams. A new instrument devised for the study of combustion; J. Soc. Auto. Eng., 34, 59, 1934.

3410 W. G. Brombacher. Measurement of altitude in blind flying; NACA TN No. 503, 1934.

3411 S. Way. Bending of circular plates with large deflection; Trans. Am. Soc. Mech. Engrs., 56, 627-36, 1934.

3412 J. L. Thomas. Gold chromium resistance alloys; J. Res. NBS, 13, 681-688, 1934. (RP 737).

3413 A. Michels and M. Lenssen. Electric manometer for pressures up to 3000 atmospheres; J. Sci. Instr., 11, 345-347, 1934.

3501 Anon. The Metrovich-Dodds indicator; Auto. Eng., 25, 323, 1935.

3502 Anon. Shipping, engineering, and machinery exhibit at Olympia: Sunbury electrical indicator; Engineering, 140, 296, 1935.

3503 Anon. The oscillograph as used in engineering problems; Sulzer Tech. Review, No. 1, 1, 1935.

3504 E.S.L. Beale and R. Stansfield. The Standard-Sunbury engine indicator; Engineer, 160, 617, 642, 667, 1935.

3505 E.S.L. Beale and R. Stansfield. Cathode-ray oscillograph engine indicator; Engineering, 140, 183, 1935.

3506 H. F. Coward and M. D. Hersey. Accuracy of manometry of explosions: general survey of the problem and comparison of piston-type W. diaphragm type manometers; U.S. Bur. Mines Rept. of Invest. No. 3274, May 1935.

3507 G. Keinath. Druck-und Zugmessung mit dem akustischen Messverfahren nach O. Schäfer; Arch. Tech. Messen V132-9, 4 No. 43, Jan. 1935.

3508 H. C. Mann. Relation between static and dynamic load compression properties of copper cylinders; Watertown Arsenal Report, 810/5, 1935.

3509 C. W. Fieber. Elektrischer Indikator für schnellaufende Brennkraftmaschinen; Z. Ver. Deut. Ing., 79, 1368, 1935.

3510 G. Keinath. Druck-und Zungmessung mit dem akustischen Messverfahren nach O. Schäfer; Arch. f. Tech. Mess. V132-9, 4, pp 4, Jan. 1935.

3511 W. Janovsky. Aufzeichnung schneller mechanischer Vorgänge mit magneto-elastischen Messkörpern; Arch. Tech. Messen V132-8, 5 No. 49, pp 2, July 1935.

3512 G. Kiel. Total-head meter with small sensitivity to yaw; Luftfahrtforschung, 12, 1935; Translation, NACA TM 775, 1935.

3513 H. Jungnickel. Piezo-elektrischer Motor Indikator für schnellaufende Verbrennungsmotoren; Deutsche Motor-Zeitschrift, 10, 108, 1935.

3601 Anon. Cathode-ray oscillograph for oil engine injection research; Engineer, 161, 456, 1936.

3602 Anon. Der DVL-Mehrzylinder - glimmlampenindikator für schnellaufende Kolbenmaschiner; Luftfahrtforschung, 13, 357, 1936.

3603 E. M. Dodds. Development and application of the cathode-ray engine indicator; J. Soc. Auto. Eng., 39, 487, 1936; SAE Trans. 31, 487, 1936.

3604 M. F. Sayre and A. V. DeForest. New spring formulas and new materials in precision spring scale design; Trans. Amer. Soc. Mech. Eng., 58, 379-387, 1936.

3605 K. Federhofer. Zur Beruchnung der dünnen Kreisplatte mit grosser Ausbiegung; Forschung (auf dem Gebiete des Ingenieurwesens), 7, 148-151, 1936.

3606 W. Glamann. Druckmessung mit Halbleitern Physikalische Grundlagen: Arch. Tech. Messen V132-12, 5 No. 57, Mar. 1936.

3607 W. Glamann. Indikatoren und Druckmesser nach dem Prinzip der Druckmessung mit Halbleitern; Arch. Tech. Messen J 137-4, No. 61, July 1936.

3608 P. M. Heldt. Engines on the spot; Auto. Indus., 74, 398-402, 1936.

3609 A. Langevin, H. Muraour and G. Aunis. Etude des Méthodes de Mesure des Pressions (explosives, comparison: crushers - Quartz piézo-électrique); J. de Physique, 7, 448, 1936.

3610 N. MacCoull and G. T. Stanton. The measurement of engine knock by electro-acoustic instruments (see appendix 2); J. Soc. Auto. Eng., 38, 70, 1936.

3611 S. Meurer. Indikatoren für schneullaufende Verbrennungsmotoren; Z. Ver. Deut. Ing., 80, 1447, 1936.

3612 H. Nielsen. Der Piezoelektrische Indikator; J. Arch. Tech. Messen 137-3, 5 No. 55, Jan. 1936.

3613 R. A. Rose, G. C. Wilson, and R. R. Benedict. Photoelectric combustion analysis; J. Soc. Auto. Eng., 39, 459, 1936.

3614 H. T. Sawyer. An indicator for high-speed engines; Mech. Eng., 58, 283, 1936.

3615 W. Sigrist and M. Meyer. Ballistische Untersuchungen mit einem registrierenden Piezoquarz-Druckmesser; Helv. Phys. Acta., 9, 646, 1936.

3616 A. Graham. Note on the structure of turbulence in a natural wind, containing also a description of a sensitive pressure gage; Aero Res. Com. (British) R & M No. 1704, 1936.

3617 E. Schmidt. Measurement of small pressure differences at high pressures; Ver. Deut. Ing., 80, 635, 1936.

3618 A. M. Wahl and S. Way. Stresses and deflection of circular plates; Trans. Appl. Mech. Amer. Soc. Mech. Eng., 3, A28-A30, 1936.

3701 L. H. Adams, R. W. Goranson and R. E. Gibson. Construction and properties of the manganin resistance pressure gage; Rev. Sci. Instr., 8, 230, 1937.

3702 Anon. Electrical methods of measuring applied to diesel engine design; Sulzer Tech. Review, No. 4, 7, 1937.

3703 E.S.L. Beal and R. Stansfield. High-speed engine indicators; Engineer, 163, 240, 270, 1937.

3704 E. M. Dodds. Recent developments in engine indicators; J. Inst. Auto. Eng., 6, 41-67, Nov. 1937; Proc. Inst. Auto. Eng., 32, 179, 1937 (with discussion).

3705 H. Ebert and A. Kussmann. Aenderung der Sattigungmagnetisierung durch Allseitigen Druck (Influence of hydrostatic pressure on saturation magnetization); Z. Physik., 38, 437-45, 1937.

3706 D. E. Gregg. An optical blood pressure manometer; J. Amer. Physiol., 119, 321, 1937.

3707 L. Merz and H. Scharwächter. Magneto-elastische Druckmessung; Arch. Tech. Messen, V132-15, No. 77, Nov. 1937.

3708 S. Meurer. Beitrag zum Bau Piezoelektrischer Indikatoren (construction of piezoelectric indicator); Forschung, 8, 249, 1937.

3709 H. J. Schrader. Cathode-ray engine-pressure measuring equipment; R.C.A. Review, 2, 202, 1937.

3710 E. Schütz. Demonstration eines neuen Blutdruckschreibers; Klinesche Wochenschrift, 16, 1132, 1937.

3711 M. Serruys. La Combustion détonante dans les moteurs à explosion; France: Public Sci. et Tech. du Ministère de L'Air, No. 103, 1937.

3712 A. Towle. The cathode-ray oscillograph and its applications to engine indicators; Inst. Auto. Eng. Proc., 32, 754-75, 1937-38.

3713 S. Wintergerst. Die magnetoelastischen Eigenschaften von Stahl und deren Anwendung zu Spannungs und Schwingungs - messungen; Forschung (arbeiten auf dem Gebeite des Ingenieurswesens), 8, 238, 1937.

3714 H. Illgen. Recent applications of the piezoelectric measuring methods in ballistics; Zt. f. techn. Physik., 18, 470-474, 1937. (D. Taylor Model Basin Translation No. 120, 1943).

3715 J. R. Roebuck and W. Cram. Mercury manometer for 200 atmospheres; Rev. Sci. Instr., 8, 215, 1937.

3801 C. S. Draper. Pressure waves accompanying detonation in the internal combustion engine; J. Aer. Sci., 5, 219, 1938.

3802 G. M. Rasweiler and L. Withrow. Motion pictures of engine flames correlated with pressure cards; J. Soc. Auto. Eng., 42, 185-204, 1938.

3803 R. E. Tozier. The NACA optical engine indicator; NACA TN No. 634, Jan. 1938.

3804 R. W. Carson. New alloys for springs; Prod. Eng., 9, 213-215, 1938.

3805 P. G. Exline. Pressure-responsive elements; ASME Trans., 60, 625-632, 1938.

3806 J. B. Macelwane and J. E. Ramirez. The electromagnetic microbarograph and its performance; Trans. Am. Geophys. Union, 19, 126-127, 1938.

3901 Anon. Piezoelectric indicator; Engineer, 167, 152-153, 1939.

3902 C.H.W. Brookes-Smith and J. A. Coles. The measurement of pressure, movement, acceleration, and other mechanical quantities, by electrostatic systems; J. Sci. Instr., 16, 361, 1939.

3903 S. E. Goodall and R. B. Smith. Instantaneous fluid-pressure recording equipment, Engineering, 148, 127, 1939.

3904 R. Gregorovici. Über ein einfaches Glasmanometer für neider Drucke; Zeits. f. Tech. Physik., 20, 102, 1939.

3905 C. E. Grinstead. Sound and pressure waves in detonation; J. Aer. Sci., 6, 412-417, 1939.

3906 W. Kerris. Effect of tubing on measurements of periodically fluctuating pressures (German); Z.W.B./FB/1140, 26, Nov. 1939.

3907 A. Schulze. Research on the electrical resistance of novoconstant; Physik., Zt. 40, 357-361, 1939.

3908 O. Müller. Elektrische Druckmessung, Kapazitibe Druckmessdosen; Arch. Tech. Messen., 132-16, No. 98, Aug. 1939.

3909 P. H. Rayner. Notes on aero engine research; J. Roy. Aer. Soc., 43, 19-32, 1939.

3910 A. Watzinger and R. S. Larson. Erfahrungen mit Elektrischer Druckaufnahme bei Wärmekraftmaschinen (Experience with electrical recording of pressure in heat engines); Ver. Deut. Ing., Z., 83, 899-901, 1939.

3911 W. A. Wildhack and V. H. Goerke. Corrugated metal diaphragms for aircraft pressure-measuring instruments; NACA TN No. 738, Nov. 1939.

3912 H. Benioff and B. Gutenberg. Waves and currents (atmospheric) recorded by electromagnetic barographs; Bull. Amer. Meteor. Soc., 20, 421-426, 1939. Trans. Am. Geophys. Union, 22, 424-426, 1941.

3913 T. H. Johnson and S. A. Korff. Improved radio barograph; Rev. Sci. Instr., 10, 82, 1939.

3914 R. H. Kent and A. H. Hodge. The use of piezoelectric gage in the measurement of powder pressures; Trans. ASME, 61, 197-204, 1939.

3915 L. Vereschagin and B. Alexandrov. High pressure manometer of free piston type to pressures of 10,000 kg/cm^2; J. Tech. Physics, USSR, 9, 348, 1939.

3916 B. Alexandrov and L. Vereschagin. Electrical manometer for high pressure; J. Tech. Phys., USSR, 9, 843, 1939.

3917 T. B. Godfrey. Further data on gold chromium resistance wire; N. Bur. Standards J. Research, 22, 565-571, 1939. (RP 1206)

4001 Anon. Tool for DOV presses - Pressure trend meter for frequencies up to 1200 cps (German); Halstead Exploiting Center, 2214, Oct. 1940.

4002 F. Charron. Etude des capsules aneroides; France Ministere de L'Air Sci. et Tech., Pub. No. 160, 1940.

4003 A. V. De Forest and H. Leaderman. The development of electrical strain gages; NACA Tech. Note 744, pp. 51, Jan. 1940.

4004 C. S. Draper and G. P. Bentley. Design factors controlling the dynamic performance of instruments; Am. Soc. Mech. Eng., Trans., 62, 421, 1940.

4005 C. S. Draper, J. H. Lancor and L. Davis. The application of an electromagnetic indicator to internal combustion engine problems; J. of Aer. Sci., 8, 7-16, 1940.

4006 W. R. MacLean. Absolute measurement of sound without a primary standard; J. Acous. Soc. Am., 12, 140-146, 1940.

4007 R. Gunn. A convenient electrical micrometer and its use in mechanical measurements; J. appl. Physics, 7, 49, 1940.

4008 P. J. Hagendoorn and M. F. Reynst. An electrical pressure indicator for internal combustion engines; Philips Tech. Rev., 5, 348, 1940.

4009 R. H. Kent. Theory of the Hopkins electromagnetic blastmeter; U.S. Aberdeen Proving Ground, Ballistics Res. Lab., Rpt. #176, PB 98077, pp. 22, Feb. 15, 1940.

4010 C. Kenty. Rugged quartz membrane manometers of small volume; Rev. Sci. Instr., 11, 377-86, Nov. 1940.

4011 A. Labarthe. Nouvelles méthodes de mesures mecaniques; (France), Ministère de L'Air, Sci. et Tech. Pub. No. 96, 1940.

4012 F. Lichtenberger. Valuation and tests of electrical engine-indicators; Auto. Indus., 82, 368-75, Apr. 1940.

4013 S. Meurer. Weiterentwicklung des piezoelektrischen Messverfahrens (Progress in methods of piezoelectric measurement); Forschung (Gebiete Ingenieurwesen), 11, 237-245, 1940.

4014 O. Müller. Elektrische Druckmessung, Schaltungen zur kapazitiven Druckmessung; Arch. Tech. Messen, V. 132-17, No. 103, Jan. 1940.

4015 H. Rein. Photoelektrisches Transmissions-Manometer zur Blutdruckschreibung; Arch. f. d. Ges Physiol., 243, 329, 1940.

4016 H. Rein, A. Hampel and W. Heinemann. Photoelectric transmission manometer for recording blood pressure (German); Pflüger's Arch. Ges. Physiol., 244 (2), 171-75, 1940.

4017 L. C. Roess. A condenser type high speed engine indicator; Rev. Sci. Instr., 11, 183-195, 1940.

4018 F. D. Smith, E. H. Lakey, and H. Morgan. The admiralty cathode-ray oscillograph engine indicator; Inst. Mech. Eng., J. & Proc., 143, 39-47, 1940.

4019 F. D. Smith. Basic principles in the design of cathode ray oscillograph engine indicators; Inst. Mech. Eng., J. & Proc., 143, 48-56, 1940.

4020 F. D. Smith, and C. A. Luxford. Stress measurement by magnetostriction; Inst. Mech. Eng., Proc., 143, 56, 1940.

4021 W. G. Brombacher, V. H. Goerke, and F. Cordero. Sensitive aneroid diaphragm capsule with no deflection above a selected pressure; NBS J. of Research, 24, 31, 1940. (RP 1270).

4022 W. S. Hinman, F. W. Dunmore, and E. G. Lapham. An improved radiosonde and its performance; NBS J. of Research, 25, 327, 1940. (RP 1329).

4023 H. Weidemann. Inertia of dynamic pressure arrays; Luftfahrtforschung, 17, 211-215, 1940; Transl., NACA TM No. 998, 1941.

4024 Anon. Scientific instruments and apparatus IX; (Cossor - Dodds Condenser Type Pressure Unit), Engineer, 169, 471-72, 1940.

4025 A. Schulze. Development and performance of gold-chromium electrical resistance standards, (German); Metallwirtschaft; 19, 177-181, 1940.

4026 W. Gohlke. The oscillation properties of piezoelectric measuring instruments; Luftforschungsanstalt, Hermann Goering, FB 1320, pp. 72, May 1940. Trans. Ministry of Supply, Tech. Inf. Bur. London.

4101 G. von Békésy. Über die Messung der Schwingungsamplitude der Gehörknöchelchen mittels einer Kapazitiven Sonde; Akustische Z., 6, 1, 1941.

4102 F. R. Caldwell and E. F. Fiock. Some factors influencing the performance of diaphragm indicators of explosion pressures; J. Res. NBS, 26, 175-196, 1941. (RP 1368).

4103 W. E. Gilson, H. Goldberg and H. C. Slocum. An automatic device for periodically determining and recording both systolic and diastolic blood pressure in man; Science, 94, 194, 1941.

4104 W. Gohlke. Piezoelectric instruments of high natural frequency vibration characteristics and protection against interference by mass forces; Forschung, 12, 1-25, 1941. Trans. NACA TM 1040, 1943.

4105 W. Hurst. A recording sensitive differential manometer; Rev. Sci. Instr., 12, 265-268, 1941.

4106 C. N. Hickman. The use of copper balls for measuring pressures in combustion chambers; NDRC A21, 1941.

4107 W. G. Kubicek, F. P. Sedgwick and M. B. Visscher. Adaptation of the glass spoon manometer to physiological studies; Rev. Sci. Instr., 12, 101, 1941.

4108 A. G. MacLeod and A. E. Cohn. A new piezoelectric manometer to record intracardiac pressures, etc.; Am. Heart J., 21, 345-55, 1941.

4109 E. J. Martin, C. E. Grinstead, and R. N. Frawley. An electrical engine indicator for measuring static and dynamic pressures; Trans. Am. Inst. Elec. Eng., 60, 513-23, 1941.

4110 A. F. Robertson. Electro-optic pressure indicators; Rev. Sci. Instr., 12, 142-148, 1941.

4111 E. Henderson. Combustible gas mixture in pipe lines; Proc. Pacific Coast Gas Assoc., Gas, 17, 23-29, Sept. 1941.

4112 R. K. Cook. Absolute pressure calibration of microphones; NBS J. Research, 25, 489-505, 1940. (RP 1341) J. Acous. Soc. Am., 12, 415, 1941.

4113 A. V. De Forest. Precision springs; The Instrument Maker, 9, pp 2, Nov.-Dec., 1941.

4114 H. Weidemann. Zur Theorie der Ringwaage; Luftfahrtforschung, 18, 223-229, 1941.

4201 D. S. Clark. Equipment and procedure for static-firing tests; Progress report OSRD Rpt. 611 (NDRC Rept. A-61), 1942. PB 23681.

4202 A. V. De Forest. Characteristics and aircraft applications of wire resistance strain gages; Instruments, 15, 112-15, 1942.

4203 S. Fernbach. The piezo gauge; final report; Frankford Arsenal Ordnance Lab Rept. R-111, Jan. 1942. PB 20512.

4204 S. Fernbach. The speedomax maximum pressure recorder; final report; Frankford Arsenal Ordn. Lab. Rept. R-166, May 1942. PB 20507.

4205 W. E. Gilson. An automatic blood pressure reocrder; Electronics, 15, 54, May 1942.

4206 W. E. Gilson. A photoelectric membrane manometer; Science, 95, 513, 1942.

4207 W. Gohlke. Circuits for piezo-electric measuring instruments (German); Forschunggebiets Ingenieurwesens, 13, 137-143, 1942.

4208 R. W. Goranson, Garten, and Crocker. The measurement of large transient stresses; OSRD No. 498, NDRC A-45 (Carnegie Institution, Washington, D. C.), Apr. 1942. PBL 18481.

4209 G. K. Hartmann. Theory of the ball crusher gage; BuOrd (Re-6b) Memo for File, Sept. 1942.

4210 R. J. Hansen. Construction of resistance strain gauges; OSRD 1003, NDRC Memo A 59M (Princeton Univ.), 1942.

4211 M. Ishiguro. Study of high-speed pressure indicator (In Japanese); Cent. Aero. Res. Inst., 1 No. 3, pp. 127-139, June 1942. PBL 70979

4212 C. W. Lampson. The measurement of transient stress, displacement and pressure; progress report; OSRD Rpt. No. 756, (NDRC No. A-73) (Princeton Univ.), July 1942. PB 18478.

4213 A. W. Lawson and P. H. Miller, Jr. Piezometer for transient pressure; Rev. Sci. Instr., 13, 297-298, 1942.

4214 J. C. Lilly. Electrical capacitance diaphragm manometer; Rev. Sci. Instr., 13, 34-37, 1942.

4215 D. P. MacDougall. Underwater explosives research; first progress report; OSRD Rpt. No. 1035, Nov. 1942. PBL 32191.

4216 O. Müller. Elektrische Druckmessung Halbleitermessverfahren. Ein neue Druckmessdose; Arch. Tech. Messen, V. 132-19, No. 134, Aug. 1942.

4217 Seitz, A. W. Lawson, and P. H. Miller, Jr. The speed effect in copper crusher cylinders and copper spheres; OSRD Rpt. No. 619 (Univ. of Penn.), June 1942. PB 10777.2.

4218 W. A. Wildhack and V. H. Goerke. The limiting useful deflections of corrugated metal diaphragms; NACA, Technical Notes, No. 876, Dec. 1942.

4219 E. B. Wilson, Jr., and R. H. Cole. Measurement of underwater explosion pressures; progress report; OSRD Rpt. No. 523, pp. 28, Apr. 1942. PB 32190.

4220 E. B. Wilson, Jr. Underwater explosives and explosions Interim report 15 Sept. to 15 Oct. 1942; OSRD - UERL, Woods Hole, pp 10, Oct. 1942.

4221 L. Zernow. Development of piezoelectric impulse gage; Ballistics Res. Lab. Memo Rpt. No. 84 (Aberdeen), Nov. 4, 1942. APG BRLP.

4301 Anon. Internal combustion engine analysis; Electronic Indus., 64, June 1943.

4302 Anon. (Stanolind Oil and Gas Co., Tulsa, Oklahoma). Development of explosion-pressure gages and recording equipment; progress report; OSRD Rpt. No. 1739, Aug. 1943. PB 32192.

4303 F. Bucthal and E. Warburg. A new method for direct electric registration of the intra-arterial pressure in man, with examples of its application; Acta Physiologica, Scandinavica, 5, 55-70, 1943.

4304 T. D. Carr, M. Schwarzschild, and P. Weiss. An improved method for the measurement of blast from bombs; Ballistics Res. Lab. Rpt. No. 336, Apr. 1943. PB 22112.

4305 A. R. Cohen and B. Stiller. A tourmaline crystal gauge for underwater explosion pressure; David Taylor Model Basin Report R-157, 1943.

4306 J. C. Frommer. Detecting small mechanical movements; Electronics, 16, 104, July 1943.

4307 C. H. Gibbons. The use of the resistance wire strain gage in stress determination; Proc. Soc. Exper. Stress Analysis, 1, 41, 1943.

4308 W. E. Gilson. Applications of electronics to physiology; Electronics, 16, 86-89, Jan. 1943.

4309 A. Schultze. Materials for use in resistance manometers and resistance thermometers; Chemicker Zeitung, 67, 228, 1943.

4310 H. J. Greenberg and W. Praeger. On the pressure inside the Williams gage; OSRD No. 1738 (NDRC Appl. Math Rept. 36.2), Aug. 2, 1943. PB 20293.

4311 C. H. Handelman and W. Praeger. On the determination of the energy of plastic deformation absorbed in a diaphragm; OSRD AMC-B/Rpt. #1, pp 13, July 1943.

4312 C. W. Lampson. Cable compensation for piezoelectric gages; OSRD No. 1179, (NDRC - A-63M) (Princeton Univ.), pp 12, Jan. 1943. PBL 33264.

4313 Anon. Construction and performance of the Naval Ordnance Laboratory crusher gage for the measurement of underwater explosive effects; Nav. Ord. Lab. Rpt. 751, pp 13, 1943.

4314 G. T. Reynolds. Small charge air blast experiments; OSRD No. 1518, (NDRC Rpt. A-191) (Princeton Univ.), June 1943. PBL 27150.

4315 G. T. Reynolds. A preliminary study of plane shock waves formed by bursting diaphragms in a tube; OSRD Rpt. 1519, (NDRC Rpt. A-192) (Princeton Univ.), June 1943. PB 27145.

4316 H. Weidemann and E. Strauss. An instrument on the inductive principle for measuring static and rapidly varying pressures (German); ZWB/UM 2015, pp. 28, July 1943. (Trans. by Roy Aircraft Est., Farnborough, England, Dec. 1946.)

4317 V. E. Weise. Über ein Messgerät für hohe und niedrige Gasdrucke; Z. für Tech. Physik., 24, 66, 1943.

4318 T. Zobel. Piezoelectric measurement of continuous and noncontinuous forces (German); ZWB/IPA/521/43, pp. 27, Aug. 1943.

4319 W. L. Bond. A mineral survey for piezoelectric materials; Bell System Tech. J., 22, 145-152, 1943.

4320 R. W. Carson. Making beryllium copper behave; Metals and Alloys, 134-139, Dec. 1943.

4321 A. L. Thuras. Development of magnetostriction hydrophones; OSRD Report 1531, 1943.

4322 B. Sussholz. David Taylor Model Basin diaphragm blast gage; DTMB Report No. 508, pp. 28, 1943.

4323 F. Kirby. A tilting oil McLeod gage; Atom. Energy Comm., AEC D 2673, pp. 5, 1943.

4401 R. H. Stressau. A gage for the measurement of blast pressures in air; Naval Ord. Lab. Memo #5503, pp. 6, May 31, 1944.

4402 R. H. Brown. Consistency of the NOL ball-crusher gage; BuOrd (Re-2c) Explosives Res. Report No. 1, 1944. PB 37074.

4403 R. H. Brown. An iterative method for calculating the calibration curve for a ball-crusher gage; BuOrd (Re-2c) Explosives Res. Memo No. 6, pp. 5, Apr. 1944. PB 31919.

4404 A. Borden. Errors encountered in calibrating piezoelectric gauges with slow-recording instruments; David Taylor Model Basin Report R-248, Part II, pp. 11-21, 1944.

4405 S. Cromer. The electronic pressure transmitter and self balancing relay; Atom. Energy Comm. report MDDC-803, pp. 11, 1944.

4406 C. S. Draper, E. S. Taylor, J. H. Lancor and R. T. Coffey. Development of a detonation detector suitable for use in flight; NACA, Tech. Note No. 977, 1944.

4407 J. J. Donoghue and R. B. Baxter. The termination of transmission lines used with piezo-electric gages, Progress Rpt. on Underwater explosion research; David Taylor Model Basin Report R-244, Part 9, pp 14-18, 1944.

4408 R. Finkelstein. The thoery of piston gages; BuOrd (Navy) Explosives Res., Rpt. No. 5, Apr. 12, 1944. PB 37076.

4409 A. Fortier and P. Sauvage. Sur un enregistreur de pression; J. de Physique et la Radium, 5, 39-40, 1944.

4410 M. A. Greenfield and M. Shapiro. Instrumentation for the measurement of underwater explosion pressures; David Taylor Model Basin, Rpt. No. 523, 1944. PB 81143.

4411 C. E. Grinstead, R. N. Frawley, F. W. Chapman and H. F. Schultz. Measurement of static and dynamic pressures; Electronic Indus., 3, 84, Aug. 1944.

4412 C. E. Grinstead, R. N. Frawley, F. W. Chapman and H. F. Schultz. An improved indicator for measuring static and dynamic pressures; SAE Trans., 52, 534-55, 1944.

4413 W. H. Kliever. Baling-press recorder; Electronic Indus., 3, 106, July 1944.

4414 B. F. Langer. Design and applications of a magnetic strain gage; Proc. Soc. Exper. Stress Analysis, 1, 82, 1944.

4415 J. H. Meier. Some aspects of observing the performance of large machinery under operating conditions; Proc. Soc. Exper. Stress Analysis, 1, 11, 1944.

4416 M.F.M. Osborne and A. H. Taylor. Relative pressure measurements in shock waves from small underwater explosions; OSRD R-S-2306; Naval Research Lab. Rpt. S-2306, pp 99, June 1944.

4417 Pfriem. Frequency dependent calibration of pressure measuring instruments (German); Helmhaltz Institute, III B/1017, pp 9, Aug. 1944. Trans. CADO.

4418 C. Ryerson. Naval Ordnance Laboratory transient peak voltmeter; Naval Ord. Lab. Rpt. No. 906, Nov. 15, 1944.

4419 H. H. Stevens. Behavior of circular membranes stretched above the elastic limit by air pressure; Proc. Soc. Exper. Stress Analysis, 2, 139, 1944.

4420 Voegeli. Report on investigations of bursting diaphragms (German); CADO, ATI-45988, ZWB/PA-72/39, pp. 60, Oct. 1944.

4421 R. H. Bacon and W. J. Kroeger. Ballistics of small-arms ammunition; Am. J. Phys., 12, 5, 269-278, 1944.

4422 D. Silverman and H. M. Lang. Development of blast pressure gages and recording equipment; OSRD Report 4619, NDRC A-313, pp. 45, 1944.

4423 L. G. Bonner. Determination of the linear burning rates of propellants from pressure measurements in a closed chamber; OSRD Report No. 4382, Nov. 1944. PB 28530.

4424 A. N. Gleyzal. Plastic deformation of and absorption of energy by thin circular plates under normal loading; David Taylor Model Basin Report R-248, Part 14, pp. 42-55, 1944.

4425 M. A. Greenfield. A method for determining the energy absorption of thin steel diaphragms under hydrostatic loading; David Taylor Model Basin Report R-248, Part 10, pp. 1-10, 1944.

4426 G. E. Hudson. A family of surfaces of revolution representing shapes of deformed circular diaphragms; David Taylor Model Basin Report R-244, pp. 4-11, Part 7, 1944.

4427 W. F. Rich and H. L. Rich. Experimental determination of the suitability of crystal accelerometers for shock measurement; David Taylor Model Basin Report R-246, pp. 6, 1944.

4501 N. E. Alexander. Manufacture of wire strain gages for the measurements of pressure as applied to rocket research; OSRD Report 5856, Dec. 1945. PBL 58201.

4502 N. E. Alexander. A-C bridge and preamplifier for strain-gage measurement of pressure and thrust; OSRD Report No. 5857 (Alleghany Ballistics Lab., Geo. Washington Univ.), Dec. 1945. PB 50827.

4503 L. M. Ball. Strain gage technique; Proc. Soc. Exper. Stress Analysis, 3, 1-22, 1945.

4504 W. H. Barber and N. E. Alexander. Miscellaneous experimental electronic pressure recorders for rocket research; final report; OSRD Report No. 5865, Dec. 1945. PB 82197.

325607 O - 54 - 3

4505 E. Bradshaw. A change of capacitance method for the measurement of mechanical displacements; J. Sci. Instr., 22, 112-114, 1945.

4506 R. H. Cole. The use of electric cables with piezoelectric gages; OSRD Rpt. No. 4561 (NDRC Rpt. A-306), Jan. 1945. PB 22873.

4507 R. H. Cole, D. Stacey and R. M. Brown. Electrical instruments for study of underwater explosions and other transient phenomena; OSRD Report No. 6238 (NDRC No. A-360), pp 74, Nov. 1945. PB 21110.

4508 K. S. Dunlap. Development of apparatus for recording pressure vs. integral of pressure; final report; (Bell Telephone Labs), OSRD Rpt. No. 6161 (OEMsr-256), Dec. 1945. PB 28526.

4509 C. Fujita. Bomb concussion gauge using aluminum crystal plate (Japanese); Navy Air Technical Depot AT-058, Mar. 1945.

4510 S. Golden and C. M. Lathrop. Apparatus for the recording of pressure vs. $\int$pdt; final report; OSRD Rpt. No. 5859, (OEMsr-273), Dec. 1945. PB 34771.

4511 W. E. Gordon and P. E. Shafer. Mechanical air-blast gages; OSRD Rpt. No. 6249 (NDRC A-371), Mar. 1945. PB 107859.

4512 H. Grundfest, J. J. Hay and S. A. Feitelberg. Strain gage recorder for physiological volume, pressure and deformation measurements; Science, 101, 255-256, 1945.

4513 J. W. Head. Electronic engine-pressure indicator; Electronics, 18, 132-35, Jan. 1945.

4514 R. E. Hunt and W. H. Avery. Bourdon system for pressure measurement; OSRD Rpt. No. 5860, Dec. 1945. PB 68915.

4515 H. M. Lang and D. Silverman. Development of blast-pressure gages and recording equipment II; OSRD Rpt. 6317, NDRC Rpt. A-342, Nov. 1945. PB 33261.

4516 C. M. Lathrop and N. E. Alexander. Calibration equipment for pressure and thrust wire strain gages; OSRD No. 5862, Nov. 1945. PBL 58202.

4517 J.K.L. MacDonald and S. A. Schaaf. On the estimations of perturbations due to flow around blast gauges; OSRD Rpt. No. 5639, Applied Math Group Note 22, New York Univ. No. 136, Sept. 1945. PB 34754.

4518 L. Marcus. Report on development and test of instrument for recording rapidly fluctuating pressures; Naval Aer. Exper. Station Report No. NAES-Instr-13-45, Mar. 1945. PB 60971.

4519 F. Massa. A working standard for sound pressure measurements; J. Acous. Soc. Am., 17, 29-34, 1945.

4520 W. T. Read. Theory, calibration and use of diaphragm blast meters; OSRD Rpt. 6463 (NDRC Rpt. A-392), Dec. 1945. PB 32197.

4521 S. Shulman and W. H. Barber. Electronic blastmeter; OSRD Rpt. No. 5847 (Allegany Ballistics Lab., Geo. Washington Univ.), Nov. 1945. PB 50829.

4522 D. Silverman and H. M. Lang. (Stanolind Oil Co.) Development of blast-pressure gages and recording equipment to Oct. 1, 1944; OSRD Rpt. No. 4619 (NDRC Rpt. A-313), Jan. 1945. PB 22875.

4523 A. P. Skouby. A method for direct measurement of the aortic pressure in the dog; Acta Physiologica Scandinavica, 10, 366-373, 1945.

4524 W. F. Wittern and E. Franke. Method of recording rapid blood-pressure changes (German); Reichsstelle für Hochfreq., FB-12, pp 21, July 1945.

4525 G. H. Winslow and W. H. Bessey. High-speed compression testing of copper crusher cylinders and spheres; OSRD 5039, NDRC A-324, 1945.

4526 S. G. Yorke. Glass spirals for use in sensitive pressure gauges; J. Sci. Instr., 22, 196, 1945.

4527 A. L. DiMattia and F. Wiener. On the technique of absolute pressure calibration of condenser microphones by the reciprocity method; Harvard Univ. Psycho-Acoustic Lab. Navy Research Report PNR-4, pp 80, 1945. PB 52332.

4528 R. M. Head. Lag determination of altimeter systems; J. Aero. Sciences, 12, 85-93, 1945.

4529 E. J. Partington and S. E. Westman. Transient recording pickup methods; Auto. and Aviation Industries, 93, 20-24, Nov. 1, 1945.

4530 L. Saxer. Electrical measurements of small variations in atmospheric pressures; Helvetica Physica Acta, 18, 527-550, 1945.

4531 L. G. Smith. Photographic investigations of the reflection of plane shocks in air; OSRD Rpt. 6271, 1945.

4532 H. F. Stimson. The measruement of some thermal properties of water; J. Wash. Acad. Sciences, 35, 201, 1945.

4533 Anon. The use of General Motors capacitance pressure gages for internal ballistics measurements on rocket propellants; OSRD Rpt. No. 5750, 1945.

4534 D. J. LeRoy. An automatic differential manometer; Ind. Eng. Chem. (Anal. Ed.), 17, 652, 1945.

4535 J. Kistemaker. The capillary depression of mercury and high precision manometry; Physica, 11, 277-286, 1945.

4536 J. Kistemaker. On the volume of mercury menisci and the surface tension of mercury deduced from them; Physica, 11, 270-276, 1945.

4601 A. B. Arons and C. W. Tait. Design and use of tourmaline gages for piezoelectric measurement of air blast; OSRD Report No. 6250, NDRC A-372, pp 85, Mar. 1946. PB 82199.

4602 F. Aughtre. Electrical resistance wire strain gauges, with particular reference to possible errors in their use for static and dynamic measurements; Inst. of Marine Eng., 58, 59, 1946.

4603 S. R. Avella. Engineering and material services; final report; OSRD No. 6154, Jan. 1946. PBL 34789.

4604 A. H. Bebb, D. R. Wallace, D. H. Pringle, and others. Report on use of amplifiers with piezoelectric gauges; Naval Const. Res. Establ., NCRD/R-10, Gt. Britain, pp 10, May 1946.

4605 P. W. Bridgman. Recent work in the field of high pressures; Rev. Modern Physics, 18, 1-93, 1946.

4606 G. W. Cook. A carrier-type strain indicator; DTMB Report No. 565, July 1946. PB 57506.

4607 A. Crossley. The pressure graph; Proceedings of the National Electronics Conference, 2, 352, 1946.

4608 R. W. Dayton and G. M. Foley. Capacitive micrometer; Electronics, 19, 106, Sept. 1946.

4609 H. G. East and H. Kuhn. Accurate bellows manometer; J. Sci. Instr., 23, 185, 1946.

4610 J. C. Fletcher, W. T. Read, R. G. Stoner and D. K. Weimer. Shock-tube, piezoelectric gages, and recording apparatus; final report; OSRD Rpt. No. 6321, NDRC No. A-356, (Princeton Univ.), Feb. 1946. PB 43051.

4611 F. E. Fox, K. F. Herzfeld, and G. D. Rock. The effect of ultrasonic waves on the conductivity of salt solution; Physical Review, 70, 329-339, 1946.

4612 G. K. Fraenkel. Apparatus for the measurement of air-blast pressures by means of piezoelectric gages; OSRD Rpt. No. 6251, NDRC No. A-373, pp 225, Mar. 1946. PB 60930.

4613 C. Frondel. Construction of tourmaline gages for piezoelectric measurements of explosion pressure waves; OSRD Rpt. No. 6256 NDRC Rpt. A-378, pp 34, Jan. 1946. PB 33262.

4614 G. Grime and H. Sheard. The experimental study of the blast from bombs and bare charges; Proc. Roy. Soc., A-187, 357-80, 1946.

4615 T. Jorgensen, Jr. 100-ton test: mechanical impulse meter; Atom. Energy Comm. report AECD-2843, pp 4, May 31, 1946.

4616 R. D. Meyer. Applications of unbonded-type resistance gages; Instruments, 19, 136-139, Mar. 1946.

4617 M.F.M. Osborne and J. L. Carter. Transient analysis of linear systems, using underwater explosion waves; J. Appl. Physics, 17, 871-73, 1946.

4618 M.F.M. Osborne and A. H. Taylor. Non-linear propagation of underwater shock waves; Physical Review, 70, 322-328, 1946.

4619 M. Reiner. A simple instrument for measuring blast; J. Sci. Instr., 23, 288-289, 1946.

4620 L. G. Smith. A condenser-type FM gage for blast pressure measurements; OSRD Rpt. No. 6320, NDRC Rpt. A-355, Jan. 1946. PB 21113.

4621 B. Sussholz. Comparative tests of NDRC tourmaline and TMB diaphragm air-blast gauges; David Taylor Model Basin Report R-282, 1946.

4622 A.H.B. Walker. Improved electronic engine indicator; Engineering, 162, 361, 1946.

4623 J. A. Zalovcik and C. Wood. Static-pressure error of an airspeed installation on an airplane in high-speed dives and pull-outs; NACA RB No. L5K29a, 1946.

4624 E.J.B. Willey. The electrical measurement of pressures and indicator diagrams; J. Sci. Instr., 23, 263-269, 1946.

4625 Anon. Aircraft torpedo development and water entry ballistics; Cal. Inst. Tech., pp 405, 1946. (Pressure plugs p. 134-138.)

4626 Anon. Properties and applications of Ni-Span C constant modulus alloy; H. A. Wilson Co., (Newark, N. J.), Eng. Data Bull., 1946.

4627 V. D. Hauck, J. R. Cosby and A. B. Dember. Radiosonde telemetering systems; Electronics, 19, 120-123, May 1946.

4628 Univ. of Chicago. On the development of instruments for accurate pressure, temperature and humidity measurements in the upper atmosphere; Dept. Meteorology, Progress Report, Apr. 1946. (June 1947 to ONR, Contract No. N6ori-20).

4629 H. R. Bierman and H. K. Hellems. A wire resistance strain gage for measuring physiological pressure phenomena; Naval Research Institute Proj. X-630, Rpt. No. 9, Dec. 23, 1946.

4630 R. S. Lanier and C. R. Sawyer. Sonar for submarines; Electronics, 19, 99-103, Apr. 1946.

4631 R. Walen. Sur L'enrégistrement de pressions au moyen d'un dispositif de mésure à distance de faibles déplacements; J. Phys. Radium, 7, 342-344, 1946.

4632 B. Steinman and K. von Gunten. Technic of continuous measurement of blood pressure in man; Medica Acta (Basel), 13, 214-233, 1946.

4633 W. E. Gordon. Piezoelectric measurement of the detonation wave in hydrogen and oxygen; NAVORD Rpt. No. 99-46, Nov. 15, 1946.

4634 M. Klein, H. Weidemann, W. Kerris. Model testing technique; Testing equipment and instruments; Aerodynamische Versuchsanstalt, Goettingen; Trans. Ministry of Aircraft Production, England, MAP-VG-252-T, pp 66, 1946.

4635 Kordes. Manganin coil pressure gauge of RMB type (GM-40); Halstead Exploiting Centre, England, HEC-13575, pp 54, 1946.

4636 I. Warshawski. A multiple bridge for elimination of contact-resistance in resistance strain gage measurements; NACA Tech. Note 1031, pp 44, 1946.

4701 D. E. Abkowitz. Dynamic and static compression testing of 3/8-inch copper balls; DTMB Rpt. No. R-240, pp 24, July 1947.

4702 N. G. Anderson. Manufacture of capsules for pressure measuring instruments, including test data; FIAT Final Report 987, pp 13, Jan. 1947. PB 65678.

4703 G. E. Bennett, G. R. Richards, and E. C. Voss. Electronics applied to the measurement of physical quantities; Aero. Res. Council, Grt. Br., R & M 2627, 124 pp, Sept. 1947.

4704 G. A. Boutry. Some aspects of instrumental physics in France (1939-1946): A precision recording manometer; J. Sci. Instr., 24, 281-295, 1947.

4705 J. R. Braunstein, W. G. Brosene, Jr. A new method of recording arterial blood pressure; Science, 105, 267, 1947.

4706 W. S. Campbell. Operating and service manual for the TMB type 1A strain indicator; DTMB Report R-351, July 1947. PB 81907.

4707 W. E. Curtis and P. E. Shafer. Use of free-piston gauges for air-blast measurements on full-scale igloo tests; Nav. Ord. Report No. 2-47, pp 50, Feb. 15, 1947. (Underwater Expl. Res. Lab., Woods Hole).

4708 C. K. Fraenkel and W. D. Kennedy. Apparatus for the measurement of air-blast pressures by means of the condenser-microphone frequency-modulation system; Nav. Ord. Report No. 100-46, pp 45, Jan. 25, 1947. (Underwater Expl. Res. Lab., Woods Hole).

4709 G. A. Gustafsson. Some basic characteristics of wire strain gauges and bridge circuits for these gauges; Flygtekniska Försöksanstalten, Stockholm, 1947.

4710 H. R. Hindley. A direct-reading differential micromanometer; J. Sci. Instr., 24, 295-297, 1947.

4711 R. H. Kemp, W. C. Morgan and S. S. Manson. The application of high temperature strain gages to the measurement of vibrating stresses in gas-turbine buckets; NACA Tech. Note No. 1174, Apr. 1947.

4712 W. Kerris and F. Weidemann. Development of a photoelectric manometer; Luftfahrtforschungsanstalt, Hermann Goering, Dec. 1939. Transl. No. F-TS-1505-RE, ZWB/FB/1145, May 1947.

4713 F. Koppl. Recent progress in the measurement of atmospheric pressure; Rev. Sci. Instr., 18, 850-851, 1947.

4714 E. H. Lambert and E. H. Wood. The use of a resistance wire, strain gauge manometer to measure inter-arterial pressure; Proc. Soc. Exper. Biol. and Med., 64, 186-190, 1947.

4715 J. C. Lilly, V. Legallais and R. Cherry. A variable capacitor for measurements of pressure and mechanical displacements; a theoretical analysis and its experimental evaluation; J. Appl. Physics, 18, 613-628, 1947.

4716 F. Lichtenberger. Novel method of determining incipient engine knock; Automotive Industries, 97, 30, Aug. 1, 1947.

4717 S. S. Manson, R. H. Kemp and W. C. Morgan. High temperature strain gages and their application to measurement of vibratory stresses in turbo supercharger buckets; Proc. Soc. Exper. Stress Analy., 5, 90-100, 1947. NACA TN 1174, 1947.

4718 F. M. Mayes, and M. A. Linderman. New pressure indicator design; Auto & Av. Indus., 96, 38, May 1, 1947.

4719 G. R. Mezger. An electrical engine-pressure-indicating device; DTMB Report R-559, pp 33, Aug, 1947.

4720 L. H. Montgomery and J. W. Ward. Measurement of transient hydraulic pressures; Rev. Sci. Instr., 18, 289-93, 1947.

4721 J. F. Moulton, Jr., and J. J. McCorkle. A short response time mechanical gage, (SRT gage) for measuring underwater explosion pressures; Nav. Ord. Report No. 400, pp 17, June 3, 1947.

4722 H. F. Olson. Mechano-electronic transducers; J. Acous. Soc. Am., 19, 307-319, 1947.

4723 W. H. Pickering. Reluctance gages for telemetering strain data; Proc. Soc. Exper. Stress Analysis, 4, 74, 1947.

4724 A. Pfeiffer. Note on theory of corrugated diaphragms for pressure-measuring instruments; Rev. Sci. Instr., 18, 660-664, 1947.

4725 H. Schaevitz. The linear variable differential transformer; Proc. Soc. Exper. Stress Analysis, 4, 79, 1947.

4726 A. W. Smith and D. K. Weimer. Comparison of supersonic intensities by means of a magnetostriction gage; Rev. Sci. Instr., 18, 188-190, 1947.

4727 P. B. Smith. A recording optical manometer for transient pressures; J. Sci. Instr., 24, 134-136, 1947.

4728 G. M. Sokol. The reflection of small-charge shock waves from a free surface; U.S. Naval Ord. Report 410, 1947.

4729 N. J. Thompson and E. J. Cousins. Measuring pressures of industrial explosions; Electronics, 20, 90-93, Nov. 1947.

4730 N. J. Thompson and E. J. Cousins. A direct-reading, explosion-effect gage; Instruments, 20, 330-332, 1947.

4731 C. R. Urwin and K. H. Swainger. Minimizing zero-drift in electrical strain gauge bridges; J. Roy. Aer. Soc., 51, 867-873, 1947.

4732 D. A. Wilson and others. The determination of peak pressure of an underwater explosion from a study of initial dome velocity; Nav. Ord. Report No. 13-47, pp 38, May 26, 1947. (Underwater Expl. Res. Lab., Woods Hole).

4733 T. Suzuki. New simplified electrical method for recording blood pressure in animals; Tohoku J. Exp. Medicine, 49, 64, Oct. 17, 1947.

4734 W. G. Brombacher. Instrumentation for flight testing airplanes; Instruments, 20, 700-708, 1947.

4735 W. L. Cherry, Jr. and R. Adler. Piezoelectric effect in polycrystalline barium titanate; Phys. Rev. 72, 981-982, 1947.

4736 L. F. Koerner. Frequency calibration of quartz crystals; Bell Lab. Record 25, 418-421, 1947.

4737 R. M. Lichtenstein. Electro-mechanical properties of Rochelle salt at the lower Curie point; Phys. Rev., 72, 492-501, 1947.

4738 G. S. Edwards. Instrument for recording multiple pressures in man; J. Lab. and Clinical Medicine, 32, 921-928, 1947.

4739 Naval Ord. Lab. Microbarometric waves from Helgoland "Big Bang" Report No. 1070, pp 49, 1947.

4740 Weather Bureau. Performance characteristics of the radiosonde; Lab. Section, Inst. Div., 1947.

4741 E. F. Cox. Microbarometric pressure form large high-explosive blasts in Idaho; Nav. Ord. Lab. Memo No. 9105, pp 47, May 20, 1947.

4742 P. Ebaugh and R. E. Muesser. The practical application of the reciprocity theorem in the calibration of underwater sound transducers; J. Acous. Soc. Amer., 19, 695-700, 1947.

4743 J. R. Reitz and R. E. Meusser. Two parabolic reflector underwater transducers; J. Acous. Soc. Amer., 19, 35-43, 1947.

4744 H. L. Motley and others. Intravascular and intracardiac pressure recording in man, electrical apparatus (Clark capsule) compared with Hamilton manometer; Proc. Soc. Exp. Biol. and Med., 64, 241-244, 1947.

4745 S. A. Schaaf. Theory of minimum response time for minimum gages; Univ. Calif., Berkeley, Contr. N7 onr-295, Task Order 3, HE-150-21, pp 3, Aug. 15, 1947.

4746 H. Muraour. Sur la mesure des pression absolutes à l'aide des curshers; Compt. Rend., 224, 1762-1764, 1947.

4747 N. E. Freeman. Direct measurement of pressure within arterial anuerysms and arteriovenous fistulas; Surgery, 21, 646-658, 1947.

4748 A. T. Hansen and E. Warburg. Improved electric manometer for measuring arterial, intravenous and intracardial pressure with general theory of manometers; Bull. Schwerz. Akad. Med. Wiss., 3, 90-93, 1947. J. Amer. Heart Assoc., 33, 709-710, 1947.

4801 Anon. (Fredric Flader, Inc.) Teleflight accelerometers and pressure transmitters; Rev. Sci. Instr., 19, 373-374, 1948.

4802 H. R. Bierman. A device for measuring physiologic pressure phenomena using the bonded electrical wire resistance strain gauge; Rev. Sci. Instr., 19, 707-10, 1948.

4803 W. E. Buck and W. H. Barkas. Dynamical pressure measurement by optical interference; Rev. Sci. Instr., 19, 678-84, 1948.

4804 H. J. Grover and J. C. Bell. Some evaluation of stresses in aneroid capsules; Proc. Soc. Exper. Stress Analysis, 5, 125, 1948.

4805 A. S. Halliday. A distant reading manometer with particular application to the measurement of small pressures; Grt. Brit. Aero. Research Council, R & M No. 2774, June 1948.

4806 E. Jones and K. R. Maslen. The physical characteristics of wire resistance strain gauges; Gt. Brit. Aero. Research Council R & M 2661, Nov. 1948. (1952).

4807 A. G. Keenan and R. L. McIntosh. A strain-sensitive resistance wire manometer; Rev. Sci. Instr., 19, 336-339, 1948.

4808 L. B. Lipson and G. N. Crawford. A dynamic vacuum manometer; Rev. Sci. Instr., 19, 372, 1948.

4809 H. Matheson and M. Eden. A highly sensitive differential manometer; Rev. Sci. Instr., 19, 502-506, 1948.

4810 W. A. Newberry. A new telemetering gage for pressure measurements; Calif. Inst. Tech., Jet Propul. Lab. Memo No. 4, pp. 11, May 27, 1948. Contr. W04-200-Ord.-455, Ordcit. project.

4811 E. A. Nielsen. Detectives at work - shock pressure problem; Applied Hydraulics, 1, 17, Feb. 1948.

4812 C. J. Rallis. Improved balanced pressure engine indicator (Modification to a Farnboro instrument); S. African Inst. Eng. J., 47, 35-42, Oct. 1948. Mech. World, 125, 74-75, 1949.

4813 W. L. Richardson and G. S. Storer. Low temperature performance test on rupture diaphragms; At. Energy Com. report AECD-2268, pp. 7, Aug. 31, 1948.

4814 J. Schwartz. Electronic gages; Microtechnic, 2, 199, 267, 1948. Microtechnic, 3, 10, 1949.

4815 P. Torda and W. I. Weiss. Calibration method and equipment for dynamic pressure detectors; Poly. Inst. Brooklyn, Tech. Memo. No. PJB8; PIBAL No. 127, pp. 4, July 1, 1948, Contr. N6 ori-98, Task Order 2, Proj. Squid.

4816 W. I. Weiss. Application of Statham pressure transducers to the continuous recording of instantaneous pressures; Poly. Inst. Brooklyn, Tech. Memo No. PIB-6, PIBAL report No. 125, pp. 7, 1948. Contr. N6 ori-98, Task Order 2, Proj. Squid.

4817 E. Wenk, Jr. An elastic-tube gage for measuring static and dynamic pressures; D. Taylor Model Basin report No. 627, pp. 36, May 1948.

4818 M. Williams. An electrokinetic transducer; Rev. Sci. Instr., 19, 640-646, 1948.

4819 D. B. Kirk. Nozzle flow characteristics in pneumatic force-balance circuits; Trans. ASME, 70, 111-116, 1948.

4820 V. Zeluff. Sensitive transducer (based upon a differential transformer); Electronics, 21, 136-42, Sept. 1948.

4821 J. H. Hett and R. King, Jr. An FM condenser type pressure gage; Bull. Inst. Panel, Project Squid No. 1, 18, Jan. 1948.

4822 D. P. Johnson. Calibration of altimeters under pressure conditions simulating dives and climbs; NACA Tech. Note 1562, 1948.

4823 B. B. Bauer. Piezoelectric ceramics; Rad. Elect. Eng., p. 3-5, Aug. 1948.

4824 Beers and Herdy. Bibliography on seismic papers (including anomalous sound reception); Programs of Seismic and Acoustic Research, Part V, Prepared for Dept. of the Air Force, 1948.

4825 R. K. Cook, M. Greenspan and P. G. Weissler. Thermal voltages of a quartz crystal; Phys. Rev. 74, 1714, 1948.

4826 E. F. Cox. Upper atmospheric temperatures from remote sound measurements; Am. J. Physics, 16, 465-474, 1948.

4827 Drodofsky. Electrical circuits for telemetering and computing; Jena 1945. Trans. USAF No. F-TS-3092-RE, pp. 6, 1948.

4828 R. J. Emrich. Velocity loss measurements on shocks in a shock tube; Princeton Univ., Dept. of Physics, NR061-020, 1948.

4829 W. B. Huston. Accuracy of airspeed measurements and flight calibration procedures (97 references); NACA Report No. 919, 1948.

4830 F. I. Massa. Sound pressure measurement equipment for the range 50 cycles to 250 kc, J. Acous. Soc. Am., 20, 451-454, 1948.

4831 C. W. Mautz, F. W. Geiger and H. T. Epstein. On the investigation of supersonic flow patterns by means of the shock tube; Phys. Rev., 74, 1872, 1948. (Letter)

4832 L. J. Neeland and W. Hansz. Telemetering for guided missiles; Radio News, 39, 3-6, 1948.

4833 G. N. Patterson. Theory of the shock tube; Naval Ord. Lab. Memo 9903, 1948.

4834 C. K. Stadman. Design principles of A M subcarrier telemetering systems; Proc. Inst. Radio Eng., 36, 36-41, 1948.

4835 A.B.C. Anderson and M. H. Hunt. Operational characteristics of the Dyna-gage (General Motors Gage) in investigations of pressures in statically fired rockets; NAVORD Report 1031, NOTS 150, pp. 18, 1948.

4836 L. Camp and others. A 100 kc underwater magnetostrictive transducer; J. Acous. Soc. Amer., 20, 611-615, 1948.

4837 L. Camp. Lamination designs for magnetostrictive underwater electroacoustic transducers; J. Acous. Soc. Amer., 20, 616-619, 1948.

4838 S. A. Schaaf and R. R. Cyr. Time constants for vacuum gage systems; Univ. Calif. Berkeley Report No. HE-150-42, Contr. N7 onr-295, Task Order 3, pp. 6, Mar. 31, 1948.

4839 J. Winckler. The Mach interferometer applied to studying an axially symmetric supersonic air jet; Rev. Sci. Instr., 19, 307-22, 1948. (17 references).

4840 R. Dominguez. Arterial pressure; critical study of technics; La Medicina Colonial (Madrid), 11, 157-162, April 1948.

4841 E. H. Lambert and R. E. Jones. Characteristics of resistance-wire manometer for measuring blood pressure in cardiac catherization studies; Proc. Staff Meetings Mayo Clinic, 23, 487-493, 1948.

4842 D. F. Marsh. Convenient apparatus for recording blood pressure of small animals; Science, 108, 393, 1948.

4843 A. A. Markson and R. S. Williams. Development of an air-operated force-measuring system; Trans. ASME, 70, 271-278, 1948.

4844 W. R. Campbell. Performance of wire strain gages; NACA Tech. Notes TN954, 1944; TN978, 1945; TN1011, 1042, 1946; TN 1318, 1947; TN 1456, TN 1656, 1948.

4845 E. W. Pike and N. E. Gibbs. A study on aneroid capsules; J. Appl. Physics, 19, 106-108, 1948.

4901 V. H. Attree. Reducing the effect of capacitance in screened cable; Electronic Eng., 21, 100, 1949 (and subsequent letters pp. 185, 232, 351 (1949) and p. 33 (1950).

4902 W. D. Wood. The development and maintenance of calibrating standards by an instrument manufacturer; Instruments, 22, 1004-1007, 1949.

4903 L. Beatty. Theoretical investigation of an electrostatic capacitance type flat plate engine indicator; Rensselaer Polytech. Inst., pp. 65, June 1949.

4904 D. R. Brown, W. C. Galloway, J. B. Robertson and G. A. Silvey. A self-contained recording pressure gauge; Rev. Sci. Instr., 20, 27-30, Jan. 1949.

4905 B. C. Carter, J. C. Ghosh, M.V.C. Sastri, and K. V. Chinnappa. Measurement of surface strains in diaphragms; Engineering, 168, 581, Dec. 2, 1949.

4906 J. W. Davidson. Failure of ADP transducer elements; Nav. Res. Lab. letter report 3560-31/49, pp. 3, May 19, 1949.

4907 G. J. Delio, G. V. Schwent and R. S. Cesaro. Transient behavior of lumped-constant systems for sensing gas pressure; NACA Tech. Note TN 1988, pp. 35, Dec. 1949.

4908 C. S. Draper and Y. T. Li. A new high-performance engine indicator of the strain-gage type; J. Aer. Sci., 16, 593-610, 1949.

4909 J. B. Duryea. System for accurate control of a small pressure difference between two high pressure gas sources; Gen. Elec. Co. report No. R 49A0521, pp. 5, June 1949. Contr. W30-115-Ord-1768, Proj. TU 1-2000.

4910 A. I. Dranetz, G. N. Howatt and J. W. Crownover. Barium titanates as circuit elements, Part II; Tele-Tech., p. 29-31, April, 28-30, May; 36-39, June 1949.

4911 A. T. Hansen. Pressure measurement in the human organism; Acta Physiol. Scand., 19, Supplement 68. Teknisk Forlag, Copenhagen, 1949.

4912 P. M. Higgs. A recording mechanical pressure gauge of high range; Rev. Sci. Instr., 20, 23-26, 1949.

4913 C. T. Johnson. Exploratory tests on small steel diaphragms subjected to noncontact explosion attack; D. Taylor Mod. Basin Report No. 610, pp. 20, Apr. 1949.

4914 C. T. Johnson. Damage-distance relations for thin steel diaphragms 20 inches in diameter subjected to noncontact underwater explosions; D. Taylor Mod. Basin report No. 611, pp. 15, April 1949.

4915 J. F. Kelly. The design and construction of a cylinder pressure integrator; Rensselaer Polytech. Inst., pp. 30, May 1949.

4916 J. C. Livengood. Improvement of accuracy of balanced-pressure indicators and development of an indicator calibrating machine; NACA Tech. Note No. 1896, pp. 32, June 1949.

4917 L. LeBlan. La mesure précise des pressions; Chemie and Industrie, 61, 235, 349, 1949.

4918 O. Meier. A study of peizoelectric gage cable termination; Nav. Ord. Lab. Memo No. NOLM/10467, pp. 9, Nov. 14, 1949.

4919 G. Murphy, R. T. Othmer. Analytical studies and experimental investigations of the construction and performance characteristics of flush diaphragm pressure pickups; Iowa State Coll., Eng., Exper. Station, pp. 38, Oct. 1949.

4920 T. A. Perls. A new condenser-type pressure gage; D. Taylor Mod. Basin report No. 625, pp. 58, June 1949.

4921 H. A. Prime and T. J. Chi. An electronic pressure gauge; Engineer, 187, 320, 1949.

4922 I. Taback. Response of pressure measuring systems to oscillating pressures; NACA Tech. Note No. 1819, pp. 30, Feb. 1949.

4923 H. E. Tompkins. A new capacitance-blood-pressure-manometer amplifier; Am. Heart J., 37, 783, 1949.

4924 B. V. Wacholder. Evaluation of teleflight pressure transmitters type PSB. Nav. Air Exp. Sta. report No. ASL-Nam 2425, part 14, pp. 8, Oct. 4, 1949.

4925 R. L. Walker. 100-ton test: Piezo gage measurements; Los Alamos Sci. Lab. report No. LADC - 595, pp. 26, June 22, 1945. Declassified Nov. 2, 1949. (AECD-2747).

4926 E. Warburg. A new method of determining the undamped natural frequency and the damping in overdamped and slightly underdamped systems of one degree of freedom by means of a square-wave impact; Acta Physiol. Scand., 19, 344-349, 1949.

4927 H. D. Wardshaw. An A. C. system of remote indication and its application to measurement of fluid pressure and flow; Instruments, 22, 402-404, 1949.

4928 M.C.W. Wolfe. Measurement of fluctuating fluid pressures; Aircraft Eng., 21, 368-377, 1949.

4929 R. R. Cyr. A 16-point Pirani gage recorder; Univ. of California, Eng. Dept. Berkeley, Report He-150-53; N7-ONR-295 Task 3, Feb. 28, 1949.

4930 A.B.C. Anderson and M. H. Hunt. The evaluation of the performance characteristics of the D.T.M.B. resonant bridge carrier system condenser type pressure gage; Nav. Ord. Test Sta. report, pp. 23, Mar. 17, 1949.

4931 F. P. Bundy and H. M. Strong. Measurement of velocity and pressure of the gases in rocket flames by spectroscopic methods; Third Symposium on combustion, flame and explosion phenomena, Williams and Wilkins Co., pp. 647, 1949.

4932 W. E. Gordon. Pressure measurements in gaseous detonation by means of piezoelectric gauges; Third Symposium on combustion, and flame and explosion phenomena. Williams and Wilkins Co., 579-586, 1949.

4933 W. Gost. Reactions of adiabatically compressed hydrocarbon-air mixtures; Third Symposium on combustion, flame and explosion phenomena. Williams and Wilkins Co., p. 424, 1949.

4934 E. K. Rideal and A.J.B. Robertson. The spontaneous ignition of nitrocellulose; Third Symposium on combustion, flame and explosion phenomena. Williams and Wilkins Co., p. 536-544, 1949.

4935 W.C.F. Shepherd. The ignition of gas mixtures by impulsive pressures; Third Symposium on combustion, flame and explosion phenomena. Williams and Wilkins Co., 301, 1949.

4936 W. M. Baldwin, Jr. Macro-residual stresses in metals resulting from plastic deformation; Symposium on Cold working of Metals, Am. Soc. Metals, p. 31-56, 1949.

4937 W. Bleakney, D. K. Weimer and C. H. Fletcher. The shock tube; a facility for investigations in fluid dynamics; Rev. Sci. Inst., 20, 807-815, 1949.

4938 W. G. Brombacher. Some problems in the precise measurement of pressure; Instruments, 22, 355-358, 1949.

4939 Battelle Mem. Inst. Summary report on aneroid capsules research; Evans Signal Lab. Contract W-36-039, SC 36836, Signal Corps Project 172B, pp. 193, 1949.

4940 G. E. Beggs, Jr. Range-adjusting radiosonde recorder; Elect. Eng., 68, 990, 1949.

4941 G. R. Cowan and D. F. Hornig. The thickness of a shock front in a gas; Phys. Rev., 75, 1294, 1949. (Abstract).

4942 R. I. Jaffee, E. L. Beidler and R. H. Ramsey. Forming and heat treatment of corrugated diaphragms; Trans., Amer. Soc. for Metals, 41, 460-479, 1949.

4943 R. G. Jewell. A remote indicating pressure gage for aircraft; ASME Trans., 71, 79-82, 1949.

4944 C. W. Maritz. Factors affecting the production of steady flow past models in the shock tube; Phys. Rev. 76, 172, 1949. (Abstract).

4945 P. E. Shafer and J. F. Moulton. A time ratio delay device for simplifying the photography of shocks in a tube; N.O.L. Report M 10339, 1949.

4946 R. E. Tricker. Metals used in clock and instrument manufacturing; Engineering, 168, 543-546, 1949.

4947 C. E. Schmitz. Mechanical seal-its construction, application and utility; Trans. ASME, 71, 635-640, 1949.

4948 S. Thyssen-Bornemisza. The manufacture of springs with low thermal coefficients of the modulus of elasticity; Microtecnic (Swiss), 3, 129-133, June 1949.

4949 L. H. Peterson, R. D. Dripps and G. C. Risman. A method for recording the arterial pressure pulse and blood pressure in man; Am. Heart J., 37, 771-782, Apr. 1949.

4950 F. D. Wertz and L. Camp. A low "Q" directional magnetostrictive electroacoustic transducer; J. Acous. Soc. Am., 21, 382-384, 1949.

4951 H. Ebert. Establishment of a pressure scale and experimental realization up to 20,000 atm.; Z Angew. Physik., 1, 331-340, 1949.

4952 P. W. Huber, C. E. Fitton and F. Delpino. Experimental investigation of moving pressure disturbances and shock waves and correlation with one-dimensional unsteady flow theory; NACA Tech. Note 1903, pp. 65, 1949.

4953 S. Loshaek and H. L. Olsen. A micro-balance for the measurement of absolute sound intensity; Univ. Wis. Nav. Res. Lab., Madison, CM 334, pp. 16, 1949.

4954 W. Roth. Piezoelectric transducers, I. electro-mechanical impedance matrix, II. electrical driving point impedance and admittance; Proc. IRE 37, 750-758, 1949.

5001 Anon. Electronic pressure and displacement instruments; Diesel Power, 28, 49, 81, Feb. 1950.

5002 Anon. Bellows operated recorder; Engineer, 189, 581, 1950.

5003 A. B. Arons and R. H. Cole. Design and use of piezoelectric gauges for measurement of large transient pressures; Rev. Sci. Instr., 21, 31-38, 1950.

5004 E. C. Blom. A new method of measuring pressure electrically; Instr., 23, 903, 1950.

5005 P. Bourguignon. Présentation de deux manomètres de précision pour le controle piézometrique des débits et la mesure de variations rapides de pression; Houille Blanche, 5 Sp. B, 689, Nov. 1950.

325607 O - 54 - 4

5006 P. Barret. Un nouveau manographe photo-électrique; Public. Sci. et Tech. du Min. de l'Air, Notes TN 32, Au Service de Docum. et d'Inform. Tech. de l'Aeron., Paris, 1950.

5007 W. G. Cady. Piezoelectric equations of state and their application to thickness-vibration transducers; Wesleyan Univ. Tech. Report No. 7, pp. 25, March 20, 1950, Contr. N6 onr-262, Task Order 1.

5008 W. G. Cady. A generalized theory of the crystal transmitter and receiver for plane waves; Wesleyan Univ. Tech. Report No. 8, pp. 40, Nov. 20, 1950, Contr. N6 onr-262, Task Order 1.

5009 G. R. Carlson. Rocket instrumentation; Instr. Soc. of Am., Proc., 4, 77-78, 1950. Instr., 23, 399-401, 1950.

5010 D. R. Church and D. K. Hart. Balanced pressure engine indicators; Mech. Eng., 72, 389-91, 1950.

5011 E. Fischer. Druckmessung mit verdichtbarem Stoff; Ver. Deut. Ing. Zt., 92, 167-168, Mar. 1950.

5012 O. H. Gauer and E. Gienapp. A miniature pressure-recording device; Sci., 112, 404, 1950.

5013 A. T. Hansen and E. Warburg. The theory for elastic liquid-containing membrane manometers; Acta Physiol. Scand., 19, 306, 1950.

5014 A. T. Hansen. The theory for elastic liquid-containing membrane manometers (Special Part); Acta Physiol. Scand., 19, 333, 1950.

5015 J. H. Hett and R. W. King, Jr. A frequency modulation pressure recording system; Rev. Sci. Instr., 21, 150-53, 1950.

5016 A. S. Iberall. Attenuation of oscillatory pressures in instrument lines; J. Res. Natl. Bur. Standards 45, 85-108, 1950, RP2115.

5017 J. H. Jupe. Electronic pressure-measuring instrument; Engineering, 169, 451-2, 1950.

5018 R.J.W. Koopman. Frequency response of instruments; Proc. Instr. Soc. Am., 4, 19-21, 1950.

5019 B. C. Muzzey. Development of a fluid damped strain gage-type pressure pickup; Boeing Airplane Co. Document No. D-11034, pp. 13, Oct. 1950.

5020 J. Petes and B. W. Scott. Present status of pressure-measuring instrumentation aboard EPCS-1413; Nav. Ord. Lab. Memo No. NOLM 10866, pp. 10, Apr. 14, 1950.

5021 F. P. Price and P. D. Zemany. A simple recording manometer; Rev. Sci. Instr., 21, 261, 1950.

5022 H. E. Singleton. Theory of nonlinear transducers; Mass. Inst. Tech., Res. Lab. Electronics, Tech. Rpt. No. 160, pp. 47, Aug. 12, 1950. Contr. W 36-039-SC-32037.

5023 J. R. Stovall. Transducers: Sensing elements for servos; Elec. Mfg., 45, 88, Apr. 1950.

5024 R. A. Strub. Direct recording technique for pressure cycles in high pressure reciprocating equipment; Mech. Eng., 72, 828, 1950.

5025 H. Tittman. Measurement of dynamic pressure; Brit. Ministry of Fuel and Power, Safety in Mines Research Establishment Report No. 12, 1950.

5026 P. Vincent. Magnetostriction manometers for measuring rapidly changing pressures (French); France: Assoc. Tech. Maritime and Aero., pp. 17, 1950.

5027 E. Wenk, Jr. A diaphragm-type gage for measuring low pressures in fluids; D. Taylor Model Basin Report No. 665, pp. 15, Jan. 1950.

5028 M. P. White. Application of Bourdon tubes to pressure indicating devices; Instruments, 23, 1068-1070, 1950.

5029 F. J. Woodcock. Some electrical methods of measuring mechanical quantities; Inst. Elec. Eng., Proc., 97I, 136, 1950.

5030 A. E. Barrett. Development of fuel-resistant diaphragms for model P21 Statham pressure transmitters; Rubber Lab., Mare Island Naval Shipyard, Report No. 137-4, Oct. 13, 1950.

5031 J. A. Haringx. The rigidity of corrugated diaphragms; Appl. Sci. Res. (The Hague), VA2, 299-325, 1950.

5032 C. W. Andrews. Effect of temperature on the modulus of elasticity; Metals Progress, 58, 85-89, Jan. 1950.

5033 Anon. Joint AIEE - Nat. Telemetering Forum Conference on telemetering; Philadelphia, May 1950. Amer. Inst. of Elect. Eng., pp. 207, 1950.

5034 R. K. Cook and P. G. Weissler. Piezoelectric constants of alpha and beta quartz at various temperatures; Phys. Rev., 80, 712, 1950.

5035 A. P. Crary. Stratosphere winds and temperatures from acoustical propagation studies; J. of Meteoro, 7, 233-242, 1950. Air Force Camb. Res. Lab., Geophys. Res. Paper No. 5, 1950.

5036 R. J. Emrich and C. W. Curtis. Dissipation of a shock travelling in a tube; Phys. Rev., 77, 573, 1950. (Abstract)

5037 M. S. Hawley. Reciprocity pressure response formula which includes the effect of the chamber load on the motion of the transducer diaphragms; J. Acous. Soc. Amer., 22, 56-58, 1950.

5038 R. Havens, R. Koll and H. La Gow. A new vacuum gage; Rev. Sci. Instr., 21, 596-598, 1950.

5039 D. W. Holder, R. J. North and A. Chinneck. Experiments with static tubes in a supersonic airstream; Aero. Research Council (British) R & M No. 2782, 1950.

5040 C. W. Lampon. Resumé of the theory of plane shock and adiabatic waves with applications to the theory of the shock tube; Ballistic Res. Lab. (Aberdeen) TN-139, pp. 62, 1950.

5041 R. K. Lobb. The length of the shock tube; Nav. Ord. Lab. Memo 10494, 1950. Toronto, Univ., Institute Aerophysics Report No. 4, pp. 32, 1950.

5042 J. Lugeon and P. Ackerman. Part I, Compilation of errors in radio metering; J. Lugeion, P. Ackerman, M. Bohnenblust, Part II, The Swiss radiosonde. Cado Translation ATI No. 76949, pp. 69, 1950; Tech. Data Digest p. 58, Nov. 1950.

5043 H. P. Mansberg. Techniques of photo-recording; The Oscillographer, 12, 2-17, April-June, 1950.

5044 M. V. Morokovin. Design of a device for measurement of a free-stream static pressure at supersonic speeds; Aero. Eng. Rev., 9, 25-28, Dec. 1950.

5045 W. F. Rodebush. The dynamics of gas flow; J. Chem. Educ., 27, 1, 39-43, 1950.

5046 J. M. Kendall. Time lags due to compressible-Poiseuille flow resistance in pressure measuring systems; Nav. Ord. Lab. Rpt. M 10677, pp. 25, 1950.

5047 D. Bitondo and R. K. Lobb. The design and construction of a shock tube; Toronto, Univ., Institute of Aerophysics Report No. 3, pp. 48, 1950. 29 references.

5048 H. Robinson and P. B. Smith. The SMRE manometer, Mark 2, for recording explosions behind stoppings; Brit. Ministry of Fuel and Power, Safety in Mines Research Establishment Report No. 15, 1950.

5049 H. Tittman and J. Haig. The pressure generated during explosion of a Bentane-air mixture inside a core-cooled motor (Part I); Brit. Ministry of Fuel and Power, Safety in Mines Research Establishment Report No. 11, 1950.

5050 R. W. Mebs and W. F. Roeser. Solders and soldering; Natl. Bur. Standards Circular No. C492, pp. 12, 1950.

5051 B. V. Wacholder. Evaluation of Statham pressure transmitter Type P6; Nav. Air Exp. Station, Report No. ASL-NAM 2425, Part 17, pp. 7, 1950.

5052 S. Gelfan and A. Y. Werner. Intra-arterial pressure measurement with strain gauge and amplifier; Yale J. Biol. and Med., 23, 112-113, Nov. 1950.

5053 A. A. Janszen and others. Electrostatic loudspeakers; Harvard Univ., Acoust. Res. Lab. Tech. memo No. 17, pp. 107, April 1, 1950, Contr. N5 ori-76, Task order 10.

5054 F. V. Hunt and others. The coaxial electrostatic transducer; Harvard Univ. Acoust. Res. Lab., Tech. Memo No. 15, pp. 42, May 15, 1950. Contr. N5 ori-76, Task order 10.

5055 G. S. Maslach. A precision manometer for low pressures; Univ. Calif. Inst. Eng. Res. Report No. HE-150-75, Series 20, issue 72, pp. 4, Oct. 27, 1950. Contr. N7 onr-295.

5056 A. H. Turnbull. Experiments with a differential Pirani gauge leak detector; At. Energy Res. Establ., Grt. Br. Rpt. No. AERE G/R 477, pp. 9, Mar. 1950.

5057 T. Bonell. Simple pressure-time meters for ballistic processes; Tekn Tidskr 80, 659-660, 1950.

5058 G. Bradfield. Some experiments with barium titanate; Nuovo Cim., 7, 182-189, Suppl. No. 2, 1950.

5059 N. Pettersson and C. J. Clemedson. A new method for blood pressure recording; Science, III, 696, 1950.

5060 W. D. MacGeorge. The differential transformer as applied to the measurement of substantially straight line motions; Proc. Inst. Soc. Amer., 4, 28-32, 1950. Instr., 23, 610-614, 1950.

5061 W. J. Mayo-Wells. An FM/FM telemetering system; Proc. Inst. Soc. Amer., 4, 71-73, 1950. Instr., 23, 717-718, 1950.

5062 J. T. Mengel. Long range multi-channel telemetering system; Proc. Inst. Soc. Amer., 4, 74-76, 1950. Instr., 23, 70-72, 1950.

5063 C. B. Nolte. Rupture-proof bellows-type flow meters; Proc. Inst. Soc. Amer., 5, 44-47, 1950. Instr., 23, 1300-1303, 1950.

5064 D. B. Kirk. Effect of transmission distance on stability of flow control processes; Instr., 23, 1191-1194, 1950.

5065 J. D. Roborda. Design of an electronic pressure indicator for use on internal combustion engines; Rensselaer Poly. Institute, pp. 36, 1950.

5066 H. M. Schauer. Instruments employed by the Underwater Explosions Research Division, Norfolk Nav. Shipyard; UERD Report 3-50, pp. 81, 1950.

5101 D. Alpert, C. G. Matland and McCoubrey. A null-reading absolute manometer; Rev. Sci. Instr., 22, 370-371, 1951.

5102 Anon. Engine Indicating; Auto. Eng., 41, 341-43, Sept. 1951.

5103 Anon. Bridged-tee phase modulators; Electronics, 24, 268, Sept. 1951.

5104 Anon. Symposium on resistance strain gages; November 8-9, 1951. Natl. Bur. Standards Circular 528, pp. 140, 1954.

5105 Anon. Flush mountings for plastic case pressure gages and thermometers; New York Nav. Shipyard, Material Lab., Report No. 5192-9, pp. 2, Aug. 1, 1951.

5106 A. H. Bebb. Underwater explosion measurements from small charges at short ranges; Phil. Trans. (Roy. Soc. of London), 244, 153-75, 1951.

5107 H. R. Bierman and R. Jenkins. A hypodermic pressure manometer utilizing the bonded wire resistance strain gauge; Rev. Sci. Instr., 22, 268-269, 1951.

5108 G. Chertok. The response of a ball crusher gage; D. Taylor Mod. Basin Report No. 751, pp. 9, Apr. 1951.

5109 H. G. Clamann. Activities of the cardiovascular system during hypoxia. II. The simultaneous recording of pulse contours on central and peripheral arteries with a mechanoelectronic transducer; School of Aviation Med., Randolph Field, Report No. 2, pp. 5, Aug. 1951. PB105627.

5110 J. W. Day. Hydrostatic pressure tests on thin rectangular diaphragms 84 inches by 54 inches; D. Taylor Model Basin, Rpt., pp. 39, Apr. 1951.

5111 V. H. Dibeler and F. Cordero. Diaphragm-type micromanometer for use on a mass spectrometer; J. Res. Natl. Bur. Standards, 46, 1-4, 1951. RP2167.

5112 E. Fischer. Druckmessung mit metallischen Probekoerpern; Ver. Deut. Ing. Zt., 93, 37, 1951.

5113 M. L. Greenough and W. E. Williams. An electronic circuit for measuring the displacement of pressure-sensitive diaphragms; J. Res. Natl. Bur. Standards, 46, 5-10, 1951. RP2168.

5114 H. Itokawa. Methods of measuring a periodic pressure variation with special reference to vortices in separated air flow; Tokyo Univ., Inst. of Indus. Sci. Rpt., 2, 52-75, Aug. 1951.

5115 N. H. Jasper. Measurement of hydrodynamic loads on a high-speed motor boat caused by wave impact during rough-water trials; Proc. Soc. Exper. Stress Analysis, 8, 83, 1951.

5116 R. V. Jones. Some points in the design of optical levers and amplifiers; Proc. Phys. Soc. (London), B 64, 469-82, 1951.

5117 G.E.V. Jonsson. Quantitative measurement of detonation intensity in internal combustion engines; Ing. Vetenskaps Akad., 21, 2-27, 1950. Engineers' Digest, 12, 21, 53, 1951.

5118 J. M. Los and J. A. Morrison. A sensitive differential manometer; Rev. Sci. Instr., 22, 805-809, 1951.

5119 W. F. Lovering and L. Wiltshire. A bridge for the measurement of the dielectric constants of gases; Proc. Instn. Elec. Eng., 98, Part II, 557, 1951.

5120 C. P. Luck. A membrane manometer with secondary air transmission; J. Sci. Instr., 28, 173-76, 1951.

5121 C. D. McKinney, Jr. and M. Kilpatrick. An apparatus for measuring the rates of some rapid reactions; Rev. Sci. Instr., 22, 590-597, 1951.

5122 H. Majors, Jr. Characteristics of wire gages under various conditions; Proc. Soc. Exper. Stress Analysis, 9, 123, 1951.

5123 H. Mintrop. Das Kalotten-Messei; Arch. Tech. Messen V1343-13, No. 182, March 1951.

5124 J. C. Morrison. Development of high-speed multi-point indicator; Engineer, 191, 178-80, 1951.

5125 R. Meakin. Determination of mercury level in steel-tube manometer; J. Sci. Instr., 28, 372-373, 1951.

5126 B. Main. Follow oil pressures with electrons; Applied Hydraulics, 4, 13-15, Jan. 1951.

5127 N. G. Neuweiler. Electric strain gauges and the practical application thereof; Microtecnic, 5, 71, 1951.

5128 A. E. Pattemore and E. J. Bobyn. A stable 6.0 v. calibration voltage standard for piezo-electric gauge recorders; Canadian Armament Research and Development Establishment, TM 65/51, pp. 14, Dec. 1951.

5129 J. F. Purdy. A means of measuring the distribution of pressure of momentary duration within the contact area of deformable bodies; Proc. Soc. Exper. Stress Analysis, 8, 97, 1951.

5130 T. A. Perls and H. L. Rich. Evaluation of selected shock instruments; D. Taylor Model Basin Report 720, 1951.

5131 E. A. Roberts and P. Goldsmith. Piezoelectric crystals as sensing elements of pressure, temperature, and humidity; Elec. Eng., 70, 776-80, 1951.

5132 H. F. Rondeau. Miniature force-and-pressure cells; Gen. Elec. Review, 54, 24-26, Nov. 1951.

5133 P. E. Shafer and E. R. Walthall. A copper indenter gauge for the measurement of air blast peak pressure; NAVORD Report 2192, pp. 56, July 1951.

5134 R. W. Steur, H. J. Grover and L. R. Jackson. Research investigation on properties and behavior of quartz and glass elastic pressure elements; Battelle Memorial Inst. Progress Report Nos. 1-3, Jan. 1-Sept. 30, 1951, Contr. DA 36-039-sc-5430.

5135 H. M. Schauer and I. J. Taylor. A dynamic calibration method for piezoelectric pressure gauges; Norfolk Naval Shipyard, Underwater Expl. Res. Div. Rpt. UERD 4-51, pp. 8, 1951.

5136 H. H. Schwartz. Capacitor gages for measuring small motions; Product Eng., 22, 163-65, Aug. 1951.

5137 J. Tadayon. A simple pressure recorder; Rev. Sci. Instr., 22, 534, 1951.

5138 E. Wenk, Jr. A diaphragm-type gage for measuring low pressures in fluids; Proc. Soc. Exper. Stress Analysis, 8, 90, 1951.

5139 R. W. King, Jr. New York University pressure gage; N.Y.U. Tech. Memo NYU-11, pp. 20, Dec. 1951.

5140 G. W. Cook. A resonant-bridge carrier system for the measurement of minute changes in capacitance; David Taylor Model Basin Report 626, 1951.

5141 B. B. Bauer. Transformer analogs of diaphragms; J. Acous. Soc. Am., 23, 680-683, 1951.

5142 E.S.L. Beale and R. Stansfield. The Standard-Sunbury engine indicator Mark VI; Engineer, 192, 215-217, 246-248, 1951.

5143 F. P. Bundy, H. M. Strong, and A. B. Gregg. Measurement of velocity and pressure in rocket flames by spectroscopic methods; J. Appl. Physics, 22, 1069-1077, 1951.

5144 J. P. Chisholm, E. F. Buckley and G. W. Farnell. A multichannel PAM-FM radio telemetering system; Inst. Radio Eng. Proc., 39, 36-43, 1951.

5145 P. J. Fletcher. A three-channel piezo-electric pressure recorder; Aero. Res. Council (Gt. Brit.), Current Papers No. 35, 1951.

5146 S. Haynes. Automatic calibration of radiosonde baroswitches; Electronics, 24, 126-129, May 1951.

5147 A. B. Kaufman. Carrier strain gage systems; Radio and TV News 46, Rad-Elect. Eng., 7-9, July 1951.

5148 A. B. Kaufman. Self-balancing strain gauge equipment; Radio and TV News, 46, (Radio-Electronic Eng. 12-14), Aug. 1951.

5149 M. V. Kazantseva. Absolute calibration of sound receivers by the method of reciprocity of standing waves in a pipe (in Russian); Zh. tekhnika Fiziko, 21, 1213-1223, 1951.

5150 M. H. Nichols and L. L. Rauch. Radio telemetering; Rev. Sci. Instr., 22, 1-29, 1951. 78 references.

5151 G. S. Sloughter and R. T. Ellis. Linear discriminator for F-M telemetering; Electronics, 24, 113-115, June 1951.

5152 F. G. Willey. Converter circuit for phase-shift telemetering; Electronics, 24, 140, Aug. 1951.

5153 J.F.W. Bell. The design and use of an admittance bridge for piezo-electric crystals; British J. Appl. Physics, 2, 324-327, 1951.

5154 A. F. Devonshire. Theory of barium titanate; Phil. Mag., 42, 1065-1079, 1951.

5155 C. G. Garton. The properties of insulating materials used in instruments; Inst. Elect. Eng. Proc. Part II, Power Engineering, 98, 728-737, 753-759, 1951.

5156 J. T. Mengel, N. R. Best, D. G. Mazur and K. M. Uglow. Upper atmosphere research report No. X; the matrix telemetering system; Nav. Res. Lab. Report No. 3535, pp. 87, 1951.

5157 W. R. Russel, W. Gracey, W. Letko, P. G. Fournier. Wind-tunnel investigation of six shielded total-pressure tubes at high angles of attack; subsonic speeds; NACA Tech. Note No. 2530, pp. 25, 1951.

5158 A. D. Schwope and L. R. Jackson. A survey of creep in metals; NACA Tech. Note No. 2516, pp. 66, 1951. 199 references.

5159 H. Staples. The pressure generated during explosion of a pentane-air mixture inside a core-cooled motor, Part 2; Brit. Ministry of Fuel and Power, Safety in Mines Research Establishment Report No. 27, 1951.

5160 R. K. Vinycomb. Electronic engime indicators with special reference to some American designs; Inst. Mech. Eng. Proc., 164, 195-200, 1951.

5161 J. H. Hamilton, P. J. Elsey and others. Behavior of piezoelectric transducer systems; Utah Eng. Exp. Sta. Tech. Report No. 1, pp. 57, Nov. 1951, Contr. N7 onr-45104.

5162 L. N. Krause. Effects of pressure-rake design parameters on static-pressure measurement for rakes used in subsonic free jets; NACA TN 2520, pp. 20, 1951.

5163 R. G. Locklin and S. N. Mills. Dynamic response of thin beams to air blast; Ballistics Res. Lab. Aberdeen, Report No. 787, pp. 40, Sept. 1951.

5164 D. McLachlan, Jr. Behavior of piezo-electric transducer systems; Utah Eng. Exp. Sta. Tech. Report No. 2, pp. 67, Nov. 1951, Contr. N7 onr-45104.

5165 H. Schwartz. Verfahren und Geraete zur Messung Kleinster Gasdruecke; Arch. f. Tech. Mess. V1341-2, pp. 4, Sept. 1951, V1341-3, pp. 4, Jan. 1952, V1341-4, pp. 4, Mar. 1952, V1341-5, pp.4, May 1952. 173 references.

5166 J. Yameguchi and Y. Sakurai. Inductance-type transducer and its applications; Techn. Rpts., Osaka Univ., 1, 201-212, 1951.

5167 J. Lundholm, Jr. Instrumentation for a precision creep-testing laboratory; Proc. Inst. Soc. Amer., 6, 43-48, 1951.

5168 C. G. Roper. Electrical transmitting and transducing of process measurements; Proc. Inst. Soc. Amer., 6, 16-18, 1951.

5169 R. E. Clarridge. Improved pneumatic control system; Trans. ASME, 73, 297-305, 1951.

5170 M. Jakob and M. Speelman. Studies of accuracy attainable in the measurement of atmospheric pressure by means of hypsometers; Ill. Inst. Tech. Armour Res. Fdn. Progress Report, Jan. 1-Mar. 30, 1951, pp. 8. (USA Contr. No. DA-36-039-SC-183).

5201 W. H. Barkas and W. E. Buck. Interferometer gauge; U. S. Patent 2,591,666, April 8, 1952.

5202 A. G. Boggis. Design of differential transformer displacement gauges; Proc. Soc. Exper. Stress Analysis, 9, 171, 1952.

5203 W. E. Buck. Transient pressure recording with a high-speed interferometer camera; J. Soc. Motion Pict. Telv. Eng., 59, 369-378, 1952.

5204 K. P. Coffin and S. H. Bauer. Apparatus for imposing and measuring rapid pressure changes in gases; Rev. Sci. Instr., 23, 115-118, 1952.

5205 J. Delmonte. A versatile miniature flush-diaphragm pressure transducer; Inst. Soc. Am. Proc., 7, 174-177, 1952.

5206 J. B. Wynn, Jr., S. L. Ackerman. Guided missile test center; Electronics, 25, 106-111, May, 1952.

5207 P. L. Edwards. A high-speed high-pressure gage; Mech. Eng. 74, 1030, 1952. NAVORD Report 2380, May 1952.

5208 W. J. Fader. Amplifier frequency response requirements for recording short duration air blast pressure pulses; Ballistic Res. Lab., Report 569, Aberdeen Proving Ground, 1952.

5209 E. V. Hardway. Properties of electrokinetic transducers, and factors determining their suitability in various applications; The Beta Corp., Tech. Report No. 2, ONR Contr. Nonr-617(00), Project NR 385 407, Dec. 1, 1952.

5210 H. Heckscher and H. J. Grover. Research investigation on properties and behavior of quartz and glass elastic-pressure elements, July-Sept. 1952; Battelle Mem. Inst. Program Report No. 8, pp. 24, USA Contr. DA-36-039-sc-5430, Oct. 15, 1952.

5211 A. P. Helfer. Electrical pressure integrator; NACA Tech. Note 2607, pp. 44, 1952.

5212 H. M. Joseph. Mutual-inductance transducer; Office Basic Instr., Quarterly Progress Report. Natl. Bureau of Standards Report, June 30, 1952.*

5213 E. L. Langberg. Piezoelectric crystal circuit considerations in transient pressure measurements; Frankford Arsenal R-1052, pp. 24, Feb. 1952.

5214 W. J. Levedahl. Instrumentation for detonation research; Instr. Soc. Am. Proc., 7, 343-347, 1952.

5215 Y. T. Li. Design of strain gage pressure indicators; Instr. Soc. Am. Proc., 7, 216-221, 1952.

5216 P. M. Maghdi. Bending of elastoplastic circular plates with large deflection; J. Appl. Mech., 19, 293-300, 1952.

5217 J. L. Patterson. A miniature electrical pressure gage utilizing a flat diaphragm; NACA Tech. Note 2659, pp. 47, 1952.

5218 T. A. Perls. Electrical noise from instrument cables subjected to shock and vibration; J. Appl. Physics, 23, 674-680, 1952. Natl. Bureau of Standards Report 1388, 1952.

5219 D. C. Pressey. A recording and integrating flowmeter; Electronic Eng., 24, 112, 1952.

5220 S. Raynor. Calibration of pressure gages for work in ballistics; J. Appl. Mech., 19, 517-25, 1952.

5221 W.J.R. Road and J.G.G. Hempson. Modified Farnboro electric indicator for accurate indication of cylinder pressures in marine oil engines; Brit. Shipbldg. Research Assn. Report 92, 1952.

5222 D. W. St. Clair. Step response as a short-cut to frequency response; Instr. Soc. of Am., Proc., 7, 96-101, 1952.

5223 E. M. Sharp, B. A. Coss and L. Jaffe. A digital automatic multiple-point pressure-recording system; Instr. Soc. Am. Proc., 7, 236-241, 1952.

*Available on loan from Office of Basic Instrumentation, National Bureau of Standards

5224 R. W. Steur, N. A. Crites and H. J. Grover. Research investigation on properties and behavior of quartz and glass elastic pressure elements; Battelle Mem. Inst. Progress Report No. 4, pp. 55-75, Oct. 1-Dec. 31, 1951. Jan. 15, 1952. (Contr. DA 36-039-sc-5430).

5225 M. Stippes and A. H. Hausrath. Large deflections of circular plates; J. Appl. Mech., 19, 287-92, 1952.

5226 H. D. Warshaw. Gauge for indicating pressure-transients in a combustion chamber; Rev. Sci. Instr., 23, 493-6, 1952.

5227 A. Wexler and W. Garland. A preliminary report on the influence of corrugation shape on the deflection-pressure relationship of corrugated metal diaphragms; Natl. Bureau of Standards Report, Nov. 12, 1952.*

5228 W. A. Wildback and T. A. Perls. Spring transducer; Office Basic Inst., Quarterly Progress Report, Natl. Bureau of Standards Report, June 30, 1952.**

5229 C. C. Gettleman and L. N. Krause. Considerations entering into the selection of probes for pressure measurement in jet engines; Inst. Soc. Amer. Proc., 7, 134-137, 1952. Instr. 26, 1385-1388, 1953.

5230 J. F. Kinkel. A precision pressure balance; Inst. Soc. Am. Proc., 7, 188-191, 1952.

5231 J. M. Caldwell. Supersonic sounding instruments and methods; Am. Soc. Civil Eng. Trans., 117, 44-58, 1952.

5232 P. W. Bridgman. High-pressure instrumentation; Mech. Eng., 75, 111-114, 1952. ASME Symposium on high pressure measurement, 1953.

5233 R. J. Havens, R. T. Koll and H. E. LaGow. The pressure, density and temperature of the earth's atmosphere to 160 km., J. Geophys. Research, 57, 59-72, 1952.

5234 G. A. Lundquist. The NOL 8x8 inch shock tube; instrumentation and operation; NAVORD Report 2449, 1952.

5235 T. R. Olive. Chemical engineering guide to process instrument elements; Chemical Eng., May 1952.

5236 D. R. White and D. K. Weimer. A method for the modification of the pressure profile in a shock tube; Princeton Univ. Tech. Report 11-12, pp. 6, 1952.

*Available on loan from Mechanical Instruments Section, National Bureau of Standards

**Available on loan from Office of Basic Instrumentation, National Bureau of Standards

5237 E. N. daC. Andrade. Physics of the deformation of metals (in French); Rev. Métall., 49, 469-484, 1952.

5238 Anon. Natl. Bur. Standards telemetering-in-flight calibrator; Natl. Bur. Standards Tech. News Bull., 36, 5-6, 1952.

5239 Anon. Teflon; components and coatings; Product Eng., 23, 149-153, Sept., 1952.

5240 Anon. Dynamic pressure measurement under high "g" loads possible with new consolidated pickups; Consol. Eng. Corp. Recordings, 6, 11-12, Sept. 1952.

5241 F. H. Bayhi and M. L. Greenough. Film reader for telemetered information; Natl. Bur. Standards Report No. 1623, 1952.

5242 I.P.S. Christaldi. Techniques of measurement in oscillography; The Oscillographer, 13, 3-14, 1952.

5243 A. H. Cottrell. The time laws of creep; J. Mechanics and Physics Solids, 1, 53-63, 1952. 21 references.

5244 R.F.S. Hearman. The elastic constants of piezoelectric crystals; Brit. J. Appl. Physics, 3, 120-124, 1952. 23 references.

5245 H. M. Hill, Jr. Miniature airborne telemetering system; Tele-Tech., 11, 68-72, Dec. 1952.

5246 S. Hill. Recent developments in electronic engine indicators; Electronic Eng., 24, Electronics in Industry, 207-209, 1952.

5247 W. R. Hinton. Piezoelectric crystal constants; Electronic Eng., 24, 76-77, 1952.

5248 E. Jones and K. R. Maslen. The physical characteristics of wire resistance strain gauges; Brit. Aero. Research Council Report and Memo No. 2661, pp. 44, 1952.

5249 L. N. Krause and C. C. Gettleman. Effect of interaction among probes, supports, duct walls and jet boundaries on pressure measurements in ducts and jets; Instr., 26, 1381-1384, 1953. Inst. Soc. Amer. Proc., 7, 138-141, 1952.

5250 P. Lygrisse. Dispositif de télémesure pour fusées supersoniques; La Recherche Aéronautique, No. 28, 43-48, 1952.

5251 W. C. Moore. Simultaneous A-M and F-M in rocket telemetering; Electronics, 25, 102-105, March 1952.

5252 J. A. Morton. Present status of transistor development; Bell System Tech. J., 31, 411-442, 1952.

5253 E. J. Post. Note on safe resonator current of piezoelectric elements; Inst. Radio Eng. Proc., 40, 835, 1952.

5254 E. F. Rice. A gage for the measurement of transient hydraulic pressures; Oregon St. Coll. Eng. Exp. Sta. Bull. No. 32, pp. 19, 1952.

5255 C. H. Schlesman. Cathode ray recorders for missile application; Photog. Eng., 3, 78-88, 1952.

5256 A. R. Sinclair and A. W. Robins. A method for the determination of the time lag in pressure measuring systems incorporating capillaries; NACA Tech. Note TN 2793, pp. 35, 1952.

5257 H. Staples. The pressure generated inside a core-cooled motor; mixtures of methane in air and of hydrogen-methane in air; Brit. Ministry of Fuel and Power, Safety in Mines Research Establishment Report No. 38, 1952.

5258 R. Bechmann and S. Ayers. Thickness modes of plates excited piezoelectrically; Post Office Eng. Dept., Grt. Brit. Res. Report No. 13471, pp. 15, May 1952.

5259 R. J. Bobber. The USRL type E8 transducer-an underwater sound calibration standard for the 100- to 1000-kilocycle frequency range; Navy Underwater Sound Ref. Lab., Orlando, Report USRL No. 22, pp. 17, June 16, 1952.

5260 J. B. Giacobbe and A. M. Bounds. Material selection factor significant in Bourdon tubes; J. Metals (N. Y.), 4, 1147-8, 1952; Inst. Mfg. July-Aug., 1952.

5261 W. M. Schulze, E. C. Ashby, Jr., and J. R. Erwin. Several combination probes for surveying static and total pressure and flow direction; NACA Tech Note TN 2830, pp. 64, 1952.

5262 L. Deffet. Apparatus for measuring the pressure of explosions; Ind. Chem. Belge, 17, 261-264, 1952. Chem. Age London, 66, 823, May 31, 1952, (abstract).

5263 J. R. Fawcett. Pneumatic measuring and control systems; Mech. World, 131, 246-251, June 1952.

5264 S. L. Cahn and S. L. Dushkes. Analysis of some hydraulic components used in regulators and servomechanisms; ASME Trans., 74, 595-601, 1952.

5265 W. P. Welch and B. Cametti. Hysteresis of shaft materials in torsion; ASME Trans., 74, 753-763, 1952.

5266 K. R. Honick and F. Solari. A dead weight calibrator capable of measuring pressures greater or less than atmospheric from a variable datum pressure; Roy. Airc. Establ., Farnsborough, Tech. Note.No. IAP 1010, pp. 9, 1952.

5267 P. Z. Kalavski. A high speed recording system using the velocity method to determine the peak pressure produced in air by explosives; Nav. Ord. Report 2167, pp. 34, 1952.

5268 L. J. Lader and I. Gordy. Magnetostriction and electrostriction transducer delay lines; ARDC, Rome Air Dev. Center Tech. Report 52-10, pp. 57, 1952.

5301 Anon. Piezotronic technical data; Brush Electronics Co., Cleveland, Ohio, 1953.

5302 Anon. Foil strain gauges for torque and pressure measurement; Engineering (London), 175, 119, Jan. 23, 1953.

5303 J. Alman. Pressure recorder for rocket motor studies; Electronics, 26, 146, May 1953.

5304 I. G. Baxter. Differential capacitance manometer; J. Sci. Instr., 30, 358-360, 1953.

5305 E. Cartotto. Instrumentation for rocket testing; Instr., 26, 585-587, 1953.

5306 D. B. Cook and C. J. Danby. A simple diaphragm micromanometer; J. Sci. Instr., 30, 238-240, 1953.

5307 B. A. Coss, D. R. Daykin and others. A digital automatic multiple pressure recorder; NACA Tech. Note TN 2880, pp. 24, 1953.

5308 A. L. Ducoffe. Pressure response in supersonic wind-tunnel pressure instrumentation; J. Appl. Physics, 24 1343-1354, 1953.

5309 R. Gibson, J. Ingham and L. J. Postle. An instrument for measuring small forces; J. Sci. Instr., 30, 159-162, 1953.

5310 N. Gross and P.H.R. Lane. An accurate wire resistance method for the measurement of pulsating pressures; J. Sci. Instr., 30, 1-2, 1953.

5311 E. V. Hardway, Jr. Electrokinetic transducers; Instr., 26, 1186-1188, 1953.

5312 H. Heckscher and H. J. Grover. Research investigation of properties and behavior of quartz and glass elastic-pressure elements - Sept.-Dec. 1952; Battelle Inst. Progress Report 9-USA Contr. DA-36-039-sc-5430, Jan. 15, 1953.

5313 J. D. Humphreys. Pressure sensing calculations for aircraft and guided missiles; Tele-Tech., 12, 82, Apr. 1953.

5314 D. L. Johnston and D. W. Hobbs. Electronics in strain measurement; Instrument Practice, 7, 191, 1953.

5315 J. F. Kinkel and R. R. Mawson. Automatic calibration of transducers; Instr., 26, 1526-1527, 1953.

5316 E. J. Mickevicz. Techniques and equipment for generations of dynamic high pressures; Trans., ASME, 75, 325-327, 1953.

5317 J. Parnell, E. L. Beckman and L. H. Peterson. Development of biological research apparatus for use in acceleration and deceleration studies: Phase I - The evaluation of pressure transducer systems; Naval Air Dev. Center-MA-5206 - pp. 148, Jan. 15, 1953. USN Contr. N6 onr-249.

5318 T. A. Perls. Proceedings of symposium on barium titanate accelerometers; Natl. Bureau of Standards Report, Aug. 1953.*

5319 T. A. Perls, W. H. Kaechele and D. S. Goalwin. A diaphragm-type, capacitance-type micromanometer for very low differential pressures; Natl. Bureau of Standards Report, Jan. 1953.*

5320 M. J. Pilnay. A small pirani gage for measurements of nonsteady low pressures; NACA Tech. Note TN 2946, pp. 36, 1953.

5321 D. C. Pressey. Temperature-stable, capacitance pressure gauge; J. Sci. Instr., 30, 20-24, 1953.

5322 H. J. Svec and D. S. Gibbs. Recording mercurial manometer for pressure range 0-760 mm Hg; Rev. Sci. Instr., 24, 202-204, 1953.

5323 G. R. Thomas and N. N. Lichtin. An inexpensive recording differential manometer suitable for reaction kinetics measurements, Rev. Sci. Instr., 24, 661-664, 1953.

5324 F. E. Towsley and C. E. Beyer. Pressure measuring instruments; Modern Plastics, 30, 109f, Apr. 1953.

5325 L. M. Van der Pyl. Bibliography on Bourdon tubes and Bourdon tube gages; Am. Soc. Mech. Engrs. Preprint No. 53-IRD-1 for meeting, Sept. 1953.

*Available on loan from Office of Basic Instrumentation, National Bureau of Standards

325607 O - 54 - 5

5326 J. E. Witherspoon. Electronic-recorder pickups; Instr., 26, 429-431, 1953.

5327 T. Wrathall. Miniature pressure cells; Instr., 26, 736-739, 1953.

5328 K. Berman and S. H. Cheney, Jr. Combustion studies in rocket motors; J. Amer. Rocket Soc., 23, 89-96, 1953.

5329 R. K. Cook and R. G. Breckenridge. Anelasticity of quartz; Phys. Rev., 92, 1419-1423, 1953.

5330 A. Goldberg. Design of a square-root-extracting, force balance, pneumatic transmitter, including derivation of formulas; Trans. ASME., 75, 501-506, 1953.

5331 J. A. Haringx. Stresses in corrugated diaphragms; Anniv. vol. applied mechanics dedicated to C. B. Biezeno, Haarlem, Antwerpen, Djakarta, N. V. De Technische Uitgeverij H. Stam. p. 199-213, 1953.

5332 J. K. Hilliard. Microphones measure high intensity sound; Electronics, 26, 160-163, Nov. 1953.

5333 A. S. Iberall and S. B. Garfinkel. The development of a subliming carbon dioxide altimeter; Natl. Bureau of Standards Report, 1953.*

5334 D. P. Johnson, D. I. Steele and M. de Novens. Measurement of drift and recovery in aircraft altimeters; Natl. Bureau of Standards Report, 1953.*

5335 D. P. Johnson and D. H. Newhall. The piston gage as a precise measuring instrument; ASME Trans., 75, 301-310, 1953.

5336 W. H. Kaechele and W. G. Brombacher. Diaphragm type vacuum gage; Natl. Bureau of Standards Report, 1953.*

5337 A. Kammerer. Hooke's law and the limits of the extent of true elasticity; Metallurgia Ital., 45, 41-46, 1953.

5338 A. J. Kennedy. On the generality of the cubic creep function; J. Mech. and Physics of Solids, 1, 172-181, 1953.

5339 Y. T. Li. Dynamic pressure measuring system for jet propulsion research; J. Am. Rocket Soc., 23, 124-127, 1953.

5340 J. W. Marx and J. M. Silverstein. The temperature dependence of the elastic moduli and internal friction of silica and glass; J. Appl. Physics, 24, 81-87, 1953. 14 references.

*Available on loan from Mechanical Instruments Section, National Bureau of Standards

5341 B. A. Niemeier. Seals to minimize leakage at high pressure; Trans. ASME 75, 369-379, 1953.

5342 A. S. Nowick. Internal friction in solids; Progress in Metal Physics, 4, 1-70, 1953. (100+ references).

5343 G. R. Prescott. Rupture-disk design evaluation and bursting tests; Trans., ASME 75, 355-359, 1953.

5344 D. W. St. Clair, L. W. Erath and S. L. Gillespie. Sine-wave generators; Frequency-response Symposium, ASME Paper No. 53-A12, pp. 7, 1953.

5345 C. B. Vogel. Piezoelectric well hydrophones; J. Acoust. Soc. Amer., 25, 711-718, 1953.

5346 J. B. Wynn, Jr. and S. L. Ackerman. Telemeter subcarrier separator; Radio and TV News, Radio-Electronic Eng. Sec. p. 14, Dec. 1953.

5347 M. Apstein and H. H. Wieder. Capacitor-modulated wide-range F-M system; Electronics, 26, 190, Oct. 1953.

5348 R. Bechmann. The linear piezoelectric equations of state; Brit. J. Appl. Physics, 4, 210-212, 1953.

5349 P. W. Bridgman. The effect of pressure on the tensile properties of several metals and other materials; J. Appl. Physics, 24, 560-570, 1953.

5350 J. Coulon. Contribution a l'étude de la courbe de résonance d'un quartz; Publications Scientifiques et Techniques du Ministère de L'Air, Notes Techniques, No. NT47, pp. 55, 1953.

5351 E. A. Gerber. A review of methods for measuring the constants of peizoelectric vibrators; IRE Proc. 41, 1103-1112, 1953. 27 references.

5352 A. A. Gerlach. F-M recording in guided missiles; Electronics, 26, 108-111, Jan. 1953.

5353 R. P. Gutterman. Diaphragms and linkages for pressure-operated flight instruments; Eng. Res. Assoc., Air Force Tech. Report No. 6149, pp. 184, 1953, 205 references. (Contract No. AF (038)-23069; E. O. No. R-655-1588 SR-1h).

5354 A. J. Kennedy. Creep and recovery in metals; Brit. J. Appl. Physics, 4, 225-233, 1953.

5355 C. E. Weir. Transitions and phases of teflon; Natl. Bur. Standards J. Research 50, 95-97, 1953. (RP 2395).

5356 R.A.K. Long. An automatic micromanometer for the measurement of low air speeds; J. Sci. Instr., 30, 481-482, 1953.

5357 J. C. Rose, S. R. Gilford, H. P. Broida, A. Soler, E. A. Partenope and E. D. Freis. Clinical and investigation applications of a new instrument for continuous recording of blood pressure and heart rate; New Eng. J. Medicine, 249, 615-617, 1953.

5358 H. E. Darling and D. H. Newhall. A high-pressure wire gage using gold-chrome wire; Trans. ASME, 75, 311-315, 1953.

5359 Anon. Guided-weapons telemetering; the two principal systems developed by the Ministry of Supply; Flight, 64, 556, 1953.

5360 B. B. Bauer. A miniature microphone for transistorized amplifiers; IRE Trans., AU-1, 5-7, Nov.-Dec. 1953.

5361 W. R. Bekebrede and L. F. Yntema. Materials of construction for chemical engineering; Less common metals; Ind. and Eng. Chem., 45, 2261-2269, 1953. (216 references).

5362 C. I. Cummings and A. W. Newberry. Radio telemetry; J. Amer. Rock. Soc., 23, 141, 1953. 15 references.

5363 A. D. Frost. An electrostatic velocity microphone; J. Acoust. Soc. Amer., 25, 1198, 1953.

5364 L. Ollivier and D. J. Tricebock. Precise pressure measurement; Elect. Mfg., 52, 114-121, Aug. 1953.

5365 J. Medill. A miniature piezoelectric microphone; IRE Trans., AU-1, 7-12, Nov.-Dec. 1953.

5366 H. O. Teeple. Nickel and high-nickel alloys; Ind. and Eng. Chem., 45, 2215-2232, 1953. (270 references). Survey 1952-1953.

5367 R. Thiel. Zur Praxis der dynamische Dehnungsmessung; Arch. f. Tech. Mess., J135-1, 63-66, March 1953. J135-2, 79-82, April 1953.

5368 H. A. Bowman, D. P. Johnson, J. L. Cross, J. D. Hill. Electrical insulators and seals for lead-in wires for high pressure vessels; Natl. Bur. Standards Report, 1953.*

5369 F. J. Digney and S. Yerazunis. Design and use of an electronic pressure controller; Analy. Chem., 25, 921-923, 1953.

5370 F. J. Friel, Jr. Recording facilities employed by the Underwater Explosions Research Division; Navy Underwater Expl. Res. Div. Report 3-53, pp. 83, 1953. (Norfolk Navy Shipyard).

*Available on loan from Mechanical Instruments Section, National Bureau of Standards

5371 Y. T. Li. High-frequency pressure indicators for aerodynamic problems; NACA Tech. Note 3042, pp. 52, 1953.

5401 R. T. Eckenrode and H. A. Kirshner. Measurement of pressure transients; Rev. Sci. Instr., 25, 33-40, 1954. (112 references).

5402 R. M. Landsman. An apparatus for the measurement of systolic and diastolic pressures; Rev. Sci. Instr., 25, 71-72, 1954.

5403 R. C. Baird and K. W. Lamers. A new technique for transient recording; Instruments and Automotion, 27, 464-466, 1954.

5404 C. G. Hylkema and R. B. Bowersox. Experimental and mathematical technique for determining dynamic response of pressure gages; Inst. Soc. Am. J., 1, 27-32, Feb. 1954. Proc. ISA 8, 115-120, 1953.

5405 J. R. Roebuck and H. W. Ibser. Precision multiple-mercury-column manometer; Rev. Sci. Instr., 25, 46-51, 1954.

5406 H. F. Rondeau. An introduction to the resistance wire strain gage; Inst. Soc. Amer. J., 1, 17-26, Feb. 1954. 176 references.

5407 L. W. Cornell. Polytetrafluorethylene-its properties and uses; Mech. Eng., 75, 883-886, 1953. (Comment, D. S. Messenger, Mech. Eng. 76, 372, 1954).

5408 T.F.W. Embleton. A semi-automatic electrical manometer designed to calibrate a Mack-Zehnder interferometer system for the recording of transient pressure changes; Rev. Sci. Instr., 25, 246-247, 1954.

5409 J. Grey. Pressure transducers; Prod. Eng., 25, 174-179, Jan. 1954.

5410 R. A. Gross. Calibration of sensitive differential pressure devices; Rev. Sci. Instr., 25, 218-220, 1954.

5411 A. Hertzberg and W. E. Smith. A method for generating strong shock waves; J. Appl. Physics, 25, 130, 1954.

5412 H. S. Sicinski, N. W. Spencer and W. G. Dow. Rocket measurements of upper atmosphere ambient temperature and pressure in the 30 to 75 kilometer region; J. Appl. Physics, 25, 161-168, 1954.

5413 H. Anwender and K. Sann. Der Quarz als Zweipol; Funk u. Ton., 8, 79-86, Feb. 1954.

5414 W. Gruhl and U. Gruhl. Durch kaltverformung hervorgerufene Rueckbildungserscheinungen bei Kupfer-Beryllium; Metall (Z. Tech. Indus. and Handel.), 8, 20-23, Jan. 1954.

5415 J. H. Howard. Designing with metal bellows; Mach. Design, 26, 137-148, Jan. 1954.

5416 W. J. Mayo-Wells. FM/FM telemetering; Tele-Tech., 13, 85-87, Jan. 1954.

5417 D. Morrison. Deviations from Hooke's law within the elastic range; Eng., 177, 141-144, Jan. 29, 1954.

5418 R. G. Shreffler and R. H. Christian. Boundary disturbances in high explosive shock tubes; J. Appl. Physics, 25, 324-331, 1954.

5419 A. B. Kaufman. High temperature strain gages; Radio and Television News, Radio-Electronic Eng. Sec., 51, 12-13, May 1954.

5420 R. B. Belser. A technique of soldering thin metal films; Rev. Sci. Instr., 25, 180-183, 1954.

5421 S. R. Gilford and H. P. Broida. Physiological monitoring equipment for anesthesia and other uses; Natl. Bureau of Standards Report, 1954.*

5422 M. G. Fangemann. Instrument springs; Instruments and Automation, 27, 780-782, 1954.

5423 A. J. Young. Control of chemical processes; electropneumatic, mechanical controllers; Instruments and Automation, 27, 778-779, 1954.

*Available on loan from Temperature Measurements Section, National Bureau of Standards

3. AUTHOR INDEX

All authors listed in the bibliography are indexed. Also, the issuing laboratory or organization of reports is indexed, if the report appears not to have been published in a journal.

Abkovitz 4701
Ackerman 5042 5206 5346
Adams 3701
Adler 4735
Alexander 4501 4502 4504 4516
Alexandrov 3915 3916
Alman 5303
Alpert 5101
Am. Soc. Metals B483
Anderson, A.B.C. 4834 4930
Anderson, N.G. 4702
Andrade, daC 5237
Andrae B463
Andrews 5032
Anon. B516 2805 3501 3502 3503 3601 3602 3702 3901 4001 4024 4301 4302 4313 4533 4625 4626 4801 5001 5002 5033 5102 5103 5104 5105 5238 5239 5240 5301 5302 5359
Anwender 5413
Apstein 5347
Arguimbau B487
Armour Res. Fdn. 5170
Arons 4601 5003
Ashby 5261
Atomic Energy Com. 4323 4405 4813
Attree 4901
Aughtie 4602
Aunis 3609
Avella 4603
Avery 4514
Ayers 5258

Bachle 3401
Bacon 4421
Baird 5403
Baker 2404
Baldwin 4936
Ball 4503
Ballistic Res. Lab. Aberdeen 4409 4221 4304 5040 5163 5208
Barber 4505 4521
Barkas 4803 5201
Barrett 5030
Battelle Mem. Inst. 4939 5134 5210 5224 5312
Bauer, B.B. 4823 5141 5360
Bauer, S.H. 5204
Baxter, I.G. 5304
Baxter, R.B. 4407
Bayhi 5241
Beale 3504 3505 3703 5142
Beatty 4903
Bebb 4604 5106
Bechmann 5258 5348
Beckman 5317
Beers 4824
Beggs 4940
Behar B301 B512
Beidler 4942
Beij 3211
Bekebrede 5361
Békésy 4101
Bell, J.C. 4804
Bell, J.F.W. 5153
Belser 5420
Benedict 3613
Benioff 3912
Bennett 4703
Bentley 4004
Beranek B491
Berman 5328
Bessey 4525
Best, C.H. B504
Best, N.R. 5156
Beta Corp. 5209
Beyer 5324
Bierman 4629 4802 5107
Biermaez B524
Bitondo 5047
Bleakney 4937
Blom 5004
Bobber 5259
Bobyn 5128
Boeing Airplane Co. 5019
Boggis 5202
Boiten B524 5104
Bonell 5057
Bonner 4423

Borden 4404
Bounds 5260
Bourquignon 5005
Boutrey 4704
Bowman 5368
Bowersox 5404
Bozorth B514
Bradfield 5058
Bradshaw 4705
Braunstein 4705
Breckenridge 5329
Brewer 3404
Bridgman B311 1701 4605 5232 5349
British Shipbldg. 5221
Res. Assoc.
Broemser 2701
Broida 5357 5421
Brombacher B523 3006 3307 3410 4021
4734 4938 5336
Brooks-Smith 3902
Brosene 4705
Brotman 3404
Brown, D.R. 4904
Brown, R.H. 4402 4403
Brown, R.M. 4507
Brush 5301
Buck 4803 5201 5203
Buckingham 2405
Buckley 5144
Bucthal 4303
Bundy 4931 5143
Bur. Ord., Navy 4209 4402 4403 4408
4633 4707 4708 4721
4728 4732 4835 5133
5207 5234 5267

Cady B462 5007 5008
Cahn 5264
Caldwell, F.R. 4102
Caldwell, J.M. 5231
Calif. Inst. Tech. 4625 4810
Cametti 5265
Camp 4836 4837 4950
Campbell, C. 3201
Campbell, W.R. 4844 5104
Campbell, W.S. 4706
Caris 2803 2804 3003
Carlson 5009
Carr 4304
Carson 3804 4320
Carter, B.C. 4905
Carter, J.L. 4617
Cartotto 5305
Carver 2301
Cesaro 4907
Chapman 4411 4412
Charron 4002
Cheney 5328
Cherry, R. 4715
Cherry, W.L. 4735
Chertock 5108
Chi 4921
Chinnappa 4905
Chinneck 5039
Chisholm 5144
Christaldi 5242
Christian 5418
Church 5010
Clamann 5109
Clark, D.S. 4201
Clark, J.S. 3310
Clarridge 5169
Clemendson 5059
Coffey 4406
Coffin 5204
Cohen 4305
Cohn 4108
Cole B481 4219 4506 4507 5003
Coles 3902
Collins, J.H. 3001 3004
Collins, W.G. 2201
Cook, D.B. 5306
Cook, G.W. 4606 5140
Cook, R.K. 4112 4825 5034 5329
Cordero 4021 5111
Cornell 5407
Cosby 4627
Coss 5223 5307
Cosser-Dodds 4024
Cottrell 5243
Coulon 5350
Courant B485
Cousins 4729 4730
Cowan 4941
Coward 3506
Cox 4741 4826
Cram 3715
Crary 5035
Crawford 4808

Crites 5224
Crocker 4208
Cromer 4405
Cross 5368
Crossley 4607
Crownover 4910
Curtis, C.W. 5036
Curtis, W.E. 4707
Cummings 5362
Cyr 4838 4929

Danby 5306
Daniels 2801
Darling 5358
David Taylor Model Basin 4305 4322 4401 4404 4407 4410 4424 4427 4606 4621 4701 4706 4719 4817 4913 4914 4920 5027 5108 5110 5130 5140
Davis 4005
Davisson 4906
Day 5110
Daykin 5307
Dayton 4608
Deffet 5262
DeForest 3604 4003 4113 4202
DeJuhasz B341
Delio 4907
Delmonte 5205
Delpino 4952
Dember 4627
Dem Hartog B472
Devonshire 5154
Dibeler 5111
Dickinson 2102
Diederichs B463
Digney 5369
DiMattia 4527
Dodds 3603 3704
Dolezalek 3403
Dominguez 4840
Donoghue 4407
Dow 5412
Dranetz 4910
Draper B521 B531 3306 3402 3409 3801 4004 4005 4406 4908
Dripps 4949
Drodofsky 4827
Ducoffe 5308
Dumont Lab. B534
Dunlap 4508
Dunmore 4022
Duryea 4909
Dushkes 5264
Dushman B493
DVL 3602

East 4609
Eaton 2405 2703
Ebaugh 4742
Ebert 3705 4951
Eckenrode 5401
Eckman B505
Eden 4809
Edwards, G.S. 4738
Edwards, P.L. 5207
Ellis 5151
Elsey 5161
Embleton 5408
Emrich 4828 5036
Eng. Res. Assoc. 5353
Epstein 4831
Erath 5344
Erwin 5261
Evans 3309
Exline 3805

Fader 5208
Fangemann 5422
Farkas B391
Farnell 5144
Fawcett 5263
Federhofer 3605
Feitelberg 4512
Feller B474
Ferguson B523
Fernbach 4203 4204
Fieber 3509
Field Intell. Agency, Technical 4702

Finkelstein 4408
Fiock 4102
Fischer 5011 5112
Fitton 4952
Flader 4801
Fletcher, C.H. 4937
Fletcher, J.C. 4610
Fletcher, P.J. 5145
Foley 4608
Fortier 4409
Fournier 5157
Fox 4611
Frank 0301 2501 2502
Franke 4524
Frankford Arsenal 4203 4204 5213
Fraenkel 4612 4708
Frawley 4109 4411 4412
Freeman 4747
Freis 5357
Friederichs B485
Frommer 4306
Frondel 4613
Frost 5363
Fujita 4509

Galloway 4905
Garfinkel 5333
Garland 5227
Garten 4208
Garton 5155
Gauer 5012
Geiger 4831
Gelfan 5052
Gen. Elect. Co. 4909
Gerber 5351
Gerdien 2901
Gerlach 5352
Gettleman 5229 5249
Ghosh 4095
Giacobbe 5260
Gibbons 4307
Gibbs, D.S. 5322
Gibbs, N.E. 4845
Gibson, R. 5309
Gibson, R.E. 3701
Gienapp 5012
Gilford 5357 5421
Gillespie 5344
Gilson 4103 4205 4206 4308
Glamann 3301 3606 3607
Glass B537
Glasser B441
Gleyzakl 4424
Goalwin 5319
Godfrey 3917
Goerke 3911 4021 4218
Gohlke 4026 4104 4207
Goldberg, A. 5330
Goldberg, H. 4103
Golden 4510
Goodall 3202 3903
Goranson 3701 4208
Gordon 4511 4633 4932
Gordy 5268
Gould 3309
Gracey 5157
Graham 3616
Green B441
Greenberg 4310
Greenfield 4410 4425
Greenough 5113 5241
Greenspan 4825
Gregg, A.B. 5143
Gregg, D.E. 3706
Gregorovici 3904
Grey 5409
Griffith 2802
Grime 4614
Grinstead 3905 4109 4411 4412
Gross, H. 5310
Gross, R.A. 5410
Grover 4804 5134 5210 5224
5312
Gruhl 5414
Grundfast 4512
Gunn 4007
von Gunten 4632
Gustafsson 4709 5104
Gutenberg 3912
Gutterman 5353

Hagendoorn 4008
Haig 5049
Halliday 4805
Halstead Expl. Center 4001
Hamilton, J.H. 5161
Hamilton, W.F. 3404
Hampel 4016

Handelman 4311
Hansen, A.T. 4748 4911 5013 5014
Hansen, R.J. 4210
Hansz 4832
Hardway 5209 5311
Haringx 5031 5331
Hart 5010
Hartmann 4209
Harvard Acoustics Res. Lab. 4527 5053 5054
Hauck 4627
Hausroth 5225
Havens 5038 5233
Hawley 5037
Hay 4512
Haynes 5146
Head, J.W. 4513
Head, R.M. 4528
Hearman 5244
Heckscher 5210 5312
Heineman 4016
Heldt 3405 3406 3407 3608
Helfer 5211
Hellems 4629
Hempson 5221
Henderson 4111
Henrickson 2703
Herdy 4814
Hersey 2302 3506
Hertzberg 5411
Herzfeld 4611
Hetényi B502
Hett 4821 5015
Hickman, C.N. 4106
Hickman, K.C.D. 2907
Higgs 4912
Hill, H.M. 5245
Hill, S. 5246
Hilliard 5332
Hindley 4710
Hinman 4022
Hinton 5247
Hobbs 2904
Hodge, A.H. 3914
Hodge, P.G. B513
Holder 5039
Hoist 2904
Honick 5266
Hornig 4941
Hottel B535
Houseman 3308
Howard 5415
Howatt 4910
Huber 4952
Hudson 4426
Humphreys 5313
Hund B515
Hunt, F.V. 5054
Hunt, M.H. 4835 4930
Hunt, R.E. 4514
Hurst 4105
Huston 4829
Hylkema 5404

Iberall 5016 5333
Ibeser 5405
Illgen 3714
Ingham 5309
Iowa St. Coll. 4919
Ishiguro 4211
Itokawa 5114

Jackson 5134 5158
Jaffe 4942 5223
Jakob 5170
Janovsky 3302 3311 3312 3511
Janszen 5053
Jasper 5115
Jenkins 5107
Jessup 3108
Jewell 4943
Johnson, C.T. 4913 4914
Johnson, D.P. 4822 5334 5335 5368
Johnson, T.H. 3913
Johnston, D.L. 5314
Johnston, R.S. 2305
Jones, E. 4806 5248
Jones, R.E. 4841
Jones, R.V. 5116
Jonsson 5117
Jorgensen 4615
Joseph 5212
Jost 4933
Jungnickel 3513
Jupe 5017

Kaechele 5319 5336
Kalovski 5267
Kammerer 5337
Karcher 2202
Kaufman 5147 5148 5419
Kaufmann 3101
Kazantseva 5149
Keenan 4807
Keinath 3203 3204 3205 3213 3214 3507 3510
Kelly 4915
Kemp 4711 4717
Kendall 5046
Kennedy, A.J. 5338 5354
Kennedy, W.D. 4708
Kent 3914 4009
Kenty 4010
Kerris 3906 4634 4712
Keulegan 2602 2806 3212 3308
Keys 2103 2303 3209
Kiel 3512
Kilpatrick 5121
King 4821 5015 5139
Kinkel 5230 5315
Kirby 4323
Kirk 4819 5064
Kirshner 5401
Kistemaker 4535 4536
Klein 4634
Kleinschmidt B351
Kliever 4413
Klinger 2903
Kluge 2902 3002 3208
Koch B524
Koerner 4736
Koll 5038 5233
Konschak 3408
Koopman 5018
Koppl 4713
Kordes 4635
Korff 3913
Kornfeld 2903
Krause 5162 5229 5249
Kroeger 4421
Kubicek 4107
Kuhn 4609
Kussman 3705
Labarthe 4011
Lader 5268
LaGow 5038 5233
Lakey 4018
Lambert 4714 4841
Lamens 5403
Lampson 4212 4312 5040
Lancor 4005 4406
Landsman 5402
Lane 5310
Lang 4422 4515
Langberg 5213
Langer 4414
Langevin 3609
Lanier 4630
Lapham 4022
Larsen 3910
Lathrop 4510 4516
Lawson 4213 4217
Leaderman 4003
Lees B521 B531
Legallais 4715
Lenssen 3413
LeRoy 4534
Letko 5157
Levedahl 5214
Lewis B511 B535 3303
Li 4908 5215 5339 5371
Lichtenberger 4012 4716
Lichtestein 4737
Lichtin 5323
Liepmann B473
Lilly 4214 4715
Linckh 2902 3002 3208
Linderman 4718
Lipson 4808
Littler 3201
Livengood 4916
Lobb 5041 5047
Locklin 5163
Long 5356
Los 5118
Los Almos Sci. Lab. 4615 4925
Loshaek 4953
Lovering 5119
Luck 5120
Lugeon 5042

Lukasiewicz B507
Lundquist 5234
Lundholm 5167
Luxford 4020
Lygrisse 5250

MacCoull 3610
MacDonald 4517
MacDougall 4215
Macelwane 3806
MacGeorge 5060
MacLean 4006
MacLeod 4108
Maghdi 5216
Main 5126
Majors 5122
Mann 3508
Mansberg 5043
Manson 4711 4717
Mare Isl. Navy Shipyard 5030
Marcus 4518
Markson 4843
Marsh 4842
Martin, E.J. 2803 2804 3003 4109
Martin, W. B537
Marton B522
Marx 5340
Maslach 5055
Maslen 4806 5248
Mason B488 B503
Mass. Inst. Tech. 5022
Massa 4519 4830
Matheson 4809
Matland 5101
Mautz 4831 4944
Mawson 5315
Mayes 4718
Mayo-Wells 5061 5416
Mazur 5156
McCollum 2401
McCorkle 4721
McCoubrey 5101
McIntosh 4807
McKay B521 B531
McKinney 5121
McLachlan 5164
Meakin 5125
Mebs 5050
Medill 5365
Meier, J.H. 4415
Meier, O. 4918
Mellville B391
Melton 3006
Mengel 5062 5156
Merz 3707
Meurer 3611 3708 4013
Meyer, M. 3615
Meyer, R.D. 4616
Meyers 3108
Mezzer 4719
Michels 3206 3413
Mickevicz 5316
Middleton B471
Midgley 2304
Miller 4213 4217
Mills 5163
Mintrop 5123
Montgomery 4720
Moore 5251
Morgan, H. 4018
Morgan, W.C. 4711 4717
Morokovin 5044
Morrison, D. 5417
Morrison, J.A. 5118
Morrison, J.C. 5124
Morton 5252
Motley 4744
Moulic B461
Moulton 4721 4945
Mueser 4742 4743
Müller 3908 4014 4216
Muraour 3609 4746
Murphy 4919
Muzzey 5019

Nadai B506
Nat. Bur. Stds. (Unpubl. rpts.) 5212 5227 5228 5318 5319 5333 5334 5336 5368 5421
Nat. Def. Res. Com. (NDRC) 4106 4210 4212 4310 4312 4314 4315 4422 4520 4522 4525 4601 4610 4612 4613 4620

Naval Air Dev. Center (NADC) 5317
Naval Air Exp. Sta. (NAES) 4518 4924 5051
Naval Ord. Lab. (NOL) 4313 4418 4428 4739 4741 4833 4918 4945 5020 5041 5046
Naval Ord. Test Sta. (NOTS) 4835 4930
Naval Res. Lab. (NRL) 4416 4906 5156
Naval Shipyard See city where located
Navy Air Tech. Depot 4509
Navy Bur. Ord. 4209 4402 4403 4408 4633 4707 4708 4721 4728 4732 4835 5133 5207 5234 5267
Navy Med. Res. Inst. (NMRI) 4629
Navy Underwater Sound Ref. Lab. 5259
Neeland 4832
Nerad B535
Neuweiler 5127
Newberry 4810 5362
Newell 2102
Newhall 5335 5358
New York Navy Shipyard 5105
New York Univ. 4517 5139
Nichols 5150
Nielsen, E.A. 4811
Nielsen, H. 3612
Niemeier 5341
Norfolk Navy Shipyard 5066 5135 5370
Nolte 5063
North 5039
de Novens 5334
Nowick 5342
Noyes 3107

Obata 2702

Off. Sci. Res. Dev. (OSRD) 4210 4212 4215 4217 4219 4220 4302 4310 4312 4314 4315 4321 4416 4422 4423 4501 4502 4504 4506 4507 4508 4510 4511 4514 4517 4520 4522 4525 4531 4533 4601 4603 4610 4612 4613 4620
Olive 5235
Ollivier 5364
Olsen 4953
Olson 2904 4722
Oregon St. Coll. 5254
Osborne 4416 4617 4618
Othmer 4919

Parnell 5317
Partenope 5357
Partington 4529
Pattemore 5128
Patterson, G.N. 4833 B537
Patterson, J.L. 5217
Penn. St. Coll. 4836 4837 4950
Perls 4920 5130 5218 5228 5318 5319
Peters 2305 2401
Peterson 4949 5317
Petes 5020
Pettersson 5059
Pfeiffer 4724
Pflier B431
Pfriem 4417
Pickering 4723
Pike 4845
Pilay 5320
Poly. Inst. Brooklin 4815 4816
Post 5253
Postle 5309
Praeger B513 4310 4311
Prescott, F.L. 3207
Prescott, G.R. 5343
Pressey 5219 5321
Price 5021

Prime 4921
Princeton Univ. 4828 5236
Pringle 4604
Puckett B473
Purdy 5129

Rae B392
Rallis 4812
Ramirez 3806
Ramsey 4942
Rassweiler 3802
Rauch 5150
Rayner 3909
Raynor 5220
Read 4520 4610
Reilly B392
Rein 4015 4016
Reiner 4619
Reitz 4743
Rensselaer Poly. Inst. 4903 4915 5065
Reynolds 4314 4315
Reynst. 4008
Rice 5254
Rich, H.L. 4427 5130
Rich, W.F. 4427
Richards 4703
Richardson, E.G. B536
Richardson, W.L. 4813
Rideal 4934
Rimarski 3408
Risman 4949
Roach 5221
Roberts, E.A. 5131
Roberts, H.C. B464
Robertson, A.F. 4110
Robertson, A.J.B. 4934
Robertson, J.B. 4904
Robins 5256
Robinson 5048
Roborda 5065
Rock 4611
Rodebush 5045
Roebuck 3715 5405
Roeser 5050
Roess 4017
Rome Air Dev. Cen. 5268
Rondeau 5132 5406
Roper 5168
Rose, R.A. 3613
Rose, J.C. 5357
Roszbach B524
Roth 4954
Ruge 5104
Russel 5157
Ryerson 4418

Sakurai 5166
Samans B532
Sann 5413
Sastri 4905
Sauvage 4409
Sawyer, C.R. 4630
Sawyer, H.T. 3614
Saxer 4530
Sayre 3604
Schaaf 4517 4745 4838
Schaevitz 4725
Scharwächter 3707
Schauer 5066 5135
Schlesman 5255
Schmidt 3617
Schmitz 4947
Schnauffer 3005 3102
School, Aviation Med., Randolph Field 5109
Schrader 3709
Schultze 4309
Schulze 3907 4025 5261
Schütz 3103 3710
Schwartz, H. 5165
Schwartz, H.H. 5136
Schwartz, J. 4814
Schwarzschild 4304
Schwent 4907
Schwope 5158
Scott 5020
Scriba 2908
Sears 3310
Sedgewick 4107
Seitz 4217
Serruys B381 3711
Shafer 4511 4707 4945 5133
Shapiro 4410
Sharp 5223
Shea B533

Sheard 4614
Shepherd 4935
Sherlock 3210
Shraffler 5418
Shulman 4521
Shultz 4411 4412
Sicinski 5412
Sigrist 3615
Silverman 4422 4515 4522
Silverstein 5340
Silvey 4904
Sinclair 5256
Singleton 5022
Skouby 4523
Slocum 4103
Sloughter 5151
Smith, A.W. 4726
Smith, D.F. 2402
Smith, F.D. 4018 4019 4020
Smith, L.G. 4531 4620
Smith, P.B. 4727 5048
Smith, R.B. 3903
Smith, S. 2204
Smith, W.E. 5411
Sokol 4728
Solari 5266
Soler 5357
Sommermeyer 3104
Sosman B271
Spanogle 3004
Spencer 5412
Spielman 5170
Stacy 4507
Stadman 4834
Stansfield 3504 3505 3703 5142
Stanton 3610
Staples 5159 5257
Statham 5104
St. Clair 5222 5344
Steele 5334
Steinman 4632
Steur 5134 5224
Stevens 4419
Stewart B302
Stiller 4305
Stimson 4532
Stippes 5225
Stoner 4610
Storer 4813
Stout 3210
Stovall 5023
Strauss 4316
Stressau 4401
Strong 4931 5143
Strub 5024
Sully B492
Sulzer 3503 3702
Sussholz 4322 4621
Suzuki 4733
Svec 5322
Swainger 4731

Taback 4922
Tadayon 5137
Tait 4601
Taylor, A.H. 4416 4618
Taylor, C.F. 3409
Taylor, E.S. 3306 3409 4406
Taylor, I.J. 5135
Taylor, N.B. B504
Taylor, N.W. 2402
Teeple 5366
Theodorsen 3105
Thiel 5367
Thomas, G.R. 5323
Thomas, H.A. 2601
Thomas, J.L. 3412
Thomas, T.S.E. 3304
Thompson 4729 4730
Thomson B482
Thuras 4321
Thyssen-Bornemisza 4948
Timoshenko B371 B401
Tittman 5025 5049
Tomkins 4923
Torda 4815
Toronto Univ. 5047
Torrey B484
Towle 3712
Towsley 5324
Tozier 3803
Tricebock 5364
Tricker 4946
Triebing 3301
Trilling 2306
Trimmer B501

Trowbridge 2101 2203
Turnbull 5056

Underwater Exp. Res. Lab. (Woods Hole) 4220 4613 4707 4708 4732
Univ. Calif. (Berkeley) 4745 4838 4929 5055
Univ. Chicago 4628
Univ. Wisconsin 4953
Urwin 4731
Utah Eng. Exp. Sta. 5161 5164

Vander Pyl 5325
Van Santen B524
Veiss 4815 4816
Vereschagin 3915 3916
Vincent 5026
Vinycomb 5160
Visscher 4107
Voegeli 4420
Vogel, C.B. 5345
Vogel, R. 2306
Von Elbe B511 3303
Voss 4703

Wacholder 4924 5051
Wagner 3106
Wagstaff 2403
Wahl 3618
Walen 4631
Walker, A.H.B. 4622
Walker, R.L. 4925
Wallace 4604
Walthall 5133
Warburg 4303 4748 4926 5013
Ward 4720
Wardshaw 4927
Warshaw 5226
Warshawski 4636
Watanabe 2905 2906
Watertown Arsenal 3508
Watson, H.G.I. 3209
Watson, W. 0801
Watzinger 3910
Wawrziniok 3305
Way 3411 3618
Weather Bur. 4740
Weidemann, F. 4712
Weidemann, H. 4114 4023 4316 4634
Weimer 4610 4726 4937 5236
Weir 5355
Weise 4317
Weiss 4304
Weissler 4825 5034
Welch 5265
Wenk 4817 5027 5138
Werner 5052
Wertz 4950
Wesleyan Univ. 5007 5008
Westman 4529
Wexler 5227
Whiddington 2001
White, D.R. 5236
White, M.P. 5028
Whitmer B484
Whitworth 3201
Wieder 5347
Wiener 4547
Wiggers B494 2404
Wildback 3911 4218 5228
Willey, E.J.B. 4624
Willey, F.G. 5152
Williams, G.L. 3409
Williams, M. 4818
Williams, R.S. 4843
Williams, W.E. 5113
Wilson, D.A. 4732
Wilson, E.B. Jr. 4219 4220
Wilson, G.C. 3613
Wilson, J.L. 2703
Wiltshire 5119
Winckler 4839
Winslow 4525
Wintergerst 3713
Witherspoon 5326
Withrow 3802
Wittern 4524
Wolfe 4928
Wood, C. 4613
Wood, E.H. 4714
Wood, W.D. 4902
Woodcock 5029
Wrathall 5327

325607 O - 54 - 6

Wynn 5207 5346

Yamaguchi 5166
Yarnell B517
Yerazunis 5369
Yntema 5361
Yorke 4526
Yosida 2702
Young 5423

Zalovcik 4623
Zeluff 4820
Zemany 5021
Zener B486
Zernow 4221
Ziebolz B518
Zobel 4318

4. SUBJECT INDEX

Accelerometer pickup 5220, 5318
Acoustics
  Anomalous sound propagation, atmospheric, see also Atmospheric pressure 4739, 4741, 5035
    Review 4826
  Electro B488
  Instruments and techniques B491
  Microphones, see
ADP, see Piezoelectric gages
Aerodynamics, compressible fluid B473
Aeronautical applications
  Aircraft transducers B512
  Computer, pressures on airfoil to forces and moments 5211
  Diaphragms, see
  Engines, see
  Flight test transducers 4734
  Flux gate transmitter 4943
  Hydraulic pressure surges, see
  Micromanometer, automatic 5356
  Physiological effects, see Physiology
  Pressure computations (Forces such as lifts, drags; moments; pressure profiles, etc.) 5211, 5223, 5313
  Review 4734
  Wind tunnels 4763, 5046, 5223, 5307, 5308
    Mach. interferometer, review 4839
    Supersonic, Pirani gage 4929
    Review 4634
Airblast, see Explosions
Aircraft speed instruments, review 3211, 4829
  Pitot tubes, see
  Static tubes, see
Alphatron 5412
Altimeters, aneroid
  Calibration, dynamic 4822
  Dynamic performance 4528
  Drift and recovery 3410, 5334
  Hysteresis and after effect 3410, 4822, 5334
  Performance B302, 4829
Altimeter, Temperature of vapor, boiling or sublimation
  Accuracy 5170
  Carbon dioxide sublimation 5333
  Freon 4628
  Water 4713
Amplifiers, see also Circuits; Pickups
  Pickups
    Capacitance 2702, 3801, 4008, 4109, 4214, 4624, 4923, 5140, 5219, 5309
    Generator, self 3402, 3504, 3801, 4301, 4406
    Inductance 5113
    Photoelectric 3613, 4011, 4110, 5116
    Piezoelectric B481, 3209, 3709, 4012, 4203, 4207, 4506, 4513, 4520, 4601, 4604, 4612, 4716, 4830, 4925, 5003, 5153, 5213, 5318
    Strain gage 4201, 4307, 4502, 4602, 4606, 4706, 5314

Amplifiers, see also Circuits; Pickups (cont'd)
Power supplies 4109, 4506, 4703
Requirements for recording transients 4506
for oscillographs 4506
Frequency response 4019, 4506, 5208, 5401
Input impedance 4506, 5401
Linearity; stability 4506
Low-frequency limitation of RC coupled amplifiers 4019, 4506
Resonant-bridge carrier systems 5140
Performance 4930
Review, general B464, B487, 3909, 4212, 4703, 5029
Switching, mechanical and electronic 4308, 4703
Amplifiers, pressure, see Relay, pressure
Applications
Aeronautical applications, see
Airduct pressures 4921
Atmospheric, see
Auto brake, fluid pressure 4529
Baling: Cotton packaging 4413
Ballistics
Chamber pressures B516, 2805, 4203
Guns B516, 4421, 5057
Internal B516, 5401
Powder rockets 4501, 4510
Review B516
Calibration, see
Capacitance pickups, see
Chemical reaction kinetics, see
Detonation, see Chemical reaction kinetics
Engines, see Engine indicators
Explosions, see
Gases, see Chemical reaction kinetics
Hydraulics, see
Injection molding: Rubber and plastic 4503, 5324
Inductance pickups, see
Meteorological, see Meteorological instruments
Photoelectric pickups, see
Physiology, see
Piezoelectric gages, see
Pressure trends meter for presses 4001
Propellants, see also Engines: jet, rocket 4208
Stamping press 3403
Structural design studies
Motor boat hull in rough water 5115
Wind forces 3210
Windows of running trains passing each other 5114
Strain gages, see
Tire pressure, dynamic 5129
Ultra sonic intensity in fluid 4726
Vacuum gages, see
Vortices, pressure changes due to 5114
Wind tunnel, supersonic, optical apparatus B473

Atmospheric pressure measurement B351, B471
Aircraft 4528, 4623, 4829, 5039, 5044, 5157, 5162
Fluctuations 3210, 3616, 3806, 3912, 4530
Hypsometer, temperature, vapor, boiling or subliming substance, see
Infra sonic explosion waves 4739, 4741, 5035
Review 4826
Upper air 5038, 5233, 5412

Balance, force-pressure
Bell micromanometer
Torsion balance 4710
Weight balance B505
Calibration apparatus 5230, 5315
Commercially available 5235
Diaphragm, slack 4843
Electro-magnetic, automatic 5230, 5315
Liquid column B505, 4710
Piston gages, see
Quartz fiber, sound pressure 4953
Ring manometer, by weights 3616
Theory 4114
Balance, pressure-pressure
Calibration standard 3802, 4109, 4411, 4412, 4703, 4822, 5004
Temperature indicates pressure on sealed system 5004
Diaphragm, auxilliary bellows-spring pressure follower 5223
Engine indicator 2102, 3001, 3004, 3207, 3306, 3401, 3407, 3712, 4812, 4908, 4916, 5010, 5221
Hydraulic pressure 4720
Liquid column indicator balance 5369
Pickups
Electrical contact B431, 3001, 3401, 3407, 4812, 4908, 5010, 5221, 5223, 5307
Generator, voltage 3504, 3703, 3712, 4928
Inductance 5223, 5230, 5315
Recorder, multipoint 5223
Review B231, B461, B507, B511, 3207, 3712, 4703, 4720, 4908, 4928, 5401
Balanced diaphragm, see Balance, pressure-pressure
Balanced-pressure gages, see Balance
Balancing circuits, see Bridge circuits; Bridged-T balancing circuit
Baling 4413
Ball crusher, see Crusher gage
Ballistics, see Applications, ballistics; Explosions
Balloon, rubber
Stroboscopic photography of, during underwater blast 4720
Barium titanate, see Piezoelectric gages; Piezoelectric crystals
Barometer, mercury, see also Liquid column; Manometers, mercury
Electrical contacts pressure intervals 4902
Capacitance pickups 4532
Photoelectric pickup 5146
Standard 3310, 4532, 4938

Barostat 3309, 5334
Beams, thin, dynamic response to air blast 5163
Bearings, instrument, design and performance 4712
Beat frequency oscillator circuit for capacitance pickup 2001, 2403, 4624, 4703, 5118
Bell, floating B505, 4710
  Shaped to give deflection: square root of pressure 5330
Bellows
  Application 5415
  Beryllium copper 3805
  Gages, commercial 5235
  Glass 5934
  Opposing
    Cantilever and strain gage pickup 4714, 4801, 4924
    Lever and inductance pickup 4805
  Performance 3805
  Pickup
    Inductance 5223
      Differential transformer 4725, 5223
    Mechanical: Pulley and string 4511
    Optical 4609
    Photoelectric 5223
    Strain gage 4616
      Performance 5051
    Unbonded 4807, 5401
  Review B301, 3805, 5415
  Rupture proof 5063
  With quartz torsion "spring" 5224
  With spring and linkage to recording pen 5002
Beryllium copper, see also Elastic moduli
  Bourdon tubes 5260
  Diaphragms 3911, 4218, 4939
  Hardness, heat treatment, cold work 5414
  Heat treatment 4320, 4942
  Physical properties B532, 5422
  Springs 3804
Bibliography, see also Books and Surveys
  Acoustics research 4824
  Airspeed measurement, aircraft 4829
  Anomalous sound 4824
  Ballistics, internal B516
  Bourdon tubes 5325
  Drift (creep) B492, 5158, 5342
    Time, variation, with 5243, 5338
  Engine indicators, electrical pickups 4019
    Electrical pickups 4019
    Mechanical and electrical pickups 4908
  Explosions, manometry of 3506
  Interferometer, wind tunnels 4840
  Internal friction, solids 5342

Bibliography, see also Books and Surveys (cont'd)
Magnetism B514
Meteorological instruments B351, B471
Microphones 4824
Molybdenum 5361
Nickel, nickel steels 5366
Piezoelectricity B462, 5351
Pressure, dynamic, generators 5404
Pressure, dynamic, measurement of 5025, 5401
Pressure high B311, 4605
Resistance wire strain gages 5406
Seismology 4824
Shock tube B507, B537, 5047
Sound ranging 4824
Tantalum 5361
Telemetering, radio 5150
Titanium, alloys 5361
Transducers B464
Underwater explosions B481
Vacuum measurement B493, 5165
Zirconium 5361
Blast measurement, see Explosions
Blast pressure, transducers
Commercially available B534
Blood pressure, see Physiology
Books and Surveys
Acoustic measurements B491
Aerodynamics, compressible fluid B473
Aeronautical instruments B302, B512, 4734
Ballistics, internal B516
Barium titanate 5318
Blood pressure measurement, general B441, B494, 4911
Circuits, electrical B464, B487, B522, 4703, 5029
Combustion, flame and explosion phenomena 4931, B511, B535
Combustion, internal, engine B381
Creep, see Drift
Crystal rectifiers B484
Detonation phenomena B511, B535
Diaphragm, theory B401, 2302
Aeronautical instruments 2302
Drift
Elasticity and anelasticity of metals B486
Metallic creep and creep resistant alloys B492
Theory of flow and fracture of solids B506
Dynamic response of physical systems B482, B501, B521, B531
Elasticity and anelasticity of metals B486
Electromechanical transducers and wave filters B488
Electronic control handbook B461
Electronics, advances in B522
Engineering instruments B463
Engineering metals and their alloys B532

Books and Surveys (cont'd)
Engine indicators B341, B381, B463, 3207
High speed 3611, 4011
With electrical pickups 3909, 4019
With mechanical and electrical pickups 2804, 4005, 4011, 4908
With optical pickups 4011
With spring and piston pickups B463, 5401
Explosions
Gases B511, 4932
Industrial 3506
Underwater B481
Ferromagnetism B514
High frequency measurements B515
High pressure B311, 4605
Industrial instrumentation B505
Instrument engineering B521, B531
Internal ballistics B516
Manometers
Explosions, industrial 3506
Physiology 4911
Manometer tables B523
Measurement and control handbook B512
Mechanical measurements, electrical methods B431, B464, 4703
Medical physics B441
Metals
Engineering metals and their alloys B532
Handbook B483
Meteorological instruments B351, B471
Methods in gas reactions B391
Micromanometers, review B391, B392
Microphones B491, B536
Physical properties of materials under high pressure B311, 4605
Physico-chemical methods B392
Physiological basis of medical practice B504
Physiology B441, B494, 4911
Piezoelectric crystals, ultrasonic B503
Piezoelectricity B462
Plates and shells, theory B401
Pressure measurement, general
Dynamic B301, B481, 4928, 5025, 5401
Precise 4917
Pressure (and other) transducers, see Transducers (just below)
Quartz B271
Recording 4703, 5029
Response of physical systems B501
Shock tube B507
Silica B271
Sound, technical aspects B536

Books and Surveys (cont'd)
Strain gages, wire resistance 4806
Resistance strain gages, construction, use B517
Strain gages, theory and application B524
Stress analysis, handbook, experimental B502
Supersonic flow and shock waves B485
Telemetering B522
Theory, perfectly elastic solids B513
Transducers
Commercially available B534
Electrical B301, B431, B461, B464, 4703, 4814, 4928, 5023, 5029, 5326, 5401
Electro mechanical B488
Mechanical B301, 4928
Transistors, principles of circuits B523
Translator chains (transfer functions) B518
Underwater explosions B481
Vacuum technique, scientific foundations B493
Vacuum tube circuits B487
Vibration problems in engineering B371
Vibrations, mechanical B472, B482
Bourdon tubes
Bibliography 5325
Design features 4514, 5028, 5326
General B301
Glass 4526, 5312
Materials, review (10 materials) 5260
Pickups
Inductance 4725, 4820, 5326
Photoelectric 4015
Resistance, sliding contact 5326
Strain gage 4616
Quartz 4713, 5134, 5224
Theory 5325
Bridge Circuits, see also Amplifiers
Electronic (diode) pickup: d.c. bridge 4007, 4722
Hypsometer: d.c. Wheatstone bridge 4713
Inductance and capacitance pickups, see also
A.c. bridge B461, 3202, 3903, 4014, 4018, 4316, 4413, 4703, 4704, 4729, 4805, 4814, 5029, 5101, 5119, 5217, 5219, 5305, 5309, 5319
Compensation for stray capacitances 4008
Theory 4414
D.c. out-of-balance 4624
Magnetostriction gage
A.c. bridge 3707, 4020
Piezoelectric gage, radio frequency bridge 5153
Resistance pickups
A.c. bridge 4201, 4502, 4503, 4703, 4709, 4814, 5029

Bridge Circuits, see also Amplifiers (cont'd)
Resistance pickups (cont'd)
D.c. "fixed" bridge (deflection method) 2305, 2401, 2803, 2804, 3003, 3106, 3207, 3701, 3712, 3909, 4216, 4503, 4602, 4703, 4709, 4714, 4802, 4814, 5017, 5029, 5205, 5305
Multiple bridge 4636
Theory 4415, 5310
Zero drift 4731
D.c. Wheatstone bridge (null method - quasistatic operation) 4602
Review B464, B488
Bridged-T balancing circuit
Capacitance pickups 4703, 4017
Resistance or voltage changes 5103
Bursting diaphragm, see Calibration, Diaphragm, rupture

Cable, electrical
Auto transformer 4523
Blast pressure measurement 4522, 4612, 4708, 4729, 5003, 5218, 5401
Capacitance effect, screened cable 4901
Capacitance pickups 4019, 4101, 4303, 4622, 4708, 4911, 4920, 5140
Built-in inductance 4411
Electrokinetic transducers (mile-long cables) 5311
Lampson compensation 4312, 5370
Magnetostriction pickup 5268
Piezoelectric B481, 4312, 4407, 4410, 4422, 4506, 4708, 4918, 5003, 5106, 5318, 5401
Terminating impedance 4407, 4506, 5401
Theory 5218
Calibration, dynamic; calibration devices, production dynamic pressure
Balance, force-pressure, see also Balance
Electro-magnetic 5230, 5315
Balance, pressure-pressure, see also Balance
Liquid columns, balanced 4822
Bouncing ball and rod 5207
Crusher gage 4701, 4746
Drift and temperature effect on pickups 5315
Dynamic pressure generators
Theory 5404
Indirect methods
Accelerometer 5220
Falling weight 4511, 5135
Powder discharge 5316
Iterative method for ball crusher gage 4403
Mercury barometer, automatic
Radiosondes 5146
Miscellaneous methods
Differential pressure, two high pressures 4417, 4909
Not specified 4208

Calibration, dynamic (cont'd)
Oscillating pressure of known wave form
Piezoelectric, lithium sulphate 5259
Piston
Cam operated 5204
Crank operated 4922
Sine wave generator
Microphones, underwater sound 5370
Review 5344
Weight controlled by electromagnet 3312
Piston gage, standard, explosion pressure 4746
Piston, maximum pressure from generator type pickup 3703
Pistonphone B491
Reciprocity (microphones) 4006, 4112, 4527, 4742, 5037, 5149
Release or application of static pressure 5207
Bursting diaphragm B481, 4315, 4322, 4520, 4610, 4612, 4614, 4932, 4935, 5401
Dead load or fluid pressure 2202, 5401
Review B481
Rod, struck by pendulum 4427
Rotating square-wave valve 4907, 4916, 5114
Shock tube for producing pressure pulse
Application B481, B507, 4517, 4601, 4610, 4612, 5133, 5371
Calibration 4520, 4610
Design B537, 4315, 4610, 4937, 5047, 5234
Diaphragms 4520
Dissipation of shock 5036
Length of tube 5041
Pressure profile control 5236
Reflections 4531
Review B507
Steady flow conditions 4944
Strong shock waves by combustion 5411, 5418
Supersonic flow patterns 4831
Theory B507, B537, 4520, 4833, 5040, 5045, 5371
Thickness of shock 4941
Time ratio delay 4945
Velocity loss 4828
Calibration of electronic equipment, underwater explosions
Generator, voltage step function; impedance and time standards 4507
Calibration, static
Aneroid barometer, precise 5364
Barometer, mercury, standard B351, 3310, 4532, 4938
Electrical contacts, pressure intervals 4902
Photoelectric pickup 5146
Barostat 3309, 5334
Centrifuge, air 5410
Conversion, pressure units B523
Liquids, manometer B523

Calibration, static (cont'd)
Manometers
Floating scale 4902
High pressure 3108, 3206, 3715, 5405
Manometers, multiple 3108, 3715, 5405
Manometer tables, liquid column B523
McLeod gage B493, 4323, 5118
Melting point of mercury at 0°C 3915, 5335
Piston gage, see
Pressure gage, precise 5364
Pressure units, conversion factors B523
Sound pressure, absolute 4953
Standards, to 20,000 atm 4951
Cameras, see Recording
Capacitance pickup, see also Diaphragms
Advantages and disadvantages 3610, 3902, 4703, 4814, 4816
Amplifiers, see
Applications 4933
Blast pressure 4708
Blood pressure 3710, 4303, 4523, 4911, 4923, 5304
Burning gases 4821, 5015, 5139
Calibration 5066
Dielectric constant, gases 5119
Engine indicators 3509, 3712, 4019, 4211, 4622, 4624
Explosions, industrial 4729
Forces, small 5309
Gas pressures, low 5101
General 5136, 5140
Hydraulics 4409
Inner ear pressure 4101
Jet engines 5015
Microbarograph 4530, 4739, 5035
Physiology 4715, 5219
Pitot-static pressure, low 5356
Pressure trend meter 4001
Pressures, differential, low 5306, 5319
Rockets
Propellants 4533
Statically fired 4835, 5303, 5328
Turbulence, air flow 5114
Cable, see
Capsule, compressible, surrounding second plate, see
Circuits for capacitance pickups
Beat frequency oscillator 2001, 2403, 3205, 4624, 4703, 5118
Bridge ac B461, B464, 3205, 3903, 4008, 4703, 4729, 4920, 5101, 5119
5219, 5309, 5319
Bridge dc ("fixed" or out-of-balance) 4624
Bridged-T balancing 4017, 4703
General review 4014, 4703

Capacitance pickup (cont'd)
Circuits for capacitance pickups (cont'd)
Resonant circuit B461, 2901, 2904, 3005, 3205, 3207, 3902, 4011, 4109, 4214, 4303, 4306, 4411, 4412, 4505,4533, 4608, 4620, 4624, 4703, 4708, 4821, 4835, 4928, 4930, 4934, 5015, 5114, 5136, 5140, 5303, 5306, 5328, 5401
Series circuit dc 2203, 3902, 4624, 4928
Construction details 3205, 3908, 4708, 4715, 4821, 5139
Dielectric variation 3910
Dynamic response 3509, 5139
Inductance, built-in 4411
Instrument description 2702, 3102, 3104, 3710, 4001, 4019, 4024, 4101, 4211, 4533, 4607, 4622, 4911, 4923, 5304
Instrument design, general 4212
Manometer, two-liquid, automatic 5356
Manufacturers B534
Mercury surface 4532
Mica-linearity, sensitivity, prevents shorting 3704, 3902, 4411, 4412, 4924, 5015, 5029
Miniature pressure cells 5327
Performance
Frequency response 2702, 3104, 5139, 5371, 5401, 5409
Resonant bridge carrier system 4930, 5140
Temperature 5139, 5321
Zero shift 5139
Review, general B464, B502, 3101, 3203, 3213, 3909, 4703, 4928, 5401
Theory 4017, 4410, 4903
Edge effect 4703
Experimental verification 4715
Linearity 4708
Optimum capacity variation 4703
Sensitivity 4708, 4715, 4928
Temperature effects 4708, 4908, 5321
Water cooled 3509
Capsule, compressible, surrounding second capacitance plate 4303, 4523
See also Capacitance pickup
Capsules, diaphragm, see Diaphragm, corrugated
Carbon pickups, see also Semi-conductor pickups, B341, B381, 3501, 3601, 3603, 3704
Carbon block, dynamic response 3703
Circuits
Bridge dc 2305, 2401, 2803, 2804, 3003, 3207, 3909, 4216, 4814
Series dc 3905
Construction, hysteresis, sensitivity 2305, 2401, 3909
Film (graphite) 5401
Graphite 5057
Review 3101, 3203, 3301, 3607, 3909, 4011, 4019, 4703, 4928, 5029
Rod, mercury column 5408
Sensitivity to mechanical vibration 5114

Catenary, metal, see Diaphragm, slack
Cathode-ray tube, see Indicators
Chemical reaction kinetics
  Adsorption measurements, thermomolecular pressures 5118
  Burning B511, B535, 4727, 4931, 4935, 5121
  Detonation, engines, see Engines, internal combustion
  Detonation, (or explosion) of gases B511, B535, 2905, 2906, 3305, 4111, 4911, 4932, 4933, 4935
  Ignition by impulsive compression 4933, 4935
  Kinetics of rapid reactions 2103, 2903, 3201, 4933, 4934, 4935, 5121, 5323
  Reactions, low speed 2904, 5021
Circuits, see Amplifiers; Beat frequency oscillator; Bridged-T; Integrating; Potentiometer; Resonant; Series circuit, ac; Series circuit, dc; Timing
  Review B464, B487, B522, B523, 4703, 5029
Combustion chamber pressures, see also Chemical reaction kinetics; Engine indicators; Explosions 3408, 4106, 4821, 5015, 5401
Combustion phenomena B491, B511, B535
Combustors, aeronautical 5223
Compressers and turbine rigs, aeronautical 5223
Compression, fixed mass of air
  Hydraulic pressure fluctuations 5005
Condenser microphone, see Capacitance pickup; Microphones
Conductivity gage, see also Resistance pickup, pressure sensitive
  Decrease in sensitivity with increased frequency 5114
  Electrical conductivity of solutions B311, 3103, 3106, 3203, 4605, 4611, 4911, 5401
  Temperature coefficient 5401
Consolidated Eng. pickups, independent, high g 5240
Contact, electrical pickup, see Electrical contact
Corrugated diaphragm, see Diaphragm, corrugated
Creep, see Drift
Crusher gage (ball crusher, cylinder crusher) see also Indenter gage
  Calibration, dynamic, piston gage standard 4746
    Capacitance gage standard 5066
  Copper-ball B481, 4106, 4313, 4402, 4511, 4701, 5066, 5108, 5130
  Cylinder B481, 4421
  Performance vs. piezoelectric 3609
  Rate of loading 3508, 4217, 4525, 4701, 5401
  Review 5011
  Statistical analysis 4402, 4511
  Theory B481, 4209, 4403, 5108
    General B513
Crystal rectifiers B484
Cylinder, elastic, see also Engines
  Internal pressure
    Sensitivity, linearity, stability 4817
    Strain gage pickup 4201, 4616, 4720, 4817, 5017, 5024, 5310, 5326, 5401
    Temperature compensation 4817, 5009

Cylinder, elastic, see also Engines (cont'd)
Longitudinal compression
Pickups
Piezoelectric 3708, 4013
Strain gage 4503, 5214
Temperature compensation 5215

Damping, see Dynamic response
Dead weight gage, see Piston gage
Decompression, explosive, see Physiology
Deformation, diaphragms, see Diaphragm, deformation
Deformation (permanent), gages, see Crusher gage; Diaphragm, deformation; Diaphragm, rupture; Indenter gage
Detonation, see Chemical reaction kinetics; Engine indicator; Explosions
Diaphragm, balanced, see Balance
Diaphragm capsules, see Diaphragm, corrugated, capsules
Diaphragms, corrugated
Capsules B302, 4845, 4939
Flux gate pickup 4943
Hysteresis, see also 2908, 4939, 5364
Inductance pickup 4628, 4634
Manufacture 4702
Nesting 4021, 4809, 4938
Performance 4702, 4740, 4845, 4939
Photoelectric 4634
Reactance bridge pickup 5364
Strain gage, resistance, pickup 4809
Stresses 4804, 4939
Corrugation shape 5227, 5353
Deformation limitation (elastic) 3911, 4218
Design B302
Corrugation, shape and number 5227, 5353
Formulas 3911, 4218
Drift and recovery 2302, 4804
General B301, B302, B512, 2302, 3911, 4218, 5224, 5227, 5353
Glass 5210, 5312
Heat treatment 3911, 4218, 4942
Hysteresis and after effect; see Hysteresis
Manufacture 3911, 4218, 4405, 4702, 4942
Nesting, beryllium-copper 4021, 4809
Pickups
Capacitance 5101, 5306
Electrical contact 4405
Fluxgate 4943
Inductance 4634
Variable-coupling transformer (2 fixed coils) 5111, 5336
Optical lever 0801, 3907, 4808, 4922
Photoelectric 3907, 4634
Strain gage, unbonded 4809

Diaphragms, corrugated (cont'd)
Pressure-deflection relation
Log pressure 5227, 5353
Square root pressure 5227
Sensitivity (stiffness) 3202, 3911, 4002, 4218
Stresses 4804, 5331
Theory B302, 2302, 2802, 4002, 4218, 4724, 5031, 5331
Zero shift 3911, 4218
Diaphragm deformation 4220
Elastic
Corrugated, see Diaphragms, corrugated
Flat, see Diaphragms, flat
Plastic 4520
Alluminum single crystal 4509
Copper 5066
Flat 4419, 4424, 4625
Limitation 4625
Review B481
Lead 3101
Shock tube application 4520
Steel 4425
Theory 4311, 4424, 4425, 4426
Bursting 5216
Diaphragms, flat and Diaphragms, general
Application, see Diaphragms, flat, pickups
Backing disks 4102
Comparison with piston types 3506
Connecting passage or tubing 3405, 4102, 4911, 5217
Creep, see Drift
Damping 4912
Deflection-pressure data 2204, 3411
Deflection profile, rectangular shape 5110
Deformation, plastic, see Diaphragm deformation
Drift, see
General characteristics; advantages and disadvantages B301, B512, 4624, 4908, 4919, 5401
Hysteresis, after effect, see Hysteresis
Installation strain effects 4908
Invar 4821, 5015, 5139
Linear acceleration of support 4908, 4920, 5217
Microphones, see. Review B491
Oil can action 3105
Pickups
Advantages of various types 4624
Capacitance
Aeronautic 5371
Aircraft 5327
Atmospheric micropressure fluctuations 4530, 4739, 5035
Blast pressure 4620, 4729
Blood pressure 4214, 4306, 5304

Diaphragms, flat and Diaphragms, general (cont'd)
Pickups (cont'd)
Capacitance (cont'd)
Engine indicator 2203, 2702, 3005, 3102, 3712, 4008, 4017, 4019, 4024, 4109, 4412, 4622, 4624, 4903, 4908
Jet 5015
Explosion, closed chamber 4934, 5015
Fluid pressure 3903, 4409
General 3104, 4607, 4821, 4920, 5139, 5319
Miniature 5317
Physiology 4715, 4911, 5321
Review B431, B461, 3213, 3704, 3902, 3908, 4928, 5136, 5326, 5401
Rockets, research 4533, 4835, 5328
Temperature effect 5321
Carbon composition B431, 3501, 3603, 3905, 4216, 4708
Electrokinetic 4818
Electronic (diodes, etc.) 4007, 5109
Electrostriction B464
Generator, self B461, 3402, 3409, 3502, 3504, 3704, 3712, 3801, 4005, 4406
Inductance B341, B431, B461, 2101, 3202, 3702, 3801, 4018, 4316, 4529, 4723, 5142, 5217, 5327
Differential transformer B431, 4725
Interferometer 4803, 5203
Mechanical
Cantilever spring 2803, 2804, 3003
Column, bowed 4216
Differential motion of pair of reeds 4413
Direct 4904, 4912, 5401
Spring beam 3406
Lever B381, B461, 3711
Linkage 3506
Miniature
Capacitance 5327
Inductance 5327
Strain gage, resistance 5327
Optical lever
Blood pressure 2701, 3404, 3706, 4911
Engine indicator B381, 3803
Explosions B511, 3303, 3304, 3506
General 4727
Physiology B441, 4911
Review B463, B511, 4911
Photoelectric
Aeronautic 3907, 4712
Blood pressure 4206, 4308, 4911
Engine indicator 3405, 4011, 4110, 5006, 5102
Physiology 4911

325607 O - 54 - 7

Diaphragms, flat and Diaphragms, general (cont'd)
Pickups (cont'd)
Piezoelectric
Acoustics 4519
Blast 4925
Engine indicator B341, 2905, 2906, 3002, 3709, 3910, 4718, 5117
General 3708, 4610, 5207
Review B431, 3612
Semi-conductor 3606, 3712
Strain gage 4512, 5115, 5132, 5226
Bonded
Aircraft, miniature 5327
Hydraulics 5254
Physiology 4802, 5107
Pressure, low 5027, 5138
Review 5326
Bonded foil 5302
Unbonded 4208
Review 4616, 5326
Vibrating wire and frequency modulation of associated circuit 5326
Radial tension (stretched membrane) 3105, 4102, 4905
Snap action 2402, 3911
Stainless steel 4934
Stresses, see Theory just below
Temperature effects and compensation 3105, 3504, 4102, 4406, 4908, 5217, 5321, 5401
Theory B401, B511, 2302, 2802, 3105, 3605, 3618, 3910, 4406, 4908, 4911, 5217, 5225
Thickness 4818
Transformer analog 5141
Vibration 4406
Zero shift 3105
Diaphragm, glass 3904
Corrugated 5312, 5210
Breaking strength 5312
Deflection sensitivity 5210
Pickups
Capacitance 2904, 3710, 5327
Electrical contact 2801
Optical lever B441, 4107
Photoelectric 4308
Snap action 2402
Spoon 4107
Diaphragm materials, physical properties, see also Drift; Hysteresis
Beryllium copper, see
Chace metal 720, 4942
NiSpan C B532, 4626
Phosphor bronze B532, 4942
Quartz, see Piezoelectric crystals
Review 4939, 5353
Stainless steel, see

Diaphragm, mica
Pickup: Inductance 2601
Diaphragm, paper
Diode microphone 4722
Diaphragm, quartz
Design 5134
High operating temperature 4010, 5203
Pickup: Interferometer 4010, 4803, 5201, 5203
Diaphragm, review B302, 2302, 3105, 3805
Diaphragm, rubber 2302, 4843
Deflection profile 2502
Line lag, see Lag, fluid lines
Pickups
Conductivity gage 3103, 3106
Inductance 4921
Mechanical 2501, 5120
Optical lever B441, 2404, 4105
Photoelectric 4308
Piezoelectric 4108
Strain gage 4512
Thiokol, resistant to liquid fuel 5030
Diaphragm, rupture
Critical pressure vs. diaphragm diameter: effect of wave form 4520
Disks 4420, 5343
Bursting pressure vs. temperature 4813
Experimental data 4913, 4914
Material: paper, aluminum and copper foil, polystyrene sheet 3201, 4520, 5401
Theory 4520
Diaphragm, silver, (blood pressure) 5059
Diaphragm, slack
Copper
Pickup, piezoelectric 4013
Design and performance 2405
Equation 2405
Metal catenary compressing a tube
Application 5214
Design and performance
Combined with spark plug 5215
Compared to flat diaphragm 4908
Differential-pressure modification 5215
Effect of acceleration 4908
High-pressure modification 5215
Low-pressure modification 5215
Temperature isolation 4908, 5215
Pickups
Cylinder strain gage (in compression) 4908, 5214, 5215, 5371
Spiral ribbon strain gage (in tension) 5215
Plastic (Koroseal) to separate two fluids 4714
Review 2302

Diaphragm, slack (cont'd)
Rubber, see Diaphragm, rubber
With spring 3506
Diaphragm, snap action
Beryllium copper 3911
Flat 3105
Glass 2402
Diaphragm, spherical, capacity pickups, performance 5371
Diaphragm, stresses, see Diaphragm, corrugated; Diaphragm, flat
Dielectric constant, see Capacitance pickups
Differential pressures, low, high absolute pressure 3617
Differential transformer, see Inductance pickups
Digital recorder, see Recorders
Diode, displacement 4007, 4722, 5109
Microphone, acoustic 4722
Disk, balanced, see Balance, pressure-pressure
Disk, rupture, see also Diaphragm, rupture 4420, 5343
Distortion of the pressure field
By energy required to actuate pickup 5401
By finite gage area, see also Dynamic response 4601, 5003, 5401
Dome (underwater) velocity, peak pressure from 4732
Drift and recovery, see also Hysteresis
Altimeters 3410, 5334
Stress change, slight, momentary, effect of 5334
Bellows 5230
Beryllium copper 5422
Diaphragms 2302, 3105, 4804
Elasticity, limit of true 5337
General B486, B492, B506, 5237
Isoelastic alloy 3604, 5422
Measurement
Deflection 5353, 5417
Torsion 5265
Force-pressure balance 5230
Optical, microscope 5167
Metals 5354
NiSpan C 5422
Springs, helical, isoelastic 3604
Stress reduction, temporary, effect of 5334, 5354
Survey 5158
Theory 5158, 5237, 5243, 5337, 5338
Time, variation with 5237, 5243, 5338
Experimental vs. Androde law 5338
Torsional 5265
Dynamic Response, see also Calibration; Frequency response; Lag, fluid lines
Damping 0301, 4703, 4911
Design features determining dynamic response
Finite gage area B481, 4517, 4728, 5401
Minimum response time, theory 4745
Miscellaneous characteristics of pickup 4004, 4208, 4408, 5401

Dynamic response, etc. (cont'd)
General B512, B521, B531, 4703
Natural frequency evaluation by
Blow 4012
Explosion wave 4617
Minimum value, theory 4745
Ramp function 5018
Sine function (forced vibrations) B482, B501, 4104, 4515, 4815, 4911, 4918, 4922, 5013, 5018, 5019, 5020, 5313, 5317
Step followed by exponential decay 4507
Step function (damped free vibrations) B482, B501, 4507, 4610, 4612, 4815, 4907, 4911, 4918, 4926, 5013, 5018, 5020, 5133, 5222, 5313, 5317
Non-linear transducers, theory 5022
Requirements, (see also various sensing elements, pickups and other gage parts by name) 4507, 4511, 5401
Stability (electrical, mechanical, thermal) 5401
Systems 4907, 4922
Altimeter and tubing 4528
Pitot-static tubing and indicator 4023
Theory B531, 5317

Ear, inner, pressure, see Physiology
Echo sounders, review 5231
Elastic moduli
Temperature coefficient 3006, 3307, 3308, 4948, 5032
Glass, soft and pyrex 5340
Isoelastic 3619, 4113, 5422
NiSpan C 4626, 5422
Quartz, fused 5340
Review 3307
Stainless steel 5032
Electrical-contact pickup 2801, 3001, 3401, 3407, 5010
Flashing light ("glow lamp") B431, B464, 3602
For balanced diaphragm 4908, 5221, 5307, 5401
For temperature-controlled balanced diaphragm 5004
Review 4703
Electrokinetic transducer 5401
Cables 5311
Design 4818
Theory 5311
Electrolytic pickup, see Conductivity gage
Electromagnetic pickups
Inverse Wiedemann effect 3203, 3908
Magnetophone, see Inductance pickup; Generator, self, pickup
Magnetostriction, see
Moving coil, see Generator, self, pickup; Inductance pickup

Electronic pickups (i.e. mechano-electronic)
Design equations 4722
Diode (displacement) 4007, 4722, 5109
Triode 4722
Electronic switching, see Amplifiers
Electrostatic pickups, see Capacitance and Piezoelectric pickups
Engine component pressures
Exhaust pipe 4018, 5124
Fuel line; fuel injection, see also Lag, fluid lines 3603, 3704, 4018, 4020, 4501, 4518, 5102
Engine indicators
Carbon pickup 3603, 3905, 3909
Comparison B463, 3207, 3601, 3712, 4109, 4412
Gas turbine 4711, 4717, 4928, 5215
Internal combustion
Balanced pressure 2102, 3001, 3004, 3306, 3712, 4812, 4916, 5010, 5221
Capacitance pickup 2203, 2702, 3005, 3509, 3909, 4017, 4109, 4211, 4412, 4624
Detonation 2905, 5906, 3402, 3409, 3504, 3505, 3509, 3712, 3801, 3905, 3909, 4301, 4406, 4703, 5001, 5117, 5214
Diesel 3601, 3613, 3702, 5001 5215, 5221
Generator, self, pickup 3402, 3409, 3502, 3504, 3505, 3601, 3712, 3801, 3909, 4301, 4406
Inductance pickup 2101, 3614, 3702, 4018, 4719, 5142, 5246
Integrator, pressure 4915
Optical lever, diaphragm B341, B381, 3711, 5143
Photoelectric pickup 3613, 3909, 4011, 4110, 5006
Piezoelectric pickup 2905, 2906, 3209, 3513, 3703, 3901, 3909, 4301, 4513, 5117
Piston and spring B341, B463, 3506
Review B341, 3611, 3704, 3909, 4301, 4703, 4908, 4928, 5160, 5401
Spark plug pickup 4718, 5215
Strain gage, wire pickup 4908, 5214, 5215
Unclassified 5065
Jet 4810, 5015, 5229, 5339
Water cooled indicator 5339
Performance and design 2804, 3002, 3611, 4012, 4019, 4411, 4412, 4622, 4908
Review B341, 4908, 5160
Rocket
Blast from 4521
Capacity pickup 4533, 4835, 4930, 5303, 5328
Inductance pickup 5305
Review 5009, 5305
Spectroscopic 4931, 5143
Strain gage, wire 4201, 4501, 4504, 5009, 5215, 5305
Calibration 4516
Theory B341, 4903
Water cooled diaphragm 3509, 5339

Explosions, measurement of, see also Calibration
Blast
Beams, thin, dynamic response 5163
Capacitance pickup 4620, 4729, 4920
Crusher gage 4402, 4511
Diaphragm
Mechanical pickup 4912
Plastic deformation 4311, 4621, 5066
Generator type pickup 4009
Impulse type 4619
Indenter gage 4401, 5123, 5133
Peak pressure, velocity method 5267
Piezoelectric 3615, 4302, 4304, 4314, 4515, 4522, 4612, 4614, 4621, 4925, 5262
Piston, free 4707
Piston-spring 4009, 4511, 4730
Review 4511, 4612, 5401
Chambers or pipes (not engines), see also Engine indicators
Indentor gage 4111
Optical lever - diaphragm 3303, 3506
Piezoelectric pickup 5049, 5262
Piston-spring 3506
Review 3506, 5262, 5401
Strain gages 4208
Mines 5048
Piezoelectric pickup 5025
Review 3506
Underwater
Conductivity, salt solution 4611
Crusher gage 4313
Diaphragms
Mechanical pickup 4904, 4912
Plastic deformation 4215, 4220, 4311, 4913, 4914, 5110
Dynamic response, system 4617
Indenter gage 4721
Magnetostriction gages, see
Microphone, condenser 4708
Optical devices 4732
Piezoelectric pickup 4416, 4507, 4720
Amplifiers 4604
Lithium sulphate 5259
Tourmaline 2103, 4219, 4220, 4302, 4305, 4410, 4618, 5003, 5066, 5106
Review B481, 4507, 4720, 5066, 5401

Farnboro engine indicator 3001, 3401, 4812
Film, graduated, pressure gage 5364
Film reader, telemeter data 5241
Filter, water and dust 5203

Filters, electric B488
Flat diaphragm, see Diaphragm, flat
Flat plate-spring element, inductance pickup 3210
Fluxgate pickup 4943
Foil gage, see Diaphragm, rupture
Force-pressure balance, see Balance, force-pressure
Frequency discriminator 4708
Frequency modulation circuit
  See Beat frequency oscillator circuit; Resonance circuit
Frequency, natural, see Dynamic response
Frequency response data
  Altimeters, aneroid 4822
  Beams, thin, to air blast 5163
  Bell, floating 4710
  Bellows-wire strain gage 4924
  Bourdon tube-photoelectric pickup 4015
  Cables, electrical, see Cable problems
  Calibration, see
  Carbon pickup 2903, 3301
  Crusher gages 4217, 5401
  Diaphragm
    Balanced pressure 4916
    Capacitance pickup 2702, 3509, 4024, 4835, 5015
    Electro-kinetic pickup 4818
    Gage 3616
    Inductance pickup 4018, 4529
    Interferometer 4803, 5203
    Mechanical pickup 4904, 4912, 5401
    Optical lever 3304, 3803
    Photoelectric pickup 4712
    Wire strain gage 4322, 4802, 5107, 5115, 5121, 5205, 5214, 5215
  Diaphragm, rubber, optical lever 4405
  Diaphragms 4939, 5353
  Elastic element
    Capacitance pickup 4001, 4411, 4608, 4928, 4930, 5139, 5303, 5371, 5401, 5409
    Wire strain gage 4208, 4616, 4816, 4817, 5051, 5132, 5310, 5371, 5409
  Generator type pickup 3409, 3502
  Hydrophones, deep well 5345
  Inductance pickup 4001, 5012, 5401, 5409
  Line lag, see Lag
  Liquid column 5124, 5137, 5334
  Mercury column 3107
  Microphones, acoustic 4830, 5322
  Piezoelectric gages 3002, 3901, 4427, 4513, 4519, 4925, 5003, 5117, 5135, 5204, 5207, 5262, 5345, 5371, 5409
  Pirani gage 5320
  Review 4720, 5401
  Scratch recording 4518

Frequency response data (cont'd)
Static tube in aircraft 4623
Vacuum gage system 4838
Fuel line, see Engines; Lag, fluid lines
Function of pressure indicated on recorder, see Output

Gages, pressure, see Atmospheric pressure; Manometers; Vacuum gages
Galvanometers, see Indicators
Gas turbine, see Engine indicator
Gases, see Chemical reaction kinetics
General Motors capacitance gage 4533
Capacitance gage 4523
Dyna gage 4835
Generator, self, pickup
Advantages and disadvantages 4703, 5114
Amplifiers, see
Associated circuits 4703
Calibration
Piston 3703
Pressure-force balance 5315
Engine indicator 3208,3402, 3409, 3502, 3504, 3505, 3601, 3704, 3712, 3801, 3909, 4301, 4406
Integrating circuit, see
Review B461, 3909, 4005, 4019, 4301, 4703, 4720, 4814, 4928, 5029
Glass bellows, see Bellows
Glass Bourdon tubes, see Bourdon tubes
Glass diaphragm, see Diaphragm, glass
Gold-chromium resistance gage, see Resistance pickups, pressure sensitive
Gun-barrel pressures 3806, 4421

Hair springs, see Springs
Hamilton manometer 4744
Helical springs, see Springs
High frequency measurements B515
High pressure, static, see Pressure measurement, high
Hopkins blast meter 4009
Hydraulic pressure amplifier, see Relay, pressure
Hydraulic pressure surges, see also Pneumatic line surges
Capacitance pickup 4409
Compression, fixed mass of air 5005
Lines
Fuel lines 3704, 4018, 4501, 4518
Lag, see
Resonance 5001
Restriction effect 4703
Waterhammer 4729, 4903
Pumps 4501, 4703
Review 4811

Hydraulic pressure surges (cont'd)
Strain gage, resistance 5254, 5314
Theory 5016
Water waves, pressure fluctuations due to 4409
Hydrophones, deep well 5345
Hypsometer (temperature of vapor, boiling or subliming substance indicates pressure)
Accuracy 5170
Carbon dioxide, subliming 5333
Freon 4628
Water 4713
Hysteresis and after effect, elastic
Altimeters 3410, 4822, 5334
Bellows 3205, 5051
Diaphragms
Corrugated 2302, 3911, 4218, 4939
Capsules 2908, 4804, 4939
Ni-Span C 5364
Flat 2302, 3105, 5217, 5327, 5401
General B486, B506, 5417
Measurement 5265, 5353, 5417
Review, internal friction, solids B486, 5342
Springs, helical, isoelastic 3604
Statical bars 2602, 2806, 3212
Temperature effect, diaphragm capsules 2908
Torsional
Carbon steel,SAE 1015, 5265
Chrome-molybdenum, SAE 4190, 5265
Inconnel 5265
K-monel 5265

Ignition, gas mixtures, by impulsive compression 4933, 4935
Impulse
Plate and trajectory of ball 4619
Indenter gage 5123, 4111
Ball bearing impressions on
Copper plate 3408
Lead sheet 5129
Steel cone - copper gage block 4401, 5133
Steel pyramid, copper gage block 4721
Theory, general B513
Index of refraction, see Interferometer
Indication, various functions of pressure, see Output
Indicators, see also Output; Recorders
Cathode ray tube, see Oscilloscope just below
Electromagnetic galvanometer
Advantages 5310
Ballistic, theory 4009
Bifiler type 3503

Indicators (cont'd)
Electromagnetic galvanometer (cont'd)
Moving coil, novel design 4631
String 2203, 2702
Flashing light (Glimmlampe: "glow lamp") B341, B431, 3602
Mechanical, see Mechanical pickups
Oscilloscope
Engine indicator 2905, 2906, 3505, 3608, 3704, 3712, 4011, 5126
Requirements, recording transients 4507
Review 5242
Peak reading voltmeter 4418, 4504, 5402
Position of string 4511
Recorders, see
Review 5029
Indicators, engine, see Engine indicators
Indium, solder 5420
Inductance pickups
Advantages and disadvantages 4703, 4816, 5401
Amplifiers, see
Auto brake fluid pressure 5429
Bellows, see
Bourdon tubes, see
Circuits
Bridge ac 3202, 4018, 4316, 4413, 4414, 4703, 4814, 5305
Ratiometer ac 4927
Resonance 2601, 3204, 4703, 4921
Review 3204, 5060
Series (or series-opposition) ac 3204
Diaphragms, see Diaphragm, corrugated; Diaphragm, capsules
Frequency response limitation 5409
Manufacturers B534
German 5367
Miniature 5012
Review B341, B461, B464, B502, 3101, 3203, 3214, 3511, 4019, 4703, 4928, 5029, 5367, 5401
Vacuum gage 4805, 5111, 5336
Variable-coupled transformer (mutual inductance) 4704, 5324
Differential transformer B431, 3204, 4725, 4820, 5012, 5202, 5326
Circuits 5060
Design, performance 5060
Two fixed coils 3204, 3214, 4316, 5111, 5113, 5213
Variable self-inductance
Air duct pressure 4921
Baling, cotton 4413
Engine indicator 2101, 3614, 3702, 4018, 4719, 5142, 5246
Detonation 3801
Flight tests, miniature 5327
Fluid pressure 3202, 4927
General 4316, 4631

Inductance pickups (cont'd)
Variable self-induction (cont'd)
Jet engine 4810
Physiology 4911
Piston-weight balance pickup 4704
Pressure trend meter 4001
Pulse jets 4816
Review 3204, 4703, 4814, 4816, 4911, 5166, 5326, 5401
Rocket 5305
Strain measurement 4414, 4723
Theory 5166
Induction coil, see Spark coil
Injection molding, see Applications
Input passage, effect of, see Lag
Insulators
Electrical, high pressure
Jewels 5368
Limestone 5368
Materials 5155
Integrating circuits 4508, 4510, 4915
Capacitance pickup
Integrating amplifier 5219
Generator-type pickup 3504, 3712, 4005, 4703, 5029
Interferometer pickups
Mach, review 4839
Newton ring
With quartz diaphragm 4803, 5201, 5203
With steel diaphragm 4803, 5203
Pressure-shift, sodium D line, or index of refraction B481, 4931, 5401
Review B473
Internal friction, see also Drift; Hysteresis
Glass 5340
Quartz, fused 5340
Survey B486, 5342
Ionization gages, see Vacuum gages
Isoelastic springs 3619, 4113, 5422
Iterative method, calibration, ball crusher gage 4403

Jet engines, see Engine indicators

Kinetics, rapid reactions, see Chemical reaction kinetics
K-monel springs 3804
Knudsen gage, see Vacuum gages

Lag, fluid lines
Hydraulic
Diaphragm manometer 5013, 5014
Physiology 0301, 4911, 5013
Theory 5016
Pneumatic
Engine indicators 3703, 5217
Laminar flow, compressible 5046
Long lines 5064
Pitot-static, aircraft 4023, 4829
Review 3906, 4928
Supersonic flow 5046, 5308
Systems, containing capillaries 5256
Theory 4023, 4745, 4907, 5016
Lever, see Mechanical pickups
Lines, fluid, see Hydraulic pressure surges; Lag; Pneumatic line surges
Liquid column, see also Balance-force-pressure; Manometers, mercury
Butyl phthalate 4822
Lag, theory 4822
Mercury, pickups
Capacitance 4532, 4608, 5118
Carbon resistance 5408
Gamma rays, radium source 5125
Optical lever 2301
Photoelectric 5146
Resistance, immersed wire 5021, 5322
Review 3910
Multiple-point indicator using rotor 5124
Opaque liquid
Louver system and camera 5323
Water column
High speed camera 5137
Liquid, conductivity, pressure sensitive, see Conductivity gage
Loud speaker
Electrostatic 5053
Sonar 4630
Low pressure, see Vacuum gages, Manometers

Magnetic pickups
Generator-type, see
Inductance, see
Magnetostriction, see
Magnetic tape, see Recorders
Magnetization, saturation, see Physical effects
Magneto-elastic pickups 3311
Magnetophone, see Inductance pickup; Generator-type pickup

Magnetostriction gages, see also Microphones; B431, B461, 5026, 5029
Advantages and disadvantages 4816
Bridge, ac 3707
with full wave rectifier 4020
Design and material
Nickel rod or tube 3302, 3909, 4019, 4020, 4726
Permalloy 3403, 3707
Hysteresis 4019
Pickup, generator type 4726
Review, general 3203, 3713, 4703, 4928
Transducers, underwater 4321, 4630, 4743, 4836
Lamination design 4837
Low Q 4950
Parabolic reflectors, two 4743
Manganin resistance gages, see Resistance pickups, pressure sensitive
Manometer tables B523
Manometers, see also Liquid columns; Mercury
Centrifuge, air 5410
Commercially available 5235
Draft gages B463
Gas expansion, mercury pellet indicator 4628
Hydraulic pressure, high 4951
Lag, liquid 4822
Mercury
Automatic 4534
Floating scale 4902
High pressure 3108, 3206, 3617, 3715, 5405
Multiple column 3108, 3715, 5405
Pickups, see Liquid column
Micromanometers B391, B392, B463, 4634, 4938, 5055, 5410
Automatic, two-liquid 5356
Capacity pickup 5356
Photo recording 4634
Review B463, 2703
Ring, balanced by weights 3617
Theory 4114
Manometry, review 4911
Mass spectrometer, see Vacuum gages
McLeod gage, see Vacuum gages
Mechanical pickups
Bowed column 4216
Cantilever spring 2501, 2803, 2804, 3003, 4801, 4924
Differential motion, pair of reeds (moves armature) 4413
Direct (stylus attached rigidly to diaphragm or piston rod) 3506, 4615, 4707, 4730, 4904, 4912, 5401
Flat springs with pointer 4713
Lever B381, B461, 3406, 3711, 4805
Mirror type 4010
Pointer type 4010, 5120

Mechanical pickups (cont'd)
Linkage B301, 2201, 3506, 4011, 4908, 5002
Mechano-electronic, see Electronic
Pickups, secondary
Carbon composition 2803, 2804, 3003
Inductance B461, 4413, 4805
Optical lever 2501, 3406, 4808
Strain gage 4801, 4924
Pneumatic transmission, secondary 5120
Pulley and string 4511
Recording, mechanical, see
Torsion, quartz spring 5224
Vibrating wire, see
Mechanical switching, see Amplifiers
Membranes, see Deformation gages; Diaphragms
Mercury
Capillary depression 4535
Meniscus 2907, 4536
Mercury column, see Barometer; Liquid column; Manometers
Metals, general
Beryllium copper, see
Clocks and watches, survey 4946
Engineering metals and their alloys B532
Handbook B483
Molybdenum 5367
Nickel, high nickel alloys 5366
Ni-Span C, see
Phosphor bronze, see
Pressure, high, effect on tensile properties 5349
Stainless steel, see
Tantalum 5361
Titanium, its alloys 5361
Zirconium 5361
Meteorological instruments B351, B471
Atmospheric pressure, see
Barometer, see
Microbarograph, see
Wind structure and velocity 3210, 3616
Mica diaphragm, inductance pickup 2601
Microbarograph 3806, 3912, 4530, 4739, 4741, 5035
Micromanometers B391, B392, B463, 5055
Microphones, acoustic
Calibration techniques, see also Calibration, dynamic
Reciprocity 4006, 4112, 4527, 4742, 5037, 5149
Theory 4006, 4112
Review B491, B536
Diaphragm, capacity 4530, 4739, 5035
Diode 4722
Electrostatic 5054
Directional effect 5363

Microphones, acoustic (cont'd)
High intensity 5332
Miniature 5360, 5365
Piezoelectric 5365
Review B491, 3510
Transistor 5360
Microphones, miscellaneous applications
Blood pressure 5357, 5421
Echo sounders, ultrasonic 5231
Explosions 5332
Rocket or jet noise 5332
Microphones, underwater, see also Explosions, underwater
Electrostatic 5054
Magnetostriction, see also Magnetostriction gages; 4321, 4630, 4743, 4836
Lamination design 4837
Low Q 4950
Piezoelectric, lithium sulphate 5259
Microporous plug
Electrokinetic transducer 5209, 5311
Sensitivity reducer 5209
Miniature pressure transducers
Diaphragm flat
Pickups
Capacitance 4928, 5327
Inductance 5217, 5327
Strain gage 5132, 5205, 5327
Magnetostriction 4726
Piston and spring
Pickup, inductance 5012
Quartz diaphragm 4010
Tourmaline 4219
Miscellaneous physical effects of pressure possibly useful in dynamic measurement, see Physical effects
Motor boat hull, see Applications, structural design studies
Mounting
Flush 5105, 5205
Indenter gage for air blast 5133
Shock resistance 5105

Natural frequency, see Dynamic response; Frequency response data
Newton-ring, see Interferometer pickups
Nickel and high nickel alloys, review 5366
Ni-Span C, physical properties B532, 4626, 5260, 5422
Bourdon tubes 5260
Heat treatment 4626
Novoconstant, electrical resistance 3907

Optical lever B381, B441, B463, B511, 0801, 2301, 2304, 2404, 2701, 2805, 3404, 3406, 3506, 3706, 3711, 4010, 4011, 4105, 4107, 4609, 4744, 4808
Photographic recording 3303, 3304, 3803, 4727, 4922
Pickup, photoelectric 4911, 5116
Optical methods, see also Interferometer; Optical lever, photoelectric pickup
Review 5401
Spectroscopic 4931, 5143
Supersonic wind tunnels B473
Shock or peak pressure computed from
Refraction effects B481
Shock velocity (rotating drum camera) B481
Velocity of "dome" (underwater explosion)
High speed motion camera 4732
"Streak" camera 4732
Oscillographs, see Recorders
Oscillography, techniques 5242
Oscilloscopes, see Indicators
Output, see also Indicators; Recorders
Function indicated or recorded 4507, 4511, 5401
dp/dt - time 3712
Integral pdt 4009, 4221
Peak pressure, see Crusher gage; Diaphragm, rupture; Indenter gage
Pressure - dp/dt 5117, 5401
Pressure - integral pdt 4508, 4510, 5401
Pressure - time 3303, 4912, 5401
Linear with
Log of pressure
Diaphragms, corrugated 5227
Hypsometer, see
Square root of pressure
Bell, shaped 5330
Diaphragms, corrugated 5227
Over pressure, withstood
Bellows 5063
Diaphragm capsule 4021, 4809, 4938, 4943

Phosphor bronze, see also Elastic moduli
Bourdon tubes 5260
Diaphragms 3911, 4218
Heat treatment 4942
Physical properties B532, 5260, 5422
Photoelectric pickup
Amplifiers, see
Applications
Barometer, mercury 5146
Blood pressure 4015, 4016, 4110, 4206
Combustion 4727
Engine indicators 3613, 3909, 4011, 4110, 5006

325607 O - 54 - 8

Photoelectric pickup (cont'd)
Applications (cont'd)
Physiology 4308, 4911
Wind tunnel
Low pressure 4712
Review 4634
Bourdon tube 4015
Deflection of beam of light 4911, 5116
Intensity of beam of light
Mercury barometer 5146
Reflected from surface
Bourdon tube 4015, 4016
Diaphragm 3405, 3909, 4011, 4110, 4308, 4712, 4727, 4814
Theory 4011
Interception of beam of light (light shutter) 3613, 4814, 4911, 4928, 5006, 5102
Linearity 4712
Not classified 4206
Review B464, 4703
Photographic recorders, see Recorders
Phototube, see Photoelectric pickup
Physical effects, possible utility, dynamic pressure measurement
Dielectric constant, see Capacitance pickup
Index of refraction, see Interferometer pickup
Magnetization, saturated 3705
Pressure, high B311, 3705, 4605
Resistance, electrical B311, 4605, 5358
Solutions, electrical conductivity B311, 4605
Physiology
Acceleration and deceleration studies 5317
Blood pressure
Elastic element 0301, 5013, 5014
Capacitance pickup 3710, 4214, 4303, 4306, 4523, 4748, 4923, 5304
Indicator, electrical 5357, 5421
Inductance pickup 5012
Mechanical pressure gage 2703, 3107
Microphone 5357, 5421
Optical pickup 2501, 2701, 3404, 3706, 4744
Piezoelectric pickup 4108, 4911
Photoelectric pickup 4015, 4016, 4206
Recorder 4103, 4205, 4524, 4632, 4750, 4842, 5059
Resistance pickup 3103, 3106
Resistance wire strain gage pickup 4629, 4705, 4714, 4802, 4841, 4842, 5052, 5107, 5402
Unclassified 4733, 4747, 4949
Vacuum tube pickup 5059, 5109
Mercury manometer 2703, 3107
Performance, gage 5317
Review B441, B494, B504, 0301, 4632, 4840, 4911
Unclassified 4747

Physiology (cont'd)
Explosive decompression 4715
Gages, general application 4105, 4107, 4308, 4512, 4738, 4802
Inner ear pressure 4101
Pickup performance requirements B441, 4715
Frequency response 5120
Simplicity 5120
Respiration studies 5219
Pickups, see Accelerometer; Capacitance; Carbon composition; Conductivity gage; Crusher gage; Deformation gage; Diaphragm, rupture; Electrical contact; Electrokinetic; Electronic; Generator type; Indenter gage; Inductance; Interferometer; Magnetostriction gage; Mechanical; Microphones; Optical; Photoelectric; Piezoelectric; Resistance, pressure sensitive; Resistance, variable contact; Semiconductor; Strain gage; Thermal-electric; Thermosensitive; Transducers; Vibrating wire
Acceleration, independent of 5240
Commercially available B534
Review, general B341, B464, B518, B534, 5401
Piezoelectric crystals, see also Piezoelectric gages
ADP (ammonium dehydrogen phosphate) B481, 5161
Elastic constants 5244
Electric breakdown 4906
Theory 5164
Barium titanate 4735, 4823, 4910, 5058, 5154, 5301, 5318, 5401
Theory 5154
Comparison, performance B481, 5301, 5401
Electrical constants, see also specific crystal material
Apparatus 5247, 5351
Constants 5351
Resistance and reactance 5247
Impedance and admittance, ultrasonic 4744
Performance
Crystal surface phenomena 5161
Potassium dehydrogen phosphate
Elastic constants 5244
Quartz B277, B431, B462, B481
Anelasticity 5329
Circuits, resonance 5350
Elastic constants 5244, 5350
Electrical properties 5413
Frequency, vibration
Bending effect 5131
Calibration 4736
Natural 4006, 4104
Pressure, air, effect 5131
Temperature effect 4428
Thermal voltage 4825
Theory 5164
Thermal properties 5034, 5329

Piezoelectric crystals (cont'd)
Resonant current, safe 5253
Review B462, B503
Elastic constants 5242
Rochelle salts B462, B481, 4737
Elastic constants 5242
Silica, see Quartz
Sucrose 4213
Tartaric acid 4213
Theory 5164
Linear equations of state 5348
Tourmaline B462, B481
Manufacture 4613
Pyroelectric, other temperature effects B481, 4601, 4610, 4932, 5003, 5401
Vibration frequency 5351
Theory 5258
Piezoelectric gages, see also Piezoelectric crystals
Accelerometers 4427
ADP (ammonium dehydrogen phosphate)
Miniature, high frequency 4830
Advantages and disadvantages 4019, 4318, 4708, 4814, 4816, 5204, 5401
Applications, see also Quartz, Rochelle salts, etc. just below
Acoustics 4830
Aeronautical research 4952
Engine indicators, see also
Internal combustion, see also Piezoelectric gages, Quartz
Detonation 4716
Review 3703, 3909, 4019
Explosions
Blast 3615, 4302, 4304, 4314, 4422, 4515, 4522, 4612, 4614, 4621, 4925, 5207
Chamber of pipes (not engines) 3609, 3714, 4933, 5262
Gas mixture inside electric motor 5049, 5159, 5257
Mines 5025, 5048
Underwater B481, 4416, 4507, 4720
Tourmaline, see Piezoelectric gages, tourmaline
General 2202, 2902, 3206, 3208, 3612, 3901, 4013, 4213
Gun barrels 3714
Physiology 4108, 4911
Powder pressures 3914
Shock waves, air 4315, 4915
Ultrasonics 4744
Vortices, atmospherics 5114
Well hydrophones 5345
Barium titanate 5371
Frequency response 5371
Hydrophones, deep well 5345
Transducers 5058

Piezoelectric gages (cont'd)
Cables B481, 4312, 4407, 4410, 4422, 4506, 4708, 4918, 5003, 5106, 5318, 5401
Calibration, see
Circuits, see also Amplifiers; Bridge circuits
Review B464, B487, 4703, 5029
Design and performance
Hydrostatic sensitivity 4601, 4910, 5003, 5401
Impedance and admittance 4954
Mechanical vibration 5114, 5117
Performance 4213, 4952
Pile 2202, 3209, 3712, 3901, 4718, 4925, 5117
Principles 5003, 5007, 5008, 5301
Push-pull 4301
Quartz, see Piezoelectric gages, quartz
Spark plug 4213, 4513
Dynamic response 3703, 4104, 4952, 5003
Frequency limitation, review 5409
Response to various pressure functions 4404, 4416, 4601, 5003, 5204, 5401
Impulse gage 4221
Lithium sulphate 5259
Quartz
Design 3708, 4013
Engine indicators, internal combustion 2905, 2906, 3002, 3209, 3305, 3513, 3608, 3709, 3901, 4213, 4513, 4718, 5117
Detonation 2905, 2906, 3305, 3712, 4301, 5117
Review 3601, 3712, 3910, 4019, 4301, 4928
Spark plug size 4213, 4513, 4718
Explosions
Blast 3615, 4614, 4925, 5207
Chamber or pipes (not engines) 3609
Belgian practice 5262
Underwater, see also Explosions
Review B481, 4720
Force measurement 4318
Frequency, natural, upper limit of pickups 4026
Review 3208, 3612
Rockets 4423
Sound pressure 4519
Underwater sound 5259
Recorders 4204
Oscillograph 5049, 5159, 5257
Oscilloscope and camera 4952, 5145
Resonating current, safe 5253
Review, general B341, B462, B464, 3101, 3208, 3909, 4013, 4019, 4212, 4507, 4703, 5025, 5401
Air blast, 4612, 4614
Physiology 4911
Underwater B481

Piezoelectric gages (cont'd)
Rochelle salts
Blast gage 4304
Engine indicator 3601
Physiology 4108
Review B461, 4019, 4703
Rubber diaphragm 4108
Underwater explosions 4720
Vortices, atmospheric 5114
Sucrose 4213
Tartaric acid 4213
Tourmaline 4213, 4703, 5401
Detonation, H_2-O_2 in tube 4633
Engine indicators 4019
Explosion and blast 2103, 2303, 4302, 4515, 4601, 4613, 4620, 4621, 4633, 4925
Hydrophones, deep well 5345
Liquid-filled pressure-sensitive cell 4633
Underwater explosion 4219, 4220, 4302, 4305, 4410, 4618, 5003, 5106
Blast 4301
Review B481
Voltage, standard 5128
Piezoelectricity B462, B503
Pipe-line lag, see Lag
Pipe-line pressure fluctuations, see Hydraulic pressure surges; Pneumatic line surges
Pirani gage, see Vacuum gages
Piston, see also Crusher gage; Indenter gage
Diaphragm element
Pickup, inductance 3614
Free
Performance 4707
Pickup, direct mechanical 4511, 4707
Sources of error 4511
Pickups
Accelerometer 5220
Piezoelectric B461, 3609, 3712, 3901, 4209, 4513, 4610, 4614
Semiconductor 3607
Pistonphone, see Calibration, dynamic
Production of dynamic pressures, see Calibration
Spring element 4009, 4511, 4730
Comparison with diaphragm type 3506
Pickups
Direct mechanical 3506, 4511, 4730
Generator type 3703, 4009
Inductance 4927, 5012
Mechanical linkage 2201, 3506, 4908
Optical lever 2304, 2805
Piezoelectric 3910
Review B463, 5401

Piston (cont'd)
Theory 4009, 4310, 4408, 4511
Time and pressure lag, sources of error 3506, 4511
Viscosity gage (i.e., piston backed with liquid)
Pickup, direct mechanical 4511, 4615, 5401
Piston gage, high pressure
Calibration
Mercury column 3216
Mercury melting point, 0°C, 3915, 5232, 5335
Water melting points 5232
Pressure balanced by weights
Beam, automatic inductance pickup 4704
Directly applied B311, 3915, 4605, 4951
Controlled piston-cylinder clearance 5335
Differential pressure, variable datum pressure 5266
Pistonphone, see Calibration
Pitot tubes
Aircraft
Design and performance 3512, 4829, 5157
Line lag 4023, 4829
Review 3211
Jet engines 5229
Turbine testing, design 5261
Wind tunnels 3211
Plastic deformation, see also Diaphragm deformation
Residual stresses 4936
Plates, see Diaphragms, flat; Diaphragms, deformation
Pneumatic amplifier and relay, see Relay, pressure
Pneumatic lines, lag, see Lag
Pneumatic line surges, see also Hydraulic pressure surges; Lag
Exhaust pipe, engine 4018, 5124
General 4518, 4818, 5132
Theory 5016
Polarization, rotation of plane, see Physical effects
Porous plug, micro 5209, 5311
Potentiometer pickup, see Resistance pickups, variable contact potentiometer
Powder pressures 3914
Power supplies, see Amplifiers
Pressure amplifier, see Relay, pressure
Pressure balance, see Balance
Pressure computations, see Aeronautical applications
Pressure elements, deflection, see also particular element
Angular, see also Bourdon tubes 5353
Linear with
Log pressure 5224, 5353
Square root of pressure 5224
Pressure, high effect on tensile properties 5349
Pressure lag in lines, see Lag

Pressure measurement, high, static, see also Calibration, static
Mercury column 3108, 3216, 3715, 4505
Piston gages, see
Pressure points, fixed B311, 3915, 4605, 5232, 5335
Resistance pickups, pressure sensitive, see
Review B311, 4605
Seals 5341
Electrical leads 5368
Pressure trend, meter, for presses 4001
Pressure units, conversion factors B513
Process instrument elements, review 5235

Quartz, see Bourdon tubes; Diaphragms, quartz; Piezoelectric gages; Piezoelectric crystals

Radioactive, pressure-sensitive element 5412
Radiosondes 3913, 4022, 4628
Calibration, baroswitch 5146
Performance 4740, 5042
Ratiometer
For inductance pickup 4927
Reactions, see Chemical reaction kinetics
Reciprocity method, see Calibration; Microphones
Recorded output, see Output
Recorders, see also Indicators
Digital, multipoint 5223, 5307
Electric 4842
Electronic 4610
High speed, peak pressure, velocity method 5267
Magnetic tape
Slow play back 5403
Mechanical, see also Mechanical pickups
Electrical trace on waxed or iodized paper 3001, 4812, 5221
Pen and ink 4204, 4307
Stylus (on smoked or waxed paper, celluloid, or metal) 2201, 4518, 4615, 4707, 4730, 4904, 4912
Multichannel
Blast pressures 4422
Pirani gages 4929
Rocket testing 5305
Oscilloscope, review of methods 5043
Photographic
Film 4507, 5005
Moving film camera B481, 3803, 4507
Cathode-ray trace
One-dimensional 4502, 4612, 4952
Four tubes 3910
"Dome" or diaphragm velocity ("streak" camera) 4732, 4914

Recorders (cont'd)
Photographic (cont'd)
Moving film camera (cont'd)
Flashing light ("glow-lamp") B431, 3602
Galvanometer 2203, 4925
Interferometer gage 4803, 5203
Liquid column gage 5137, 5323
Optical lever 2404, 3303, 3304, 4727, 4922
Oscillograph, mechanical or galvanometer 2203, 3503, 4109, 4412, 4508, 5025, 5059, 5145, 5257, 5328
Oscilloscope 4019, 4612, 5043
"Still" camera (high speed motion camera) 4507
Synchronized drum camera 4515
Review 4204, 4703, 5029
Oscilloscope 5043
Underwater sound 5370
Timing marks, see Timing circuits
Refraction effects, see Optical methods
Relay, pressure
Electro-mechanical 5168, 5423
Hydraulics
Dynamic response 5264
Review B474, B518, 5264
Pneumatic
Flapper 5169, 5330, 5423
Nozzle performance 4819
Review B474, B518, 5263
Resistance, composition, pickups, see Carbon composition and Semiconductor pickups
Resistance pickups, see also Carbon composition pickups; Conductivity gage; Semi-conductor pickups; Strain gage; Thermosensitive pickups
Pressure sensitive
Bridge fixed (out-of-balance) 3701
Carbon, see Carbon pickups
Gold-chromium 3412, 3917, 4025, 5358, 5401
Equilibrium diagram 2306
Metallurgy 2306
Resistance standards 3412, 3917, 4025
Stability 3412, 4025
Temperature effects 3412, 4025
Gold-manganese 4309
Liquids, conductivity gage, see Conductivity gage
Manganin B311, 3413, 3916, 4605, 4635, 4951
Enamel coated wire 3916, 4605
Review B311, 4605
Seasoning 3413, 3701
Temperature effects 3701, 5401
Winding technique 3701
Novoconstant (copper-manganese alloy) 3907
Pressure coefficients of resistance B311, 1701, 4605

Resistance pickups (cont'd)
"Variable" contact (potentiometer)
For Bourdon tube 5326
For mercury column B505, 5021, 5322
General B464
Spring transducer 5228
Resonant circuits
For capacitance pickups
On side of resonance curve B461, 3005, 3207, 4011, 4014, 4109, 4303, 4412, 4523, 4814, 4934, 5029, 5114
Resonant bridge, see Capacitance and Inductance pickups
Tuned circuit
As frequency modulator 2901, 4014, 4214, 4412, 4505, 4608, 4620, 4703, 4715, 4814, 5015, 5114, 5136, 5303, 5306, 5401
Transmitter 4708
Push-pull operation 4814
With amplitude modulation 3902, 4014, 4212, 4214, 4306, 4411, 4624, 4703
With tunable standard capacitance 2904
For inductance pickups 4703
On side of resonance curve 2601, 3204
Respiration studies, see Physiology
Ring manometer, see Manometers
Rochelle salt, see Piezoelectric gages; Piezoelectric crystals
Rocket, see Engine indicators
Rubber diaphragm, see Diaphragm, rubber
Rupture diaphragm or disks, see Diaphragm, rupture

Sampling valve 4908, 5124
Seals 4947
High pressure 5341, 5368
Teflon 5239, 5355, 5407
Semi-conductor pickup, see also Carbon pickup
Bridge, out-of-balance, dc 3712
Film (aluminum oxide) 4603
High pressure 4317
Physical basis (theory) 3301, 3606
Review 3607
Series circuit, ac
For inductance pickup 3204
Series circuit, dc
For capacitance pickup 3902
For resistance pickup (voltage drop across R serves as bias voltage of grid of first tube) 3905, 4503, 4703
Sensitivity 5029
Shock pressure, see Optical methods
Shock resistance 5105
Shock tube, see Calibration, calibration devices

Sine wave generators, see Calibration, dynamic
Slack diaphragm, see Diaphragm, slack
SMRE pressure gage 5048
Sodium D-line, shift with pressure 4931, 5143
Solder
  Films, thin 5420
  Indium 5420
  Review 5050
Sonar, see Explosions, underwater; Magnetostriction gages; Microphones
Sound, see also Acoustics
  Pressure, absolute 4953
Spark circuit (induction coil, see also Recorders, mechanical, electric trace) 3306, 3401, 3407, 3712, 5010
Spectroscopic methods
  Review 4931, 5143
Sphygmomanometers, see Physiology, blood pressure
Spring transducers, see Resistance pickups, variable contact
Springs, see also Elastic moduli; Drift; Hysteresis
  Hair 4946
  Helical 3604
  Instrument, review 5422
  Iso elastic 3604, 4113
  Materials
    Beryllium copper 3804, 4946
    Cadmium copper 4946
    Elgiloy 4946
    Iso elastic 3604, 4946
    K-monel 3809
    Phosphor bronze 4946
  Spiral 4946
Square-wave valve, see Calibration
Stainless steel B483, 4934, 5032
Static tube
  Design
    Aircraft 5044
    Subsonic free jets 5162
    Supersonic 5039, 5044
  Jet engines 5229
  Line lag 4111, 4829
  Performance
    Aircraft 4623, 4829
    Ducts and jets 5249
    Supersonic 5039
    Turbine tests, subsonic 5261
Strain gages, general, see Proc. Soc. Exper. Stress Analysis B502
Strain gages, variable resistance, see also Carbon; Semi-conductor, pickups; Resistance, pressure sensitive
  Advantages and disadvantages 4816
  Amplifiers, see

Strain gages, variable resistance (cont'd)
Application
Aerodynamic 5371
Blood pressure, see Physiology
Diaphragm 4905, 5027
Engine indicator 4908, 5214, 5215, 5371
Explosions and blast pressures 4208
Fluid pressures, low 5027, 5138
Hydrodynamic loads 5115
Jet engine 5339
Pump cylinder pressure 5024
Reactions, rapid, chemical 5121
Rocket engine 4201, 4501, 4504, 5009, 5215, 5305
Vessel fatigue test 5310
Bellows-spring, and 4924
Circuits
Bridge ac 4201, 4307, 4502, 4503, 4512, 4606, 4703, 4709, 4908, 5147, 5314
Bridge dc, fixed 4307, 4503, 4602, 4616, 4636, 4703, 4709, 4802, 4809, 4814, 4929, 5127, 5305
Bridge dc, quasi static 4602, 4801
Series circuit dc 4503, 4703, 4814, 4908
Film
Aluminum oxide 4603
Carbon (graphite) 5104, 5401
Metallic 4703, 5104
Semi conductor 4603
Soldering to 5420
Recorder 5148
Ribbon
Foil, bonded 5302
Wire, bonded
Applications, see, under Strain gages
Bonding adhesives 4003, 4503, 4703, 5127
Drying time 4602
Humidity effect 4806, 5104
Incomplete drying 4806
Water proofing 5104
Calibration 4322, 4516
Sensitivity and stability; linear range 4501, 4503, 4602, 4703, 4806
Current carrying capacity 4806
Design and construction 4210, 4501, 4629, 4709, 4806, 5027, 5138, 5254, 5371
Miniature 5107
Flat diaphragm, and, 4322, 4629, 5027, 5107, 5138, 5254
Frequency response 4806, 5027, 5371, 5409
General characteristics B461, B502, B506, B524, 3203, 4202, 4503, 4703, 4806, 5122
High temperature 4711, 4717, 5419

Strain gages, variable resistance (cont'd)
Wire, bonded (cont'd)
Hysteresis 5104 (Gustafson)
Insulation, aluminum oxide 5419
Manufacturers B534
Material 5248
Advance
Hysteresis 4807
Gold chromium; Manganin, see Resistance, pressure sensitive
Molding in plastic materials 4003
Performance 4924, 5027, 5371
Strain sensitivity of various materials 4003, 4202, 4307, 4806, 4844, 5127, 5401
Temperature compensation 4003, 4307, 4602, 4806, 4908, 5205, 5327
TMB type 1A 4706
Tube, sensitive element 5310
Wire, review B464, B517, 4602, 4703, 5104, 5122, 5205, 5248, 5401, 5406
Wire, unbonded 4208, 4616, 4807, 5029, 5104, 5121, 5236, 5401
Acceleration effects 5205
Bourdon tube 4616
Manufacturers B534
Performance
Statham 5051, 5121
Stroboscopic methods 4011
Stroboscopic photography
of rubber balloon during underwater blast 4720
Stress analysis, handbook, experimental B502
Stresses, diaphragms, see Diaphragms, corrugated and flat
Structural design studies, see Applications
Sucrose, see Piezoelectric gages
Sunbury indicator 3502, 3504, 3505, 3703, 5142, 5246
Supersonic flow, theory B485
Survey, see Books
Sweep circuit, see Timing circuits
Sylphon, see Bellows
Symposia
Barium titanate accelerometers 5318
Combustion, flame, explosions B535, 4931-4934
Frequency response, systems 5344
High pressure 5232
Metals, cold working 4936
Strain gages, resistance 5104
Telemetering 5033
Synchronization methods, see Timing circuits

Tape, magnetic, recording, see Recorders
Tartaric acid, see Piezoelectric gages
Teflon 5239, 5355, 5407

Telemetering 4827, 4834, 5144, 5346, 5347
Converter circuit 5152
Film reader 5241
Guided missiles 4832, 5206, 5238, 5245, 5255, 5352, 5359, 5362
Linear discriminator 5151
Multichannel B522, 5062, 5238
Radiosonde 4627, 4940
Review 5150
Rocket 5061, 5156, 5250, 5251, 5362, 5416
Symposium 5033
Theory 5150
Temperature coefficient, elastic moduli, see Elastic moduli
Thermal-electric gage (Pirani gage), see Vacuum gages
Thermosensitive pickups, see also Hypsometer
General B311, B464, 4703
Temperature indicates pressure in sealed system 5004
Timing circuits
Requirements for recording transients 4507
Sweep
Cam-controlled light to photoelectric generator of sweep current (P-V diagram) 3405, 3909, 4019, 4624
Contactor-triggered electric sweep circuit 3209, 3501, 3601, 3603, 3909, 4005, 4019, 4109, 4507, 4513, 5001
Current triggered linear sweep circuit 4507
Generator, a.c. and wave-shaping filter (P-V diagram) 4005, 4624
Magnetic-impulse-triggered electric sweep circuit 4109
Model crank and connecting rod used to strain spiral spring (P-V diagram) 4908
Potentiometer (slider over high resistance) 3712, 3909, 4019, 4624
Pressure-triggered electrical sweep circuit B481, 4507, 4624, 5121
Relaxation oscillator (P-T diagram) 3405
Rotary condenser 4622
Sweep circuits, misc. 3712, 4212
Voltage-triggered linear sweep circuit 4507
Time delay circuit 4507
Time marks
Electric pulses in small coil above rotating slotted rim of iron wheel 4018, 4019, 4607
Pulse generator based on 60 cycle line 5121
Rotating mechanical contactor 4513, 5001
Tuning-fork oscillator 4504
Tire pressure, dynamic 5129
Torque tube transmitter 5063
Torsion springs, quartz 5224
Tourmaline, see Piezoelectric gages
Transducers, see also Capacitance; Inductance; Strain gage pickups etc.
Aircraft B512
Commercially available B534
Flight test, list of 4734
Review B464, B518, 5401

Transformers, differential, see Inductance pickups
Transistors
  Circuits B533
  Microphone 5360
  Review 5252
Transmission lag, tubing, see Lag
Tube elastic, see Cylinder, elastic
Tube, torque, transmitter 5063
Tubing, connecting, pressure lag, see Lag; Hydraulic pressure surges; Pneumatic line surges
Tuned circuit, see Resonant circuits
Turbulance, atmospheric, see Atmospheric pressure; Meteorological instruments

Ultrasonic echo sounders 5231
Ultrasonics, piezoelectric crystals B503
Underwater explosions and sound, see Explosions; Microhpones; Magnetostriction gages

Vacuum gages
  Alphatron 5412
  Application
    Mass spectrometer 5111
    Standard 5336
    Upper air 5038, 5223
    Wind tunnel, supersonic 4929
  Ball, torsion balance 4710
  Dynamic response 4929
  Elastic element
    Capacitance pickup 4530, 4739, 5035, 5306, 5319
    Inductance pickup 4805, 5111, 5336
    Optical lever 4808
    Strain gage, resistance 5027
  Ionization B493
  Knudson B493
  McLeod B493
    Accuracy 5118
    Butyl sebacate 4323
  NRL gage 5233
  Pirani B493
    Differential type 5038, 5056, 5233
    Leak detector 5056
    Miniature 5320
    Wind tunnel, supersonic 4929
  Review B493, 5165
  Time constants, system 4929

Vacuum tube circuits B487
Vacuum tube transducers 5059
  Diode 4722, 5109
Valve, sampling 4908, 5124
Velocity method, see also Optical methods 5267
Velocity tube, using lycopodium powder 4510
Vibrating wire pickup 3507
  Frequency modulation of associated oscillator 5326
  General 3203, 4703
Vibration B371, B472, B482, B501
Viscosity gage, see Piston
Voltmeter, peak-reading, see Indicators

Water cooled pressure element 5215
Water "Hammer", see Hydraulic pressure surges
Wheatstone bridge, see Bridge circuits
Wind structure 3210, 3616
Wind tunnels, see Aeronautical applications
Wire strain gages, see Strain gages
Wire, vibrating, see Vibrating wire pickups

Z-nickel 3804

U.S. GOVERNMENT PRINTING OFFICE : 1955 O - 325607

DEPARTMENT OF COMMERCE
UNITED STATES OF AMERICA