


NAT'L INST. OF STAND & TECH R.I.C.



A11105 130915

NIST
PUBLICATIONS

NIST Special Publication 881-19



Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003040 Transaction Set 864
Text Message

Implementation Convention

NIST

U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of
Standards and Technology

QC
100
.U57
NO.881-19

Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003040 Transaction Set 864 Text Message

Implementation Convention

Electronic Commerce Acquisition Program Management Office
Standard Management Committee - Secretariat
National Institute of Standards and Technology
Gaithersburg, MD 20899-0001

Editor: Dr. Jean-Philippe Favreau

March 1997



U.S. DEPARTMENT OF COMMERCE
William M. Daley, Secretary

Technology Administration
Mary L. Good, Under Secretary for Technology

National Institute of Standards and Technology
Arati Prabhakar, Director

Reports on Information Technology

The National Institute of Standards and Technology (NIST)'s Information Technology Laboratory (ITL) develops standards and guidelines, provides technical assistance, and conducts research for computers and resources. As part of the overall federal effort to establish a single face to industry for conducting electronic commerce, ITL has been designated as the organization responsible for coordinating the development of Federal Implementation Conventions (ICs) for Electronic Data Interchange (EDI). ICs are defined by functional-area experts who create and select options from standard EDI Transaction Sets to yield the implementations to be used for practical EDI. These ICs are made available to federal agencies and industry by electronic means and this Special Publication Series.

National Institute of Standards and Technology Special Publication 881-19
Natl. Inst. Stand. Technol. Spec. Publ. 881-19, 14 pages (March 1997)
CODEN: NSPUE2

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON: 1997

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402

864 Text Message

Functional Group ID=TX

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data content of the Text Message Transaction Set (864) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide users with a capability to electronically move messages, contracts, explanations, and other one-time communications. It is the intent of this transaction set to provide electronic communication (messages) for people, not for computer processing. The use of the transaction set to transmit quasi or unique transaction set standards is discouraged. The use of the Text Message transaction set demands of the sender certain detailed information about the recipient. The transaction set's purpose is to provide communication to the recipient in some human-readable form. The recipient's network will dictate what capabilities are available for delivery of the information. It is the responsibility of the sender to obtain this information and include it in the transmission.

Heading:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
010	ST	Transaction Set Header	M	1		
020	BMG	Beginning Segment For Text Message	M	1		
030	DTM	Date/Time/Period	O	10		
LOOP ID - N1						200
040	N1	Name	O	1		
N/U	050	N2	Additional Name Information	O	2	
N/U	060	N3	Address Information	O	2	
N/U	070	N4	Geographic Location	O	1	
080	REF	Reference Numbers	O	12		
090	PER	Administrative Communications Contact	O	3		

Detail:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - MIT						200
010	MIT	Message Identification	M	1		
LOOP ID - N1						200
N/U	020	N1	Name	O	1	
N/U	030	N2	Additional Name Information	O	2	
N/U	040	N3	Address Information	O	2	
N/U	050	N4	Geographic Location	O	1	
N/U	060	REF	Reference Numbers	O	12	
N/U	070	PER	Administrative Communications Contact	O	3	
080	MSG	Message Text	M	100000		

Summary:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
010	SE	Transaction Set Trailer	M	1		

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 864 X12.34 Text Message	M ID 3/3
Must Use	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>A unique number assigned to this transaction set for control purposes. Usually assigned by the translation software. This is the same number that appears in the SE02.</i>	M AN 4/9

Segment: **BMG** Beginning Segment For Text Message
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a Text Message Transaction Set
Syntax Notes:
Semantic Notes:
Comments: 1 BMG02 contains the message subject.

Data Element Summary

Ref.	Data		Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	
Must Use	BMG01	353	M ID 2/2
		Transaction Set Purpose Code	
		Code identifying purpose of transaction set	
		00	Original
			<i>Use to indicate an original transmittal.</i>
		01	Cancellation
			<i>Use to indicate the cancellation of a previously transmitted message text.</i>
		07	Duplicate
			<i>use to indicate the re-transmission of a previously transmitted text information.</i>
BMG02	352	Description	O AN 1/80
		A free-form description to clarify the related data elements and their content	
		<i>Use to provide a brief overall subject of the text message.</i>	

Segment: **DTM** Date/Time/Period
Position: 030
Loop:
Level: Heading
Usage: Optional
Max Use: 10
Purpose: To specify pertinent dates and times
Syntax Notes: 1 At least one of DTM02 DTM03 or DTM06 is required.
 2 If either DTM06 or DTM07 is present, then the other is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
Must Use	DTM01	374 Date/Time Qualifier Code specifying type of date or time, or both date and time	M ID 3/3
		097 Transaction Creation <i>Use to indicate the date the transaction set was created.</i>	
	DTM02	373 Date Date (YYMMDD)	X DT 6/6

Segment: **N1** Name
Position: 040
Loop: N1
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes:
 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments:
 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
Must Use	N101	98 Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual FR Message From TO Message To	M ID 2/2
	N103	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet <i>Use when N101 cites code FR to cite a contractor originating a text message. Use also when N101 cites code TO to cite a Federal Agency known by its DUNS number.</i> 10 Department of Defense Activity Address Code (DODAAC) <i>Use when a Federal Agency is known only by its DoDAAC or Civilian Agency Activity address Code when N101 cites either code FR or TO. Use of the DUNS number is preferred.</i>	X ID 1/2
	N104	67 Identification Code Code identifying a party or other code	X AN 2/17

Segment: **REF** Reference Numbers
Position: 080
Loop: N1
Level: Heading
Usage: Optional
Max Use: 12
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:
Notes:

1. Use to identify a transaction set to which the text message applies.
2. Use also to provide a unique reference number for this transaction set.
3. There must be at least 2 occurrences of this REF segment with code TN and ME cited in REF01 to identify the unique reference number of the transaction set to which this message applies and to identify this transaction set.

Data Element Summary

Ref. Des.	Data Element	Name	Attributes	
			M	ID
Must Use REF01	128	Reference Number Qualifier Code qualifying the Reference Number.		2/2
		ME Message Address or ID <i>Use to indicate the unique reference number of this transaction set. When this 864 transaction set refers to another 864 transaction set, use another iteration of the REF segment with code TN to identify the other 864 transaction set.</i>		
		TN Transaction Reference Number <i>Use to indicate the unique reference number of the transaction set to which this text message applies. Cite the reference number in the REF02 and identify the transaction set in REF03.</i>		
		W7 Commercial and Government Entity (CAGE) Code <i>Use, as applicable, to identify the code of a party other than a Federal Agency, either originating or receiving the text message.</i>		
REF02	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier. <i>1. When transmitting the unique reference number of an 810 transaction set, cite the number in BIG02 of the 810 transaction set.</i> <i>2. When transmitting the unique reference number of an 820 transaction set, cite the number in the TRN02 of the 820 transaction set that is qualified by code 1 in TRN01.</i> <i>3. When transmitting the unique reference number of an 824 transaction set, cite the number in the BGN02 of the 824 transaction set.</i> <i>4. When transmitting the unique reference number of an 832 transaction set, cite the number in teh BCT02 of the 832 transaction set.</i> <i>5. When transmitting the unique reference number of an 836 transaction set, cite the number in the BCO10 of the 836 transaction set.</i>	X	AN 1/30

6. *When transmitting the unique reference number of an 838 transaction set, cite the number in the BTP02 of the 838 transaction set.*
7. *When transmitting the unique reference number of an 840 transaction set, cite the number in the BQT02 of the 840 transaction set.*
8. *When transmitting the unique reference number of an 841 transaction set, cite the number in the SPI02 of the 841 transaction set.*
9. *When transmitting the unique reference number of an 843 transaction set, cite the number in the REF02 (1/REF/050) of the 843 transaction set that is qualified by code PR in REF01.*
10. *When transmitting the unique reference number of an 850 transaction set, cite the number in BEG03 of the 850 transaction set. If a number is cited in both BEG03 and BEG04 of the 850 transaction set, concatenate these numbers.*
11. *When transmitting the unique reference number of an 855 transaction set, cite the number in BAK03 of the 855 transaction set.*
12. *When transmitting the unique reference number of an 856 transaction set, cite the number in BSN02 of the 856 transaction set.*
13. *When transmitting the unique reference number of an 864 transaction set, cite the number in REF02 (1/REF/080) of the 864 transaction set that is qualified by code ME in REF01.*

REF03

352

Description

X AN 1/80

A free-form description to clarify the related data elements and their content
Use to identify the transaction set applicable to the unique reference number cited in REF02, e.g. 810 Invoice (Commercial Invoice) transaction set, 838 Trading Partner Profile (Registration) transaction set, etc.

Segment: **PER** Administrative Communications Contact
Position: 090
Loop: N1
Level: Heading
Usage: Optional
Max Use: 3
Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Notes:
 1 If either PER03 or PER04 is present, then the other is required.
 2 If either PER05 or PER06 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
Must Use PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named IC Information Contact <i>Use to indicate a point of contact for this transaction set.</i>	M ID 2/2
PER02	93	Name Free-form name <i>Cite the last name followed by the first name. Do not truncate the last name if the whole is greater than 35 characters. Instead, truncate the first name or use the initial of the first name.</i>	O AN 1/35
PER03	365	Communication Number Qualifier Code identifying the type of communication number ED Electronic Data Interchange Access Number EM Electronic Mail FX Facsimile IT International Telephone <i>Include country code.</i> TE Telephone <i>Use to indicate the commercial telephone number of the named party.</i>	X ID 2/2
PER04	364	Communication Number Complete communications number including country or area code when applicable	X AN 1/80
PER05	365	Communication Number Qualifier Code identifying the type of communication number ED Electronic Data Interchange Access Number EM Electronic Mail FX Facsimile IT International Telephone <i>Include country code.</i> TE Telephone <i>Use to indicate the commercial telephone number of the named party.</i>	X ID 2/2
PER06	364	Communication Number Complete communications number including country or area code when	X AN 1/80

applicable

Segment: **MIT** Message Identification
Position: 010
Loop: MIT
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify the beginning of a specific message and to allow the identification of a subject for the message

Syntax Notes:
Semantic Notes: 1 MIT01 contains the message number.
 2 MIT02 contains the message subject.
Comments: 1 MIT03 default is 80 characters.
 2 MIT04 default is 66 lines.
Notes: *Use this segment to identify a more detailed subject of this text message.*

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
Must Use MIT01	127	Reference Number	M AN 1/30
		Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier. <i>A unique number assigned by the originator of the message to identify multiple messages contained within this transaction set. For example, the number 001 can be used to refer to a message with the subject Packing Requirements, cited in MIT02 and the number 002 can be used in another iteration of this MIT segment to identify a second message with the subject Testing Procedures.</i>	
MIT02	352	Description	O AN 1/80
		A free-form description to clarify the related data elements and their content <i>Use to provide a more detailed subject of the message.</i>	

Segment: **MSG** Message Text
Position: 080
Loop: MIT
Level: Detail
Usage: Mandatory
Max Use: 100000
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.
Notes: *Use full 264 character capability of data element 933 (MSG01) unless specifically advised by the trading partner to limit length of any one iteration of the segment to 80 characters.*

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
Must Use	MSG01	933 Free-Form Message Text Free-form message text	M AN 1/264

Segment: **SE** Transaction Set Trailer
Position: 010
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M NO 1/10
Must Use	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>Cite the same number as the one in the ST02.</i>	M AN 4/9

NIST Technical Publications

Periodical

Journal of Research of the National Institute of Standards and Technology—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

Nonperiodicals

Monographs—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bimonthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program in support of the efforts of private-sector standardizing organizations.

Order the following NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NIST Interagency Reports (NISTIR)—A special series of interim or final reports on work performed by NIST for outside sponsors (both government and nongovernment). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service, Springfield, VA 22161, in paper copy or microfiche form.

U.S. Department of Commerce
National Institute of Standards
and Technology
Gaithersburg, MD 20899-0001

Official Business
Penalty for Private Use \$300