

Reference

NBS  
Publi-  
cations

NBSIR 82-1677

# METROLOGY FOR ELECTROMAGNETIC TECHNOLOGY: A BIBLIOGRAPHY OF NBS PUBLICATIONS

---

NATL INST. OF STAND & TECH R.I.C.



A11104 411318

Edited by  
R.A. Kamper  
K.E. Kline

National Bureau of Standards  
U.S. Department of Commerce  
Boulder, CO 80303

August 1982

QC  
100  
.U56  
82-1677  
1932



NBSIR 82-1677

# METROLOGY FOR ELECTROMAGNETIC TECHNOLOGY: A BIBLIOGRAPHY OF NBS PUBLICATIONS

---

National Bureau of Standards

Edited by  
R.A. Kamper  
K.E. Kline

OCT 4 1982  
not acc-ref.  
QC 100  
.456  
82-1677  
1982

Electromagnetic Technology Division  
Center for Electronics and Electrical Engineering  
National Engineering Laboratory  
National Bureau of Standards  
U.S. Department of Commerce  
Boulder, CO 80303

August 1982



---

U.S. DEPARTMENT OF COMMERCE, Malcolm Baldrige, Secretary

NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director



## CONTENTS

	Page
INTRODUCTION.....	1
MICROWAVE METROLOGY.....	3
OPTICAL ELECTRONIC METROLOGY.....	12
ELECTROMAGNETIC WAVEFORM METROLOGY .....	21
CRYOELECTRONIC METROLOGY.....	29
SUPERCONDUCTORS AND MAGNETIC MATERIALS.....	42
AUTHOR INDEX.....	53



METROLOGY FOR ELECTROMAGNETIC TECHNOLOGY:  
A BIBLIOGRAPHY OF NBS PUBLICATIONS

Edited by

Robert A. Kamper and Kathryn E. Kline

This bibliography lists the publications of the personnel of the Electromagnetic Technology Division of NBS in the period from January 1970 through December 1981. A few earlier references that are directly related to the present work of the division are included.

Key words: Cryoelectronics; electromagnetic metrology; lasers; microwaves; optical fibers; superconducting materials; time domain metrology.

### INTRODUCTION

The Electromagnetic Technology Division was formed during the Reorganization of NBS in April 1978, by combining parts of the former Electromagnetics and Cryogenics Divisions. It develops measurement methods and standards, and provides metrological support, for: microwave circuits, laser systems, optical communication equipment, systems using transient or pulsed electromagnetic phenomena, cryoelectronics, superconductors and other unusual electrical engineering materials. For the individual staff members of the division, the reorganization brought a realignment of long-term goals but little immediate discontinuity in their work. It therefore makes good sense that this bibliography should cover a period beginning some time before the reorganization, so as to include at least the more recent origins of the present work of the division. The editors have attempted to include all work published by the present staff members of the division, while they were employees of NBS, in the period from January 1970 through December 1981. There are a few exceptions, where work that is totally unrelated to the present program has been excluded or where work by authors now in other parts of NBS has been included because of its special significance. A few papers published before 1970 have also been included because of their direct relationship to the present program.

There are several other sources that may be useful to the reader who is interested in activities at NBS connected with electromagnetic metrology. A companion bibliography to this one lists the publications of the Electromagnetic Fields Division. Its topics include metrology for: antennas, satellite communications equipment, electromagnetic interference and hazard. Three bibliographies of the publications of the former Electromagnetics Division have been published: NBSIR 73-320 (July 1972 - June 1973); NBSIR 74-395 (July 1973 - June 1974); NBSIR 75-818 (July 1974 - June 1975). These were preceded by a series of unpublished reports (edited by H. M. Altschuler) that cover the period back to 1956. An excellent summary of the whole field of electromagnetic metrology as it stood in 1967 was published as a special issue of the IEEE Proceedings (volume 55, June 1967). Advances in the following decade were described in another special issue of the same journal (volume 66, April

## A NOTE ON ABBREVIATIONS

Most readers will be familiar with the commonly used abbreviations for the names of the various professional journals that appear in this bibliography. There are also some publication series that are peculiar to NBS and may call for explanation. They are:

NBSIR - NBS Interagency/Internal Report  
NBS TN - NBS Technical Note  
NBS SP - NBS Special Publication  
NBS HB - NBS Handbook  
NBS JRES - NBS Journal of Research  
NBS Monogr. - NBS Monograph

### Purchase Procedures and Document Availability

NBS Technical Notes and Special Publications may be purchased from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Orders must be accompanied by postal money order, express money order, or check made out to the Superintendent of Documents.

NBS Interagency/Internal Reports (NBSIRs) may be purchased from the National Technical Information Service, Springfield, VA 22161. Orders must be accompanied by postal money order, express money order, or check made out to the NTIS.

Reprints of papers published in non-NBS media may be available in limited quantities from the authors.

## ACKNOWLEDGMENTS

A large part of the labor of preparing a bibliography is spent on collecting and arranging the material. We thank Frances Brown, Edie DeWeese, Jessie Page, and Sheila Aaker for their assistance with these chores. The prime source of material was the NTIS file, with access through the Lockheed Dialog System. This was supplemented with material supplied by the individual authors.

## MICROWAVE METROLOGY

A High Power Dual Six-port Automatic Network Analyzer Used in Determining Biological Effects of rf and Microwave Radiation;

Hoer, C.

IEEE Trans. Microwave Theory Tech., vol. NTT-29, Dec 81.

Singularities in Calibration of Six-port Network Analyzers;

Ebbesen, H.; Engen, G.

1981 IEEE MTT-S Int. Microwave Symp. Digest, p.149, 81.

WR-10 Millimeter Wave Microcalorimeter;

Weidman, M.; Hudson, P. A.

NBS TN-1044, Jun 81.

WR-10 Single Six-port Measurement System;

Weidman, M.

NBSIR 1650, 81.

Control Cable Assemblies Used with Mobile FM Receivers;

NIJ Std. 0216.00

Nelson, R. E.; Jickling, R.

National Institute of Justice, Dec 81.

A Least Squares Solution for Use in 6-port Measurement Technique;

Engen, G. F.

IEEE Trans. Microwave Theory Tech., vol. MTT-28, no. 12, Dec 80.

Performance of a Dual Six-Port Automatic Network Analyzer;

Hoer, Cletus A.

Proc. IEEE MTT-S 1979, Int. Microwave Symp. Digest:

The World of Microwaves, Orlando, FL, 30 Apr-2 May 1979;

IEEE Cat. No. 79CHI439-9 MIT-S, 79.

Through-Load-Delay: An Improved Technique for Calibrating the Dual Six-port Automatic Network Analyzer;

Engen, G. F.; Hoer, C. A.

Int. Microwave Symp. Digest, Orlando, FL, p53, 79.

Calibrating Two Six-Port Reflectometers With an Unknown Length of Precision Transmission Line;

Hoer, Cletus A.

Proc. IEEE MIT-S Int. Microwave Symp. Digest, Ottawa, Canada, 27-29 Jun 1978, p176-178, 78.

Calibrating a Six-Port Reflectometer with Four Impedance Standards;

Hoer, Cletus A.

NBS-TN-1012, Mar 79.

Calibrating the Six-port Reflectometer by Means of Sliding Terminations;

Engen, G. F.

IEEE Trans. Microwave Theory Tech., vol. MTT-26, p951-957, Dec 78.

Advantages of the Six-port Reflectometer for RF/Microwave Power Measurement in Operational Systems;  
Komarek, E. L.  
GOMAC Digest, 78.

The Application of "Through-Short-Delay" to the Calibration of the Dual 6-port;  
Engen, G. F.; Hoer, C.A.; Speciale, R. A.  
IEEE Int. Microwave Symp. Digest, p184-185, 78.

Status of RF and Microwave Calibration Services at NBS;  
Kamper, R. A.  
NCSL Newsletter, vol. 18, p40, Dec 78.

NBS RF voltage Comparator;  
Driver, L. D.; Ries, F. X.; Rebuldeia, G.  
NBSIR-78-871, Dec 78.

Design Considerations for Automatic Network Analyzers Based on the Six-Port Concept;  
Engen, Glenn F.  
Proc. IEE Euromas 77 Conference, Sussex, England, (IEE, London, England), 5-9 Sep 1977, p110-111, 77.

Instrumentation: Six Ports Simplify Network;  
Engen, Glenn F.  
Microwave Syst. News, p54-55, Jan 78.

Ultrasonic Calorimeter for Beam Power Measurements from 1 to 15 Megahertz;  
Zapf, T. L.; Harvey, M. E.; Larsen, N. T.; Stoltenberg, R. E.  
Proc. Ultrasonics Symposium, Annapolis, MD, 29 Sep-1 Oct 1976,  
IEEE Cat76 CH1120-5SU, p573-576, 77.

Self-Calibration of Complex Ratio Measuring System;  
Allred, C. M.; Manney, C. H.  
Proc. Int. Conf. Measurement and Instrumentation, Dresden, Germany, 17-23 Jun 1973, ACTA IMEKO 1, p157-166, 73.

A Network Analyzer Incorporating Two 6-Port Reflectometers;  
Hoer, Cletus A.  
IEEE Trans. Microwave Theory Tech. MIT-25, p1070-1074, Dec 77.

The Six-Port Measurement Technique: A Status Report;  
Engen, Glenn F.  
Microwave J., vol. 21, p18, 21-22, 24, 84, 87, 89, May 78.

A Semi-Automated Six-Port for Measuring Millimeter Wave Power and Complex Reflection Coefficient;  
Weidman, Manly P.  
IEEE Trans. Microwave Theory Tech., vol. MTT-25, p1083-1085, Dec 77.

Performance Characteristics of an Automated Broad-Band Bolometer Unit Calibration System;

Komarek, Ernest L.

IEEE Trans. Microwave Theory, vol. MTT-25, p1122-1127, Dec 77.

The National Electromagnetic Measurement System;

Kamper, R. A.

NBSIR-75-936, Jun 77.

Calibrating Two 6-Port Reflectometers with Only One Impedance Standard;

Hoer, Cletus A.

NBS-TN-1004, Jun 78.

An Improved Circuit for Implementing the Six-Port Technique of Microwave Measurements;

Engen, Glenn F.

IEEE Trans. Microwave Theory Tech., vol. MTT-25, p1080-1083, Dec 77.

Advances in Microwave Measurement Science;

Engen, Glenn F.

Proc. IEEE, vol. 66, p374-384, Apr 78.

Fixed and Base Station Antennas;

Treado, M. J.; Taggart, H. E.; Nelson, R. E.; Workman, J. L.

NILECJ-STD-0204.00, 77.

A Microwave Network Analyzer Using Two 6-Port Reflectometers;

Hoer, Cletus

Proc. 1977 IEEE-MTT-S Int. Microwave Symposium, San Diego, CA, Jun 21-23, 1977, p47-49, 77.

A Semi-Automated Six-Port for Measuring Millimeter Wave Power and Complex Reflection Coefficient;

Weidman, Manly P.

Proc. 1977 IEEE MTT-S Int. Microwave Symposium, San Diego, CA, 21-23 Jun 1977, p58-60, 77.

An Improved Circuit for Implementing the Six-Port Technique of Microwave Measurements;

Engen, Glenn F.

Proc. 1977 IEEE-MTT-S Int. Microwave Symposium, San Diego, CA, 21-23 Jun 1977, p53-55, 77.

NBS Type IV RF Power Meter Operation and Maintenance;

Larsen, Neil T.

NBSIR-77-866, Oct 77.

An Application of the Six-Port Junction to Precision Measurement of Microwave One-Port Parameters;

Komarek, E. L.

Proc. 1977 IEEE-MTT-S Int. Microwave Symposium, San Diego, CA, 21-23 Jun 1977, p56-57, 77.

The Six-Port Reflectometer: An Alternative Network Analyzer;  
Engen, Glenn F.  
Proc. 1977 IEEE-MTT-S Int. Microwave Symposium, San Diego, CA,  
21-23 Jun 1977, p44-46, 77.

Six-Port Measuring Circuit; Patent Application;  
Engen, Glenn F.  
PAT-APPL-829 381, Filed 31 Aug 77.

The National Measurement System for Medical Ultrasonics;  
Hudson, Paul A.  
NBSIR-75-937, Feb 76.

Vector Voltmeter;  
Hoer, Cletus A.; Engen, Glenn F.  
PATENT-4 001 681, patented 4 Jan 77.

A Guide to Voice Scramblers for Law Enforcement Agencies;  
Nelson, Robert E.  
NBS-SP 480-8, Dec 76.

A New Self-Balancing DC-Substitution RF Power Meter;  
Larsen, Neil T.  
IEEE Trans. Instrum. Meas., vol. IM-25, p343-347, Dec 76.

Determination of Microwave Phase and Amplitude from Power  
Measurements;  
Engen, Glenn F.  
IEEE Trans. Instrum. Meas., vol. IM-25, p414-418, Dec 76.

Scattering Parameters of SMA Coaxial Connectors;  
Estin, A. J.  
IEEE Trans. Instrum. Meas., vol. IM-25, p329-334, 76.

Repeatability of SMA Coaxial Connectors;  
Jesch, R.L.  
IEEE Trans. Instrum. Meas., vol. IM-25, p314-320, 76.

Broadband Pulsed/CW Calibration Signal Standard for Field  
Intensity Meter (FIM) Receivers;  
Simpson, Philip A.  
NBSIR-74-371, Jun 74.

A Microwave Vector Voltmeter System;  
Roe, Keith C.; Hoer, Cletus A.  
NBSIR-76-844, Aug 76.

Theorem Giving Limits for  $S_{22}$  When  $S_{11}$  and the Two-Port Efficiency  
are Known;  
Engen, Glenn F.  
IEEE Trans. Instrum. Meas., vol. IM-20, p78, Feb 71.

Application of an Arbitrary 6-Port Junction to Power-Measurement Problems;

Engen, Glenn F.; Hoer, Cletus A.

IEEE Trans. Instrum. Meas., vol. IM-21, p470-474, Nov 72.

Application of an 'Arbitrary' 6-Port Junction to Power Measurement Problems;

Engen, Glenn F.; Hoer, Cletus A.

Proc. 1972 Conference on Precision Electromagnetic Measurements, Boulder, CO, 26-29 Jun 1972 (IEEE, New York, NY), p100-101, 72.

Calibration of an Arbitrary Six-Port Junction for Measurement of Active and Passive Circuit Parameters;

Engen, Glenn F.

IEEE Trans. Instrum. Meas., vol. IM22, p295-299, Dec 73.

Comments on Practical Analysis of Reflectometers and Power Equation Concepts;

Engen, Glenn F.

IEEE Trans. Instrum. Meas., vol. IM-23, p104-105, Mar 74.

International Intercomparison of Power Standards at 3 GHz;

Engen, Glenn F.; Hudson, Paul A.

IEEE Trans. Microwave Theory Tech., vol. MTT-19, p411-413, Apr 71.

An Automated Broadband System for Measurement of One-Port Microwave Parameters;

Komarek, Ernest L.

CPEM Digest, p167-170, 76.

Ultrasonic Calorimeter for Beam Power Measurements;

Zapf, Thomas L.; Harvey, Morris E.; Larsen, Neil T.;

Stoltenberg, Robert E.

NBS-TN-686, Sep 76.

Reflection Coefficient Standards for Automated Network Analyzers;

Little, W. E.; Yates, B. C.

CPEM Digest, p128-129, 76.

Measurement of Complex Microwave Circuit Parameters Using Only Power Detectors;

Engen, Glenn F.

CPEM Digest, p171, 76.

Measuring and Minimizing Diode Detector Nonlinearity;

Hoer, C. A.; Roe, K. C.; Allred, C. M.

CPEM Digest, p108-109, 76.

An NBS Developed Automatic Network Analyzer;

Little, W.; Wakefield, J.; Heim, L.; Allred, C.; Zapf, T.

CPEM Digest, p130-133, 76.

A New Self-Balancing DC-Substitution RF Power Meter;

Larsen, Neil T.

CPEM Digest, p203-205, 76.

Implementation of the Notch Technique as an RF Peak Pulse Power Standard;  
Simpson, Philip A.; Hudson, Paul A.  
NBS-TN-682, Jul 76.

The Calibration and Use of Directional Couplers Without Standards;  
Allred, C. McKay; Manney, Charles H.  
IEEE Trans. Instrum. Meas., vol. 25, p84-89, Mar 76.

Mismatch Considerations in Evaluating Amplifier Noise Performance;  
Engen, Glenn F.  
IEEE Trans. Instrum. Meas., vol. IM-22, p274-278, Sep 73.

A Precision 30 MHz Waveguide-Below-Cutoff Attenuator with an Absolute  
Electronic Readout, NBS Model XII;  
Adair, Robert T.  
NBSIR-76-833, Jan 76.

Analysis of a Six-Port Junction for Measuring,  $v$ ,  $i$ ,  $a$ ,  $b$ ,  $z$ ,  $\Gamma$ ,  
and Phase;  
Hoer, C. A.; Engen, G. F.  
Proc. Conf. of the Int. Meas. Confederation (6th), Dresden, Germany,  
17-23 Jun 1973, Acta IMEKO, vol. 1, p213-222, 73.

Using an Arbitrary Six-Port Junction to Measure Complex Voltage Ratios;  
Hoer, Cletus A.; Roe, Keith C.  
Proc. 1975 IEEE Microwave Theory and Technique Symp. Int.,  
Palo Alto, CA, 12-14 May 1975, p98-99, 75.

Automated Calibration of Directional-Coupler-Bolometer-Mount Assemblies;  
Engen, Glen F.  
Proc. IEEE-MTT-S Microwave Symp., Palo Alto, CA, 12-14 May 1975, p95-97, 75.

Automated Calibration of Directional-Coupler-Bolometer-Mount Assemblies;  
Engen, Glenn F.  
IEEE Trans. Microwave Theory Tech., vol. MTT-23, p984-990, Dec 75.

Using an Arbitrary Six-Port Junction to Measure Complex Voltage Ratios;  
Hoer, Cletus A.; Roe, Keith C.  
IEEE Trans. Microwave Theory Tech., vol. MTT-23, p978-984, Dec 75.

Completion of the Program to Evaluate/Improve Instrumentation and Test Methods  
for Electroexplosive Device Safety Qualification;  
Hudson, Paul A.; Melquist, Dean G.; Ondrejka, Arthur R.; Werner, Paul E.  
NBSIR-74-379, Jun 74.

Using Six-Port and Eight-Port Junctions to Measure Active and Passive Circuit  
Parameters;  
Hoer, Cletus A.  
NBS-TN-673, Sep 75.

Self-Balancing DC-Substitution Measuring System; Patent Application;  
Larsen, Neil T.; Reeve, Gerome R.  
PAT-APPL-587 565, Filed 17 Jun 75.

An Application of the Power Equation Concept and Automation Techniques to Precision Bolometer Unit Calibration;

Komarek, Ernest L.

Proc. 1974 IEEE S-MTT International Microwave Symposium, Atlanta, GA, 12-14 Jun 1974, Microwave Symposium Digest, p263-265, 74.

An Alternative Calibration Technique for Automated Network Analyzers with Application to Adapter Evaluation;

Engen, Glenn F.

Proc. IEEE S-MTT International Microwave Symposium, Atlanta, GA, 12-14 Jun 1974, Microwave Symposium Digest, p261-262, 74.

Characterization of a High Frequency Probe Assembly for Integrated Circuit Measurements;

Jesch, R. L.; Hoer, C. A.

NBS-TN-663, Apr 75.

Calibration Technique for Automated Network Analyzers with Application to Adapter Evaluation;

Engen, Glenn F.

IEEE Trans. Microwave Theory Tech. Part II, 1974 Symposium Issue, vol. MTT-22, p1255-1260, Dec 74.

An Application of the Power Equation Concept and Automation Techniques to Precision Bolometer Unit Calibration;

Komarek, Ernest L.; Tryon, Peter V.

IEEE Trans. Microwave Theory Tech. Part II, 1974 Symposium Issue vol. MTT-22, p1260-1267, Dec 74.

Self-Balancing, D.C.-Substitution Measuring System; Patent Application;

Larsen, Neil T.; Reeve, Gerome R.

PAT-APPL-476 646, Filed 5 Jun 74.

Theory of UHF and Microwave Measurements Using the Power Equation Concept;

Engen, Glenn F.

NBS-TN-637, Apr 73.

A Method for Designing Multi-Screw Waveguide Tuners;

Weidman, M. P.; Campbell, E.

NBS-TN-393, Oct 70.

The 6-Port Coupler; A New Approach to Measuring V, I, P, Z, and Theta;

Hoer, Cletus A.

Digest of Precision Electromagnetic Measurements Conf.,

Boulder, CO, p26-29, Jun 72.

The Six-Port Coupler: A New Approach to Measuring Voltage, Current, Power, Impedance, and Phase;

Hoer, Cletus A.

IEEE Trans. Instrum. Meas., vol. IM21, p466-470, Nov 72.

Application of a Non-Ideal Sliding Short to Two-Port Loss Measurement;  
Weidman, M. P.; Engen, G. F.  
NBS-TN-644, Oct 73.

Summary of WR15 Flange Evaluation at 60 GHz;  
Yates, B. C.; Counas, G. J.  
NBS-TN-642, Oct 73.

Broad-Band Lumped-Element Directional Coupler;  
Hoer, Cletus A.  
PATENT-3 701 057, patented 24 Oct 72.

System for Measuring Peak Pulse Power Using Sampling and Comparison  
Techniques;  
Hudson, Paul A.; Ecklund, Warner L.; Ondrejka, Arthur R.  
PATENT-3 239 758, patented 8 Mar 66.

Standard Field Strength Meter;  
Lawton, Robert A.; Allred, Charles McKay  
PATENT-3 586 973, patented 22 Jun 71.

Power Measuring and Leveling System Using a Self-Balancing Bridge;  
Larsen, Neil T.; Clague, Frederick R.  
PATENT-3 611 130, patented 5 Oct 71.

An Immittance Transcomparator;  
Agy, David L.; Nelson, R. E.  
Annual Precision Measurement Association Metrology Conf. (3rd),  
Gaithersburg, MD, 17-18 Jun 1970, vol. 1, p147-154, 70.

Millimeter Attenuation and Reflection Coefficient Measurement System;  
Yates, B. C.; Larson, W.  
NBS-TN-619, Jul 72.

An Excitation System for Piston Attenuators;  
Cook, C. C.; Allred, C. M.  
IEEE Trans. Instrum. Meas., vol. IM-20, p10-16, Feb 71.

An Extension to the Sliding Short Method of Connector and  
Adaptor Evaluation;  
Engen, G.F.  
NBS J. Res., vol. 75C, p177-183, 71.

An Adjustable-Slot-Length UHF Coaxial Coupler with Decade Bandwidth;  
Hudson, P. A.; Saulsbery, L. F.  
IEEE Trans. Microwave Theory Tech., vol. MTT-19, p781-783, Sep 71.

Power Equations: A New Concept in the Description and Evaluation of  
Microwave Systems;  
Engen, Glenn F.  
IEEE Trans. Instrum. Meas., vol. IM-20, p49-57, Feb 71.

A New Method of Characterizing Amplifier Noise Performance;  
Engen, Glenn F.  
IEEE Trans. Instrum. Meas., vol. IM-19, p344-349, Nov 70.

A Wide Range CW Power Measurement Technique;  
Lawton, R.A.; Allred, C.M.; Hudson, P.A.  
IEEE Trans. Instrum. Meas., vol. IM-19, p28-34, Feb 70.

Improvements to the NBS RF Peak-Pulse Power Standard;  
Simpson, P.A.; Ondrejka, A.R.  
Instrument Society of America Silver Jubilee International Conference and  
Exhibit, Oct 1970, Philadelphia, PA, Paper 709-70, p1-7, 70.

A New Standard for Electric Field Strength;  
Lawton, R. A.  
IEEE Trans. Instrum. Meas., vol. IM-19, p45-51, Feb 70.

Broad-Band Resistive-Divider-Type Directional Coupler;  
Hoer, C.A.; Agy, D.L.  
IEEE Trans. Instrum. Meas., vol. IM-19, p336-343, Nov 70.

An Introduction To The Description and Evaluation of Microwave Systems  
Using Terminal Invariant Parameters;  
Engen, Glenn F.  
NBS-Mono-112, Oct 69.

Measurement of RF Peak Pulse Power;  
Hudson, P. A.  
Proc. IEEE, vol. 55, p851-855, 67.

RF Attenuation;  
Russell, D. H.; Larson, W.  
Proc. IEEE, vol. 55, p942-959, June 67.

An Unmodulated Twin-Channel Microwave Attenuation Measurement System;  
Russell, D. H.  
ISA Trans., vol. 4, p162-169, April 65.

## OPTICAL ELECTRONIC METROLOGY

Backscatter Measurements in Optical Fibers;  
Danielson, B. L.  
NBS TN-1034, Feb 81.

Progress in Fiber Measurements;  
Day, G. W.; Franzen, D. L.  
Laser Focus, pg52-56, Feb 81.

Measurement of Far-field and Near-field Radiation Patterns from  
Optical Fibers;  
Kim, E.; Franzen, D. L.  
NBS TN-1032, Feb 81.

Results of an Interlaboratory Measurement Comparison Among Fiber Manufacturers  
to Determine Attenuation, Bandwidth, and Numerical Aperture of Graded Index  
Optical Fibers;  
Franzen, D. L.; Day, G. W.; Danielson, B. L.; Kim, E.  
Conf. Digest 3rd Intl. Conf. Integrated Optics & Optical Fiber Comm.,  
San Francisco, CA, Apr 81.

Results of an Inter-Laboratory Measurement Comparison to Determine the  
Radiation Angle (NA) of Graded Index Optical Fibers;  
Franzen, D. L.; Kim, E.  
Appl. Optics, vol. 20, no. 7, p1218-1220, Apr 81.

Sub-nanosecond Electrical Modulation of Light with Hydrogenated Amorphous  
Silicon;  
Phelan, R. J.; Larson, D. R.; Werner, P. E.  
Appl. Phys. Lett. vol. 38, no. 8, Apr 15, 81.

Refracted-ray Scanning (Refracted Near-Field Scanning) for Measuring Index  
Profiles of Optical Fibers;  
Young, M.  
NBS TN-1038, May 81.

Present NBS Capability in Optical Fiber Measurements;  
Day, G. W.; Franzen, D. L.  
Proc. 1st Intl. DoD/Industry Fiber Optics Standards Conf., Washington, DC,  
Apr 81.

Interlaboratory Measurement Comparison to Determine the Attenuation and  
Bandwidth of Graded-index Fibers;  
Franzen, D. L.; Day, G. W.; Danielson, B. L.; Chamberlain, G. E.; Kim, E.  
Applied Optics, vol. 20, no. 14, p2412-2419, 15 Jul 81.

Standard Measurement Conditions and Test Results on Multimode Fibers;  
Franzen, D. L.  
Laser Focus, p103-105, Aug 81.

The Characterization of Optical Fiber Waveguides: A bibliography with abstracts, 1970-1980,  
Day, G. W.  
NBS TN-1043, Jun 81.

Optical Fiber Index Profiles by Refracted-Ray Scanning;  
Young, M.  
Appl. Opt., vol. 20, no. 19, p3415-21, 1 Oct 81.

Book Review: Optical Fibre Communication (invited review);  
Gallawa, R.  
IEEE Spectrum, 1 p, Nov 81.

Measurement of Optical Fiber Bandwidth in the Frequency Domain;  
Day, G. W.  
NBS TN-1046, Sep 81.

Long Optical Fiber Fabry Perot Interferometers;  
Franzen, D. L.; Kim, E.  
Appl. Opt., vol. 20, no. 23, p3991-3992, 81.

The Use of LEDs to Simulate Weak YAG-laser Beams;  
Young, M.  
NBS TN-1031, Revised Aug 81.

The Use of LEDs as YAG Laser Simulators;  
Young, M.  
Proc. Conf. Electro-Optics and Lasers, Nov 81.

A System for Characterizing Detectors for the Measurement of Power of CO<sub>2</sub> TEA Laser Pulses;  
Simpson, P. A.  
Proc. 11th Annual Electro-Optical Laser Conf., Oct 23-25, 1979, p3999-4007,  
Ind. and Sci. Conf. Management, Inc. 222 W. Adams St., Chicago, IL 60606

A System for Measuring the Characteristics of High Peak Power Detectors of Pulsed CO<sub>2</sub> Laser Radiation;  
Simpson, P. A.  
NBS TN-1023, Sep 80.

Technical Digest, Symposium on Optical Fiber Measurements, 1980;  
Day, G. W.; Franzen, D. L., eds.,  
NBS SP-597, Oct 80.

Calibration Technique for Refracted Near-field Scanning of Optical Fibers;  
Young, M.  
Appl. Opt., vol. 19, p2479-80, Aug 80.

The Role of Backscatter Signatures in Optical Fiber Characterization;  
Danielson, B. L.  
Tech. Digest 1st Int. DoD Ind. Fiber Optics Congress, Washington, DC,  
20 Apr 80.

Linearity and Resolution of Refracted Near-Field Scanning Techniques;  
Young, M.  
Conf. Digest of Symposium on Optical Fiber Measurements,  
NBS SP-597, Oct 80.

An Assessment of the Backscatter Technique as a Means for Estimating Loss  
in Optical Waveguides;  
Danielson, B. L.  
NBS TN-1018, Feb 80.

Measurement of Optical Fiber Bandwidth in the Time Domain;  
Franzen, D. L.; Day, G. W.,  
NBS TN-1019, Feb 80.

Measuring Features of the Fluence at the Far Field of a CO<sub>2</sub> Pulsed Laser--An  
Issue Study With Suggestions on How To Do It;  
Johnson, E.  
NBSIR 80-1628, Apr 80.

An Optical Waveguide Communications Glossary, Revised;  
Hanson, A. G.; Bloom, L. R.; Day, G. W.; Young, M.; Gray, E. M.;  
Gallawa, R. L.  
NBS HB-140, Dec 81.

A Measurement Method for Determining the Optical and Electro-optical  
Properties of a Thin Film;  
Larson, D.  
NBSIR 81-1652, Dec 81.

Optical Waveguide Communications Glossary;  
Hanson, A. G.; Bloom, L. R.; Day, G. W.; Gallawa, R. L.; Gray, E. M.;  
M. Young  
NTIA SP-79-4, Sep 79.

Linear Systems, Fourier Transforms and Optics by J. D. Gaskill; (book review)  
Young, M.  
J. Opt. Soc. Amer., vol. 69, p637-638, 79.

Measurement of Propagation Constants Related to Material Properties in High  
Bandwidth Optical Fibers;  
Franzen, D. L.; Day, G. W.,  
IEEE J. Quantum Electron., vol. QE-15, no. 12, Dec 79.

Design of a Reflection Apparatus for Laser Beam Profile Measurements;  
Johnson, E. G.  
NBS TN-1015, Jul 79.

Limitations Imposed by Material Dispersion on the Measurement of Optical Fiber  
Bandwidth with Laser Diode Sources;  
Franzen, D. L.; Day, G. W.,  
J. Opt. Soc. Amer., vol. 69, no. 10, Oct 79.

Fiber Measurements: Quality and Cost;

Day, G. W.

Proc. Int. Conf. on Communications, Boston, June 79.

Conference on Optical Scattering Standards;

Young, M.

Proc. SPIE Conf., Apr 79.

Continuous-Wave (Mode-Locked) Dye Laser with Unfolded Cavity;

Young, M.

Appl. Opt., vol. 18, p3212, Oct 79.

Time Domain Pulse Measurements and Computed Frequency Response of Optical Communications Components;

Andrews, J. R.; Young, M.

NBSIR 79-1620, Sep 79.

Quality Assurance Program for the NBS, C, K, and Q Laser Calibration Systems;  
Case, W. E.

NBSIR 79-1619, Aug 79.

Measurement of Low Level Laser Pulses at 1.064  $\mu\text{m}$ ;

Rasmussen, A. L.; Sanders, A. A.

Measurements of Optical Radiation, SPIE vol. 196, p96-103, 79.

LED Source for Determining Optical Detector Time Response at 1.06 Micrometers;

Franzen, D. L.; Day, G. W.

Rev. Sci. Instr., vol. 50, p1029, 79.

National Standards of a Powerful Sort;

Sanders, A. A.

Optical Spectra, vol. 13, p45, Aug 79.

Design of a Reflection Apparatus for Laser Beam Profile Measurements;

Johnson, E. G.

NBS TN-1015, Jul 1979.

Attenuation Measurements on Optical Fiber Waveguides: An Interlaboratory Comparison Among Manufacturers;

Day, G. W.; Chamberlain, G. E.

NBSIR 79-1608, May 79.

Optical Fiber Phase Discriminator;

Danielson, B. L.

Appl. Opt., vol. 17, p3665-3668, Nov 78.

Laser Beam Profile Measurements Using Spatial Sampling, Fourier Optics, and Holography;

Johnson, Eric G., Jr.

NBS TN-1009, Jan 79.

Laser Action in Sputtered Metal Vapors;  
McNeil, J. R.; Johnson, W. L.; Collins, G. J.; Persson, K. B.;  
Franzen, D. L.  
Int. Conf. on Quantum Electronics (9th), Amsterdam, The Netherlands,  
14-18 June 1976, p162-163, 76.

Fiber Optics Metrology at NBS;  
Danielson, B.; Day, G.; Franzen, D.  
Proc. Union Radio Scientifique Internationale Comm. Symp.,  
Lannion, France, 3-7 Oct 1977 (International Union of Radio Science,  
France), p430-431, Dec 77.

Evaluating the Inequivalence and a Computational Simplification for  
the NBS Laser Energy Standards;  
Johnson, Eric G., Jr.  
Appl. Opt., vol. 16, p2315-2321, Aug 77.

A Simple First Positive System Nitrogen Laser for use in Optical  
Fiber Measurements;  
Franzen, D. L.; Danielson, B. L.; Day, G. W  
IEEE J. Quantum Electron., vol. QE-14, p548, 78.

Measurement Problems in Multimode Optical Waveguides;  
Day, G. W.  
Proc. Int. Com. Conf., Toronto, Canada, Jun 78, vol. 1 of 3.

Improving Beam Measurement;  
Smith, R. L.; Sanders, A. A.  
Laser Focus, p70-71, Apr 75.

Absolute Reference Calorimeter for Measuring High Power Laser Pulses;  
Franzen, D. L.; Schmidt, L. B.  
Appl. Opt., vol. 15, p3115-3122, Dec 76.

Improvements in a Calorimeter for High-Power CW Lasers;  
Chamberlain, George E.; Simpson, Philip A.; Smith, Richard L.  
IEEE Trans. Instrum. Meas., vol. IM-27, p81-86, Mar 78.

Laser Far-Field Beam-Profile Measurements by the Focal Plane  
Technique;  
Day, G. W.; Stubenrauch, C. F.  
NBS TN-1001, Mar 1978.

An NBS Laser Measurement Assurance Program (MAP);  
Sanders, A. A.; Cook, A. R.  
Proc. Electro-Optical Systems Design Conf. 1976 and  
International Laser Exposition, New York, 14-16 Sep 1976, p277-280, 76.

Measurement Procedures for the Optical Beam Splitter Attenuation  
Device BA-1;  
Danielson, B. L.  
NBSIR 77-858, May 77.

Proposed Standards for Ladar Signatures;  
Danielson, B. L.  
NBSIR 77-856, Apr 77.

Spectral Reference Detector for the Visible to 12 Micrometer Region;  
Convenient, Spectrally Flat  
Day, G. W.; Hamilton, C. A.; Pyatt, K. W.  
Appl. Opt., vol. 15, p1865-1868, Jul 76.

Performance and Characteristics of Polyvinylidene Fluoride  
Pyroelectric Detectors;  
Day, G. W.; Hamilton, C. A.; Gruzensky, P. M.; Phelan, R. J. Jr.  
Proc. IEEE Symposium on Application of Ferroelectrics, Albuquerque, NM,  
9-11 June 1975, Ferroelectrics, vol. 10, p99-102, 76.

Ultraviolet Laser Action from Cu II in the 2500-A Region;  
McNeil, J. R.; Collins, G. J.; Persson, K. B.; Franzen, D. L.  
Appl. Phys. Lett., vol. 28, p207-209, Feb 76.

Radiometry Without Standard Sources/Electrically Calibrated Pyroelectrics;  
Phelan, Robert J. Jr; Hamilton, Clark A.; Day, Gordon W.  
Proc. Society of Photo-Optical Instrumentation Engineers,  
San Diego, CA, 17-22, Aug 1975, Paper in Modern Utilization of Infrared  
Technology Civilian and Military, SPIE 62, p159-165, 75.

Laser Attenuators for the Production of Low Power Beams in the Visible and  
1.06 micron Regions;  
Danielson, B. L.; Beers, Yardley  
NBS-TN-677, Jan 1976.

An Electrically Calibrated Pyroelectric Radiometer System;  
Hamilton, C. A.; Day, G. W.; Phelan, R. J. Jr  
NBS-TN-678, Mar 76.

Pyroelectric Radiometers Get Off The Drawing Board;  
Hamilton, C. A.; Phelan, R. J. Jr; Day, G. W.  
Optical Spectra, vol. 9, p37-38, Oct 75.

Laser Power and Energy Measurements;  
Jennings, D. A.; West, E. D.; Evenson, K. M.; Rasmussen, A. L.;  
Simmons, W. R.  
NBS TN-382, Oct 69.

Precision Beam Splitters for CO<sub>2</sub> Lasers;  
Franzen, Douglas L.  
Appl. Opt., vol. 14, p647-652, Mar 75.

Current Status of NBS Low-Power Laser Energy Measurement;  
West, E. D.; Case, W. E.  
Proc. Conf. on Precision Electromagnetic Measurements, London, England,  
1-5 Jul 1974. IEEE Trans. Inst. Meas., vol. IM-23, p422-425, Dec 74.

A Pyroelectric Power Meter for the Measurement of Low Level Laser Radiation;  
Hamilton, C. A.; Day, G. W.  
NBS-TN-665, Feb 75.

The Polarization of PVF and PVF2 Pyroelectrics;  
Phelan, R. J. Jr; Peterson, R. L.; Hamilton, C. A.; Day, G. W.  
Ferroelectrics, vol. 7, p375-377, 74.

A Calorimeter for High Power CW Lasers;  
Smith, R. L.; Case, W. E.; Rasmussen, A. L.; Russell, T. W.; West, E. D.  
Proc. Conf. on Precision Electromagnetic Measurements,  
Boulder, CO, 26-29 Jun 1972, Paper in CPEM Digest, p138-139, 72.

Analysis of Response of Pyroelectric Optical Detectors;  
Peterson, R. L.; Day, G. W.; Gruzensky, P. M.; Phelan, R. J.  
J. Appl. Phys., vol. 45, p3296-3303, Aug 74.

Absolute, Pyroelectric Radiometers and Two Dimensional Arrays;  
Phelan, R. J. Jr; Peterson, R. L.; Klein, G. P.; Hamilton, C. A.;  
Day, G. W.  
Proc. American Electro-Optical Systems Design Conf., New York, NY,  
p117-123, 73.

Accurate Frequencies of Molecular Transitions Used in Laser Stabilization:  
The 3.39-micrometer Transition in CH<sub>4</sub> and the 9.33- and 10.18-micrometer  
Transitions in CO<sub>2</sub>;  
Evenson, K. M.; Wells, J. S.; Peterson, F. R.; Danielson, B. L.; Day, G. W.  
Appl. Phys. Lett., vol. 22, p192-195, Feb 73.

Effects of Poling Conditions on Responsivity and Uniformity of Polarization  
of PVF<sub>2</sub> Pyroelectric Detectors;  
Day, G. W.; Hamilton, C. A.; Peterson, R. L.; Phelan, R. J., Jr;  
Mullen, L. O.  
Appl. Phys. Lett., vol. 24, p456-458, May 74.

Comparison of the Laser Power and Total Irradiance Scales Maintained by the  
National Bureau of Standards;  
Geist, Jon; Schmidt, L. B.; Case, W. E.  
Appl. Opt., vol. 12, p2773-2776, Nov 73.

Electrically Calibrated Pyroelectric Optical-Radiation Detector;  
Phelan, Robert J. Jr; Cook, A. R.  
Appl. Opt., vol. 10, p2494-2500, Oct 73.

Limitations of the Use of Vacuum Photodiodes in Instruments for the  
Measurement of Laser Power and Energy;  
Smith, R. L.; Phelan, R. J., Jr.  
Appl. Opt., vol. 12, p795-798, Apr 73.

Continuous Laser-Sustained Plasmas;  
Franzen, D. L.  
J. Appl. Phys., vol. 44, p1727-1732, Apr 73.

Double Plate Calorimeter for Measuring the Reflectivity of the Plates and the Energy in a Beam of Radiation;  
Rasmussen, Alvin L.  
PATENT-3 622 245, patented 23 Nov 71

Speed of Light from Direct Frequency and Wavelength Measurements of the Methane-Stabilized Laser;  
Evenson, K. M.; Wells, J. S.; Petersen, F. R.; Danielson, B. L.; Day, G. W.  
Phys. Rev. Lett., vol. 29, p1346-1349, Nov 72.

A Calorimeter for High-Power CW Lasers;  
Smith, R. L.; Russell, T. W.; Case, W. E.; Rasmussen, A. L.  
IEEE Trans. Instrum. Meas., vol. IM-21, p434-8, Nov 72.

Role of Infrared Frequency Synthesis in Metrology;  
Wells, J. S.; Evenson, K. M.; Day, G. W.; Halford, Donald  
Proc. IEEE Lett., vol. 60, p621-623, May 72.

CW Gas Breakdown in Argon Using 10.6 Micrometer Laser Radiation;  
Franzen, Douglas L.  
Appl. Phys. Lett., vol. 21, p62-64, Jul 72.

High D\*, Fast, Lead Zirconate Titanate Pyroelectric Detectors;  
Mahler, R.J.; Phelan, R.J. Jr; Cook, A.R.  
Infrared Phys., vol. 12, p57-59, 72

Gain Saturation Measurements in CO<sub>2</sub>, TEA Amplifiers;  
Franzen, Douglas L.; Jennings, Donald A.  
J. Appl. Phys., vol. 43, p729-730, Feb 72.

Extension of Absolute Frequency Measurements to the cw He-Ne Laser at 88 THz (3.39 micrometer);  
Evenson, K. M. ; Day, G. W. ; Wells, J. S. ; Mullen, L. O.  
Appl. Phys. Lett., vol. 20, p133-134, Feb 71.

Measurement of Laser Energy of Linear Components of Polarization at 1.060 micron;  
Rasmussen, A. L.  
Rev. Sci. Instrum., vol. 42, p1590-1593, Nov 71.

High D\* Pyroelectric Polyvinylfluoride Detectors;  
Phelan, Robert J. Jr; Mahler, Robert J.; Cook, Alan R.  
Appl. Phys. Lett., vol. 19, p337-338, Nov 71.

Linear and Nonlinear Optical Properties of Trigonal Selenium  
Day, G. W.  
Appl. Phys. Lett., vol. 18, p347-349, Apr 71.

Some Optical Properties of Cesium Cupric Chloride;  
Day, G.W., and Gruzensky, P.M.  
Appl. Opt., vol. 9, p2494-2795, 70.

Laser Emission by Optical Pumping of Semiconductors;  
Phelan, R.J., Jr.  
Proc. Quantum Electronics Conf., p435-441, Jul 65.

InSb-GaAsP Infrared to Visible Light Converter;  
Phelan, Robert J. Jr  
Proc. IEEE, vol. 55, p1505-1502, Aug 67.

InSb MOS Infrared Detector;  
Phelan, R. J. Jr; Dimmock, J. O.  
Appl. Phys. Lett., vol. 10, p55-7, Jan 67.

Incoherent Source Optical Pumping of Visible and Infrared  
Semiconductor Lasers;  
Phelan, Robert J.  
Proc. IEEE, vol. 54, p1119-20, Aug 66.

## ELECTROMAGNETIC WAVEFORM METROLOGY

Error Criteria and the Use of Reference Waveforms;

Nahman, N. S.

Electronics Test, vol. 4., no. 2, p72-76, Feb 81.

Error Criteria and the Use of Reference Waveforms;

Nahman, N. S.

Proc. ATE Seminar/Exhibit, Pasadena, CA, Jan 1981, Benwill Publications, Boston, MA, IV-.21-IV.28, Jan 81.

Deconvolution of Duration Limited Waveforms;

Nahman, N. S.; Guillaume, M. E.

Digest of Papers, URSI/U.S. National Radio Science Meeting, Boulder, CO, p86, Jan 81.

Shielded Balanced and Coaxial Transmission Lines - Parametric Measurements and Instrumentation Relevant to Signal Waveform Transmission in Digital Service;

Gans, W. L.; Nahman, N. S.

NBSIR 81-1042, Jun 81.

Deconvolution of Time Domain Waveforms in the Presence of Noise

Nahman, N. S.; Guillaume, M. E.,

NBS TN-1047, Oct 81.

The Estimation of the Pulse Waveform in the Calibration of Impulse Generators;

Andrews, J. R.

Digest of Papers, URSI/U.S. National Radio Science Meeting, Boulder, CO, p87,

Jan 81.

Instrument Modeling and Deconvolution Improve Time Domain Calibrations;

Nahman, N. S.; Andrews, J. R.

NBS Dimensions, p21-23, Jan/Feb 81.

Pulse Reference Waveform Standards Development at NBS;

Andrews, J. R.

Proc. ATE Seminar/Exhibit, Pasadena, CA, pIV-13-19, Jan 81.

Amplitude Calibrator for Oscilloscopes;

Andrews, J. R.; Baldwin, E. E.

NBSIR 81-1646, Apr 81.

Applications of Time Domain Methods to Microwave Measurements;

Nahman, N. S.; Andrews, J. R.; Gans, W. L.; Guillaume, M. E.; Lawton, R. A.;

Ondrejka, A. R.; Young, M.

IEE Proc. (Microwaves, Optics, and Acoustics) Special Issue on Microwave Measurements, vol. 127, Part H, no. 2, p171-178, Apr 80.

A Superconducting Sampler for Josephson Logic Circuits;

Hamilton, C.; Lloyd, F.; Peterson, R.; Andrews, J. R.

Appl. Phys. Lett., vol. 35, no. 9, p718-719, Nov 79.

A Video Recorder for Coherent Doppler Radar;  
Wharton, M. J., Frush, C. L., Nahman, N. S.  
IEEE Trans. Geosci. Electron., Special Issue on Radio Meteorology,  
vol. GE-17, no. 4, p171-178, Oct 79.

Time Domain Pulse Measurements and Computed Frequency Responses of Optical  
Communications Components;  
Andrews, J. R., Young, M.  
NBSIR 1620, Sep 79.

Radar Absorber Measurement Techniques at Frequencies above 20 GHz;  
Nahman, N. S.; Allred, C. M.; Andrews, J. R.; Hoer, C. A.; and  
Lawton, R. A.  
NBSIR-1613, Aug 79.

Picosecond Domain Waveform Measurements (Japanese translation);  
Nahman, Norris S.  
Nikkei Electronics, Nikkei-McGraw Hill, Inc., Tokyo, Japan, Apr 79.

Measurement of Pulsed-Laser Power;  
Young, M.; Lawton, R. A.  
NBS-TN-1010, Feb 79.

Picosecond-Domain Waveform Measurements;  
Nahman, Norris S.  
Proc. IEEE, vol. 66, 441-454, Apr 78.

Saturation of Silicon Photodiodes at High Modulation Frequency;  
Young, M.; Lawton, R. A.  
Appl. Opt., vol. 17, p1103-1106, 1 Apr 78.

Broadband Isotropic Antenna with Fiber-Optic Link to a Conventional  
Receiver;  
Larsen, Ezra B.; Andrews, James R.; Baldwin, Eugene E.  
PATENT-4 091 327, patented 23 May 78.

Antennas and the Associated Time Domain Range for the Measurement of  
Impulsive Fields;  
Lawton, Robert A.; Ondrejka, Arthur R.  
NBS TN-1008, Nov 78.

Measurement on Pulses and Pulse Transmission Media, Circuits and Components;  
Andrews, J. R.  
URSI Review of Radio Science, p9, 1975-1977.

Application of a Automated Pulse Measurement System To Telecommunications  
Measurements;  
Gans, W.; Andrews, J. R.; Riad, S.; Cozannet, A.; Debeau, J.  
Colloque International sur la Measure en Telecommunications, URSI, CNET,  
Lannion, France, Oct 3-7, 1977, p165-170, 77.

Signal Waveform Metrology at NBS;  
Nahman, Norris S.  
Proc. WESCON/77, Electronics at the Golden Gate, San Francisco, CA,  
19-21 Sep 77.

Standards for the Measurement of Impulsive Fields Radiated by a TEM Horn  
Antenna;  
Lawton, Robert A.; Ondrejka, Arthur R.  
Proc. Union Radio Scientifique Internationale Comm. Symp., Lannion, France,  
3-7 Oct 1977, p1-4, Dec 77.

Saturation of Optical Detectors at High Modulation Frequency;  
Young, M.; Lawton, R. A.  
Proc. Annual Meeting Optical Society of America, Toronto, Canada,  
12 Oct 1977, J. Opt. Soc. Am., vol. 67, p1398, 77.

The Measurement of Pulse Transition Duration;  
Andrews, James R.; Nahman, Norris S.  
Proc. Union Radio Scientifique Internationale Comm. Symp., Lannion, France,  
3-7 Oct 1977, p159-164, Dec 77.

Laser-Mode Beating Used for Detector Frequency-Response Measurements  
Lawton, R. A.; Young, M.  
Appl. Opt., vol. 16, p2703-2705, Oct 77.

SHF Impulse Generator;  
Andrews, James R.; Baldwin, Eugene E.  
NBSIR-78-888, Jun 78.

Applications of the Homomorphic Transformation to Time Domain  
Measurement Problems;  
Riad, Sedki M.; Nahman, Norris S.  
NBSIR-78-881, Jun 78.

Automatic Network Measurements in the Time Domain;  
Andrews, James R.  
Proc. IEEE, vol. 66, p414-423, Apr 78.

Andrews, James R.  
PATENT-3 967 140, patented 29 Jun 76.

Waveform Sampler;  
Lawton, Robert A.; Andrews, James R.  
PATENT-4 030 840, patented 21 Jun 77.

Present Capabilities of the NBS Automatic Pulse Measurement System;  
Gans, William L.  
IEEE Trans. Instrum. Meas., vol. IM-25, p384-388, Dec 76.

Impulse Generator Spectrum Amplitude Measurement Techniques;  
Andrews, James R.  
IEEE Trans. Instrum. Meas., vol. IM-25, p380-384, Dec 76.

Application of the Homomorphic Deconvolution for the Separation of  
TDR Signals Occurring in Overlapping Time Windows;  
Riad, Sedki M.; Nahman, Norris S.  
IEEE Trans. Instrum. Meas., vol. IM-25, p388-391, Dec 76.

Electrical Strobng of a Photoconductor Cuts Sampling Oscilloscope's  
Risetime;  
Lawton, Robert A.; Andrews, James R.  
Laser Focus, p62-65, Nov 76.

Impulse Generator Spectrum Amplitude Measurement Techniques;  
Andrews, James R.  
CPEM Digest, p23-24, 76.

Application of the Homomorphic Deconvolution for the Separation of  
TDR Signals Occurring in Overlapping Time Windows;  
Riad, Sedki M.; Nahman, Norris S.  
CPEM Digest, p27-29, 76.

Present Capabilities of the NBS Automatic Pulse Measurement System;  
Gans, William L.  
CPEM Digest, p25-26, 76.

Electrically Strobed Optical Waveform Sampling Oscilloscope;  
Andrews, James R.; Lawton, Robert A.  
Rev. Sci. Instrum., vol. 47, p311-313, Mar 76.

Sensitive Isotropic Antenna with Fiber-Optic Link to a Conventional  
Receiver;  
Larsen, E. B.; Andrews, J. R.; Baldwin, E. E.  
NBSIR 75-819, Sep 76.

Using Fiber Optics in a Broadband, Sensitive, Isotropic Antenna - 15 kHz  
to 150 MHz;  
Larsen, E. B.; Andrews, J. R.  
Proc. IEEE International Symposium on Electromagnetic Compatability,  
Washington, DC, 13-15 Jul 1976., p385-389, 76.

Optically Strobed Sampling Oscilloscope;  
Lawton, Robert A.; Andrews, James R.  
IEEE Trans. Instrum. Meas., vol. 25, p56-60, Mar 76.

Time Domain Automatic Network Analyzer;  
Andrews, J. R.; Gans, William L.  
Proc. Colloque International sur L'Electronique et la Mesure, Paris, France,  
26-30 May 1975, La Mesure Electrique Precision, p258-267, 75.

Time Domain Automatic Network Analyzer;  
Andrews, J. R.; Gans, W. L.  
L'Onde Electrique, Paris, France, vol. 55, no.10, p569-574, Dec 75.

Baseband Impulse Generator Useful to 5 GHz;  
Andrews, James R.; Baldwin, Eugene E.  
Proc. 1975 IEEE Int. Symp. on Electromagnetic Compatibility, San Antonio, TX,  
7-9 Oct 1975, p1-4, 75.

Directional-Coupler Technique for Triggering a Tunnel Diode;  
Andrews, James R.  
IEEE Trans. Instrum. Meas., vol. IM-24, p275-277, Sep 75.

Photoconductive Detector of Fast-Transition Optical Waveforms;  
Lawton, R. A.; Scavannec, A.  
Electron. Lett., vol. 11, p74-75, Feb 75.

Pulsed Wavemeter Timing Reference for Sampling Oscilloscope  
Calibration;  
Andrews, James R.; Gans, William L.  
IEEE Trans. Instrum. Meas., vol. IM-24, p82, Mar 75.

Pulsed-Laser Application to Sampling Oscilloscope;  
Lawton, Robert A.; Andrews, James R.  
Electron. Lett., vol. 11, p138, Apr 75.

Time Domain Automatic Network Analyzer for Measurement of RF and  
Microwave Components;  
Gans, William L.; Andrews, James R.  
NBS TN-672, Sep 75.

Picosecond Pulse Research at NBS;  
Andrews, James R.; Lawton, Robert A.  
Proc. Joint Measurement Conference, Gaithersburg, MD,  
12-14 Nov 1974, p123-140, 75.

Precision Picosecond-Pulse Measurements Using a High-Quality  
Superconducting Delay Line;  
Andrews, James R.  
IEEE Trans. Instrum. Meas., vol. IM-23, p468-472, Dec 74.

Precision Picosecond-Pulse Measurements Using a High Quality  
Superconducting Delay Line;  
Andrews, James R.  
Proc. Conf. on Precision Electromagnetic Measurements,  
London, England, 1-5 Jul 1974. Abstract in CPEM Digest, (IEE, London,  
England), p316-318, 74.

Application of Ultrashort Optical Pulses to Electrical Pulse Measurements;  
Honda, T., and Nahman, N. S.  
Proc. Symposium on New Instrumentation, IEE of Japan, Hokkaido University,  
p29-38, 28-29 Jan 74.

Autocorrelation and Power Measurement with Pyroelectric and  
Dielectric Bolometers;  
Lawton, Robert A.  
IEEE Trans. Instrum. Meas., vol. IM-22, p299-306, Dec 73.

Coaxial Line Pulse-Response Error Due to a Planar Skin Effect Approximation;  
Holt, D. R.; Nahman, N. S.  
Proc. 1972 Conf. on Precision Electromagnetic Measurement, Boulder, CO, 26-29 Jun 1972, p1-2, 72.

Measurement of Laser Pulse Dispersion in Glass Fiber Optical Waveguides;  
Andrews, J. R.  
NBS Memo for the Record, Jul 72.

Survey of Present Waveform Sampling System Limitations;  
Andrews, J. R.; Whittenore, T.; and McCaa, W. D.  
NBS Report 10-731, Feb 72.

Pyroelectric Detector Application to Baseband Pulse Measurements;  
Lawton, Robert A.; Nahman, N. S.  
Electron. Lett., vol. 8, p318-320, Jun 72.

Random Sampling Oscilloscope for the Observation of Mercury Switch Closure Transition Times;  
Andrews, James R.  
IEEE Trans. Instrum. Meas., vol. IM-22, p375-381, Dec 73.

Picosecond Pulse Generators Using Microminiature Mercury Switches;  
Andrews, James R.  
NBSIR 74-377, Mar 74.

Coaxial-Line Pulse-Response Error Due to a Planar Skin-Effect Approximation;  
Holt, D. R.; Nahman, N. S.  
IEEE Trans. Instrum. Meas., vol. IM-21, p515-519, Nov 72.

Inexpensive Laser Diode Pulse Generator for Optical Waveguide Studies;  
Andrews, James R.  
Rev. Sci. Instrum., vol. 45, p22-24, Jan 74.

A Simple Passively Mode-Locked CW Dye Laser;  
Scavennec, Andre; Nahman, Norris S.  
IEEE J. Quantum Electron., vol. QE-10, p95-96, Jan 74.

Active and Passive Mode Locking of Continuously Operating Rhodamine 6G Dye Lasers;  
Scavennec, Andre; Nahman, N. S.  
NBSIR 73-347, Feb 74.

Frequency Domain Measurement of Baseband Instrumentation;  
Nahman, N. S.; Jickling, R. M.  
NBSIR 73-330, Jul 73.

Reference-Waveform Generation Using Debye Dielectric Dispersion;  
Nahman, N. S.; Jickling, R. M.; Holt, D. R.  
NBSIR 73-304, Dec 72.

Random Sampling Oscilloscope Time Base;  
Andrews, James R.  
NBSIR 73-309, Jun 73.

Pulse Testing of RF and Microwave Components;  
Gans, William L.; Nahman, N. S.  
NBSIR 73-325, Jul 73.

A Note on the Transition (Rise) Time Versus Line Length in Coaxial  
Cables;  
Nahman, Norris S.  
IEEE Trans. Circuit Theory, vol. CT-20, p165-167, Mar 73.

Miniature Superconductive Coaxial Transmission Lines;  
Nahman, Norris S.  
Proc. IEEE, vol. 61, p76-79, Jan 73.

Fast Fourier Transform Implementation for the Calculation of Network  
Frequency Domain Transfer Functions from Time Domain Waveforms;  
Gans, William L.; Nahman, N. S.  
NBSIR 73-303, Dec 72.

A Dye Modelocked  $Nd^{+3}$  Glass Laser for Generating Electrical Reference  
Waveforms;  
Honda, T.; Nahman, N. S.  
NBSIR 74-360, Sep 72.

Transient Analysis of Coaxial Cables Using the Skin Effect Approximation  
 $A + B(\text{the square root of } s)$ ;  
Nahman, N. S.; Holt, D. R.  
IEEE Trans. Circuit Theory, vol. CT-19, p443-451, Sep 72.

A Frequency Calibrator for UHF Using an Avalanche Transistor;  
Andrews, James R.  
Q S T, vol. 56, p16-18, May 72.

Electron-Beam Deflection in Traveling-Wave Oscilloscopes;  
Andrews, James R.; Nahman, N. S.  
Record of Symposium on Electron, Ion, and Laser Beam Technology (11th),  
Boulder, CO, 12-14 May 71.

Measurement of Broadening of Pulses in Glass Fibers;  
Bouille, R.; Andrews, J. R.  
Electron. Lett., vol. 8, p. 309-310, Jun 72.

An Interfacing Unit for a 28 psec Feedthrough Sampling Oscilloscope;  
Andrews, J. R.  
Rev. Sci. Instrum., vol. 42, p1882-1885, Dec 71.

Horizontal Time Base Sweep Generator for a Traveling Wave Oscilloscope;  
Andrews, James R.  
IEEE Trans. Nucl. Sci., vol. NS-18, p3-8, Oct 71.

The Measured Time and Frequency Response of a Miniature Superconducting Coaxial Line;

Ekstrom, M. P.; McCaa, W. D. Jr; Nahman, N. S.  
IEEE Trans. Nucl. Sci., vol. NS-18, p18-25, Oct 71.

Improved Bias Supply for Tunnel-Diode Picosecond Pulse Generators;  
Andrews, J. R.

IEEE Trans. Instrum. Meas., vol. IM-19, p171-175, Aug 70.

Generation of Reference Waveforms by Uniform Lossy Transmission Lines;  
McCaa, W. D.; Nahman, N. S.

IEEE Trans. Instrum. Meas., vol. IM-19, p382-390, Nov 70.

Deflection Theory of Traveling Wave Oscilloscopes;  
Andrews, J. R.

PhD Dissertation, Univ. of Kansas, Apr 1970. Also NBS Memo for the Record.

Tunnel Diode Pulse Generator and Bias Supply;  
Andrews, J. R.

NBS Memo for the Record, Aug 69.

Frequency and Time Domain Analysis of A Superconductive Coaxial Line  
Using the BCS Theory;

McCaa, W. D.; Nahman, N. S.  
J. Appl. Phys., vol. 40, p2098-2099, Apr 69.

A Digital Computer Technique for Calculating the Step Response of Lumped  
or Distributed Networks;

Andrews, J. R.; Nahman, N. S.  
NBS JRES, Sec. B, p163-176, April-June 69.

Measured Time and Frequency Response of a Miniature Superconducting  
Coaxial Line;

Nahman, N. S.; Ekstrom, M. P.; McCaa, W. D., Jr.  
Applied Superconductivity Conf., Boulder, CO, Jun 70.

Investigation and Evaluation of Methods for Pulse Rise-Time Measurement;  
Hudson, P.; Andrews, J. R.; Blank, W.; Ondrejka, A.  
Tech Report RADC-TR-68-207, Oct 68.

The Measurement of Baseband Pulse Rise-Times of Less than  $10^{-9}$  Seconds;  
Nahman, N. S.

Proc. IEEE, vol. 55, p855-864, Jun 67.

Random Sampling Oscillography;

Frye, G. J., and Nahman, N. S.  
IEEE Trans. Instrum. Meas., vol. IM-13, p8-13, Mar 64.

## CRYOELECTRONIC METROLOGY

Superconducting Electronics;

McDonald, D. G.

Phys. Today, vol. 34, p36-47, 81.

Design Limitations for Superconducting A/D Converters;

Hamilton, C. A.; Lloyd, F. L.

IEEE Trans. Magn., vol. MAG-17, no. 6, p3414-3419, Nov 81.

Analog Measurement Applications for High Speed Josephson Switches;

Hamilton, C. A.; Lloyd, F. L.; Kautz, R. L.

IEEE Trans. Magn., vol. MAG 17, no. 1, p577-582, Jan 81.

Chaotic States of rf-biased Josephson Junctions;

Kautz, R. L.,

J. Appl. Phys., vol. 52, no. 10, p6241-6246, Oct 81.

Mathematical Modelling of the Impedance of a Josephson Junction Noise Thermometer;

Peterson, R. L.

J. Appl. Phys., 52(12), p7321-7326, Dec 81

A Josephson Voltage Standard Using a Series Array of 100 Junctions;

Kautz, R. L.; Costabile, G.

IEEE Trans. Magn., vol. MAG-17, 780, 81.

Modelling the Impedance of a Josephson junction Noise Thermometer;

Peterson, R. L.; Van Vechten, D.

Phys. Review B, vol. 24, no. 6, p3588-3591, Sep 81.

The ac Josephson Effect in Hysteric Junctions: Range and Stability of Phase Lock;

Kautz, R. L.

J. Appl. Phys., vol. 52, no. 5, p3528-3541, May 81.

Refrigeration for Cryogenic Sensors and Electronic Systems;

Zimmerman, J. E.; Sullivan, D. B.; McCarthy, S. M., editors

NBS SP-607, May 81.

Low Noise Tunnel Junction dc SQUIDs;

Cromar, M. W.; Carelli, P.

Appl. Phys. Lett., vol. 38, no. 9, p723-725, May 81.

Operation of a practical SQUID Gradiometer in a Low-power Stirling Cryocooler;

Sullivan, D. B.; Zimmerman, J. E.; Ives, J. T.

Conf. on Refrigeration for Cryogenic Sensors and Electronic Systems,

NBS SP-607, p186-194, May 81.

Measurement of Thermal Properties of Cryocooler Materials;

Zimmerman, J. E.; Sullivan, D. B.; Kautz, R. L.; Hobbs, R. D.

Proc. Conf. on Refrigeration for Cryogenic Sensors and Electronic Systems,

NBS SP-607, p173-177, May 81.

Magnetic Auditory Evoked Fields: Interhemispheric Asymmetry;  
Reite, M.; Zimmerman, J. T.; Zimmerman, J. E.  
Electroencephalography and Clinical Neurophysiology, vol. 51, p388-392, 81.

Cryocoolers for Geophysical SQUID Magnetometers;  
Zimmerman, J. E.  
Proc. SQUID Geophysics Workshop, Los Alamos, NM, Jun 80.

Recent Progress in Cryoelectronics;  
Sullivan, D. B.; Hamilton, C. A.; Kautz, R. L.  
IEEE Trans. Instrum. Meas., vol. IM-29, p319, 80.

Space Applications of Superconductivity: Microwave and Infrared Detectors;  
Hamilton, C. A.,  
Cryogenics, p235-243, May 80.

Space Applications of Superconductivity: Instrumentation for Gravitational  
and Related Studies;  
Peterson, R.L.  
Cryogenics, p299-306, Jun 80.

Superconductor Insulator-Superconductor Quasiparticle Junctions as Microwave  
Photon Detectors;  
Richards, P.L.; Shen, T.M.; Harris, R.E.; Lloyd, F.L.,  
Appl. Phys. Lett., vol. 36, p480-482, Mar 80.

Conversion Gain in mm-wave Quasiparticle Heterodyne Mixers;  
Shen, T. M.; Richards, P. L.; Harris, R. E.; Lloyd, F.L.  
Appl. Phys. Lett., vol. 36, p777-779, May 80.

Simple-heating-induced Josephson Effects in Quasiparticle-injected  
Superconducting Weak Links;  
Kaplan, S. B.  
J. Appl. Phys., vol. 51, no. 3, p1682-1685, Mar 80.

A Superconducting 6-bit Analog-to-digital Converter with Operation to  $2 \times 10^9$   
Samples/second;  
Hamilton, C.A.; Lloyd F.L.,  
IEEE Electron Device Lett., vol. EDL-1, no. 5, p92-94, May 80.

Induced Electronic Currents in the Alaska Oil Pipeline Measured by Gradient  
Fluxgate and SQUID Magnetometers;  
Campbell, W. H.; Zimmerman, J. E.  
IEEE Trans. Geosci. and Remote Sensing, vol. GE-18, no. 3, p244-250, Jul 80.

Space Applications of Superconductivity: Low Frequency Superconducting  
Sensors;  
Zimmerman, J. E.  
Cryogenics, p3-10, Jan 80.

Space Applications of Superconductivity: Digital electronics;  
Harris, R. E.  
Cryogenics, vol. 20, p115, 80

On a Proposed Josephson-effect Voltage Standard at Zero Current Bias;  
Kautz, R. L.  
Applied Phys. Lett., vol. 36, no. 5, p386-388, Mar 80.

Transient Pool Boiling of Liquid Helium Using a Temperature Controlled Heater Surface;  
Giarratano, P. J.; Frederick, N. V.  
Advances in Cryogenic Engineering, edited by K.D. Timmerhaus and H. A. Synder, Plenum Press, New York, vol. 25, p455-466, 80.

Picosecond Applications of Josephson Junctions;  
McDonald, D. G.; Peterson, R. L.; Hamilton, C. A.; Harris, R. E.;  
Kautz, R. L.  
IEEE Trans. Electron Devices, vol. ED-27, no. 10, p1945-1965, Oct 80.

Cryogenics for SQUIDs;  
Zimmerman, J. E.,  
Proc. 2nd Int. Conf. on Superconducting Quantum Devices, Walter de Gruyter & Co., eds., p423-443, 80.

Behavior of the dc Impedance of an rf-Biased Resistive SQUID;  
Van Vechten, D.; Soulen, R. J., Jr.; Peterson, R. L.  
Proc. 2nd Int. Conf. on Superconducting Quantum Interference Devices (SQUIDs), H. D. Wahlbohm and H. Lubbig, eds. (Walter de Gruyter & Co., New York, Berlin), p569-584, 80.

Turn-on Delays in Single Josephson Junction Devices;  
Peterson, R. L.  
Proc. 2nd International Conference on Superconducting Quantum Devices, Walter de Gruyter & Co., eds., p685-702, 80.

Analysis of Threshold Curves for Superconducting Interferometers;  
Peterson, R. L.; Hamilton, C. A.  
J. Appl. Phys. vol. 50, no. 12, p8135-8142, Dec 79.

A Superconducting Sampler for Josephson Logic Circuits;  
Hamilton, C. A.; Lloyd, F. L.; Peterson, R. L.; Andrews, J. R.  
Appl. Phys. Lett. vol. 35, p718, Nov 79.

Multiple-quantum Interference Superconducting Analog-to-digital Converter;  
Harris, R. E.; Hamilton, C. A.; Lloyd, F. L.  
Appl. Phys. Lett., vol. 35, p720, Nov 79.

Acoustic Matching of Superconducting Films to Substrates;  
Kaplan, S. B.  
J. Low Temperature Phys., vol. 37, p343-365, 79.

Space Applications of Superconductivity;  
Sullivan, D. B.; Vorreiter, J. W.  
Cryogenics, vol. 19, p627-631, Nov 79.

Very Low-power Stirling Cryocoolers Using Plastic and Composite Materials;  
Sullivan, D. B.; Zimmerman, J. E.  
Int. J. Refrig., vol. 2, p211-213, Nov 79.

Differential Capacitance Sensor as Position Detectors for Magnetic Suspension Densimeter;  
Frederick, N. V.  
Rev. Sci. Instrum., vol. 50, no. 9, p1154, Sep 79.

Quasiparticle Heterodyne Mixing in SIS Tunnel Junctions;  
Harris, R. L.; Lloyd, F. L.; Richards, P. L.; Shen, T. M.  
Appl. Phys. Lett., vol. 34, no. 5, p345-347, Mar 79.

Superconducting Devices;  
Zimmerman, J. E.; Sullivan, D. B.  
Yearbook of Science and Technology, McGraw-Hill, 79.

A Milliwatt Stirling Cryocooler for Temperatures below 4K;  
Zimmerman, J. E.; Sullivan, D. B.  
Cryogenics, vol. 19, p170, 79.

Minutuarization of Normal-State and Superconducting Strip-Lines;  
Kautz, R. L.  
NBS JRES, vol. 84, p247, 79.

Analog to Digital Conversion with a SQUID: Conditions for a Countable Pulse Train;  
Peterson, R. L.  
J. Appl. Phys., vol. 50, p4231, Jun 79.

The Role of Superconductivity in the Space Program: An Assessment of Present Capabilities and Future Potential;  
Sullivan, D. B.  
NASA-CR-158701; NBSIR 78-885, May 78.

Sampling Circuit and Method Therefor; Patent application;  
Hamilton, Clark A.  
PAT-APPL-6-020 359, Filed 14 Mar 79.

Attenuation in Superconducting Striplines;  
Kautz, R. L.  
IEEE Trans. Magn., vol. MAG-15, p566-569, Jan 79.

Cryogenic Refrigeration System;  
Zimmerman, James E.  
PATENT-4 143 520, patented 13 Mar 79.

Quasiparticle Heterodyne Mixing in SIS Tunnel Junctions;  
Richards, P. L.; Shen, T. M.; Harris, R. E.; Lloyd, F. L.  
Appl. Phys. Lett., vol. 34, p345, 79.

Human Magnetic Auditory Evoked Responses;  
Reite, M.; Edrich, J.; Zimmerman, J. T.; Zimmerman, J. E.  
Electroencephalography and Clinical Neurophysiology, vol. 45  
p114-117, 78.

Multiple Magnetic Flux Entry into SQUIDS: A General Way of Examining the  $\cos(\phi)$  Conductance;  
Peterson, R. L.; Gayley, R. I.  
Phys. Rev., vol. B 18, p1198-1206, Aug 78.

High-Speed Superconducting Electronics;  
Hamilton, C. A.; Harris, R. E.; Sullivan, D. B.  
GOMAC Digest, vol. 7, 78.

Accurate Rotational Constants, Frequencies, and Wavelengths from  $^{12}\text{C}^{16}\text{O}_2$  Lasers Stabilized by Saturated Absorption;  
Petersen, F. R.; McDonald, D. G.; Cupp, J. D.; Danielson, B. L.  
Proc. Laser Spectroscopy Conf., Vail, CO, 25-29 Jun 1973, p555-569, 75.

Design of a Josephson-Junction Picosecond Pulser;  
McDonald, D. G.; Peterson, R. L.; Bender, B. K.  
J. Appl. Phys., vol. 48, p5366-5369, Dec 77.

Picosecond Pulses on Superconducting Striplines;  
Kautz, Richard L.  
J. Appl. Phys., vol. 49, p308-314, Jan 78.

Automatic 300-4 K Temperature Cycling Apparatus;  
Hamilton, Clark A.  
Rev. Sci. Instrum. Notes, vol. 49, p674-677, May 78.

Photolithographic Fabrication of Lead Alloy Josephson Junctions;  
Havemann, R. H.; Hamilton, C. A.; Harris, Richard E.  
J. Vac. Sci. Technol., vol. 15, p392-395, Mar/Apr 78.

Field-Usable Sharpless Wafers for Josephson Effect Devices at Millimeter Waves;  
Edrich, J.; Cupp, J. D.; McDonald, D. G.  
Revue de Physique Appliquee, vol. 9, p195-197, Jan 74.

RF Instrumentation Based on Superconducting Quantum Interference;  
Sullivan, D. B.; Adair, R. T.; Frederick, N. V.  
Proc. IEEE, vol. 66, p454-463, Apr 78.

Analog Computer Studies of Frequency Multiplication and Mixing with the Josephson Junction;  
Risley, A. S.; Johnson, E. G. Jr; Hamilton, C. A.  
Proc. 1976 Applied Superconductivity Conf., Stanford, CA, IEEE Trans. Magn., vol. MAG-13, p381-384, Jan 77.

Magnetic Phenomena of the Central Nervous System;  
Reite, Martin; Zimmerman, James  
Ann. Rev. Biophys. Bioeng., vol. 7, p167-188, 78.

The Role of Superconductivity in the Space Program: An Assessment of Present Capabilities and Future Potential;  
Sullivan, D. B.  
NBSIR 78-885, May 78.

Review of Electromagnetic Measurements Using the Josephson Effect;  
Kamper, Robert A.  
Proc. ISA Int. Instrumentation-Automation Conf., New York, NY,  
28-31 Oct 1974, p1-8, 74.

Numerical Evaluation of the Response of a Josephson Tunnel Junction  
in an Arbitrary Circuit;  
Harris, Richard E.  
J. Appl. Phys., vol. 48, p5188-5190, Dec 77.

Applications of Closed-Cycle Cryocoolers to Small Superconducting Devices;  
Zimmerman, James E.; Flynn, Thomas M.  
Proc. Conf. Held at the National Bureau of Standards, Boulder, CO,  
3-4 Oct 1977, NBS SP-508, Apr 78.

Picosecond Pulse Generator Utilizing a Josephson Junction;  
McDonald, Donald G.; Peterson, Robert L.  
PAT-APPL-862 311, Filed 20 Dec 77.

A Sampling Circuit and Method Therefor; Patent Application;  
Hamilton, Clark A.  
PAT-APPL-853 354, Filed 21 Nov 77.

High-Frequency Limitations of the Double-Junction SQUID Amplifier;  
Zimmerman, J. E.; Sullivan, D. B.  
Appl. Phys. Lett., vol. 31, p360-362, Sep 77.

Refrigeration for Small Superconducting Devices;  
Zimmerman, J. E.; Radebaugh, R.; Siegwarth, J. D.  
DKV-annual meeting and joint meeting with the International  
Institute of Refrigeration, Munich, Germany, F.R.G., 13 Oct 1976.  
Rept No. CONF-7610104-1, 76.

RF Attenuation Measurement System Using a SQUID;  
Adair, Robert T.; Frederick, Nolan V.; Sullivan, Donald B.  
NBSIR 77-863, Sep 77.

Possible Cryocoolers for SQUID Magnetometers;  
Zimmerman, J. E.; Radebaugh, R.; Siegwarth, J. D.  
Proc. IC SQUID (1st), Berlin, Germany, October 5-8, 1976,  
Paper R-1044 in Superconducting Quantum Interference Devices and Their  
Applications, p287-296, 77.

RF Power Measurements Using Quantum Interference in Superconductors;  
Sullivan, D. B.; Frederick, N. V.; Adair, R. T.  
Proc. IC SQUID (1st), Berlin, Germany, October 5-8, 1976,  
Paper R-1045 in Superconducting Quantum Interference Devices and Their  
Applications, p355-363, 77.

A Low-Noise Josephson Mixer for the 1 mm Wavelength Range;  
Edrich, J.; Sullivan, D. B.; McDonald, D. G.  
IEEE Trans. Microwave Theory Tech., vol. MTT-25, p476-479, Jun 77.

Picosecond Pulses from Josephson Junctions: Phenomenological and Microscopic Analyses;

Peterson, Robert L.; McDonald, Donald G.  
IEEE Trans. Magn., vol. MAG-13, p887-890, Jan 77.

Can Superconductivity Contribute to the Determination of the Absolute Ampere?;

Sullivan, D. B.; Frederick, N. V.  
IEEE Trans. Magn., vol. MAG-13, p396-399, Jan 77.

Squid Instruments and Shielding for Low-Level Magnetic Measurements;

Zimmerman, James E.  
J. Appl. Phys., vol. 48, p702-710, Feb 77.

Advances in the Use of SQUIDS for RF Attenuation Measurement;

Frederick, N. V.; Sullivan, D. B.; Adair, R. T.  
IEEE Trans. Magn., vol. MAG-13, p361-364, Jan 77.

Superconducting Devices for Metrology and Standards;

Kamper, Robert A.  
Superconductor Applications: Squids and Machines, Chapter 5,  
Plenum Press, NY, p189-247, 77.

Results, Potentials and Limitations of Josephson Mixer-Receivers at Millimeter and Long Submillimeter Wavelengths;

Edrich, J.; Sullivan, D. B.; McDonald, D. G.  
IEEE Trans. Microwave Theory Tech., vol. MTT-25, p476, 77.

RF Applications of the Josephson Effect;

Kamper, Robert A.  
Microwave J., vol. 19, p39-41, Apr 76.

The Human Magnetoencephalogram: Some EEG and Related Correlations;

Reite, Martin; Zimmerman, James E.; Edrich, Jochen; Zimmerman, John  
Electroencephalography and Clinical Neurophysiology, vol. 40, p59-66, 76.

Strong-Coupling Correction to the Low-Frequency Electrical

Conductivity of Superconductors and Josephson Junctions;

Harris, Richard E.; Ginsberg, D. M.; Dynes, R. C.  
Phys. Rev. B, vol. 14, p990-992, Aug 76.

Strong-Coupling Correction to the Jump in the Quasiparticle Current of a Superconducting Tunnel Junction;

Harris, Richard E.; Dynes, R. C.; Ginsberg, D. M.  
Phys. Rev. B, vol. 14, p993-995, Aug 76.

Intrinsic Response Time of a Josephson Tunnel Junction;

Harris, Richard E.  
Phys. Rev. B, vol. 13, p3818-3821, May 76.

Josephson Junctions as Radiation Detectors from Millihertz to Terahertz;

McDonald, D. G.  
IEEE J. Quantum Electron., vol. QE-10, p776-777, Sep 74.

Modeling Josephson Junctions;  
McDonald, D. G.; Johnson, E. G.; Harris, R. E.  
Phys. Rev. B, vol. 13, p1028-1031, Feb 76.

Phase Slip, Dissipation, Bernoulli Effect, Parametric Capacitance,  
and Other Curious Features of the Josephson Effect;  
Zimmerman, J. E.  
IEEE Trans. Magn., vol. MAG-11, p852-855, Mar 75.

Josephson Weak-Link Devices;  
Silver, A. H.; Zimmerman, J. E.  
Applied Superconductivity, edited by V. L. Newhouse, Academic Press,  
p1-80, 75.

Cryogenic Direct Current Comparators and Their Applications;  
Dziuba, R. F.; Sullivan, D. B.  
IEEE Trans. Magn., vol. MAG-11, p716-719, Mar 75.

Tests of Cryogenic SQUID for Geomagnetic Field Measurements;  
Zimmerman, J. E.; Campbell, W. H.  
Geophysics, vol. 40, p269, 75.

Review of Superconducting Electronics;  
Kamper, Robert A.  
IEEE Trans. Magn., vol. MAG-11, p141-146, Mar 75.

A Low-Temperature Direct-Current Comparator Bridge;  
Sullivan, D. B.; Dziuba, R. F.  
IEEE Trans. Instrum. Meas., vol. IM-23, p256-260, Dec 74.

RF Attenuation Measurements Using Quantum Interference in  
Superconductors;  
Adair, R. T.; Simmonds, M. B.; Kamper, R. A.; Hoer, C. A.  
IEEE Trans. Instrum. Meas., vol. IM-23, p375-381, Dec 74.

An Application of Superconducting Quantum Interference Magnetometers  
to Geophysical Prospecting;  
Frederick, N. V.; Stanley, W. D.; Zimmerman, J. E.; Dinger, R. J.  
IEEE Trans. Geosci. Electron., vol. GE-12, p102-103, Jul 74.

RF Attenuation Measurements Using Quantum Interference in Superconductors;  
Adair, R. T.; Hoer, C. A.; Kamper, R. A.; Simmonds, M. B.  
CPEM Digest, IEE, London, England, p4-5, 74.

Advances in the Measurement of rf Power and Attenuation Using SQUIDS;  
Kamper, R. A.; Simmonds, M. B.; Adair, R. T.; Hoer, C. A.  
NBS TN-661, Sep 74.

Low Temperature Direct Current Comparators;  
Sullivan, D. B.; Dziuba, R. F.  
Rev. Sci. Instrum., vol. 45, p517-519, Apr 74.

Magnetic Properties of Internally Oxidized Copper;  
Fickett, F. R., and Sullivan, D. B.  
19th Annual Conf. on Magnetism and Magnetic Materials, Boston, MA, 1973,  
AIP Conf. Proc. 18, 74.

The Relationship of Josephson Junctions to a Unified Standard of  
Length and Time;  
McDonald, D. G.; Risley, A. S.; Cupp, J. D.  
Proc. Int. Conf. on Low Temperature Physics (13th), Boulder, CO,  
21-25 Aug 1972. Paper in Low Temperature Physics LT 13, p542-549, 74.

Superconducting Devices and Materials. Issue no. 74-1, January-March 1974;  
Quarterly literature survey;  
Olien, Neil A.; Goree, William S.; Kamper, Robert A.; Nisenoff, Martin;  
Wolf, Stuart A.  
Cryogenic Data Center, National Bureau of Standards, Boulder, CO.

Magnetic Studies of Oxidized Impurities in Pure Copper Using a SQUID  
System;  
Fickett, F. R.; Sullivan, D. B.  
J. Phys. F, vol. 4, p900-904, Jun 74.

Josephson Junctions at 45 Times the Energy-Gap Frequency;  
McDonald, D. G.; Petersen, F. R.; Cupp, J.D.; Danielson, B. L.;  
Johnson, E. G.  
Appl. Phys. Lett., vol. 24, p335-337, Apr 74.

Spectral Analysis of a Phase Locked Laser at 891 GHz. An Application  
of Josephson Junctions in the Far Infrared;  
Wells, J. S.; McDonald, D. G.; Risley, A. S.; Jarvis, S.; Cupp, J. D.  
Revue de Physique Appliques (Supplement to J. de Physique),  
France, vol. 9, p285-292, Jan 74.

Rotational Constants for  $^{12}\text{C}^{16}\text{O}_2$  From Beats Between  
Lamb-Dip-Stabilized Lasers;  
Petersen, F. R.; McDonald, D. G.; Cupp, J. D.; Danielson, B. L.  
Phys. Rev. Lett., vol. 31, p573-576, Aug 73.

Measurement of rf Power and Attenuation Using Superconducting  
Quantum Interference Devices;  
Kamper, R. A.; Simmonds, M. B.; Hoer, C. A.; Adair, R. T.  
NBS TN-643, Aug 73.

Survey of Noise Thermometry;  
Kamper, Robert A.  
Proc. Symposium on Temperature, Its Measurement and Control in Science and  
Industry (5th), Washington, DC, 21-24 Jun 71.

Precise Electrical Measurements at Low Temperature;  
Sullivan, D. B.  
Proc. Applied Superconductivity Conf., Annapolis, MD, 1-3 May 1972,  
p631-639, 72.

Analog-Computer Studies of Mixing and Parametric Effects in  
Josephson Junctions;  
Hamilton, Clark A.  
J. Appl. Phys., vol. 44, p2371-2377, May 73.

Portable Helium Dewars for Use with Superconducting Magnetometers;  
Zimmerman, J. E.; Siegwarth, J. D.  
Cryogenics, vol. 13, p158-159, Mar 73.

A New Technique for RF Measurements Using Superconductors;  
Kamper, R. A.; Simmonds, M. B.; Adair, R. T.; Hoer, C. A.  
Proc. IEEE, vol. 61, p121-122, Jan 73.

Possible Parametric Capacitance in Josephson Junctions;  
Zimmerman, J. E.  
Phys. Lett., vol. 42A, p375-376, Jan 73.

Quantum Mechanical Measurement of rf Attenuation;  
Kamper, R. A.; Simmonds, M. B.; Adair, R. T.; Hoer, C. A.  
Proc. 1972 Applied Superconductivity Conf., Annapolis, MD, 1-3 May 1972,  
p696-700, 72.

Superconducting Devices and Materials;  
Goree, William S.; Nisenoff, Martin; Wolf, Stuart A.; Kamper, Robert A.  
Olien, Neil A.  
National Bureau of Standards, Boulder, CO; Cryogenic Data Center; Quarterly  
literature survey, no. 73-1, January-March 73.

Flexible Laminates for Thermally Grounded Terminal Strips and Shielded  
Electrical Leads at Low Temperatures;  
Radebaugh, Ray; Frederick, N. V.; Siegwarth, J. D.  
Cryogenics, vol. 13, p41-43, Jan 73.

A Review of the Properties and Applications of Superconducting Point  
Contacts;  
Zimmerman, J. E.  
Proc. Conf. on Applied Superconductivity, Annapolis, MD, 1-3 May 1972,  
p544-561, 72.

Cryoelectronics;  
Kamper, R. A.  
Proc. Helium Society Symposium, Washington, DC, 23-24 Mar 1970,  
p68-82, 70.

Computation of Spectral Data for a Josephson Junction Circuit;  
Johnson, E. G., Jr; McDonald, D. G.  
NBS TN-627, Nov 72.

Developments in Cryoelectronics;  
Kamper, Robert A.; Sullivan, Donald B.  
NBS TN-630, Nov 72.

Superconducting Quantum Interference Devices: an Operational Guide  
for rf-Biased Systems;  
Sullivan, D. B.  
NBS TN-629, Nov 72.

Analog Computer Studies of Subharmonic Steps in Superconducting Weak  
Links;  
Hamilton, C. A.; Johnson, E. G., Jr.  
Phys. Lett. A, vol. 41, p393-394, Oct 72.

Low Temperature Voltage Divider and Null Detector;  
Sullivan, D. B.  
Rev. Sci. Instrum., vol. 43, p499-505, Mar 72.

Broadband Superconducting Quantum Magnetometer;  
Kamper, R. A.; Simmonds, M. B.  
Appl. Phys. Lett., vol. 20, p270-272, Apr 72.

Four-Hundredth-Order Harmonic Mixing of Microwave and Infrared Laser  
Radiation Using a Josephson Junction and a Maser;  
McDonald, D. G.; Risley, A.S.; Cupp, J. D.; Evenson, K. M.;  
Ashley, J. R.  
Appl. Phys. Lett., vol. 20, p296-299, Apr 72.

Josephson Effect Devices and Low-Frequency Field Sensing;  
Zimmerman, J. E.  
Cryogenics, vol. 12, p19-31, Feb 72.

Superconducting Devices and Materials. A Literature Survey;  
Goree, W. S.; Kamper, R. A.; Olien, Neil A.  
National Bureau of Standards, Boulder, CO, Cryogenic Data Center; Quarterly  
reports; 4 issues, Mar 72.

Mechanical Analogs of Time Dependent Josephson Phenomena;  
Sullivan, D. B.; Zimmerman, J. E.  
American J. Phys., vol. 39, p1504-1517, Dec 71.

A Mechanical Superconducting Switch for Low Temperature  
Instrumentation;  
Siegwarth, J. D.; Sullivan, D. B.  
Rev. Sci. Instrum., vol. 43, p153-154, Jan 72.

Harmonic Mixing of Microwave and Far-Infrared Laser Radiation using  
a Josephson Junction;  
McDonald, D. G.; Risley, A. S.; Cupp, J. D.; Evenson, K. M.  
Appl. Phys. Lett., vol. 18, p162-164, Feb 71.

Observation of Noise Temperature in the Millikelvin Range;  
Kamper, R. A.; Siegwarth, J. D.; Radegaugh, R.; Zimmerman, J. E.  
Proc. IEEE, vol. 59, p1368-1369, Sep 71.

Superconducting Materials;

Kamper, R. A.

Electronics Design Materials, p71-79, 71.

Sensitivity Enhancement of Superconducting Quantum Interference  
Devices through the Use of Fractional-Turn Loops;

Zimmerman, J. E.

J. Appl. Phys., vol. 24, p4483-4487, Oct 71.

Miniature Ultrasensitive Superconducting Magnetic Gradiometer and  
Its Use in Cardiography and Other Applications;

Zimmerman, J. E.; Frederick, N. V.

Appl. Phys. Lett., vol. 19, p16-19, Jul 71.

Resistance of a Silicon Bronze at Low Temperatures;

Sullivan, D. B.

Rev. Sci. Instrum., vol. 42, p612-613, May 71.

High-Frequency Limit of the Josephson Effect;

McDonald, D. G.; Evenson, K. M.; Wells, J. S.; Cupp, J. D.

J. Appl. Phys., vol. 42, p179-181, Jan 71.

Noise Thermometry with the Josephson Effect;

Kamper, R. A.; Zimmerman, J. E.

J. Appl. Phys., vol. 42, p132-136, Jan 71.

Recent Developments in Superconducting Devices;

Zimmerman, J. E.

J. Appl. Phys., vol. 42, p30-37, Jan 71.

Generation of Harmonics and Subharmonics of the Josephson  
Oscillation;

Sullivan, D. B.; Peterson, Robert L.; Kose, V. E.; Zimmerman, J. E.

J. Appl. Phys., vol. 41, p4865-4873, Nov 70.

Influence of External Noise On Microwave-Induced Josephson Steps;

Kose, V. E.; Sullivan, D. B.

J. Appl. Phys., vol. 41, p169-174, Jan 70.

Magnetocardiograms Taken Inside A Shielded Room With A Superconducting  
Point-Contact Magnetometer;

Cohen, David; Edelsack, Edgar A.; Zimmerman, James E.

Appl. Phys. Lett., vol. 16, p278-280, Apr 70.

Some Applications Of The Josephson Effect;

Kamper, R. A.; Mullen, L. O.; Sullivan, D. B.

NASA-CR-1565; NBS-TN-381, Mar 70.

Harmonic Generation and Submillimeter Wave Mixing With The Josephson Effect;  
McDonald, D. G.; Kose, V. E.; Evenson, K. M.; Wells, J. S.; Cupp, J.D.  
Appl. Phys. Lett., vol. 15, p121-122, 15 Aug 69.

The Josephson Effect;  
Kamper, Robert A.  
IEEE Trans. Electron Devices, vol. ED-16, p840-844, Oct 69.

Fabrication Of Tunnel Junctions On Niobium Films;  
Mullen, L. O.; Sullivan, D. B.  
J. Appl. Phys., vol. 40, p2115-2117, Apr 69.

Cryoelectronics;  
Kamper, R. A.  
Cryogenics, vol. 9, p20-25, Feb 69.

Contribution of Thermal Noise To The Line-Width Of Josephson Radiation From Superconducting Point Contacts;  
Silver, A. H.; Zimmerman, J. E.; Kamper, R. A.  
Appl. Phys. Lett., vol. 11, p209-11, 15 Sep 67.

Millidegree Noise Thermometry;  
Kamper, R. A.  
Proc. Symposium on the Physics of Superconducting Devices (ONR report),  
Charlottesville, VA, Apr 67.

## SUPERCONDUCTORS AND MAGNETIC MATERIALS

Thermal Expansion of Several Materials for Superconducting Magnets;  
Clark, A. F.; Fujii, G.; Ranney, M. A.  
Proc. 7th Magnet Technology Conf., Karlsruhe, Germany, IEEE Trans. Magn.,  
MAG-17, p2316, Apr 81.

Superparamagnetism and Spin-Glass Freezing in Nickel-Manganese Alloys;  
Goldfarb, R. B.; Patton, C. E.  
Phys. Rev. B, vol. 24, p1360, 81.

Magnetic Susceptibility Studies of Amorphous Ni-Mn-P-B-Al alloys;  
Goldfarb, R. B.; Rao, K. V.; Fickett, F. R.; Chen, H. S.  
J. Appl. Phys., vol. 52, p1744, 81.

Lap Joint Resistance and Intrinsic Critical Current Measurements on a NbTi  
Superconducting Wire;  
Goodrich, L. F.; Ekin, J. W.  
IEEE Trans. Magn., vol. MAG-17, p69, 81.

Thermal Expansion of Multifilamentary Nb<sub>3</sub>Sn and V<sub>3</sub>Ga Superconductive Cables  
and Fiberglass-Epoxy and Cotton-Phenolic Composite Materials;  
Fujii, G.; Ranney, M. A.; Clark, A. F.  
Jap. J. Appl. Phys., vol. 20, L267-L270, Apr 81.

Effect of Strain on the Critical Current of Nb-Hf/Cu-Sn-Ga Multifilamentary  
Superconductors;  
Ekin, J. W.; Sekine, H.; Tachikawa, K.  
J. Appl. Phys., vol. 52, p6252, 81.

Structural Materials for Large Superconducting Magnets;  
Fickett, F. R.; McHenry, H. I.  
IEEE Trans. Magn., vol. MAG-17, p2297, 81.

Strain Scaling Law for Flux Pining in NbTi, Nb<sub>3</sub>Sn, Nb-Hf/Cu-Sn-Ga, V<sub>3</sub>Ga, and  
Nb<sub>3</sub>Ge;  
Ekin, J. W.  
IEEE Trans. Magn., vol. MAG-17, p658, 81.

NBS Superconductor Standardization Program;  
Fickett, F. R.; Goodrich, L. F.  
Proc. 1980 Superconducting MHD Magnet Design Conf. (Report published by  
Francis Bitter National Magnet Laboratory, MIT), Oct 81.

Miniature Multipin Electrical Feedthrough for Vacuum Use;  
Goldfarb, R. B.  
Cryogenics, vol. 21, p746, 81.

Mechanical Properties and Strain Effects in Superconductors;  
Ekin, J. W.  
Superconducting Materials Science, S. Foner and B. Schwartz, eds., Plenum  
Press, New York, Chap. 7, p455-509, 81.

Definitions of Terms for Practical Superconductors,

4. Josephson Phenomena;

Fickett, F. R.; Kaplan, S. B.; Powell, R. L.; Radebaugh, R.; Clark, A. F.  
Cryogenics, vol. 20, p319-325, 80.

Development of Standards for Superconductors;

Fickett, F. R.; Goodrich, L. F.; Clark, A. F.,

NBSIR 80-1642, Dec 80.

Tensile, Fracture Toughness and Magnetization Testing in Cast 316-L Stainless Steel and Its Weldment;

Genens, L.; Kim, S. H.; Wang, S. T.; Reed, R. P.;

Fickett, F. R.

Proc. 8th Int. Cryo. Eng. Conf. (IPC Science and Technology Press, paper 3E)  
20 pp, 80.

Strain Scaling Law for Flux Pinning in Practical Superconductors. Part I:  
Basic Relationship and Application to Nb<sub>3</sub>Sn Conductors;

Ekin, J. W.

Cryogenics, vol. 20, p611, 80.

Processing Limits for Ultrafine Multifilament Nb<sub>3</sub>Sn;

Ho, J. C.; Oberly, C. E.; Garrett, H. J.; Walker, M. S.;

Zeitlin, B. A.; Ekin, J. W.

Proc. Int. Cryo. Mater. Cong., Madison, WI, 1979, Adv. Cryogenic. Eng., vol.  
26, p358, 80.

Filamentary Al5 Superconductors;

Suenaga, M.; Clark, A. F., eds.,

Plenum Press, New York, NY, 80.

Development of Standards for Practical Superconductors;

Clark, A. F.

Proc. Superconductivity Technical Exchange, PIC-E:E-SC 209/1, Naval Research  
Laboratory, Washington, DC, p103-14, Apr 80.

Thermal Expansion of Cryogenic-Grade Glass-Epoxy Laminates; Materials Studies  
of Magnetic Fusion Energy Applications at Low Temperatures - III,

Ranney, M. A.; Clark, A. F.

NBSIR 80-1627, p405, 80.

Development of Standards for Superconductors;

Fickett, F. R.; Clark, A. F.

Proc. Eighth Int. Cryogenic Eng. Conf. (Genova, Jun 80), IPC Science and  
Technology Press, Guildford, England, p494-8, 80.

Strain Scaling Law and the Prediction of Uniaxial and Bending Strain Effects;  
Ekin, J. W.

Filamentary Al5 Superconductors, M. Suenaga and A. F. Clark, eds., Plenum  
Press, New York, NY, p455-509, 80.

Advances in Cryogenic Engineering - Materials, Vol. 26,  
Clark, R. F. and Reed, R. P., eds.  
(Proc. 3rd Int. Cryogenic Mater. Conf., Madison, WI, Aug 1979), Plenum Press,  
New York, NY, 80.

Effect of Thermal Contraction of Sample Holder Material on Critical  
Current Measurement;

Fujii, G.; Ekin, J. W.; Radebaugh, R.; Clark, A. F.  
Advances in Cryogenic Engineering - Materials, Vol. 26, Plenum Press,  
New York, NY, p589-98, 80. Also published as Technical Report A-1074,  
Institute of Solid State Physics, Univ. of Tokyo, Aug 80.

Training of Epoxy-Impregnated Superconductor Windings;

Ekin, J. W.; Schramm, R. E.; Superczynski, M. J.  
Proc. of the Int. Cryogenic Mater. Conf., Madison, WI, 1979, Adv. Cryo. Eng.,  
vol. 26, 677, 80.

A Standards Program for AC Losses in Superconductors;

Radebaugh, R.; Fujii, G.; Read, D. T.; Clark, A. F.  
Int. Congress of Refrigeration, IIR A1/2-10, p1-4, Sep 79.

Standards for Superconductors;

Fickett, F. R.; Clark, A. F.,  
DoE Conf. 79-0854, Proc. Mechanical and Magnetic Energy Storage, U.S. Dept. of  
Energy, Washington, DC, p3-8, 79.

Material Studies for Superconducting Machinery Coil Composites, Ekin, J. W.;  
Kasen, M. B.; Read, D. T.; Schramm, R. E.; Tobler, R. L.; Clark, A. F.  
NBSIR 80-1633, Nov 79.

Development of Standards for Superconductors;

Fickett, F. R.; Clark, A. F.  
NBSIR 80-1629, Dec 79.

The Development of Standards for Practical Superconductors

Clark, A. F.; Ekin, J. W.; Radebaugh, R.; Read, D. T.  
IEEE Trans. Magn., vol. MAG-15, p224-7, 79.

Nonmetallic Materials and Composites at Low Temperatures;

Clark, A. F.; Reed, R. P.; Hartwig, G., eds.,  
Proc. ICMC Symposium, Munich, Germany, Jul 1978, Plenum Press, New York, NY,  
79.

Definitions of Terms for Practical Superconductors.

3. Fabrication, Stabilization, and Transient Losses;  
Read, D. T.; Ekin, J. W.; Powell, R. L.; Clark, A. F.  
Cryogenics, vol. 19, no. 6, p327-32, Jun 79.

Strain Dependence of the Critical Current and Critical Field in  
Multifilamentary Nb<sub>3</sub>Sn Composites;

Ekin, J. W.  
IEEE Trans. Magn., vol. MAG-15, p197, 79.

Effect of Strain on Critical Current of Nb<sub>3</sub>Ge;  
Ekin, J. W.; Braginski, A. I.  
IEEE Trans. Magn., vol. MAG-15, p509, 79.

Effect of Strain on Epoxy-Impregnated Superconducting Composites;  
Ekin, J. W.; Schramm, R. E.; Clark, A. F.  
Nonmetallic Materials and Composites at Low Temperatures;  
A. F. Clark; R. P. Reed; G. Hartwig, eds., Plenum Press, New York, NY,  
p 301-8, 79.

Space Applications of Superconductivity: High Field Magnets;  
Fickett, F. R.  
Cryogenics, vol. 19, p691-701, 79.

Materials for Superconducting Magnet Systems;  
Fickett, F. R.; Reed, R. P., eds.  
Belfour-Stulen, Inc., Traverse City, MI, 79.

Materials for Superconducting Magnets for MHD Power Systems, a Usage Survey  
and a Proposed Research Program;  
Reed, R. P.; McHenry, H. I.; Kasen, M. B.; Fickett, F. R.; Dalder, E. N. C.  
MIT Program Report on MHD, June 79.

Structures, Insulators, and Conductors for Large Superconducting Magnets;  
Fickett, F. R.; Reed, R. P.; Dalder, E. N. C.  
J. Nucl. Mat., vols. 85 and 86, p353-60, 79.

A Convenient Standard for Low-Field Susceptibility Calibration;  
Rosenblum, J.; Larson, E.; Hoblitt, R.; Fickett, F. R.  
Rev. Sci. Instrum, vol. 50, 1027, 79.

Magnetic Properties of the Nonmagnetic' Stainless Steels;  
Fickett, F. R.  
NBSIR 79-1609, Jun 79.

Materials Studies for Magnetic Fusion Energy Applications at Low  
Temperatures - II;  
Fickett, F. R., ed.  
NBSIR 79-1609, Jun 79.

Review of the 1978 NBS/DoE Workshop on Materials at Low Temperatures;  
Fickett, F. R.; Reed, R. P.  
Proc. 1st Topical Meeting on Fusion Reactor Materials, Miami Beach, FL, p352,  
Jan 79.

Magnet Materials for Fusion Energy Section of: "The Fusion Reactor Materials  
Program Plan, Section IV, Special Purpose Materials";  
Fickett, F. R.  
U.S. DoE Report DoE/ET-0032/4, Jul 78.

Current Transfer in Multifilamentary Superconductors.  
II. Experimental Results;  
Ekin, J. W.; Clark, A. F.; Ho, J. C.  
J. Appl. Phys., vol. 49, no. 6, p3410-1, Jun 78.

High Field Magnets;

Fickett, F. R.

The Role of Superconductivity in the Space Program: An Assessment of Present Capabilities and Future Potential, Chapt. 2, NBSIR 78-885, May 78.

Materials Studies for Magnetic Fusion Energy Applications at Low Temperatures - I;

Fickett, F. R.; Reed, R. P.

NBSIR 78-884, Apr 78.

Fatigue and Stress Effects in NbTi and Nb<sub>3</sub>Sn Multifilamentary Superconductors;

Ekin, J. W.,

Proc. Int. Cryogenic Mater. Conf., Boulder, CO, 1977, Adv. in Cry. Eng., vol. 24, p306, 78.

Advances in Cryogenic Engineering-Vol. 24,

Timmerhaus, K. D.; Reed, R. P.; and Clark, A. F., eds.

Proc. 2nd Int. Cryogenic Mater. Conf., Boulder, CO, Aug 77, Plenum Press, New York, NY, 78.

Investigation of a Practical Superconductor with a Copper Matrix;

Fickett, F. R.

INCRA Annual Report, Project No. 255, Jan 78.

Low Temperature Specific Heat of Two Stainless Steels;

Ho, J. C.; King, G. B.; Fickett, F. R.

Cryogenics, vol. 18, 296, 78.

Special Purpose Materials: An Assessment of Needs and the Role of These Materials in the National Program;

Gold, R. E.; Fickett, F. R.; et al.,

Proc. 3rd Topical Meeting on the Technology of Controlled Nuclear Fusion, DoE Conf-780508, 1978.

Effects of Stress on Practical Superconductors;

Clark, A. F.

MT-6, Proc. Int. Conf. on Magn. Tech., Alpha, Bratislava, Czechoslovakia, p612-18, 78.

Current Transfer in Multifilamentary Superconductors.

I. Theory;

Ekin, J. W..

J. Appl. Phys., vol. 49, no. 6, p3406-1, 78.

Definitions of Terms for Practical Superconductors.

2. Critical Parameters;

Powell, R. L.; Clark, A. F.,

Cryogenics, vol. 18, no. 3, p137-41, Mar 78.

A Low Temperature Materials Research Program for Magnetic Fusion Energy;

Fickett, F. R.; Kasen, M. B.; McHenry, H. I.; Reed, R. P.

Adv. Cryogenic Eng., vol. 24, p52, 77.

A Review of the NBS-ERDA Workshop on Materials at Low Temperatures;  
Fickett, F. R.; Reed, R. P.  
Proc. 7th Symposium on Engineering Problems of Fusion Research, IEEE Pub. No. 77CH1267-4-NPS, p1506-1509, 77.

Definition of Terms for Practical Superconductors.

1. Fundamental States and Flux Phenomena;  
Powell, R. L.; Clark, A. F.  
Cryogenics, vol. 17, no. 12, p697-701, Dec 77.

Properties of a Superconducting Coil Composite and Its Components;  
Clark, A. F.; Arp, V. D.; Ekin, J. W.  
MT-6, Proc. Int. Conf. on Magn. Tech., Alpha, Bratislava, Czechoslovakia, p673-79, 78.

Mechanisms for Critical-Current Degradation in NbTi and Nb<sub>3</sub>Sn and NbTi Multifilamentary Wires;  
Ekin, J. W.  
Proc. 1976 Applied Superconductivity Conf., IEEE Trans. Magn., vol. MAG-13, p127, 77.

A Simple Method for Producing High Conductivity Copper for Low Temperature Applications;  
Rosenblum, S.; Steyert, W. A.; Fickett, F. R.  
Cryogenics, vol. 17, p645, 77.

Magnetic Fusion Energy Low Temperature Materials Program - A Survey;  
Reed, R. P.; Fickett, F. R.; Kasen, M. B.; McHenry, H. I.  
Report to ERDA Division of Magnetic Fusion Energy, Mar 77.

Studies of Superconducting Wires from Niobium Precipitated in Copper-Tin-Niobium Alloys;  
Fickett, F. R.; Sparks, L. L.; Kasen, M. G.  
Manufacture of Superconducting Materials, R. W. Meyerhoff, ed., (American Society for Metals, Metals Park, OH), p164, 77.

Defining Critical Current;  
Clark, A. F.; Ekin, J. W.  
IEEE Trans. Magn., vol. MAG-13, no. 1, p38-40, Jan 77.

The Low Temperature Tensile Behavior of Copper-Stabilized Niobium-Titanium Superconducting Wire;  
Reed, R. P.; Mikesell, R. P.; Clark, A. F.  
Advances in Cryogenic Engineering-Vol. 22, Plenum Press, New York, NY, p463-471, 77.

Effect of Strain on the Critical Current of Nb<sub>3</sub>Sn and NbTi Multifilamentary Composite Wires;  
Ekin, J. W.; Clark, A. F.  
AIP Conf. Proc., no. 34, Amer. Inst. Phys., New York, p81-83, 76.

Controlled Thermonuclear Reactors: A Prospective Large-Scale Use of Pure Copper;  
Fickett, F. R.  
INCRA Research Report, Aug 76.

Characterization of a Superconducting Coil Composite and Its Components;  
Clark, A. F.; Weston, W. F.; Arp, V. D.; Hust, J. G.; Trapani, R. J.  
NBSIR 76-837, Jul 76.

Effect of Stress on the Critical Current of Nb<sub>3</sub>Sn Multifilamentary Composite Wire;  
Ekin, J. W.  
Appl. Phys. Lett., vol. 29, p216, 76.

Magnetic and Electrical Properties of Internally Oxidized FeCu Alloys;  
Fickett, F. R.  
Amer. Inst. Phys. Conf. Proc., no. 34, p25, 76.

Structural Materials for Cryogenic Applications;  
Fickett, F. R.  
Proc. 6th Int. Cryogenic Eng. Conf., 11-14 May 1976, Grenoble, France, IPC Science and Technology Press, p20, 76.

On Lysozyme as a Possible High-Temperature Superconductor;  
Sorenson, C. M.; Fickett, F. R.; Mockler, R. C.; O'Sullivan, W. J.;  
Scott, J. F.  
J. Phys. C: Solid State Phys., vol. 9, pL251, 76.

A Preliminary Investigation of the Behavior of High Purity Copper in High Magnetic Fields and a Final Summary of Project 186;  
Fickett, F. R.  
INCRA Annual Report, Project No. 186C, Mar 76.

Properties of Nonsuperconducting Technical Solids at Low Temperatures - An Update;  
Fickett, F. R.  
Proc. 5th Int. Conf. on Magn. Tech. (MT-5), Rome, Laboratori Nazionali del CNEN, Frascati, Italy, p659, 76.

Effect of Stress on the Critical Current of NbTi Multifilamentary Composite Wire;  
Ekin, J. W.; Fickett, F. R.; Clark, A. F.  
Proc. Int. Cryogenic Mater. Conf., Kingston, Ontario, 1975, Adv. in Cryogenic Eng., Plenum Press, New York, vol. 22, p449, 76.

Advances in Cryogenic Engineering-Vol. 22;  
Timmerhaus, K. D.; Reed, R. P.; Clark, A. F., eds.,  
Proc. 1st Int. Cryogenic Mater. Conf., Kingston, Ontario, Aug. 1975, Plenum Press, New York, 76.

Stress Effects in Superconductors;  
Clark, A. F.  
Cryogenics, vol. 16, no. 10, p632-3, Oct 1976.

Low Temperature Thermal Expansion of Barium Ferrite;  
Clark, A. F.; Haynes, W. M.; Deason, V. A.; Trapani, R. J.  
Cryogenics, vol. 16, no. 3, p267-270, May 76.

A Research Program on the Properties of Structural Materials at 4K;  
Reed, R. P.; Clark, A. F.; van Reuth, E. C.  
Advances in Cryogenic Engineering-Vol. 22, Plenum Press, New York, p1-8, 76.

Effect of Stress on the Critical Current of NbTi Multifilamentary  
Composite Wire;  
Ekin, J. W.; Fickett, F. R.; Clark, A. F.  
Advances in Cryogenic Engineering-Vol. 22, Plenum Press, New York, p449-52 76.

Materials Research for Superconducting Machinery - IV; Semi-Annual Tech.  
Rept., Mar-Sep. 1975;  
Reed, R. P.; Clark, A. F.; vanReuth, E. C., eds.,  
Advanced Research Projects Agency, Arlington, VA ADA019230, Oct 75.

Materials Research for Superconducting Machinery - III; Semi-Annual Tech.  
Rept., Sep. 74-Mar. 75;  
Reed, R. P.; Clark, A. F.; van Reuth, E. C., eds.  
Advanced Research Projects Agency, Arlington, VA, ADA012365, Apr 75.

Critical Currents in Granular Superconductors;  
Ekin, J. W.  
Phys. Rev. B, vol. 12, p2676, 75.

The Magnetic Coupling Force of the Superconducting dc Transformer;  
Ekin, J. W.; Clem, J. R.  
Phys. Rev. B, vol. 12, p1753, 75.

A Technique for Preparing Homogeneous Bulk Samples of Concentrated Alloys;  
Ekin, J. W.; Deason, V. A.  
Rev. Sci. Instr., vol. 46, p327, 75.

Materials Research for Superconducting Machinery - II, Semi-Annual Tech.  
Rept., Mar.-Sep. 74;  
Clark, A. F.; Reed, R. P.; van Reuth, E. C., eds.,  
Advanced Research Projects Agency, Arlington, VA, ADA004586, Oct 74.

Materials Research for Superconducting Machinery, Semi-Annual Tech. Rept., Sep  
1973-Mar 1974;  
Clark, A. F.; Reed, R. P.; van Reuth, E. C., Editors,  
Advanced Research Projects Agency, Arlington, VA, AD780596 (Mar 74).

Magnetic Studies of Oxidized Impurities in Pure Copper Using a SQUID System;  
Fickett, F. R.; Sullivan, D. B.  
J. Phys. F, vol. 4, p900, 74.

A Preliminary Investigation of the Behavior of High Purity Copper in High  
Magnetic Fields;  
Fickett, F. R.  
INCRA Annual Report, Project No. 186B, Aug 74.

Magnetothermal Conductivity;  
Fickett, F. R.; Sparks, L. L.  
NBSIR 74-393, 74.

Magnetic Properties of Internally Oxidized Copper;  
Fickett, F. R., Sullivan, D. B.  
AIP Conf. Proc., no. 18, p740, 74.

Oxygen Annealing of Copper: A Review;  
Fickett, F. R.  
Mat. Sci. and Eng., vol. 14, p199, 74.

U. S. Programs on Large Scale Applications of Superconductivity;  
Powell, R. L.; Fickett, F. R.; Birmingham, B. W.  
Superconducting Machines and Devices -- Large Systems Applications;  
Proc. NATO Advanced Study Institute, Entreves, Italy, Sep. 5-14, 1973,  
S. Foner and B. B. Schwartz, eds., Chapt. 17, p651-675, Plenum Press,  
New York, 74.

Magnetothermal Conductivity;  
Sparks, L. L.; Fickett, F.R.  
NBSIR 74-359, 74.

A Preliminary Investigation of the Behavior of High Purity Copper in High  
Magnetic Fields;  
Fickett, F. R.  
INCRA Annual Report, Project No. 186A, Aug 73.

Characterization of a Superconducting Coil Composite;  
Fowlkes, C. W.; Angerhofer, P. E.; Newton, R. N.;  
Clark, A. F.  
NBSIR 73-349, Dec 73.

Superconducting Levitation of High Speed Vehicles;  
Arp, V. D.; Clark, A. F.; Flynn, T. M.  
Transport. Eng. J., ASCE, vol. 99, p873-85, Nov 73.

Some Applications of Cryogenics to High Speed Ground Transportation;  
Arp, V. D.; Clark, A. F.; Flynn, T. M.  
NBS TN-635, Feb 73.

Mechanical, Thermal, and Electrical Properties of Selected Polymers;  
Reed, R. P.; Schramm, R. Clark, A. F.  
Cryogenics, vol. 13, p67-82, Feb 73.

A Compilation and Evaluation of Mechanical, Thermal and Electrical Properties  
of Selected Polymers;  
Schramm, R. E.; Clark, A. F.; Reed, R. P.  
NBS Monogr. 132, U.S. GPO, Washington, DC, Sep 73.

Material Variability as Measured by Low Temperature Electrical Resistivity;  
Clark, A. F.; Tryon, P. V.  
Cryogenics, vol. 12, p451-61, Dec 72.

Combination of a Power Transmission Line and an Active Track for a Magnetically Suspended, High Speed Train;  
Clark, A. F.  
J. Appl. Phys., vol. 43, no. 8, p3598, Aug 72.

Standard Reference Materials: The Eddy Current Decay Method for Resistivity Characterization of High Purity Metals;  
Clark, A. F.; Deason, V. A.; Hust, J. G.; Powell, R. L.  
NBS SP-260-39, May 72.

Properties of Nonsuperconducting Technical Solids at Low Temperatures;  
Fickett, F. R.  
Proc. 4th Int. Conf. on Magnet Technology, AEC CONF-720903, p539, Sep 72.

Magnetoresistivity of Copper and Aluminum at Cryogenic Temperatures;  
Fickett, F. R.  
Proc. 4th Int. Conf. on Magnet Technology, Sep 72, AEC CONF-720908, p498, 72.

A Preliminary Investigation of the Behavior of High Purity Copper in High Magnetic Fields;  
Fickett, F. R.  
INCRA Annual Report, INCRA Project No. 186, Jun 72.

Characterization of High Purity Metals by the Eddy Current Decay Method;  
Clark, A. F.; Deason, V. A.; Powell, R. L.  
Cryogenics, vol. 12, p35, 72.

Characterization of High Purity Metals by the Eddy Current Decay Method;  
Clark, A. F.; Deason, V. A.; Powell, R. L.  
Mater. Res. Stand., vol. 11, no. 8, p25-28, Aug 71.

Martensitic Transformation Detection in Cryogenic Steels (Magnetometer Development);  
Fickett, F. R.  
NBS TN-613, 71.

Magnetoresistance of Very Pure Polycrystalline Aluminum;  
Fickett, F. R.  
Phys. Rev. B, vol. 3, p1941, 71.

Lorenz Ratio as a Tool for Predicting Thermal Conductivity of Metals and Alloys;  
Hust, J. G.; Clark, A. F.  
Mater. Res. Stand., vol. 11, no. 8, p22-24, Aug 71.

Defect Annealing (4 to 295 K) After Martensitic Phase Transformation in an Fe-29 Ni Alloy;  
Reed, R. P.; Clark, A. F.; Schramm, R. E.  
Scripta Met., vol. 5, p485, 71.

Longitudinal Magnetoresistance Anomalies;  
Fickett, F. R.; Clark, A. F.  
J. Appl. Pys., vol. 42, p217, 71.

Low Temperature Electrical Resistivity of Some Engineering Alloys;  
Clark, A. F.; Childs, G. E.; Wallace, G. H.  
Advances in Cryogenic Engineering-Vol. 15;  
Plenum Press, New York, p85-90, 70.

Resistivity of Polycrystalline Aluminum and Copper in High Magnetic Fields:  
The Effect of Temperature and Purity;  
Fickett, F. R.  
Appl. Phys. Lett., vol. 17, no. 12, p525-527, 70.

Low Temperature Specific Heat and Thermal Expansion of Alloys;  
Clark, A. F.; Kropschot, R. H.  
Int. Inst. of Refrigeration, Commission I, Sep 70, Tokyo, Bulletin de  
l'Institut Internationale du Froid, Annexe 1970-2, p249, 70.

Low Temperature Electrical Resistivity of Some Engineering Alloys;  
Clark, A. F.; Childs, G. E.; Wallace, G. H.  
Cryogenics, vol. 10, p295-305, Aug 70.

## AUTHOR INDEX

- Adair, R. T.: 8, 33, 34, 35, 36, 37, 38  
Agy, D. L.: 11, 12  
Allred, C. M.: 4, 7, 8, 10, 11, 22  
Andrews, J. R.: 15, 21, 22, 23, 24, 25, 26, 27, 28, 31  
Angerhofer, P. E.: 50  
Arp, V. D.: 47, 48, 50  
Ashley, J. R.: 39
- Baldwin, E. E.: 21, 22, 23, 24, 25  
Beers, Y.: 17  
Bender, B. K.: 33  
Birmingham, B. W.: 50  
Blank, W.: 28  
Bloom, L. R.: 14  
Bouille, R.: 27  
Braginski, A. I.: 45
- Case, W. E.: 15, 17, 18, 19  
Campbell, E.: 9  
Campbell, W. H.: 30, 36  
Carelli, P.: 29  
Chamberlain, G. E.: 12, 15, 16  
Chen, H. S.: 42  
Childs, G. E.: 52  
Clague, F. R.: 11  
Clark, A. F.: 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52  
Clem, J. R.: 49  
Cohen, D.: 40  
Collins, G. J.: 16, 17  
Cook, A. R.: 16, 17, 18  
Cook, C. C.: 10  
Costabile, G.: 29  
Counas, G. J.: 10  
Cozannet, A.: 22  
Cromar, M. W.: 29

Cupp, J. D.: 33, 37, 39, 40, 41

Dalder, E. N. C.: 45

Danielson, B. L.: 12, 13, 14, 15, 16, 17, 18, 19, 33, 37

Day, G. W.: 12, 13, 14, 15, 16, 17, 18, 19

Deason, V. A.: 49, 51

Debeau, J.: 22

Dimmock, J. D.: 20

Dinger, R. J.: 36

Driver, L. D.: 4

Dynes, R. C.: 35

Dziuba, R. F.: 36, 37

Ebbesen, H.: 3

Ecklund, W. L.: 10

Edelsack, E. A.: 40

Edrich, J.: 32, 33, 34, 35

Ekin, J. W.: 42, 43, 44, 45, 46, 47, 48, 49

Ekstrom, M. P.: 28

Engen, G. F.: 3, 4, 5, 6, 7, 8, 9, 10, 11

Estin, A. J.: 6

Evenson, K. M.: 17, 18, 19, 39, 40, 41

Fickett, F. R.: 37, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52

Flynn, T. M.: 34, 50

Fowlkes, C. W.: 50

Franzen, D. L.: 12, 13, 14, 15, 16, 17, 18, 19

Frederick, N. V.: 31, 32, 33, 34, 35, 36, 38, 41

Frush, C. L.: 22

Frye, G. J.: 28

Fujii, G.: 42, 44

Gallawa, R.: 13

Gans, W. L.: 21, 22, 23, 24, 25, 27

Gayley, R. I.: 33

Geist, J.: 18

Genens, L.: 43

Giarrantano, P. J.: 31  
Ginsberg, D. M.: 35  
Gold, R. E.: 46  
Goldfarb, R. B.: 42  
Goodrich, L. F.: 42, 43  
Goree, W. S.: 37, 38, 39  
Gray, E. M.: 14  
Gruzensky, P. M.: 17, 18, 19  
Guillaume, M. E.: 21

Halford, D.: 19  
Hamilton, C. A.: 17, 18, 21, 29, 30, 31, 32, 33, 34, 38, 39  
Hanson, A. G.: 14  
Harris, R. E.: 30, 31, 32, 33, 34, 35, 36  
Hartwig, G.: 44, 45  
Harvey, M. E.: 4, 7  
Havemann, R. H.: 33  
Haynes, W. M.: 49  
Heim, L.: 7  
Ho, J. C.: 45, 46  
Hobbs, R. D.: 29  
Hoblitt, R.: 45  
Hoer, C. A.: 3, 4, 5, 6, 7, 8, 9, 10, 11, 22, 36, 37, 38  
Holt, D. R.: 26, 27  
Honda, T.: 25, 27  
Hudson, P. A.: 3, 6, 7, 8, 10, 11, 38  
Hust, J. G.: 48, 51

Ives, J. T.: 29

Jarvis, S.: 37  
Jennings, D. A.: 17, 19  
Jesch, R. L.: 6, 9  
Jickling, R. M.: 3, 26  
Johnson, E. G.: 14, 15, 16, 33, 36, 38, 39  
Johnson, W. L.: 16

Kamper, R. A.: 4, 5, 34, 35, 36, 38, 39  
Kaplan, S. B.: 30, 31, 43  
Kasen, M. B.: 45, 46, 47  
Kautz, R. L.: 29, 30, 31, 32, 33  
Kim, E.: 12, 13  
Kim, S. H.: 43  
King, G. B.: 46  
Klein, G. P.: 18  
Komarek, E. L.: 4, 5, 7, 9  
Kose, V. E.: 40, 41  
Kropschot, R. H.: 52

Larsen, E. B.: 22, 24  
Larsen, N. T.: 4, 5, 6, 7, 8, 9, 10  
Larson, W.: 10, 11  
Larson, D. R.: 12  
Larson, E.: 45  
Lawton, R. A.: 10, 11, 22, 23, 24, 25, 26  
Little, W. E.: 7  
Lloyd, F. L.: 21, 29, 30, 31, 32

Mahler, R. J.: 19  
Manney, C. H.: 4, 8  
McCarthy, S. M.: 29  
McCaa, W. D.: 26, 28  
McDonald, D. G.: 29, 31, 33, 34, 35, 36, 37, 38, 39, 40, 41  
McHenry, H. I.: 42, 45, 46, 47  
McNeil, J. R.: 16, 17  
Melquist, D. G.: 8  
Mikesell, R. P.: 47  
Mockler, R. C.: 48  
Mullen, L. O.: 18, 19, 36, 40, 41

Nahman, N. S.: 21, 22, 23, 24, 25, 26, 27, 28  
Nelson, R. E.: 3, 5, 6, 10  
Newton, R. N.: 50  
Nisenoff, M.: 37, 38

Olien, N. A.: 37, 38, 39  
Ondrejka, A. R.: 8, 10, 11, 21, 22, 23, 28  
O'Sullivan, W. J.: 48

Patton, C. E.: 42  
Persson, K. B.: 16, 17  
Peterson, F. R.: 18, 19, 33, 37  
Peterson, R. L.: 18, 21, 29, 30, 31, 32, 33, 34, 35, 40  
Phelan, R. J.: 12, 17, 18, 19, 20  
Powell, R. L.: 43, 44, 46, 47, 50, 51  
Pyatt, K. W.: 17

Radebaugh, R.: 34, 38, 39, 43, 44  
Ranney, M. A.: 42, 43  
Rao, K. V.: 42  
Rasmussen, A. L.: 15, 17, 18, 19  
Rebuldella, G.: 4  
Read, D. T.: 44  
Reed, R. P.: 43, 44, 46, 47, 48, 49, 50, 51  
Reeve, G. R.: 8, 9  
Reite, M.: 30, 32, 33, 35  
Riad, S. M.: 22, 23, 24  
Richards, P. L.: 30, 32  
Ries, F. X.: 4  
Risley, A. S.: 33, 37, 39  
Roe, K. C.: 6, 7, 8  
Rosenblum, J.: 45, 47  
Russell, D. H.: 11  
Russell, T. W.: 18, 19

Sanders, A. A.: 15, 16  
Saulsbery, L. F.: 10  
Scavvanec, A.: 25, 26  
Schmidt, L. B.: 16, 17  
Schramm, R. E.: 44, 45, 50, 51  
Scott, J. F.: 48  
Sekine, H.: 42

Shen, T. M.: 30, 32  
Siegwarth, J. D.: 34, 38, 39  
Silver, A. H.: 36, 41  
Simmonds, M. B.: 36, 37, 38, 39  
Simmons, W. R.: 17  
Simpson, P. A.: 6, 8, 11, 13, 16  
Smith, R. L.: 16, 18, 19  
Sorenson, C. M.: 48  
Soulen, R. J., Jr.: 31  
Sparks, L. L.: 47, 50  
Speciale, R. A.: 4  
Stanley, W. D.: 36  
Steyert, W. A.: 47  
Stoltenberg, R. E.: 4  
Stubenrauch, C. F.: 16  
Suenaga, R. E.: 43  
Sullivan, D. B.: 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 49, 50  
Superszynski, M. J.: 44

Tachikawa, K.: 42  
Taggart, H. E.: 5  
Timmerhaus, K. D.: 46, 48  
Trapani, R. J.: 48, 49  
Treado, M. J.: 5  
Tryon, P. V.: 9, 50

Van Reuth, E. C.: 49  
Van Vechten, D.: 29, 31  
Vorreiter, J. W.: 31

Wakefield, J.: 7  
Wallace, G. H.: 52  
Wang, S. T.: 43  
Weidman, M. P.: 3, 4, 5, 9, 10  
Wells, J. S.: 18, 19, 37, 40, 41  
Werner, P. E.: 8, 12  
West, E. D.: 17, 18

Weston, W. F.: 48  
Wharton, M. J.: 22  
Whittemore, T.: 26  
Wolf, S. A.: 38  
Workman, J. L.: 5  
  
Yates, B. C.: 7, 10  
Young, M.: 12, 13, 14, 15, 21, 22, 23  
  
Zapf, T. L.: 4, 7  
Zeitlin, B. A.: 43  
Zimmerman, J. E.: 29, 30, 31, 32, 33, 34, 35, 36, 38, 39, 40, 41  
Zimmerman, J. T.: 30, 32, 25

U.S. DEPT. OF COMM. <b>BIBLIOGRAPHIC DATA SHEET</b> (See instructions)	1. PUBLICATION OR REPORT NO. NBSIR 82-1677	2. Performing Organ. Report No.	3. Publication Date August 1982
4. TITLE AND SUBTITLE Metrology for Electromagnetic Technology; A Bibliography of NBS Publications			
5. AUTHOR(S) R. A. Kamper and K. E. Kline, editors			
6. PERFORMING ORGANIZATION (If joint or other than NBS, see instructions)  NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, D.C. 20234		7. Contract/Grant No.	8. Type of Report & Period Covered
9. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (Street, City, State, ZIP)			
10. SUPPLEMENTARY NOTES  <input type="checkbox"/> Document describes a computer program; SF-185, FIPS Software Summary, is attached.			
11. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here)  This bibliography lists the publications of the personnel of the Electromagnetic Technology Division of NBS in the period from January 1970 through December 1981. A few earlier references that are directly related to the present work of the division are included.			
12. KEY WORDS (Six to twelve entries; alphabetical order; capitalize only proper names; and separate key words by semicolons) Cryoelectronics; electromagnetic metrology; microwaves; lasers; optical fibers; superconducting materials; time domain metrology.			
13. AVAILABILITY <input checked="" type="checkbox"/> Unlimited <input type="checkbox"/> For Official Distribution. Do Not Release to NTIS <input type="checkbox"/> Order From Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. <input checked="" type="checkbox"/> Order From National Technical Information Service (NTIS), Springfield, VA. 22161		14. NO. OF PRINTED PAGES 64 15. Price \$9.00	



