DNA 6031F

REFERENCE MANUAL

Background Materials for the CONUS Volumes



United States Atmospheric Nuclear Weapons Tests Nuclear Test Personnel Review

Prepared by the Defense Nuclear Agency as Executive Agency for the Department of Defense

RECORD COPY

A136



DARE Travery # 24312 ANG

603

Destroy this report when it is no longer needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY, ATTN: STTI, WASHINGTON, D.C. 20305, IF YOUR ADDRESS IS INCORRECT, IF YOU WISH TO BE DELETED FROM THE DISTRIBUTION LIST, OR IF THE ADDRESSEE IS NO LONGER EMPLOYED BY YOUR ORGANIZATION.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION	READ INSTRUCTIONS BEFORE COMPLETING FORM									
1 REPORT NUMBER	3 RECIPIENT'S CATALOG NUMBER									
DNA 6031F										
4. TITLE (and Subtitle)		5 TYPE OF REPORT & PERIOD COVERED								
REFERENCE MANUAL	NTPR Reference Manual									
Background Materials for the CONU	5 volumes	6 PERFORMING ORG. REPORT NUMBER								
		JRB 2-816-03-423-00								
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(8)								
Steve Rohrer, Martha Wilkinson	DNA 001-79-C-0473									
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS									
Science Applications, Inc, JRB Asso 8400 Westpark Drive	Subtask U99QAXMK506-08									
McLean, Virginia 22102										
11. CONTROLLING OFFICE NAME AND ADDRESS		12 REPORT DATE								
Director		25 April 1983								
Defense Nuclear Agency	13 NUMBER OF PAGES									
Washington, D.C. 20305 ·	224									
14. MONITORING AGENCY NAME & ADDRESS(If differen	15. SECURITY CLASS, (of this report)									
	1010T 100T DTDD									
}	UNCLASSIFIED									
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A since UNCLASSIFIED									
		MAN STREE ONGERSSIFIED								

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report)

18. SUPPLEMENTARY NOTES

This work was sponsored by the Defense Nuclear Agency under RDT&E RMSS Code B350079464 U99QAXMK50608 H2590D. For sale by National Technical Information Service, Springfield, VA 22161.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Atomic structure

Radiation standards

Atmospheric nuclear weapons

Radiation

Radiation health concepts

Radiation protection

20. ABSTRACT (Continue on reverse slob if necessary and identify by block number)

This report provides supplementary information to the series and shot volumes. The information includes a glossary; list of acronyms; explanations of radiation health concepts, radiation measurement, radiation detection, radiation protection, and radiation standards; and a list of data and document sources.

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED	
SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)	

PREFACE

From 1945 to 1962, the United States Government, through the Manhattan Engineer District and its successor agency, the Atomic Energy Commission (AEC), conducted 235 atmospheric nuclear weapons tests at sites in the United States and in the Pacific and Atlantic Oceans. In all, an estimated 220,000 Department of Defense (DOD) participants, both military and civilian, were present at the tests.

In 1977, 15 years after the last above-ground nuclear weapons test, the Centers for Disease Control* noted a possible leukemia cluster among a small group of soldiers present at Shot SMOKY, a test of Operation PLUMBBOB, the series of atmospheric nuclear weapons tests conducted in 1957. Since that initial report by the Centers for Disease Control, the Veterans Administration has received a number of claims for medical benefits from former military personnel who believe their health may have been affected by their participation in the weapons testing program.

In late 1977, the DOD began a study to provide data to both the Centers for Disease Control and the Veterans Administration on potential exposures to ionizing radiation among the military and civilian participants in the atmospheric nuclear tests. The DOD organized an effort to:

- Identify DOD participants in the atmospheric nuclear weapons tests and other nuclear tests
- Determine the extent of the participants' exposure to ionizing radiation

^{*}The Centers for Disease Control are part of the U.S. Department of Health and Human Services (formerly the U.S. Department of Health, Education, and Welfare).

• Provide public disclosure of information concerning participation by DOD personnel in the atmospheric nuclear weapons tests and other nuclear tests.

Two sets of volumes have been published to present information on the atmospheric nuclear tests. One set of volumes documents participation in the testing in the southwestern United States, and the other set documents participation in the oceanic testing. Each set of volumes is organized by operation and by shot to identify and describe the activities of DOD participants, radiological safety procedures used, and radiation exposures of individuals.

Certain terms and concepts are used repeatedly in the volumes. These include scientific and technical terms and basic concepts of radiation physics, dosimetry, and protection. The purpose of this manual is to provide the reader with a reference for understanding these terms and concepts as they are used in the reports on the continental testing program. This volume contains a list of document and data sources and a list of acronyms commonly used. In addition, it includes four appendices: Appendix A, a glossary of technical terms; Appendix B, a list of announced U.S. nuclear tests; Appendix C, a radiological standards matrix for the U.S. nuclear test series; and Appendix D, a list of the nuclear detonations conducted by other nuclear powers through 31 December 1981.

The Defense Nuclear Agency Action Officer, Lt Col H. L. Reese, USAF, under whom this work was done, wishes to acknowledge the research and editing contribution of numerous reviewers in the military services and other organizations in addition to those writers listed in block 7 of DD Form 1473.

TABLE OF CONTENTS

				PA	GE
PRE	EFACE				1
LIS	ST OF	FIGURES AND TABLES		•	5
DOC	CUMENT	F AND DATA SOURCES	•		6
LIS	ST OF	ACRONYMS AND ABBREVIATIONS	•	•	8
CH/	APTER				
1	GENER	RAL CHARACTERISTICS OF A NUCLEAR DETONATION	•	•	11
	1.1 1.2 1.3	Atomic Structure			12 13 17
		1.3.1 Fireball Formation		•	17 19
2	BASIC	C RADIATION PHYSICS	•	•	26
	2.1	Types of Ionizing Radiation	•	•	26
		2.1.1 Alpha Radiation	•		26 27 27 28
	2.2	Radiation Resulting from a Nuclear Detonation	•	•	28
		2.2.1 Initial Radiation			29 29
	2.3	Fallout from Nuclear Detonations	•	•	31
3	RADIA	ATION MEASUREMENT, INSTRUMENTATION, AND PROTECTION	•	•	33
	$\frac{3.1}{3.2}$	Units of Radiation	•		33 34
		3.2.1 Radiation Survey Instrumentation			34 36
	3.3	Radiation Measurement, Internal Exposure			39
		3.3.1 Air Sampling	•		41

TABLE OF CONTENTS (Continued)

CH	APTER																			Ī	PAGE
		3.3.3 3.3.4	Bioassa Whole-k															:	:	:	42 42
	3.4	Radiati	ion Prot	tecti	ion.		•	•	•		•				•			•		•	42
		3.4.1	Protect						rn	al	R	ad	lia	ti	or	ì					43
		3.4.2	Exposur Other I						• es	•	•	•	•	•	:	:	:	:	:	:	44
4	DEVE	LOPMENT	OF RADI	ATI	ON P	ROTE	CT I	ON	S	ΤА	ND	ΑR	DS				•				46
	4.1 4.2		pment of logy of									•	•	•	•	•	•	•		•	46
	4.2		rds									•	•		•	•	•	•	•	•	52
5	BIOLO	OGICAL F	EFFECTS	OF 1	IONI	ZING	RA	ADI	ΑT	10	N	•		•	•	•	•	•	•	•	55
	5.1	Exposu	re																	•	55
	5.2	Chrono	logy of	Biol	logi	cal	Eff	fec	ts	•	• D£	•	•	•	•	•	•	•	•	•	56 57
	5.3	ractors	s That 1	LNILU	rence	е ві	010)g L	Ca	1	Бī	16	ec t	5	•	•	٠	•	•	•	37
		5.3.1	Type of																		57
		5.3.2	Total A	Amour	nt o	f Ra	dia	ati	on	Α	bs	or	be	d	•	•	•	•	•	•	57
		5.3.3	Rate of																		58
		5.3.4	Area or													•	•	•	•	•	59
		5.3.5	Relativ												-						
			Cells a														•	•	•	•	59
		5.3.6	Species	s and	d In	divi	dua	11	Va	ri	ab	11	it	у	•	•	•	•	•	•	59
	5.4	Clinica	al Effec	cts .			•		•		•	•	•	•	•	•	•	•	•	•	59
		5.4.1	Acute H	Sffeo	ets.																60
		5.4.2	Long-te																		62
																					0.5
	5.5	Health	Effects	ot	Int	erna	1 1	સ્ત્ર ત	1a	tı	on	Ŀ	Хp	os	ur	·e	•	•	•	•	65
RE	FEREN	CES			• •		•	•	•	•	•	•	٠	•	•	•	•	•	•	•	69
AP	PENDI	CES																			
Α	GLOSS	SARY .					•	•	•		•		•	•	•	•	•	•	•	•	71
В			NITED ST HROUGH D																		91
С	RADIA	ATION EX	KPOSURE	STAN	NDAR	os,															
	U.S.	NUCLEAR	R TEST S	SERIE	es .		•	•	•	•	•	•	•	•	•	•	•	•	•	•	169

TABLE OF CONTENTS (Continued)

APPEN	PAGE
	REIGN NUCLEAR DETONATIONS, THROUGH CEMBER 31, 1982
	LIST OF FIGURES
FIGUR	E
1-1a	Principle of Gun-assembly Nuclear Device 16
1-1b	Principle of Implosion-type Nuclear Device 16
1-2	Schematic Representation of Toroidal Circulation within the Radioactive Cloud from a Nuclear Detonation
1-3a	Merging of Incident and Reflected Waves and Formation of Mach Y Configuration of Blast Fronts
1-3b	Outward Motion of the Blast Wave near the Surface in the Mach Region
3-1	Film Badge Holder
3-2	Pocket Dosimeters

DOCUMENT AND DATA SOURCES

The following libraries and document repositories were researched to acquire the references used to produce the CONUS series and shot volumes.

Air Force Special Weapons Center - Air Force Weapons Laboratory Technical Library Kirtland Air Force Base Albuquerque, New Mexico

Army War College Carlisle, Pennsylvania

Defense Atomic Support Information Analysis Center General Electric Tempo Santa Barbara, California

Defense Nuclear Agency Technical Library Alexandria, Virginia

Defense Technical Information Center Cameron Station Alexandria, Virginia

Department of Energy Historical Archives Germantown, Maryland

Federal Archives and Records Center San Bruno, California

Lexington-Bluegrass Army Depot Activity Technical Library Lexington, Kentucky

Library of Congress Washington, D.C.

Marine Corps Archives Historical Center Navy Yard Washington, D.C.

Marine Staff College Library Quantico, Virginia

Modern Military Branch National Archives and Records Service Washington, D.C. National Atomic Museum Kirtland Air Force Base Albuquerque, New Mexico

National Personnel Records Center St. Louis, Missouri

National Technical Information Service Springfield, Virginia

Nevada Operations Office Archives Department of Energy Las Vegas, Nevada

Nuclear Regulatory Commission Library Bethesda, Maryland

Office of Air Force History Bolling Air Force Base Washington, D.C.

Simpson Historical Research Center Library Maxwell Air Force Base Montgomery, Alabama

Sixth Army Headquarters Presidio San Francisco, California

Washington Records Center Suitland, Maryland

LIST OF ACRONYMS AND ABBREVIATIONS

This section provides a list of acronyms and abbreviations used frequently in the reports on the U.S. nuclear test series. These acronyms are used in both the reports and the bibliographies included with each published volume.

AEC Atomic Energy Commission (its functions are now

performed by the Department of Energy and the

Nuclear Regulatory Commission)

AEDS Atomic Energy Detection System

AFB Air Force Base

AFSWC Air Force Special Weapons Center

AFSWP Armed Forces Special Weapons Project (now Defense

Nuclear Agency)

AFTAC Air Force Technical Applications Center

AWS Air Weather Service

BCT Battalion Combat Team

BJY BUSTER-JANGLE Y (intersection of BUSTER and JANGLE

roads with Mercury Highway)

CBR Chemical, biological, and radiological

CDR Camp Desert Rock

CETG Civil Effects Test Group

CONUS Continental United States

CTO Continental Test Organization

DASA Defense Atomic Support Agency (now Defense Nuclear

Agency, Department of Defense)

DMA Division of Military Application (part of the AEC)

DNA Defense Nuclear Agency

DOD Department of Defense

DOE Department of Energy

DWET Directorate Weapons Effects Tests

EDR Exercise Desert Rock

EG&G Edgerton, Germeshausen, and Grier, Incorporated

FCDA Federal Civil Defense Administration

FCSU Field Command Support Unit

FCWT Field Command Weapons Test

GZ Ground zero

HE High explosives

HumRRO Human Resources Research Office

IBDA Indirect Bomb Damage Assessment

JTO Joint Test Organization (renamed NTO in 1957)

kt Kiloton

LASL Los Alamos Scientific Laboratory

LRL Lawrence Radiation Laboratory

LVT Landing vehicle tracked

MAUD [Committee for the] Military Application of Uranium

Detonation

MED Manhattan Engineer District

MLC Military Liaison Committee

NASWF Naval Air Special Weapons Facility

NBS National Bureau of Standards

NML Naval Material Laboratory

NPG Nevada Proving Ground (renamed Nevada Test Site in

1955)

NRDL Naval Radiological Defense Laboratory

NTO Nevada Test Organization

NTS Nevada Test Site

NTSO Nevada Test Site Organization

OCAFF Office, Chief of Army Field Forces

OCDM Office of Civil and Defense Mobilization

ORO Operations Research Office

PDT Pacific Daylight Time

PST Pacific Standard Time

rad Radiation absorbed dose

Radex Radiological exclusion

REECO Reynolds Electrical and Engineering Company

rem Roentgen equivalent man

R/h Roentgen per hour

SAC Strategic Air Command

SFOO Santa Fe Operations Office, Department of Energy

SWC Special Weapons Command

TAC Tactical Air Command

UCRL University of California Radiation Laboratory (now

Lawrence Livermore National Laboratory)

USAF United States Air Force

USPHS United States Public Health Service

UTM Universal Transverse Mercator

VLR Very long range

WETG Weapons Effects Test Group

CHAPTER 1

GENERAL CHARACTERISTICS OF A NUCLEAR DETONATION

This chapter provides a basis for understanding how a nuclear detonation works and how the forces released by a nuclear detonation can cause destruction. The different forms of energy released are described, along with an explanation of how this energy is produced during the detonation.

In general, a nuclear detonation, as well as a non-nuclear explosion, results from the very rapid release of a large amount of energy within a limited space. A nuclear detonation is characterized by an almost instant release of energy that causes a tremendous increase in temperature and pressure. Expansion of this area of high temperature and pressure produces a shock or blast wave that moves outward from the center of the detonation. The energy of the shock or blast wave dissipates with increased distance from the point of detonation. The shock wave in the air is referred to as the "blast wave." In water or in the ground, the term "shock wave" is used because the effect is like that of a sudden impact or shock.

Nuclear devices are similar to conventional explosives in that their destructive action is due mainly to the blast and shock waves. However, there are several basic differences between nuclear and regular high-explosive devices. Nuclear devices can release thousands or millions of times more energy than do normal conventional explosives. Temperatures produced by a nuclear detonation are much higher than temperatures created by conventional explosions. A fairly large proportion of the energy released is thermal radiation: primarily ultraviolet, visible light, and infrared radiation. This intense thermal radiation

can cause skin burns and flash blindness and start fires at considerable distances from the point of detonation. Two other differences are that a nuclear detonation releases highly penetrating and potentially harmful ionizing radiation and that the residues of some nuclear detonations are radioactive for long periods of time and can be deposited over a large area.

1.1 ATOMIC STRUCTURE

All substances are composed of one or more of 92 naturally occurring elements or possibly a number of man-made elements. The smallest part of an element that can exist and still retain the characteristics of that element is an atom. Each atom consists of a central nucleus surrounded by a number of electrons. The nucleus is composed of particles called protons and neutrons. These particles have approximately equal masses, but protons are positively charged, while neutrons are neutral. Therefore, the nucleus has a net positive charge. An atom is neutral, however, because the positive charge of its protons is exactly balanced by the negative charge of electrons that surround the nucleus.

The number of positive protons balanced by an equal number of negative electrons remains constant in all atoms of the same element. However, the number of neutrons may vary. The atomic number of an element indicates the number of protons in the nucleus, and the mass number refers to the sum of the number of protons and neutrons. The atomic number of a particular element is constant, but its mass number may vary. Atoms of an element that have the same atomic number but have different mass numbers are called "isotopes" of that element. For example, normal hydrogen has the atomic number 1 with a mass number of 1; its nucleus contains a single proton and no neutrons (1 + 0 = 1), and its positive charge is balanced by a single negatively charged electron. Deuterium is an isotope of hydrogen with one proton

and one neutron in its nucleus, giving it a mass number of 2 (1 + 1 = 2). Tritium is another isotope of hydrogen; it has one proton and two neutrons. Therefore, its atomic number remains as 1, while its mass number increases to 3 (1 + 2 = 3).

In a conventional explosion, the energy released is produced by the rearrangements of atoms in a chemical reaction. In a nuclear explosion, however, the energy released is caused by reactions occurring within the nucleus itself. The force between the components of the nucleus (protons and neutrons) is many times greater than the force between atoms. This accounts for the tremendous amount of energy released by a nuclear detonation. There are two types of nuclear reactions that lead to these large releases of energy: "fission," the splitting of the nucleus of a heavy atom (for example, uranium) into two or more lighter nuclei, and "fusion," the joining of two very light nuclei, such as hydrogen nuclei, to form a heavier nucleus, such as the helium nucleus.

1.2 FISSION AND FUSION REACTIONS

The elements normally used to produce nuclear detonations from fission reactions are certain isotopes of uranium and plutonium, such as uranium-235 and plutonium-239. The fission process is usually initiated when a free neutron penetrates the nucleus of the atom (uranium or plutonium), causing the nucleus to become unstable and to split into two or more smaller parts. Energy, two or more additional neutrons, and two or more gamma rays are normally released when the nucleus splits. The smaller, lighter nuclei that result from this process are called "fission fragments" or products. These fission fragments are usually radioactive and contribute to the radiation emitted from a nuclear detonation. The fission of 2.5 pounds of uranium could release as much energy as 20 kilotons of TNT. The uranium required for a 20-kiloton detonation must be greater than 2.5

pounds, however, because the fission reaction is not 100 percent efficient and only part of the uranium is fissioned.

Although two or three neutrons may be produced for every nucleus that undergoes fission, not all of these neutrons will cause additional fissions. Some of the neutrons escape from the material, while others are absorbed by atoms of non-fissionable materials. A "chain reaction" of fissions must occur in order to sustain the fission process. This requires that at least one neutron from each nucleus that is split be available to cause further fissioning. If the neutrons are lost at a faster rate than they are formed by fission, the chain reaction is not self-sustaining; that is, sufficient energy will not be released for a nuclear detonation to occur. Therefore, it is necessary to minimize the escape of neutrons and maximize the interaction of neutrons with the nuclei of the fissionable material.

There are several ways to minimize the escape of neutrons and maximize their interaction. One way is to increase the mass of the fissionable material at constant density so that the ratio of surface area to mass is decreased. The same result can be achieved by compressing a constant mass into a smaller volume so that the surface area is decreased. If the ratio of the surface area to mass is large, too many neutrons will escape, preventing a sustaining chain reaction. Such a configuration of fissionable material is called "subcritical." However, as the mass of the material is increased or its volume is decreased by compression, the relative loss of neutrons can be decreased to the point that a self-sustaining reaction is possible. This configuration is known as a "critical mass."

For nuclear weapons, a merely critical mass is insufficient to achieve detonation. Rather, a supercritical mass is necessary so that the reactions will multiply rapidly. This can be achieved by two different methods. First, a supercritical mass

can be attained by bringing together two barely subcritical masses. This method, called gun assembly, usually employs a cylinder in which an explosive propellant is used to propel one subcritical piece of fissionable material into the other. Figure 1-1a illustrates the principle of the gun-assembly nuclear device. The second method, called implosion, is based on the principle that strong compression of a subcritical mass of fissionable material increases its density, thereby causing it to attain criticality or supercriticality. This is achieved by completely surrounding a subcritical mass of uranium or plutonium with high explosives, as shown in Figure 1-1b. Detonation of the high explosives results in a strong implosive compression of the fissionable materials and the consequent attainment of supercriticality.

A fusion reaction occurs when a pair of nuclei, usually isotopes of hydrogen, unite to form the nucleus of a heavier atom. This union is accompanied by a release of energy. Two isotopic forms of hydrogen are commonly used in fusion reactions: deuterium, with one proton and one neutron, and tritium, with one proton and two neutrons. These isotopes must be sufficiently concentrated at a high temperature and pressure to achieve a self-sustaining fusion reaction. A great deal of energy must be supplied to initiate fusion between nuclei. Raising the fusion materials to very high temperatures can begin and sustain fusion reactions, which are therefore called "thermonuclear" reactions or processes.

Temperatures reaching tens of millions of degrees are needed to initiate fusion reactions. Fission explosions can provide the energy and heat required to initiate the fusion process in a thermonuclear device.




Figure 1-1a: PRINCIPLE OF GUN-ASSEMBLY NUCLEAR DEVICE (GLASSTONE AND DOLAN)




Figure 1-1b: PRINCIPLE OF IMPLOSION-TYPE NUCLEAR DEVICE (GLASSTONE AND DOLAN)

1.3 DESCRIPTION OF A NUCLEAR DETONATION

Certain phenomena are characteristic of a nuclear detonation. These phenomena will vary depending on the design of the nuclear device, the meteorological conditions, the terrain where the detonation occurs, and the location of the detonation relative to the earth's surface. Detonations that occur high enough above the ground to prevent the resulting fireball from touching the surface are called "air bursts." Detonations at altitudes greater than 100,000 feet are termed "high-altitude" A "surface burst" takes place on the ground surface or at an altitude low enough to allow the fireball to touch the earth's surface. Underground and underwater bursts occur beneath the surface of the earth or water, respectively. The point of detonation of a surface burst is called "ground zero." The area on the ground immediately above or below the point of detonation of a high altitude burst, an air burst, or an underground or underwater detonation is called "surface zero," "ground zero," or "surface ground zero."

The following sections describe in general terms the phenomena that result from a nuclear detonation.

1.3.1 Fireball Formation

A nuclear detonation causes a tremendous and extremely rapid increase in temperature and pressure at the point of detonation. Temperatures tens of millions of degrees and pressures millions of times that of ambient atmospheric pressure are generated almost instantly. Because of the great heat, all the materials of the nuclear device are vaporized. The surrounding air is heated to extremely high temperatures, which leads to the formation of a hot and highly incandescent mass of air referred to as the "fireball." The fireball then radiates thermal energy in the form of ultraviolet, visible light and infrared radiation.

High levels of neutron and gamma radiation are also emitted as a result of nuclear reactions in the weapon and its debris.

The effects of the thermal radiation emitted from the early fireball depend on the energy yield of the detonation, the type of combustible material, the meteorological conditions, and the distance from the point of detonation. At a distance of two kilometers, for example, thermal radiation from a 20-kiloton detonation can ignite paper and dry wood and cause severe skin burns.

A large pulse of electromagnetic radiation is also emitted from the fireball within a microsecond of the detonation. This electromagnetic pulse can interfere with communications and even damage electronic equipment far from the detonation.

The fireball continues to expand. Within two milliseconds after the detonation, all parts of the fireball reach approximately the same temperature. The fireball is then called an "isothermal sphere."

After the detonation, a blast wave is formed and is driven outwards by the force of the explosion. The tremendous pressure and temperature caused by passage of this blast front make the air opaque. Consequently, the fireball is obscured by a layer of luminous opaque air. Within milliseconds, however, this blast-heated air is cool enough so that the highly incandescent fireball is visible through the blast-front.

The fireball reaches its maximum size about one second after the detonation. As the fireball expands, it continually rises and draws in more air. This growth is accompanied by a decrease in temperature. The peripheral layers of the fireball cool first, imposing a drag or slowing effect on the exterior surface of the ascending fireball. This brings about a characteristic

change in shape. The spherical mass tends to develop into a toroid-shaped (or doughnut-shaped) configuration. As it ascends, the toroid undergoes violent internal circulatory motions that draw in air from beneath the toroid and thoroughly circulate the hot gases, air, and debris. Figure 1-2 shows the toroidal circulation within the radioactive cloud. The toroid-shaped fireball cools as it rises until its energy has dissipated at higher altitudes. By this point, the vaporized nuclear materials have been throughly mixed with water droplets, dust, and debris that may have been sucked into the expanding fireball.

Huge amounts of dirt and debris can be incorporated into the fireball when a nuclear detonation occurs on or near the earth's surface. The radioactive cloud formed within and around the cooling fireball continues to rise until it stabilizes at an altitude that is dependent on yield and atmospheric conditions. The radioactive cloud from very high-yield detonations may penetrate the tropopause and enter the stratosphere.

1.3.2 Blast Wave Formation in Air

The blast wave is responsible for much of the damage to structures and materials that results from a nuclear detonation. The expansion of the intensely hot gases at extremely high pressures in the fireball causes a blast wave to form, which moves outward at high velocity. The main characteristic of this wave is its sharply increased pressure. Peak overpressure (pressure exceeding the ambient air pressure of 14.7 pounds per square inch at sea level) can be many times greater than the ambient pressure. The passage of the blast wave causes high winds to follow, and the forces exerted by these winds are referred to as "dynamic pressure." The overpressure, combined with dynamic pressure, can cause much damage. Table 1-1 indicates the dynamic pressures and wind velocities associated with various peak overpressures.




Figure 1-2: SCHEMATIC REPRESENTATION OF TOROIDAL CIRCULATION WITHIN THE RADIOACTIVE CLOUD FROM A NUCLEAR DETONATION (GLASSTONE AND DOLAN)

Table 1-1: PEAK OVERPRESSURE, DYNAMIC PRESSURE AND MAXIMUM WIND VELOCITY IN AIR CALCULATED FOR AN IDEAL BLAST FRONT (GLASSTONE AND DOLAN)

Peak Overpressure (Pounds Per Square Inch)	Peak Dynamic Pressure (Pounds Per Square Inch)	Maximum Wind Velocity (Miles Per Hour)
200	330	2,078
150	222	1,777
100	123	1,415
72	74	1, 16 8
50	41	934
30	17	669
20	8.1	502
10	2.2	294
5	0.6	163
2	0.1	70

As the dynamic pressure diminishes, the overpressure also decreases until it actually becomes negative, or less than ambient air pressure. A partial vacuum is then produced, and the air is sucked back toward the point of detonation. This "negative phase" of the blast wave lasts for a longer period of time than the "positive phase" of overpressure.

For a given fixed location near the point of detonation, a series of pressure changes are evident over a period of time. For a short interval after the detonation, there is no change in the ambient air pressure since it takes some time for the blast wave to travel from the point of detonation to the given location. This arrival time depends on the energy yield of the nuclear device and the distance from the detonation. For example, at a distance of 1.6 kilometers from a detonation of

20 kilotons, the arrival time is about three seconds, while for a one-megaton detonation, the time is only 1.4 seconds.

When the incident blast wave from an air burst strikes the earth's surface, it is reflected. For a given location on the surface, the incident and reflected blast waves will occur at the same time. At locations above the reflecting surface, however, two separate blast waves are evident, the first being the incident blast wave and the second the reflected wave.

Initially, the two waves travel at the same speed. However, as the reflected wave travels through air previously heated and compressed by the incident wave, it travels at a greater speed and eventually overtakes and merges with the incident wave. This process of wave interaction is called "Mach reflection," and the region where the two waves merge into one front is termed the "Mach region."

Figure 1-3a indicates the merging of the incident and reflected waves. The incident wave moves outwards and downwards, while the reflected wave moves outwards and upwards. The single wave front formed from the merging of these two waves is called the "Mach stem." The overpressure at the Mach stem is greater than that of either the incident or reflected shock wave. The point at which the incident wave, reflected wave, and Mach stem meet is the "triple point." As the reflected wave continues to overtake the incident wave, the triple point rises and the height of the Mach stem increases, as shown in Figure 1-3b. The behavior and destructive capabilities of this merged wave are identical to those described previously for blast waves in general.

The distance from the detonation at which the Mach stem forms depends on the yield of the detonation and the height of the burst above the ground. In general, the Mach stem forms at increasing distances from ground zero as the yield is decreased




Figure 1-3a: MERGING OF INCIDENT AND REFLECTED WAVES AND FORMATION OF MACH Y CONFIGURATION OF BLAST FRONTS (GLASSTONE AND DOLAN)




Figure 1-3b: OUTWARD MOTION OF THE BLAST WAVE NEAR THE SURFACE IN THE MACH REGION (GLASSTONE AND DOLAN)

or as the height is increased. For a surface detonation, however, the Mach stem forms immediately, since the incident and reflected blast waves merge instantly. The combined blast waves then move outwards from the explosion in a direction horizontal to the earth's surface. The behavior and effect of the blast wave from any type of nuclear detonation are influenced by the meteorological conditions, altitude of the detonation, terrain, and the ability of the surface to reflect the blast wave.

A nuclear detonation beneath or on the surface produces a ground shock that sets the surrounding earth in motion. This shock wave is produced primarily by direct interaction of the explosive energy with the ground. As with the air blast wave, the ground shock wave travels outward and steadily decreases in energy and effect with increasing distance from the point of detonation.

The ground shock wave can damage structures buried in the ground or in contact with the ground. The extent of damage depends on the size, shape, and flexibility of the structure and equipment, the yield and location of the detonation, and the structure's distance from the point of detonation. In general, structures must be relatively close to the detonation to experience significant ground shock effects.

When a nuclear device is detonated over a flat, relatively dry surface that reflects thermal energy, a hot layer of air is produced near the surface. This thermal layer, referred to as the "preshock thermal layer," can cause the formation of an auxiliary blast wave, called a "precursor." The precursor moves in advance of the main blast wave and remains close to the surface as it moves outwards from ground zero.

The formation of a precursor may alter typical blast wave characteristics considerably. The peak overpressure at the blast

front may be reduced and be less sharply delineated than under ideal conditions. Oscillations of the dynamic pressure and overpressure may also occur. These alterations caused by the precursor may or may not be apparent in a particular nuclear detonation, and the effects cannot be generalized.

CHAPTER 2

BASIC RADIATION PHYSICS

Nuclear detonations produce ionizing radiation, in addition to blast effects and heat. This chapter defines ionizing radiation and describes the various types of radiation associated with a nuclear detonation. In addition, this chapter discusses the major phases of radiation emissions from a nuclear detonation, the types of radiation that characterize each phase, and the interaction of these radiations with the surrounding medium.

2.1 TYPES OF IONIZING RADIATION

Nuclear radiations resulting from a nuclear detonation consist of alpha and beta particles, neutrons, and gamma ravs. These radiations have sufficient energy to strip an electron from an atom, either directly or indirectly, leaving a positively charged particle and a negatively charged free electron. The process of stripping an electron from an atom is called "ionization," and the resulting positively charged particle and negatively charged electron are called an "ion pair." Because ions are highly reactive, they can disrupt chemical processes and cause biological damage.

2.1.1 Alpha Radiation

Alpha particles are composed of two protons and two neutrons and thus have a double positive charge. Alpha particles are identical to the nucleus of a helium atom. Because of their relatively large mass and charge, they readily interact with nearby atoms. In their passage through matter, alpha particles lose their energy rapidly and produce a great deal of ionization

in a short distance. They have a range of only a few centimeters in air and are incapable of penetrating clothing or even the outer layer of unbroken skin. Therefore, alpha radiation poses no external exposure hazard. However, alpha-emitting materials can enter the body by ingestion, inhalation, or through broken skin and may possibly constitute a hazard.

2.1.2 Neutron Radiation

Neutrons are uncharged nuclear particles. They can travel hundreds of meters in air and readily penetrate tissue or other matter. Because neutrons are electrically neutral, ionization produced by their interaction with matter is almost totally indirect. For example, when a neutron collides with a hydrogen atom, the neutron transfers some or all of its energy to the nucleus. If enough of the kinetic energy of the neutron is transferred, the nucleus can be knocked free from its bond with other atoms. This positively charged nucleus then causes ionization as it travels through matter. As neutrons collide with nuclei in their path, they lose energy and are eventually absorbed (captured) by the nuclei. When these neutrons are absorbed, the absorbing nucleus may emit ionizing radiation, such as a gamma ray.

2.1.3 Beta Radiation

Beta particles are ejected from excited, unstable nuclei and are physically identical to electrons moving at high speed. Beta particles may, however, be either negatively or positively charged. Unlike alpha particles, which are emitted at well-defined energy levels from a given radionuclide, beta particles are emitted with a range of energies up to some maximum value. The mass of a beta particle at rest is the same as the mass of an electron, about 1/1,800 that of a proton. Beta particles produce ionization in matter, but because of their exceedingly small mass

and great velocity, they do not produce nearly as much ionization per unit of distance as do alpha particles. Beta particles may travel several meters in the air before being absorbed. In more dense material, such as body tissue, high-energy beta particles may travel up to a centimeter. Clothing normally provides adequate protection from beta radiation. Therefore, beta radiation is a hazard only when beta-emitting materials are either in direct contact with the skin or are inhaled or ingested.

2.1.4 Gamma Radiation

Gamma radiation is a form of electromagnetic energy. Gamma rays are parcels of energy called photons with no electrical charge and no rest mass. Other types of electromagnetic energy include visible light, radio waves, microwaves, and X-rays.

Gamma rays are emitted from the nucleus as excess energy as a result of some nuclear de-excitation. They are emitted with well-defined energies for a given radionuclide. Gamma rays of several different energies can be ejected simultaneously. In general, gamma rays have ranges of hundreds of meters in air, and they can readily penetrate matter. Because they are highly penetrating, gamma rays pose a significant external exposure hazard. Dense materials, such as lead and steel, are often used as shields against gamma radiation.

2.2 RADIATION RESULTING FROM A NUCLEAR DETONATION

The radiation resulting from a nuclear detonation has been categorized as "initial" and "residual." Initial radiation is defined as the radiation emitted from the fireball and radio-active cloud within the first minute after the detonation.

Initial radiation includes "prompt" radiation, which is emitted

almost simultaneously with the detonation. Residual radiation is the radiation emitted from radioactive fission products, unused nuclear material, and neutron-induced radioactive materials more than one minute after the detonation.

2.2.1 Initial Radiation

Initial radiation includes gamma rays, neutrons, and alpha and beta particles; however, because of the extremely short ranges of alpha and beta particles, they are of little consequence as a potential hazard.

Gamma rays emitted as initial radiation originate in a number of ways. First, gamma rays result from the fission process itself. Second, the neutrons that escape without producing further fissioning may interact with or be captured by nonfissionable material, such as the weapon case or nitrogen in the air. These interactions may produce excited, unstable nuclei that release the excess energy as gamma rays. Finally, gamma rays are also emitted by the radioactive fission products that are produced in the detonation.

Neutrons are also part of the initial radiation emitted during a nuclear detonation. Essentially all of the neutrons are released either in the fission or fusion process. All fusion neutrons and more than 99 percent of the fission neutrons are emitted almost immediately. These are referred to as "prompt" neutrons. The remaining fission neutrons, called "delayed" neutrons, are released within the first minute and also constitute part of the initial radiation.

2.2.2 Residual Radiation

By definition, residual radiation is that radiation emitted more than one minute after the detonation. The source, extent, and significance of this radiation are influenced by factors such as the design and yield of the nuclear device, the location of the detonation with respect to the earth's surface, and meteorological conditions.

The residual radiation from a weapon detonated high in the air emanates primarily from the radioactive fission products, unfissioned nuclear material (plutonium, uranium, or both), and weapon debris made radioactive by neutron-activation. These sources of radiation vary with the yield and design of the nuclear device. For example, a thermonuclear (fission-fusion) device would produce fewer radioactive fission products than a pure fission device of the same yield. The weapon design, which encompasses factors such as size and materials, also influences the quantity and type of neutron-induced activity produced.

These radiation sources are of little consequence as long as they remain in the air; however, eventually they settle to the ground as "fallout." The time until fallout is a function of the height and yield of a detonation; that is, the greater the yield, the higher the radioactive debris will be lifted and the longer it will take to fall to the ground.

In surface or low-altitude detonations, elements and minerals in the soil can be made radioactive by interaction with neutrons. For example, neutrons released by such nuclear detonations can transform the stable isotope of sodium, an abundant element in most soils, into radioactive sodium-24. Other common soil constituents that can be neutron-activated include manganese, iron, silicon, and aluminum. Neutron activation can also make many of the metals used in building materials radioactive. These materials then contribute to residual radiation.

2.3 Fallout from Nuclear Detonations

Generally, fallout represents an acute hazard only when the nuclear detonation occurs on or near the surface of the earth. In surface or low air detonations, the fireball actually touches the ground and vaporizes some of the rock, soil, and other materials that are in the area. These materials, along with the fission products and unfissioned nuclear material, are then in a gaseous form within the fireball and are carried aloft as the fireball ascends. Dust and other particles that have been carried aloft by the fireball become contaminated as they are thoroughly mixed with the vaporized nuclear debris.

Eventually these radioactive particles cool, condense, and either fall back to the earth or remain suspended in the atmosphere for indefinite periods of time. Early fallout is defined as that which reaches the ground during the first 24 hours following a nuclear detonation. The early fallout contains the larger, heavier particles and can produce fairly high levels of radioactive contamination over large areas. Delayed fallout, which reaches the ground more than 24 hours after the detonation, consists of very fine particles that settle in low concentrations over a considerable portion of the earth's surface. The radioactivity level of delayed fallout is greatly reduced as a result of radioactive decay during the relatively long time the particles remain in the upper atmosphere. The radionuclides with short half-lives contribute more prominently to early fallout, while those with longer half-lives become prominent in delayed This occurs because the short-lived nuclides have usually decayed by the time the delayed fallout settles to the earth's surface.

The immediate concern related to fallout is the external exposure hazard from beta and gamma radiation produced by the fission products. Many different fission products are included in the fallout. Fission products are a complex mixture of over 300 different nuclides of 35 or more elements, and practically

all of these nuclides are radioactive. In general, the gamma radiation from fission products taken as a whole decreases with time according to the following approximation: for every sevenfold increase in time, the gamma intensity decreases by a factor of ten. For example, the gamma intensity seven days after the explosion is about one-tenth of that occurring one day after the explosion. This rule is applicable for up to six months following the detonation. After six months, the gamma intensity decreases even more rapidly.

The uranium or plutonium components of the weapon that do not fission are also a part of the nuclear fallout. These elements have extremely long half-lives of thousands of years. Because they emit primarily alpha particles, fallout particles containing uranium and plutonium do not constitute an external exposure problem but can be hazardous if inhaled or ingested.

CHAPTER 3

RADIATION MEASUREMENT, INSTRUMENTATION, AND PROTECTION

This chapter explains basic units of radiation measurement and briefly describes instruments used to detect and to measure radiation. The chapter also outlines the basic principles of radiation protection.

3.1 UNITS OF RADIATION

The roentgen, abbreviated R, is the unit that expresses the amount of ionization that gamma or X-radiation produces in air. One roentgen of gamma radiation forms 2.08 x 10 ion pairs per cubic centimeter of air. When converted to units of energy, this is equivalent to the deposition of 88 ergs per gram of air at standard temperature and pressure. It is important to note that the roentgen is a measure of the gamma or X-radiation intensity or exposure in air, not a measure of radiation dose.

The rad (radiation absorbed dose) is the unit currently used to express the dose absorbed from any ionizing radiation in any material. A rad is defined as the absorption of 100 ergs of energy per gram of material, regardless of the type of radiation involved. Exposure to 1 roentgen of X or gamma radiation results in an absorbed dose of approximately 1 rad.

The rem (roentgen equivalent man) is the unit of biological dose equivalent. Dose equivalent is defined as the product of the absorbed dose (in rads) and other necessary modifying factors such as the quality factor (QF), which takes into account the effectiveness of a particular type of radiation in producing

biological damage. This makes it possible to express the radiation dose in terms of a common unit for all ionizing radiation. For internal organ dose calculations, a distribution factor (DF) is also used. This factor adjusts the dose equivalent to allow for nonuniform distribution of the radioactive material within the organ.

3.2 RADIATION DETECTION, EXTERNAL EXPOSURE

Since the human senses are incapable of perceiving ionizing radiation, special instruments are necessary to detect radiation. This section describes various methods used to detect and measure radiation.

3.2.1 Radiation Survey Instrumentation

Several different types of portable survey instruments can detect and measure the intensity of ionizing radiation. All of these instruments measure radiation indirectly by detecting and evaluating an event (primarily ionization) caused by the radiation in some medium. The types of instruments differ primarily in the medium in which the event takes place and in the method by which this event is detected and measured. Most portable survey instruments fall into two general categories: gas ionization detectors and scintillation detectors. The gas ionization detector takes advantage of the ionization produced when radiation passes through a gas; the scintillation detectors depend on the property of certain materials to emit light (scintillate) when struck by ionizing radiation.

Gas Ionization Detectors

As the name implies, this category of detectors uses a gas as the detection medium. The typical detector consists of a cylindrical or rectangular chamber with a wire strung through the center. This central wire is insulated from the chamber walls and has a positive charge. The chamber is filled with air or a gas such as argon, and this gas-filled space serves as the sensitive volume. Radiation that enters the sensitive volume ionizes the gas. This produces free electrons, which, because they are negatively charged, are attracted to the positively charged central wire, also known as the anode. As these electrons are collected on the anode, they neutralize and reduce the charge. This reduction in charge can be measured and used as an indication of the amount of radiation present.

The three basic types of gas ionization detectors are the ionization chamber, the proportional counter, and the Geiger-Mueller detector. The primary difference between these detector types is the amount of voltage differential applied between the central anode and the chamber wall.

The ionization chamber instrument operates at a voltage potential just great enough to collect all of the free electrons produced by the ionizations taking place in the chamber. increasing this voltage, the free electrons produced by the original ionizing event can be accelerated to the point that they cause additional ionization as they are attracted toward the These secondary ionizations also produce eleccentral anode. trons that are attracted to the anode adding to the neutralization of the charge. If the voltage differential is greatly increased, ionization can be amplified to the point that nearly all of the gas in the chamber is ionized whenever a single ionizing event takes place. This greatly increases the sensitivity of the detector. Geiger-Mueller detectors operate at such a voltage and are thus best suited for monitoring low-level radiation where high sensitivity is needed. Ionization chamber instruments are the least sensitive of the gas ionization detectors; therefore, they are generally used as high-range instruments. Proportional counters, which operate at an intermediate voltage, are not commonly used for field surveys.

Gas ionization instruments can be used to detect all forms of ionizing radiation. Since the radiation must penetrate the chamber before it can be detected, the type of radiation to be measured must be considered in the chamber design. For example, the chamber walls of an alpha radiation detector must be constructed of an ultra-thin material that will allow entry of the alpha particle. On the other hand, the chamber walls of a gamma detector can be fairly substantial because gamma rays are highly penetrating. The chamber walls of beta-gamma detectors normally have a thin window of mica or other light material that can be opened or closed depending on whether or not beta particles are to be detected.

Scintillation Detectors

Another kind of portable survey meter is the scintillation detector. This detector consists of a phosphorescent material that emits light, or scintillates, when irradiated and a system to convert the light into electrical energy, amplify it, and measure the electrical output. Scintillation detectors can detect alpha and beta particles, and they are especially efficient in measuring gamma radiation.

3.2.2 Personnel Dosimetry

Film badges and pocket dosimeters are generally used to determine the wearer's cumulative external exposure to X-radiation or gamma radiation. These devices are worn by personnel working in a radiation environment.

Film Badges

Photographic film is sensitive to ionizing radiation in much the same manner that it is to light. Processed or developed film that has been exposed to radiation will exhibit a darkening or increased optical density that can be related to the degree of exposure. This optical density can be measured with a densitioneter and compared with a calibrated standard to estimate the exposure. Using this technique, photographic film worn in the form of a badge can measure an individual's cumulative gamma radiation exposure.

Typically, the film is wrapped in a light-tight paper packet lined with a very thin layer of lead. This thin layer of lead has two purposes. First, it filters out very low energy gamma rays, which are of little biological significance but cause a disproportionate change in the optical density of the film. Second, the lead layer helps to intensify the interaction of high energy gamma radiation with the film. The film packet is placed inside a plastic holder clipped to the outer clothing. The badge is usually worn on the chest. Figure 3-1 presents a drawing of a typical film badge holder.

Photographic film will respond to the ionizing effects of any radiation that reaches it. The lead-lined paper wrapper will filter out alpha radiation and will also attenuate very low energy beta radiation. The plastic film holder will absorb most of the other beta radiation. Therefore, to detect beta radiation exposure, a "window" is commonly provided in the film holder. Gamma radiation will easily penetrate the plastic holder. Thus, by comparing the exposure due to gamma recorded by the "closed" portion of the film with the exposure due to beta and gamma recorded by the "open" portion, the part attributable mainly to beta can be evaluated.

Although neutron radiation is not directly ionizing, film can be used to record neutron exposures. Unfortunately, neutron film dosimetry was in its infancy at the time of the nuclear tests and was not used other than experimentally.

Figure 3-1: FILM BADGE HOLDER (SMITH)

Direct-reading Dosimeters

Film badges must be processed before they can furnish information on radiation exposure. Direct-reading pocket dosimeters, on the other hand, provide instantaneous information on cumulative exposure. These dosimeters are used primarily to measure X-radiation or gamma radiation.

Pocket dosimeters are typically about the size and shape of a writing pen, as indicated in figure 3-2. The dosimeter consists of a small ionization chamber coupled to a miniature electrostatic meter and an optical reading system. A charge is applied to the chamber so that the electrostatic meter reads zero. As radiation ionizes the air in the chamber, the applied charge is dissipated. The loss of charge is directly proportional to the radiation exposure. The accumulated exposure can be determined at any time by aiming the instrument at a light source and reading a scale. The dosimeter can be used again after it has been recharged. The operating range of pocket dosimeters varies considerably; typical ranges are 0 to 200 mR and 0 to 10 R.

If a pocket dosimeter is dropped or jarred, it can discharge and indicate an exposure when none has actually occurred. Dosimeters may also leak their charge in conditions of high humidity. For these reasons, two dosimeters are usually worn close together, and the lowest reading is taken as the exposure estimate.

3.3 RADIATION MEASUREMENT, INTERNAL EXPOSURE

Radioactive material may enter the body by ingestion, inhalation, or, in certain cases, by direct penetration of the skin (absorption or through an open wound). Once inside the body, the material continues to be a source of radiation exposure until it is eliminated through biological processes, radioactive decay, or a combination of both.




Figure 3-2: POCKET DOSIMETERS (SMITH)

To calculate the dose resulting from internal deposition, it is first necessary to estimate the quantity of radioactive material that has entered the body. Once this has been estimated, calculations based on many factors, such as the chemical, physical, and radiological properties of the material as well as its biological fate, are used to figure the dose received by the individual.

The following paragraphs briefly summarize methods used to determine the quantity of radioactive material that may have entered the body.

3.3.1 Air Sampling

Samples of airborne radioactive material are customarily collected by drawing a known volume of air through a filter and analyzing the filter in a laboratory. The physical state of the airborne material dictates the type of filter required. example, a paper filter of good quality can be used to sample most airborne particulate matter. For gaseous material, such as certain iodine compounds, an activated charcoal filter must be used to collect the material by adsorption on the filter media. Air also can be sampled by simply collecting a known volume in a special container, such as an evacuated bottle. The air is then transported to the laboratory for analysis using appropriate The amount of radioactive material inhaled can instrumentation. be calculated by multiplying the airborne concentration (quantity per unit volume) by a standard breathing rate and volume and the duration of exposure. Since the retention of radioactive particles in the lung depends on the size of the particles, the calculation may also consider the particle sizes.

Swabbing the nasal passages with moistened cotton swabs and analyzing the swabs for radioactivity is often used as an indicator of possible inhalation exposure. However, this technique cannot quantify the exposure.

3.3.2 Water and Food Sampling

Samples of water or food can also be submitted to special laboratories for analysis. Again the amount of intake is calculated by multiplying the concentration of radioactive material in the water or food by the quantity of water or food ingested.

3.3.3 Bioassays/Biological Sampling

In certain cases, samples of body tissue, exhaled breath, or excreta (urine and feces) can be analyzed in a laboratory to determine the quantity of radioactive material within the body. Such determinations require knowledge of the biological characteristics of particular radionuclides in order to calculate the amount of intake.

3.3.4 Whole-body Counting

A whole-body counter is useful when the internal source is a gamma radiation emitter. This device employs a heavily shielded enclosure large enough to hold the person being monitored in an environment with low background radiation. This allows measurement of extremely low levels of radiation emitted from sources within the body.

The previous sections have presented the general methodology used to determine an individual's exposure to external and internal ionizing radiation. The following section discusses the methods for reducing exposure to external and internal radiation.

3.4 RADIATION PROTECTION

The basic principle of radiation protection is to minimize an individual's exposure to ionizing radiation. External radiation exposure is reduced by lessening or eliminating the amount of radiation that impinges upon the body. Among the most effective means of reducing external exposure are using shielding material, increasing the distance from the source of radiation, and reducing exposure time. A method for reducing internal exposure is to prevent internal deposition through the use of protective equipment, such as respirators.

3.4.1 Protection against External Radiation Exposures

The intensity of radiation decreases in inverse proportion to the square of the distance from a point source. In general terms, this means that for every doubling of distance away from the radiation source, the radiation intensity decreases by a factor of four. Therefore, individuals can be protected from exposure simply by keeping them away from the source of radiation. For example, a person located 100 meters from a gamma radiation point source would be exposed to one-quarter of the radiation to which a person located 50 meters from the source would be exposed. This example pertains only to an individual exposed to a point source of radiation, not from a source distributed over a large area (such as fallout distributed over a large surface area).

Another method of reducing radiation exposure is to insert shielding material between the radiation source and the personnel. Normal clothing provides adequate protection against alpha and low-energy beta particles. Special shielding is required for gamma and neutron radiations, however, since they can readily penetrate many materials. High-density materials, such as lead and iron, are commonly used in gamma ray shields; however, these materials alone are not as effective against neutrons. To shield effectively against neutrons, the material(s) must first slow the neutron and then absorb it.

Materials such as iron or barium are commonly used to decelerate very high-speed neutrons to an intermediate speed. These

intermediate-speed neutrons are then slowed further by the use of materials containing elements of low atomic weight (for example, water or paraffin) until the neutrons reach a point where they can be absorbed by materials such as boron or hydrogen.

The third method of controlling radiation exposure is to keep exposure to a minimum by limiting the amount of time individuals spend in radiation areas. Gamma radiation intensities can be monitored by survey meters. These data on exposure rates can then be used to determine the length of time individuals can stay in an area before reaching a predetermined exposure level.

Radiation exposure can be further minimized by allowing the radioactivity in an area to decay to safe levels before permitting entry of personnel. Radiation emitted from a radioactive source steadily decreases with time, according to the half-life of the radioactive material.

3.4.2 Other Protective Measures

To protect personnel from internal exposure, it is necessary to prevent them from inhaling or ingesting radioactive material and also to prevent radioactive materials from entering the body through a wound. Anticontamination clothing and respiratory equipment can be used to protect individuals from internal exposure.

Anticontamination Clothing

Anticontamination clothing consists generally of coveralls, shoe covers, gloves, and caps. The specific type of clothing worn is dictated by weather conditions, work to be performed, and anticipated contamination levels. The proper wear of anticontamination clothing, used either in place of or over regular apparel, includes overlapping coverall cuffs on gloves and boots and securing the cuffs with tape. In addition, the coveralls are

buttoned and taped at the neck. Removal of this clothing upon leaving a contaminated area helps to control the spread of radioactive material into uncontrolled areas.

Respiratory Protective Equipment

Respiratory protective devices are designed to prevent individuals from inhaling radioactive materials. Some respirators remove the contamination from the inhaled air, while others supply clean air from an uncontaminated source.

An air-purifying respirator consists of a cartridge or canister through which the air is inhaled. Contaminants are removed by filtration, absorption, or adsorption. Particulate matter is effectively removed by filtration, but gases and vapors must be absorbed or adsorbed by special chemicals or activated charcoal. The filtration system is contained in cartridges that attach to the respirators.

An air-supplying respirator receives air from either an air line or a portable air supply tank. Air-supplying respirators give the most complete respiratory protection against airborne radioactivity.

The efficiency of any respirator, whether air-purifying or air-supplying, depends upon its fit. If the respirator does not fit properly, it may leak and not protect adequately. The mask should always be checked for proper fit before use.

CHAPTER 4

DEVELOPMENT OF RADIATION PROTECTION STANDARDS

This chapter addresses the evolution of protection guidelines for external exposure to radiation as developed by national and international authorities. The chapter discusses changes in the terminology used in radiation protection before concluding with a chronology of radiation protection milestones.

4.1 DEVELOPMENT OF THE STANDARDS

Scientific recognition and identification of ionizing radiations occurred in the late 19th century. In 1895, Wilhelm Roentgen observed that photographic film darkened when placed near an operating cathode tube. He demonstrated that invisible rays emanating from the cathode tube were responsible for darkening the film. He called these invisible rays "X-rays." In 1896, Henri Becquerel discovered that uranium emitted similar kinds of rays. These rays, along with X-rays, were shown to produce electrical charges in air, and for this reason were referred to as "ionizing radiations."

While continuing his work on X-rays, Roentgen discovered that most materials, including human tissue, were transparent to X-rays. This discovery led directly to medical and scientific uses of X-rays and launched the modern field of radiology.

Early radiographic equipment consisted of a simple X-ray tube that was completely unshielded: no attempts were made to control the X-ray exposure of either the patient or the operator. By the end of 1896, many operators of X-ray devices were complaining of skin and eye irritations. These health effects were not considered serious, however, and no effort was made to

reduce or eliminate these symptoms until 1903, when an English radiologist expressed concern over the extensive exposure received by X-ray machine operators. Because of this concern, many radiologists began wearing protective clothing to reduce exposure to X-rays. This clothing included gloves and aprons lined with lead, eye goggles, and face shields. Such individual protective measures were later abandoned in favor of protective shielding built into the X-ray apparatus itself.

By the early 1920s, it was known that continued exposure to X-rays produced a reddening or erythema of the skin. The amount of X-radiation needed to produce this reddening was called the "erythema dose." The determination of this amount was a crude and subjective estimate of the dose since the extent of biological effect varied widely depending on the exposure, time of exposure, and individual tolerance. However, the erythema dose was the first attempt at quantifying radiation exposure.

It was soon realized that a more precise measure was required to quantify exposure to ionizing radiation. A standardized set of exposure criteria was needed to properly describe human exposure to radiation. In 1925, an international committee, called the International Commission on Radiological Units and Measurements (ICRU), was established to evaluate the problem of human exposure to radiation and to recommend standardized units and measurements that could be used to quantify radiation exposure. In 1928, this committee recommended adopting the roentgen as the standard unit of X-radiation exposure. Although the roentgen became a common unit for measuring radiation, it is a physical unit of exposure in air rather than a biological measure of absorbed dose.

Actual protection standards were not addressed until 1928, when the International X-ray and Radium Protection Commission was formed. This group is now the International Commission on Radio-

logical Protection (ICRP). In 1929, a similar organization, the American Advisory Committee on X-ray and Radium Protection, was founded in the United States. In 1934, the ICRP made its first recommendation of a tolerance level of exposure: 0.2 roentgens per day. Largely because of World War II, the ICRP did not meet between 1937 and 1950, and this recommended limit remained in effect until 1950.

Like the ICRP and the ICRU, the American Advisory Committee on X-ray and Radium Protection discontinued most of its work during World War II. In the United States during the early 1940s, the major efforts in the radiation field were directed toward the development of nuclear weapons. The weapons program led to a vastly expanded radiation industry that called for an increased understanding of radiological control and safety measures. This awareness was reflected by the American Advisory Committee's recommendation that occupational exposure to radiation should be limited to 0.1 roentgen per day. This recommended limit was used for radiation workers on the Manhattan Project.

After World War II, the American Advisory Committee reorganized as the National Council on Radiation Protection and Measurements (NCRP). In 1949, the NCRP made a number of basic decisions regarding radiation exposure, including the recommendation to lower the permissible dose to 0.3 roentgens per week. In addition, it recommended the adoption of Relative Biological Effectiveness (RBE) as a means for calculating absorbed dose from different types of radiation.

The NCRP introduced the term "permissible dose" in 1949 to describe the maximum radiation dose that could be safely received by an individual. The NCRP adopted this new term because data from biological studies showed that it could not be assumed that all effects have a threshold dose, below which no effects would

result. In the case of genetic damage, effects might be expected at very low doses. The term "tolerance dose," which had been used up to that time, seemed to suggest a dose below which no effects would occur.

The change in terminology did not entirely eliminate the ambiguities associated with interpretation of radiation protection terms. "Permissible dose" does not explain who or what gives "permission" to receive a particular dose of radiation, especially since the NCRP is not a regulatory agency and only makes recommendations about radiation protection measures. Terms that have been used synonymously with permissible dose have been "tolerable," "acceptable," and "allowable" dose. The specific application of these terms has been much debated, but for practical purposes, they can all be used when referring to a standardized maximum limit on the dose of radiation received by an individual. The NCRP, however, has continued to use "permissible dose" when describing recommended radiation dose limits.

In 1950, the ICRP made new recommendations based on the data collected by the NCRP. The ICRP recommended at that time that the weekly exposure limit be lowered to 0.3 roentgens to agree with the NCRP recommended limit.

At a joint meeting in 1953, the ICRP and the ICRU recommended a new radiation unit, the rad. The rad, in contrast to the roentgen, is a unit of absorbed dose, not a unit of exposure. The ICRP and the ICRU also identified another new term, the rem, as the absorbed dose of any ionizing radiation that had the same biological effectiveness as one rad of X-radiation. The dose in rem was equal to the dose in rads multiplied by the appropriate RBE.

In 1956, because of concern over long-term exposures at low dose rates and possible genetic effects, both the NCRP and the

ICRP independently recommended reducing the permissible exposure level for radiation workers to 5 rem per year. They also recommended that the total accumulated dose over the lifetime of an individual be restricted according to the age-proration formula D=5(N-18), where D is the total accumulated dose and N is the individual's age in years. Therefore, a radiation worker 28 years of age should not have an accumulated lifetime dose greater than 50 rem [5(28-18)=50]. The NCRP and the ICRP adopted the age-prorated limit for whole body exposure in 1957.

Because of the increasing use of radiation and the potential exposure of the general population to radiation, several studies were commissioned and new organizations and agencies were established in the 1950s to study problems related to radiation exposure. The National Academy of Science commissioned the Biological Effects of Atomic Radiation (BEAR) study in 1955, which was continued as the Biological Effects of Ionizing Radiation (BEIR) study in 1972. The United Nations established its own scientific committee on the Effects of Atomic Radiation (UNSCEAR) in 1955. Based on the findings of these studies, the ICRP and NCRP suggested an exposure limit for the general population of 0.5 rem per year.

The U.S. Federal Radiation Council (FRC) was formed by Executive Order in 1959 to guide Federal agencies in setting standards and criteria for radiation exposure. Before 1959, the Federal government had been using standards based on recommendations of the NCRP, ICRP, and the National Academy of Science. In 1960, the FRC adopted a basic set of standards essentially the same as that developed by the NCRP in 1957. In 1970, the FRC was decommissioned and incorporated into the newly formed Environmental Protection Agency (EPA). The EPA had the responsibility of recommending radiation standards and limits pertaining to the environment in general.

For the most part, the guidelines for exposure to ionizing radiation set in 1957 by the NCRP and the ICRP have remained unchanged to the present time. In 1963, however, the NCRP and the ICRP recommended that the RBE be replaced by the Quality Before 1963, the RBE was used to convert the dose Factor (QF). in rads to the dose equivalent in rem. The RBE was an experimentally determined value that related the biological damage caused by one type and energy of radiation to the damage caused by any other radiation. The QF is used as the multiplier to convert the absorbed dose (rads) to units of human dose equivalency (rem). Each type and in some cases each energy of radiation is assigned a specific QF based on its ability to produce ionization and its linear energy transfer value. In 1971, after completing a ten-year study and review of basic radiation protection criteria, the NCRP determined that no major changes should be made in the 1957 recommendations. Its statements of 1971 are currently used for radiation protection work.

This section has summarized significant developments in radiation protection standards. Since the first basic standards for radiation protection were established in 1934, they have been reduced twice. The first change, from 0.1 roentgen per day to 0.3 roentgens per week, occurred in 1949. The second change, from 0.3 rem per week to 5 rem per year, a threefold reduction, occurred in 1956. The reduction of the permissible standards has been based on theoretical concepts concerning genetic risks and on observed biological effects in animals, not on observed effects in humans. The radiation exposure standards currently used for human protection are as follows:

Occupational Exposure	Period	Dose Limit (rem)
Whole body, head and trunk, blood-forming organs, lens of the eye, gonads	Calendar Quarter	1.25*
Skin	Calendar Quarter	7.5
Hands, forearms, feet, and ankles	Calendar Quarter	18.75

^{*}Can be raised to 3 if when added to the accumulated occupational dose to the whole body, the total does not exceed 5(N-18) rem where N equals the individual's age in years at his last birthday.

4.2 CHRONOLOGY OF RADIATION PROTECTION STANDARDS

This section summarizes events in the development of the radiation protection standards discussed in the preceding section.

1910-1920s: The "erythema dose" was identified and commonly used as an indicator of excessive exposure to X-radiation.

1928: The international commission that became the ICRU was formed. This commission adopted the "roentgen" as the international unit of radiation measurement. Although not a radiation protection unit, all subsequent radiation measurements and units were directly or indirectly based on the roentgen.

1934: The American Advisory Committee on X-ray and Radium Protection (now the NCRP) recommended a "tolerance dose" of 0.1 roentgen per day for radiation workers. The ICRP recommended a tolerance dose of 0.2 roentgens per day for radiation workers.

- 1949: The NCRP recommended a "permissible dose" of 0.3 roentgens per week. The NCRP recommended adoption of the terms "RBE" and "permissible dose."
- 1950: The ICRP adopted the NCRP 1949 recommendation of 0.3 roentgens per week permissible dose for radiation workers.
- 1953: The ICRP and ICRU introduced the units "rad" and "rem" to express radiation absorbed dose.
- 1956: Both the NCRP and ICRP independently recommended lowering the permissible dose for radiation workers to 5 rem per year. In addition, they proposed a limit of 0.5 rem per year for the general population.
- 1957: The NCRP and the ICRP adopted the "age-proration principle" of lifetime dose. According to this principle, the total accumulated dose an individual can receive over his lifetime is equal to 5(N-18) rem, where N is the individual's age in years.
- 1959: The FRC was established by Executive Order to provide guidance to all Federal agencies proposing radiation standards and guidelines.
- 1960: The FRC developed its first set of standards, which were essentially the same as the 1957 standards of the NCRP and ICRP, and proposed a permissible dose of 5 rem per year.
- 1963: The ICRP recommended adoption of the QF, instead of the RBE, to determine dose equivalency in humans.

 The commission also recommended that the RBE

continue to be used in experimental work but not in radiation protection.

1970: The authority of the FRC was transferred to the EPA.

1971: The NCRP completed a ten-year study and review of radiation protection criteria. Basically, the council did not change the 1957 recommendations.

Appendix C presents data on radiation exposure standards specific to the U.S. nuclear test series.

CHAPTER 5

BIOLOGICAL EFFECTS OF IONIZING RADIATION

Exposure to radiation that produces ionization can damage biological systems, as has been known for some time. The first documented case of human injury occurred only a few months after Wilhelm Roentgen announced the discovery of X-rays in 1895. Since that time, much has been learned about exposure to ionizing radiation. However, many unknowns remain.

This chapter briefly summarizes some of the pertinent knowledge on biological effects. This general discussion is not intended as a full exposition of the biological effects of radiation. Rather, it presents key material drawn from basic sources such as The Medical Effects of Nuclear Weapons by the Armed Forces Radiobiology Research Institute, "Health Aspects of Nuclear Weapons Testing" by the Atomic Energy Commission, the BEIR III Report prepared by the Committee on the Biological Effects of Ionizing Radiations, Glasstone and Dolan's The Effects of Nuclear Weapons, The Health Physics Technician Training Manual edited by Stroscheir and Maeser, and Sources and Effects of Ionizing Radiation by the United Nations Scientific Committee on the Effects of Atomic Radiation. (See the reference list for bibliographic information concerning these reports.) The reader should consult these and other volumes for a comprehensive presentation of this complex and controversial topic.

5.1 EXPOSURE

Individuals can be exposed to radiation from a nuclear detonation in several different ways. Persons located close to the detonation can be exposed to high levels of initial neutron and gamma radiation, even if they are adequately protected from the thermal and blast effects. Persons can be exposed to the

residual radiation from neutron-induced radioactivity in the soil and from radioactive fallout that settles to the ground. In the former case, the exposure is considered "external" (that is, the radiation source is located outside the body). In the latter case, the exposure can be external or "internal" if the radio-active material is taken into the body by inhalation, ingestion, or directly through the skin (through an open wound or in some cases by absorption). Radiation exposures that occur within a relatively short period of time, arbitrarily taken as 24 hours, are termed "acute exposures." Exposures that occur over a longer period of time are defined as "chronic exposures."

5.2 CHRONOLOGY OF BIOLOGICAL EFFECTS

The observable biological effects of acute exposures normally follow a sequential pattern. For chronic exposures, this pattern may not be recognizable since these effects overlap one another. Generally, however, the chronology follows the pattern described below.

A time lag, called the latent period, occurs between the initial radiation exposure and the first detectable biological effect. This period can vary greatly. The larger the radiation exposure, the shorter the latency period. The effects that appear within minutes, days, or weeks are arbitrarily termed "acute" effects. Those appearing years, decades, or even generations later are called "long-term" effects. Following the latent period is a stage of demonstrable effects, such as loss of hair, and possibly a period of recovery, since some biological effects are subject to recovery. For example, hair lost as a result of radiation exposure will return if the individual survives the initial exposure. There may, however, be residual damage from which there is no recovery. Such residual damage is the basis for long-term effects.

5.3 FACTORS THAT INFLUENCE BIOLOGICAL EFFECTS

Several factors determine the extent of biological damage caused by radiation. These factors include the type of radiation absorbed by the body, the total amount of radiation absorbed by the body, the rate of exposure, the portion of the body exposed, the relative sensitivity of certain body tissues to radiation, and individual variability in response to equivalent radiation dose.

5.3.1 Type of Radiation

The amount of radiation absorbed in a tissue is a function of the type and energy of the incident radiation. In most cases, alpha and beta radiation will be completely absorbed by body tissue, while gamma rays and neutrons may be only partially absorbed. For a given type of radiation, the greater its energy, the greater its penetration ability. However, the penetration ability of different types of radiation of equal energy varies widely. For instance, a high-energy alpha particle will not penetrate the outer layer of skin, whereas a fairly low-energy gamma ray will easily penetrate well into or even through the entire body. To consider another factor relative to the different types of radiation, living cells demonstrate a greater biological response to highly ionizing particles (such as alpha particles) that rapidly transfer their energy during transit than to radiations (such as beta particles and gamma rays) that do not transfer as much energy per unit of path length through tissue. In other words, some types of radiation are more effective than others in producing damage.

5.3.2 Total Amount of Radiation Absorbed

The amount of radiation absorbed is commonly termed "dose." As with most hazardous or toxic agents, there is a quantitative relationship between the extent of damage, or effect, and the

dose received. The latency period for an observed effect, as stated earlier, usually decreases with increases in dose.

In considering almost all acute effects, there is a threshold dose below which the effect does not appear. For example, if a person were to expose groups of experimental animals to increasing levels of gamma radiation and look for an effect, such as vomiting, within one week after the exposure, he or she would observe a threshold dose below which none of the animals vomited. Once this threshold dose was exceeded, the percentage of animals vomiting would increase rapidly until the effect was observed in all exposed animals.

Today, many experts do not believe there is a threshold dose for most of the long-term biological effects. It is reasonably well established that the genetic effects of radiation follow a linear or a "non-threshold" dose-effect relationship. Considerable evidence from animal experiments indicates that life span shortening and possibly carcinogenic effects also follow this relationship. More sensitive means of measuring these effects are, however, needed to confirm this relationship.

5.3.3 Rate of Radiation Absorption

The rate at which the radiation dose is received is a critical factor for most acute radiation effects. For example, in most cases, a given dose will produce much less of an effect if delivered over a period of several days rather than in a single exposure. This fact supports the theory that some recovery occurs between exposures. On the other hand, if permanent radiation damage results in some of the long-term effects, rate of radiation absorption is probably not a factor.

5.3.4 Area or Portion of the Body Exposed

Large doses of radiation that would be lethal if applied to the whole body can be administered to portions of the body without apparent danger. Therapeutic radiation doses are a prime example.

5.3.5 Relative Sensitivity of Certain Body Cells and Tissues

All cells and tissues are not equally sensitive to radiation. Several factors influence their degree of sensitivity. In general, cells and tissues that are rapidly growing or are being continually renewed or replaced are the most sensitive to radiation damage. Other factors include the degree of cell or tissue specialization and structure. The most radiosensitive tissues and cells include the lymphoid tissue (particularly lymphocytes), reproductive tissue, spleen, immature blood cells found in bone marrow, and the cells lining the gastrointestinal tract. The least sensitive tissues are bone, muscle, and nerve. Since the blood-forming organs, such as the spleen and bone marrow, are extremely radiosensitive, any shielding of these areas would materially lessen the effect of a whole body exposure.

5.3.6 Species and Individual Variability

Responses to equal radiation doses vary considerably among animal species and even within species. For example, a whole body exposure to 250 roentgens would be lethal to approximately 50 percent of exposed guinea pigs. Approximately 875 roentgens would be required to produce the same effect in rabbits.

5.4 CLINICAL EFFECTS

The clinical effects of exposure to ionizing radiation can range from a minor reddening of the skin (erythema) to death.

The time interval between the exposure and the onset of these

effects generally depends on the amount of radiation absorbed in the critical body organs.

5.4.1 Acute Effects

"Radiation sickness" is the term commonly used to describe the acute effects of radiation exposure. These effects or symptoms are collectively referred to as "acute radiation syndrome." The following information summarizes the acute effects expected from increasing levels of radiation exposure of humans.

Doses of 25 to 100 rem

The individual receiving a radiation dose of 25 to 100 rem may show no sign of illness and should be able to continue with normal activities. This dose may produce slight changes in the blood, primarily a decrease in the number and in the composition of white blood cells. Doses of less than 25 rem normally cause no observable effects in the exposed individual.

Doses of 100 to 200 rem

A radiation dose ranging from 100 to 200 rem will result in illness but the effects should not be fatal. The initial phase, which persists for two or three days after exposure, will be characterized by slight fatigue, nausea, or vomiting. The latent period that follows may last up to two weeks. Complete recovery occurs in the final phase, unless complications occur due to infections or other injuries. Although the number of white blood cells decreases significantly, this decrease is usually not serious, and the white cell count customarily returns to normal by the final phase of the illness.

Doses of 200 to 1,000 rem

The probability of survival is good at the lower end of this range but poor at the upper end. The initial phase, which continues for two or three days, has the characteristic symptoms

associated with doses of 100 to 200 rem. The symptoms then discontinue, and the latent phase occurs for about two weeks. Ιn this stage, the individual may feel relatively good and may even resume normal activities. The final phase occurs when earlier symptoms return, accompanied by diarrhea, fever, and loss of Internal hemorrhaging also occurs at this time, and spontaneous bleeding from mucous membranes is common. the blood-forming organs (bone marrow) causes a severe depletion This leads to increased susceptibility of the white blood cells. to infection, which can be a serious complicating factor. resultant infection is not controlled, it can spread to vital In general, for doses less than 600 rem, organs and cause death. recovery is possible if infections or other complications do not occur. For doses exceeding 600 rem, however, the chances for survival are minimal even if no complications arise. usually occurs within two to eight weeks following exposure.

Doses over 1,000 rem

Doses ranging from about 1,000 to 5,000 rem cause irreparable damage to the gastrointestinal and central nervous systems. Radiation damage to the gastrointestinal tract leads to infection, which causes severe diarrhea, vomiting, loss of appetite, and high fever. Damage to the central nervous system, usually from doses greater than 2,000 rem, causes complete loss of neuromuscular activity, intermittent stupor, and respiratory paralysis. For all doses exceeding 1,000 rem, death usually occurs within a few days of exposure.

Beta Burns

Beta radiation, generally considered an internal hazard, may be an external exposure hazard if particles emitting beta radiation are deposited on bare human skin. This exposure can cause a characteristic type of radiation skin burn called "beta burn."

Information concerning the development and healing of beta burns has been obtained from observations of Marshall Islanders inadvertently exposed to fallout during a nuclear test at the Pacific Testing Ground. Particles from the early fallout settled on the bare skin of individuals. Within 48 hours, the contaminated individuals experienced an itching and burning sensation of the skin. These symptoms abated after one or two days but recurred about two or three weeks later. They were accompanied by loss of hair and burn lesions on the skin. The burns were usually limited to the outer layer of skin. After formation of a dry scab, the lesions healed rapidly, leaving an area of abnormal pigmentation. Normal pigmentation was usually restored after several months. Beta burns occurred only on parts of the body not protected by clothing or other materials, such as the scalp, neck, and forearms.

5.4.2 Long-term Effects of Radiation Exposure

Some consequences of ionizing radiation may not become apparent until years after the time of exposure. Although these effects may occur later in life, they are most likely the result of changes induced in the cells and tissues at the time of radiation exposure. These effects may also become manifest following chronic, or long-term, exposure to levels of radiation that may not cause observable acute radiation sickness. The exact causes of these health effects and the reasons why a long latency period is required before they become apparent are not completely known.

Late-developing health effects include cataracts, leukemia and other types of cancer, retarded development of children exposed in utero, and genetic or hereditary effects. Since all of these effects also occur naturally, it is extremely difficult to identify specifically a radiation-induced long-term effect.

Cataracts, which are an opaqueness of the eye lens, occur commonly in elderly persons but are rare in individuals less than

40 years of age. Cataracts were found in a number of Hiroshima and Nagasaki survivors considered too young to have developed natural cataracts. Numerous animal experiments have shown that neutron and, to a lesser extent, gamma radiation can cause cataracts. The available data strongly suggest that cataract formation is a threshold phenomenon. It has been estimated that acute neutron or gamma doses greater than 200 rem are necessary to cause cataracts in humans. The threshold for doses spread over a period of months is much higher. It usually takes a latency period of several months to years after exposure before cataracts become apparent in an individual.

Ninety percent of the Hiroshima and Nagasaki survivors who contracted leukemia received radiation doses greater than 200 rem (based on the best dose estimates currently available), but not all who received such a high dose developed the disease. demonstrates the variance in susceptibility, mentioned earlier, within species. The data from the Hiroshima and Nagasaki survivors and other sources indicate that there is no threshold dose for leukemia and that the probability of causing leukemia is roughly proportional to the whole body dose. According to the 1977 report of the United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR), an additional 15 to 25 cases of leukemia can be expected per million man-rads of dose of radiation such as X-rays or gamma rays. In other words, 98 cases of leukemia can be expected to occur naturally in a population of 1,000,000 persons. If each of these persons was to receive a radiation dose of 1 rad, an additional 15 to 25 cases would be expected.

Similar statistics have been developed for other types of cancer. While the scope of this manual does not permit a detailed review of the literature, the following example using data from the 1977 UNSCEAR report does provide good summary information. In a typical group of 10,000 Americans, national cancer statistics indicate that about 1,600 will eventually die

of cancer. These are "natural" cancer deaths, not caused by exposure to excess man-made ionizing radiation. This estimate is so approximate that a variation of 50 to 100 such deaths would not be regarded as abnormal. Now, if each of these 10,000 individuals was exposed to 1 rem of ionizing radiation, cancer statistics show that there will be only one additional cancer death over the lifetimes of the 10,000 individuals. Thus, if the variation in natural cancer deaths ranges from 1,500 to 1,700 out of 10,000 individuals, and if a dose of 1 rem to each of these 10,000 individuals causes a statistical increase of only one more death, it is understandable that medical science has difficulty in identifying this effect with precision.

Information about abnormal prenatal and postnatal development of children following exposure to radiation comes from the Hiroshima and Nagasaki survivors. Pregnant women who received gamma and neutron doses greater than 200 to 250 rem (estimated) experienced an increased rate of stillbirths and of infant mortality within a year of birth. The increases in infant mortalities were significant only, however, when the mothers had been exposed during the last three months of pregnancy. Mothers who received doses greater than about 200 rem during the first three months of pregnancy delivered live infants, but a slight increase in the prevalence of mental retardation was noted. Some of the infants also experienced malformations of the teeth caused by radiation damage to the pulp and roots of the teeth.

The genetic or hereditary effects of nuclear radiation have not been documented in humans. Information about this subject comes exclusively from laboratory studies on experimental animals with relatively short generation times. Unfortunately, these data cannot be extrapolated to humans with any degree of certainty. It is possible, however, that excessive radiation exposure to the reproductive organs could cause changes in the genetic material of the chromosomes.

It has been known for some time that ionizing radiation is carcinogenic, that is, that it causes cancer. The mechanism for cancer production is not yet understood. The first recorded cases were skin cancers on the hands of early X-ray workers. Since then, the relationship between cancer in humans and radiation exposures has been documented in several cases. Notable examples include the:

- Occurrence of bone cancers among the first workers who applied a radium compound to watch dials
- Increased incidence of leukemia among early radiologists and the survivors of the atomic bombings at Hiroshima and Nagasaki
- Increased incidence of thyroid cancers in certain patients treated by X-ray therapy.

The first evidence of increased incidence of leukemia among the Hiroshima and Nagasaki survivors appeared in 1947; the disease reached its peak in 1951 to 1952, five to seven years after the bombing.

5.5 HEALTH EFFECTS OF INTERNAL RADIATION EXPOSURE

Radioactive material can enter the body through an open wound, by inhalation, or by ingestion. Radiation exposure from these internal sources continues until the radioactivity completely decays or the source is eliminated from the body. Radioactive materials, upon entering the body, can be concentrated in certain organs or tissues, causing significant radiation exposure to these tissues. Internal deposition of the radioactive materials depends largely upon their chemical composition. For example, radioisotopes of iodine will follow the same metabolic pathways as normal iodine and become localized in the thyroid gland. Radioisotopes of cerium and strontium, chemically similar to calcium, are "bone-seekers" and become incorporated into the bone tissues.

The size of the particle affects its entry and deposition into the body by inhalation. Larger particles are usually filtered out by the nose and upper air passages and are prevented from entering the lungs. Smaller particles not filtered out can reach the inner passages of the lungs. If the particles are soluble in body fluids, they will be dissolved and will enter the bloodstream, where they will be transported to other body tissues or be eliminated from the body. If the particles are insoluble, they can remain in the lungs for long periods of time, until removed by normal body processes. The extent of damage to the lungs caused by these inhaled particles apparently depends on the size of the particles, the type of radiation omitted, and the length of time in the lungs. Internal exposure of the lungs may lead to lung cancer, pneumonitis, or fibrosis.

Radioactive material can also enter the body through ingestion. Soluble particles are digested and enter the bloodstream, where they can be carried to other tissues or be eliminated from the body through the kidneys. Insoluble particles are carried through the gastrointestinal system and are eventually eliminated in the fecal matter.

The length of time a particular radioactive substance remains in the body depends on its "biological half-life." The biological half-life refers to the time required for the body to eliminate, through natural processes, half of the initial concentration of the radioactive substance. The combination of radiological and biological half-lives leads to the "effective half-life," which is a measure of the net rate of loss of a radioactive substance from the body by both decay and biological elimination. The total radiation dose delivered to the body or to a particular organ or tissue depends on the substance's effective half-life, the total quantity of the material in the organ or tissue, and the nature and energy of the radiation emitted from the material.

In general, alpha- and beta-emitting substances taken internally can cause much more localized tissue damage than gamma-emitting substances. This occurs because alpha and beta radiations deposit essentially all of their energy within a small volume of tissue. It must be understood that this is a general description of the relative internal hazards associated with the different types of radiation. Very few radioactive substances emit only one type of radiation. Practically all beta emitters also emit gamma radiation, as do most alpha emitters. Therefore, deposition of radioactive substances in the body usually results in internal exposure to a variety of different types and energies of radiation.

A number of potentially harmful radionuclides are produced in a nuclear detonation. The number of radionuclides is too large to permit discussion of all of them here, but several of the more important radionuclides that occur as part of the fallout are discussed below.

Several different radioisotopes of iodine are in the fallout, and all of them are capable of entering the body and becoming deposited in the thyroid gland. This may lead to cancer of the thyroid or some other metabolic change that disrupts the normal functioning of the gland. Other fission products include strontium-89, strontium-90, and barium-140. Strontium-89 and barium-140 have relatively short half-lives of a few weeks and represent a short-term radiation hazard. Strontium-90, however, has a half-life of 29 years and constitutes a long-term radiation hazard. All three of these radionuclides are biochemically similar to calcium and, upon entry into the body, are rapidly deposited into bone tissue. Strontium-90 is a special hazard because it is a major component of delayed fallout that occurs months or years after a nuclear detonation. It makes its way into the body primarily through plant food. Strontium-90 is a beta emitter and can cause serious localized damage to bone Experiments in animals indicate that large concentrations of strontium-90 can produce bone necrosis, bone tumors or

cancers, and leukemia. These health effects have also been observed in some humans.

Cesium-137 is another long-lived component of delayed fall-out. It has a half-life of 30 years and decays by beta particle and gamma ray emission. Because delayed fallout continues to be deposited on the earth's surface for years, the amount of cesium-137 and strontium-90 in plants and animals has accumulated over the years. If contaminated plants and animals are consumed by humans, the concentration of cesium-137 can build up within the body. Upon entry into the body, cesium-137 is usually dissolved and distributed uniformly throughout the body tissues. Because of this uniform distribution, the entire body can be irradiated by both beta and gamma radiation as the cesium-137 decays.

In addition to fission products, radioactive fallout may also contain some unfissioned plutonium, uranium, or both. These radionuclides emit alpha particles and are therefore hazardous if taken internally. In addition to being internal radiation hazards, they are chemically toxic. If taken into the body, they become localized primarily in the liver and bones. They have a long effective half-life and are capable of damaging these tissues. These radionuclides have been shown to produce malignancies in both liver and bone tissues of experimental animals.

REFERENCES

- Armed Forces Radiobiology Research Institute. The Medical Effects of Nuclear Weapons. Bethesda, MD.: AFRRI. 1977. 300 Pages.
- Atomic Energy Commission. "Health Aspects of Nuclear Weapons Testing." Washington, D.C.: Atomic Energy Commission. 1964. 56 Pages.
- Atomic Energy Commission. <u>Nuclear Terms: A Brief Glossary</u>.
 Oak Ridge, TN.: Atomic Energy Commission. 1967.
 80 Pages.
- Blatz, H. Introduction to Radiological Health. New York, NY.: McGraw-Hill Book Co. 1964. 288 Pages.
- Brodsky, Allen B., ed. <u>Handbook of Radiation Measurement and Protection</u>, Section A, Volume 1: "Physical Science and Engineering Data." Cleveland, OH.: The CRC Press, Inc. 1978. 691 Pages. index.
- Bureau of Radiological Health, Publication No. 2016.

 Radiological Health Handbook. Department of Health,
 Education, and Welfare. Washington, D.C.: USGPO.

 1970 (Rev. Ed.). 458 Pages. index.
- Clark, G., ed. Encyclopedia of X-rays and Gamma Rays. New York, NY.: Reinhold Publishing Co. 1963. 1325 Pages.
- Committee on the Biological Effects of Ionizing Radiations. The

 Effects on Populations of Exposure to Low Levels of
 Ionizing Radiation: 1980. [Short Title: BEIR III.]

 National Research Council. Washington, D.C.: National
 Academy Press. 1980. 524 Pages.
- Defense Atomic Support Agency, Field Command, Nuclear Training
 Directorate. Basic Nuclear and Radiation Physics.
 Albuquerque, NM.: DASA, FC. 1967. 98 Pages. index.
- Defense Atomic Support Agency, Field Command, Nuclear Training
 Directorate. Handbook of Radiation Detection.
 Albuquerque, NM.: DASA, FC. 1967. 95 Pages.
- Department of Energy, Nevada Operations Office; Los Alamos National Laboratory; Lawrence Livermore National Laboratory; and Sandia National Laboratories. "Announced United States Nuclear Tests, July 1945 through December 1981." [Las Vegas, NV.: DOE/Nevada Operations Office.] NVO-209 (Rev. 2). January 1982. 68 Pages.

- Ehrlich, A. The Medical and Health Sciences World Book.
 Boston, MA.: Houghton Mifflin Company. 1977.
 448 Pages.
- Glasstone, Samuel; Dolan, Philip J. The Effects of Nuclear
 Weapons. 3rd Edition. Department of Defense and
 Department of Energy. Washington, D.C.: USGPO. 1977.
 653 Pages. index.
- Johns, H.; Cunningham, J. <u>The Physics of Radiology</u>. Springfield, Illinois: Charles C. Thomas Publ. 1974. 790 Pages.
- Moe, M. J.; Lasuk, S. R. Radiation Safety Technician Training

 Course Part I. Argonne, Illinois: Atomic Energy

 Commission. 1964. 153 Pages.
- National Council on Radiation Protection and Measurements.

 Basic Radiation Protection Criteria. Washington, D.C.:

 NCRP. NCRP Report #39. 1971. 135 Pages. index.
- National Council on Radiation Protection and Measurements.

 Instrumentation and Monitoring Methods for Radiation

 Protection. Washington, D.C.: NCRP. NCRP Report #57.

 1978. 77 Pages.
- Reynolds Electrical and Engineering Company, Inc. "Radiological Safety Handbook for the Nevada Test Site 1957." Camp Mercury, Nevada: REECo. 1957. 29 Pages.
- Smith, Francis S., Lt Col, USAF. <u>USAF Radiac Equipment</u>. Kirtland AFB, NM.: [USAF] Directorate of Nuclear Safety, Life Sciences Advisory Group. LSAG 62-1. June 1962. 170 Pages.
- Stroscheir, H. W.; Maeser, P. M., eds. <u>Health Physics</u>

 <u>Technician Training Manual</u>. Idaho: Atomic Energy

 <u>Commission</u>. 1966. 289 Pages.
- Taylor, L. Radiation Protection Standards. Cleveland, OH.:
 The CRC Press. 1971. 110 Pages.
- United Nations Scientific Committee on the Effects of Atomic Radiation. Sources and Effects of Ionizing Radiation;

 1977 Report to the General Assembly. [Short Title: UNSCEAR Report.] New York, NY.: UN. 1977.
 725 Pages.
- Wang, Y. ed. <u>Handbook of Radioactive Nuclides</u>. Cleveland. OH.: The CRC Press. 1969. 952 Pages. index.

APPENDIX A

GLOSSARY

APPENDIX A

GLOSSARY

The following scientific and technical terms are used throughout the series and shot volumes on continental atmospheric nuclear weapons testing.

ABSORBED DOSE	The amount of energy absorbed per unit mass of irradiated material. Absorbed dose is measured in rads.
ACTIVITY	The rate of decay of radioactive material expressed as the number of radionuclide disintegrations per unit time. The unit of activity is the curie.
ACUTE RADIATION EXPOSURE	Short-term exposure to radiation, generally defined to be the total exposure received within a period of 24 hours.
ACUTE RADIATION SICKNESS	The complex of symptoms characterizing the sickness caused by excessive exposure to ionizing radiation. The severity of the sickness depends on the dose of radiation received by the individual.
AFTERWINDS	Wind currents set up in the vicinity of a nuclear explosion directed toward the burst center, resulting from the updraft which accompanies the rise of the fireball.
AIR BURST	The explosion of a nuclear weapon at such a height that the expanding fireball does not touch the earth's surface.
AIR SAMPLING for RADIOACTIVITY	The process of collecting certain volumes of air to determine the level of radio-activity in the air.
ALPHA PARTICLES	A form of particulate radiation emitted from the nuclei of certain radioactive elements. An alpha particle is composed of two neutrons and two protons and is identical to the nucleus of a helium

atom, having a double positive charge. An alpha particle cannot penetrate clothing or the outer layer of skin, so

it is not an external exposure hazard. Such a particle is extremely hazardous, however, if exposure occurs internally.

AMBIENT PRESSURE

The standard atmospheric pressure at a specific location and time.

ATOM

The smallest particle of an element that still retains the characteristics of that element. Every atom consists of a positively charged central nucleus, which carries nearly all the mass of the atom. The nucleus is generally composed of uncharged neutrons and positively charged protons. It is surrounded by electrons that carry a negative charge.

ATOMIC ENERGY

Energy released by various nuclear reactions, such as fission, fusion, or radioactive decay. Great amounts of energy are released during fission and fusion processes. It is this energy that makes nuclear weapons far more powerful than conventional explosives. Nuclear energy is another and a more appropriate label for this energy.

ATTENUATION OR ABSORPTION

The process by which radiation intensity is decreased when it passes through matter. The decrease in intensity is due to absorption and scattering of the radiation energy by the atoms of the attenuating material.

AZIMUTH

Horizontal direction expressed as the angular distance between the direction north and the observer's heading. The azimuth is usually measured from true north as the reference direction clockwise through 360 degrees.

BACKGROUND RADIATION (NATURAL)

Naturally occurring radioactivity in the environment or within the body. The primary sources of this energy are cosmic rays and certain minerals present in the earth and in tissues of the body.

BETA BURNS

Skin lesions caused by deposition of beta-emitting fallout particles onto bare human skin.

BETA PARTICLE A charged particle of very small mass

emitted spontaneously from the nuclei of

certain radioactive elements. Physically, the beta particle is

identical to an electron moving at high

speed.

BHANGMETER An optical device for determining the

yield of a nuclear detonation.

BIOASSAY The determination of the concentration of

materials, including radioactive materials, within the body by sampling and

analyzing tissue or body fluids.

BIOLOGICAL HALF-LIFE The time required for the amount of a

specified element which has entered the body to decrease to half of its initial concentration as a result of natural.

biological processes.

BLAST The force released as a shock wave

traveling through the air from the detonation of an explosive device.

BLAST WAVE A pulse of air, propagated by an explo-

sion, in which the pressure increases sharply at the front. The blast wave is

accompanied by strong winds.

BREAKAWAY The onset of a condition in which the

shock front in the air moves away from the exterior of the expanding fireball

produced by a nuclear detonation.

BURST An explosion or detonation.

CALIBRATION The determination of the variation of a

measuring instrument from a set standard to ascertain necessary adjustment or

correction factors.

CAPTURE, NEUTRON The process by which a nucleus acquires

an additional neutron.

CHAIN REACTION A reaction that stimulates its own repe-

tition, usually referring to fission or

fusion reactions.

CHECKPOINTS OR CHECK STATIONS	Locations established to control entry into restricted areas.
CHRONIC RADIATION EXPOSURE	Long-term exposure to radiation, generally defined as the total exposure received over a period greater than 24 hours.
CLOUD SAMPLING	The process of collecting samples of the cloud resulting from a nuclear detonation to determine the amount of airborne radioactivity, both particulate and gaseous, contained in the cloud. This was usually conducted by specially equipped aircraft.
CLOUD STEM	The visible column of debris (and possibly dust and water droplets) extending upward from the point of burst of a nuclear device.
CLOUD TRACKING	The process of using either radar or aircraft to monitor the drift of a cloud resulting from a nuclear detonation.
COMMAND POST EXERCISE	A military exercise usually conducted only by the Headquarters Staff; a dry run of the exercise without field units.
CONTAINED UNDERGROUND BURST	An underground detonation at such a depth that none of the radioactive debris escapes into the atmosphere.
CONTAMINATION, RADIOACTIVE	The presence of unwanted radioactive material on or within areas, objects, or persons.
CONTROLLED AREA	An area to which personnel access is controlled for administrative, security, or safety purposes.
COORDINATES	A set of numbers and/or letters used to specify a location on a map.
CRITICAL MASS	The quantity or mass of fissionable material that will support a chain reaction.

exposure to radiation.

CUMULATIVE DOSE

The total dose resulting from repeated

CURIE (Ci)

A measure of radioactive quantity, the amount of radioactive material that decays at a rate of 3.7 x 10^{-10} nuclear disintegrations per second. A millicurie is one-thousandth of a curie (3.7 x 10^{-10} disintegrations per second) and a microcurie is one-millionth of a curie (3.7 x 10^{-10} disintegrations per second).

DAUGHTER PRODUCT

Nuclides, either stable or radioactive, resulting from the radioactive decay of other nuclides.

DEBRIS, NUCLEAR

The radioactive material remaining after a nuclear detonation. It consists of fission products, products of neutron capture, and uranium and plutonium that did not fission.

DECAY, RADIOACTIVE

The spontaneous emission of radiation, generally alpha or beta particles, often accompanied by gamma rays. The radiation is emitted by an unstable isotope. As a result of the emission, the radioactive isotope is converted into a different element which may or may not be radioactive.

DECONTAMINATION

The reduction in the effect of contaminating radioactive material or the removal of contaminating radioactive material from a structure, area, object, or person.

DENSITOMETER

An instrument for measuring the degree of darkening of developed photographic film in a film badge.

DEVICE, NUCLEAR

A nuclear explosive device, commonly referred to as an atomic or nuclear weapon, engineered to produce a detonation with some predetermined characteristics.

DISINTEGRATION, NUCLEAR

The decay of an unstable nucleus by the emission of particles and/or photons. See PHOTON.

DOSE

See ABSORBED DOSE or DOSE EQUIVALENT.

DOSE EQUIVALENT

The absorbed dose expressed in terms of its biological effect. It is the product of the absorbed dose in rads multiplied by a quality factor and any modifying factors. The dose equivalent is expressed in rem.

DOSE RATE

The dose of ionizing radiation received per unit of time, usually expressed in rads (or rem) per hour or in multiples or submultiples of these units.

DOSIMETER

An instrument for measuring and recording the total accumulated dose of (or exposure to) ionizing radiation. Instruments worn or carried by individuals are called personnel dosimeters.

DOSIMETRY

The theories about and applications of the techniques involved in measuring and recording radiation doses and dose rates. Its practical application includes the use of various types of radiation detection instruments to measure radiation.

DYNAMIC PRESSURE

The air pressure resulting from the mass air flow (or wind) behind the shock front of a blast wave.

EFFECTIVE HALF-LIFE

The time required for a radioactive element contained in an animal body to diminish by 50 percent as a result of the combined action of radioactive decay and biological elimination.

ELECTROMAGNETIC PULSE

The sharp pulse of electromagnetic energy produced when a nuclear detonation occurs at the earth's surface or at high altitudes. The intense energy can damage sensitive electronic equipment.

ELECTROMAGNETIC RADIATION OR ENERGY

The propagation of varying electric and magnetic fields through space at the speed of light in a wave motion. Familiar electromagnetic radiations include visible light, ultraviolet light, microwaves, and gamma radiation.

ELECTRON

A particle of very small mass, carrying a unit negative charge. Electrons orbiting the nucleus are present in all atoms. Their number equals the number of positive charges (or protons) in the nucleus of an electrically neutral atom.

EXPOSURE, RADIANT

The total amount of thermal radiation energy received per unit area of exposed surface. It is usually expressed in calories per square centimeter.

EXPOSURE, X or GAMMA RADIATION

A measure of the ionization produced by gamma (or X) rays in air. The exposure rate, exposure per unit of time, is commonly used to indicate the gamma radiation intensity of a source. The unit of exposure is the roentgen (R).

FALLOUT

The descent to the earth's surface of particles contaminated with radioactive material as a result of a nuclear detonation. The term also applies to the contaminated particulate matter itself.

FILM BADGE

A personnel dosimeter utilizing photographic film to measure the radiation dose received by the wearer. The badge is usually clipped to an outer garment above waist level. The dose is calculated from the degree of film darkening that results from exposure to radiation.

FIREBALL

The luminous sphere of hot gases that forms a few thousandths of a second after a nuclear detonation.

FISSION

The splitting of a heavy nucleus into two or more radioactive nuclei, accompanied by the release of a large amount of energy and generally one or more neutrons and one or more gammas. Fission is usually initiated by neutrons, but it can also occur spontaneously.

FISSION FRAGMENTS

The nuclei formed as a result of the fissioning of a nucleus.

FISSION PRODUCTS

The nuclei (fission fragments) formed by fission, plus the nuclides formed by the radioactive decay of the fission fragments. Fission products are a complex mixture of over 300 isotopes of 35 or more elements. Practically all of these isotopes are radioactive.

FLASH BURN

A skin burn caused by exposure to the thermal radiation produced by a nuclear detonation.

FLUX OR FLUX DENSITY

The number of gamma-ray photons, neutrons, particles, or the amount of energy crossing a unit surface area per unit of time.

FORWARD AREA

The operational area of the Nevada Test Site north of Camp Mercury and Camp Desert Rock. More specifically, the area includes Frenchman Flat, Yucca Pass, and Yucca Flat.

FUSION

The formation of a heavier nucleus from two lighter nuclei, accompanied by the release of a large amount of energy.

GAMMA RAYS

A form of electromagnetic radiation emitted spontaneously from the nuclei of certain radioactive elements, often in conjunction with the emission of alpha or beta particles. Gamma rays also result from other nuclear reactions, such as fission and neutron capture. Gamma rays are identical to X-rays, except that they originate within the nucleus. Gamma rays travel great distances in the air and can easily penetrate most substances.

GEIGER-MUELLER DETECTOR A type of instrument that detects and measures ionizing radiation. It is the most widely used instrument for routine surveys of contaminated areas.

GENETIC EFFECTS

Hereditary changes or effects passed from an individual to his or her offspring.

GROUND WAVE

A shock wave formed in the ground by the blast from an explosion.

GROUND ZERO (GZ) OR SURFACE ZERO (SZ) The point on the ground vertically below or above the center of a nuclear burst; frequently abbreviated GZ. This is also referred to as surface zero, especially for underwater bursts.

HALF-LIFE, RADIOLOGICAL

The time required for a radioactive substance to lose half of its activity by radioactive decay.

HEALTH PHYSICS

The branch of radiological science dealing with the protection of personnel from exposure to ionizing radiation.

HEIGHT OF BURST

The height above the earth's surface at which a device is detonated.

HIGH ALTITUDE BURST

A detonation at an altitude over 100,000 feet.

HOT PARK

An area of the Nevada Test Site specially designated for isolating contaminated equipment and vehicles registering over 0.007 roentgens per hour after decontamination. Contaminated items remained in the hot park until normal decay reduced radiation intensities to acceptable levels.

INDUCED RADIOACTIVITY

Radioactivity produced in certain materials as a result of the capture of neutrons. In a nuclear detonation, neutrons induce radioactivity in the weapon debris as well as in the surroundings.

INITIAL NUCLEAR RADIATION

Nuclear radiation (essentially neutrons and gamma rays) emitted from the fireball and the cloud during the first minute after a nuclear explosion. One minute is the time required for the source of part of the radiations (such as fission products in the cloud) to attain such a height that only insignificant amounts of radiation from the cloud reach the earth's surface.

INTENSITY, NUCLEAR RADIATION

The amount of energy of any radiation incident on an area. This term, usually applied to gamma radiation, expresses the exposure rate (in R/hour) at a given location.

INTERNAL EMITTERS

Radioactive material deposited in the body. Internal deposition is the result of inhalation, ingestion, or entrance through an open cut.

ION

See IONIZATION.

IONIZATION

The removal of an electron from an atom, leaving a positively charged ion. The detached electron and the remaining ion are referred to as an ion pair.

IONIZATION CHAMBER DETECTOR

A type of instrument that detects and measures ionizing radiation.

IONIZING RADIATION

Electromagnetic radiation (gamma rays or X-rays) or particulate radiation (alpha particles, beta particles, or neutrons) capable of producing ions in its passage through matter.

ISOINTENSITY CONTOUR MAPS

Maps on which lines represent areas of equal radiation intensity or exposure rates. These are often improperly referred to as isodose contour maps.

ISOTOPES

Atoms of the same element with identical numbers of protons but different numbers of neutrons. They have the same atomic number but a different mass number.

KILO-

A prefix denoting 1,000. For example, one kiloton means 1,000 tons.

LD-50 DOSE

The dose of an agent required to kill, within a specified period, 50 percent of the individuals in a large group of animals or organisms. For example, LD-50/30 is a lethal dose to 50 percent of the organisms in 30 days.

LIMITED RADIOLOGICAL EXCLUSION AREA

An area of contamination with radiation levels between 0.01 and 0.1 roentgen of gamma radiation per hour or between 1,000 and 10,000 counts of alpha radiation per 55 square centimeters. Only necessary personnel with film badges were permitted to enter these controlled areas.

LINEAR ENERGY TRANSFER (LET)

The unit used to express the amount of energy transferred as ionizing radiation that passes through and interacts with a material.

MACH STEM

The shock or blast wave formed by the merging of the incident and reflected blast waves from a nuclear detonation. The Mach stem is the leading edge of the blast wave as it moves outward from the point of detonation. The location on the ground where the Mach stem forms is called the Mach region.

MEGA-

A prefix denoting 1,000,000. For example, one megaton means 1,000,000 tons.

MICROBAROGRAPH

An instrument that measures and records small changes in atmospheric pressure.

MONITORING

The procedure or operation of locating and measuring radioactive contamination by means of survey instruments. Persons engaged in this activity are referred to as radiological monitors.

NEUTRON

The constituent particles, along with protons, of the nucleus of an atom. Neutrons are uncharged and have a mass number of one. They are used to initiate the fission process, and large numbers of them are produced in fission and fusion processes. They constitute a significant portion of the prompt radiation from both fission and fusion detonations. Neutrons travel great distances in the air and can readily penetrate most substances.

NEVADA TEST SITE (NTS)

The region in southeast Nevada set aside for the continental atmospheric nuclear weapons testing program. Prior to 1955, this area was called the Nevada Proving Ground.

NUCLEAR DETONATION

A general name given to any explosion in which the energy released results from reactions involving atomic nuclei, either fission or fusion or both.

NUCLEAR RADIATION

Radiation emitted from unstable nuclei. Important nuclear radiations are alpha and beta particles, gamma rays, and neutrons. All nuclear radiations are ionizing radiations, but the reverse is not true. X-rays, for instance, are included among ionizing radiations, but they are not nuclear radiations since they do not originate from atomic nuclei.

NUCLEUS

The small, central, positively charged region of an atom which carries essentially all the mass. Except for the nucleus of hydrogen-1, which is a single proton, all atomic nuclei contain both protons and neutrons. The number of protons determines the total positive charge, or atomic number. The total number of neutrons and protons, called the mass number, relates to the mass of The nuclei of isotopes of a the atom. given element contain the same number of protons but different numbers of neu-Thus, they have the same atomic number, and so are the same element, but they have different mass numbers and masses. The nuclear properties of an isotope of a given element are determined by both the number of neutrons and the number of protons.

NUCLIDE

An atomic species distinguished by the composition of its nucleus, that is, by the number of protons and the number of neutrons.

OFFSITE

The area outside the boundaries of the Nevada Test Site.

ONSITE

The total area encompassed by the Nevada Test Site, including Camp Mercury, Frenchman Flat, Yucca Pass, and Yucca Flat.

ORDNANCE EQUIPMENT

Weapons, ammunition, and related equipment used by military personnel.

OVERPRESSURE

The transient pressure, exceeding the ambient atmospheric pressure, that is produced at the leading edge of the blast wave from a nuclear detonation. Overpressure is expressed in pounds per square centimeter.

PHANTOM

Material that approximates the characteristics of human tissue. Absorbed dose in humans can be simulated by exposing a phantom to radiation and measuring the dose received.

PHOTOMULTIPLIER TUBE

An electronic device that converts light impulses into an amplified electrical signal. These tubes are used in scintillation detectors.

PHOTON

A unit of electromagnetic radiation having a discrete amount of energy but no rest mass or electrical charge.

PHOTORECONNAISSANCE AIRCRAFT Specially equipped aircraft used to take aerial photographs of a specific target.

PIBAL

A system measuring low-altitude wind direction and velocity.

PRECURSOR

An air pressure wave that moves ahead of the main blast wave from a surface or low-air nuclear detonation.

PROMPT RADIATION

Radiation emitted from a nuclear detonation within a microsecond of detonation. It consists mainly of neutron and gamma radiation.

PROTON

An atomic particle with a single positive charge and with a mass close to that of a neutron. Protons are constituents of all nuclei. The number of protons in the nucleus of an atom determines its atomic number.

QUALITY FACTOR

The factor used to convert the absorbed dose, in rads, to the dose equivalent, in rem. The quality factor has an assigned value for each type of ionizing radiation, based on the linear energy transfer (LET) of the radiation.

RAD

The unit of absorbed radiation dose that represents the absorption of 100 ergs of ionizing radiation per gram of absorbing material, such as body tissue.

RADIAC

A generic term designating radiological measuring instruments and equipment. The term is derived from the words Radio-activity Detection, Indication, and Computation.

RADIATION

The emission and propagation of energy through matter or space. The term includes the propagation of alpha and beta particles, neutrons, photons, and thermal energy.

RADIOACTIVITY

The spontaneous emission of alpha or beta particles, neutrons, or gamma rays from the nuclei of unstable isotopes. As a result of this emission, the radioactive isotope decays into another isotope that may or may not also be radioactive. Ultimately, as a result of one or more stages of radioactive decay, a stable (nonradioactive) end product is formed.

RADIOLOGICAL EXCLUSION AREA

An area within the Nevada Test Site with radiation levels exceeding either 0.1 roentgen of gamma radiation per hour or 10,000 counts of alpha radiation per minute per 55 square centimeters. Entry of personnel into such an area was restricted.

RADIOLOGICAL MONITOR

An individual trained in the use of radiation detection instruments and in the assessment of radiological hazards.

RADIOLOGICAL SURVEY

An effort to determine the distribution of radiological contamination and exposure rates in an area.

RADIONUCLIDE

A radioactive atomic species.

RAWINSONDE

A device that measures high-altitude wind direction and velocity.

RELATIVE BIOLOGICAL EFFECTIVENESS (RBE)

A factor used to compare the biological effectiveness of different types of ionizing radiation. It is the ratio of the amount of absorbed radiation required to produce a given effect, to a standard radiation (gamma rays or X-rays of a specific energy) required to produce the same effect. The term is normally used in the field of experimental radiobiology and not for human radiation protection.

REM

The unit of dose equivalent, which is the amount of any ionizing radiation that produces the same biological effect as one rad of gamma or X-radiation. The rem is the product of the absorbed dose (rads) times the quality factor and any other modifying factor.

REP

An obsolete unit of absorbed dose measurement. The rep measured energy transferred to soft tissue by radiation. The current unit of absorbed dose is the rad.

RESIDUAL NUCLEAR RADIATION

Nuclear radiation, chiefly beta particles and gamma rays, that persists after the first minute following a nuclear detonation. The radiation is emitted mainly by fission products and materials in which radioactivity has been induced by the capture of neutrons.

RESPIRATOR

A device worn over the mouth and nose to prevent the inhalation of hazardous material.

RESUSPENSION

The process of returning to the air material that was once airborne and had settled to the ground surface. Resuspension can result from natural occurrences, such as wind, or from such activities as personnel movement and vehicular traffic.

ROENTGEN

A unit of exposure to gamma radiation or X-radiation. It is the quantity of gamma rays or X-rays that produces 2.08 x 10 ion pairs in a cubic centimeter of air at standard temperature and pressure. An exposure of one roentgen is approximately equal to an absorbed dose of one rad in soft tissue.

SCATTERED RADIATION

Radiation deflected from its original path as a result of collisions with particles, atoms, or molecules in its passage through air or matter.

SHIELDING

Any material or obstruction that absorbs radiation and thus tends to protect personnel from exposure. A moderately thick layer of any opaque material will provide satisfactory shielding from thermal radiation, but a considerable thickness of material of high density may be needed to provide shielding from gamma rays.

SHOCK (BLAST) FRONT

The front of a shock wave and the relatively sharp boundary between the presure created by an explosion and the ambient pressure. It is referred to as a shock front when in ground or water and as a blast wave when in air.

SHOCK WAVE

A continuously propagated pressure pulse or wave initiated by the expansion of the hot gases produced in an explosion. A shock wave in air is generally referred to as a blast wave.

SLANT RANGE

The distance measured to a point on the ground from the point of detonation in the air.

SOMATIC EFFECTS

The nongenetic health effects observed in an individual exposed to a harmful substance, such as nuclear radiation. The changes in blood cells that occur following a radiation dose of 50 to 100 rem is a somatic effect.

SPECTROMETER

An electronic device used to measure intensities and energies of radiations.

SPECTRUM

A range of values of a certain quantity: for example, an energy spectrum.

SURFACE BURST

The explosion of a nuclear device at a height above the surface less than the radius of the fireball. An explosion in which the device is detonated on the surface is called a contact surface burst or a true surface burst.

THERMONUCLEAR

An adjective referring to the process in which very high temperatures are used to bring about the fusion of hydrogen nuclei with the accompanying liberation of energy. A thermonuclear device is one in which part of the explosive energy results from thermonuclear fusion reactions. The high temperatures required are obtained by means of a fission explosion.

THRESHOLD DOSE

The radiation dose level below which no health effects may occur. There seem to be different threshold doses for different types of radiation and health effects. There may not even be a threshold for certain effects, such as genetic and carcinogenic ones.

TNT EQUIVALENT

A measure of the energy released in the detonation of a nuclear device expressed in terms of the quantity of TNT that would release the same amount of energy when exploded. The basis of the TNT equivalence is that the explosion of one ton of TNT releases one billion calories of energy.

VENTING

The release of radioactive materials to the atmosphere from a deep underground detonation. Normally, the detonation would be deep enough to contain the detonation completely.

WASHOUT

The removal of radioactive particles from a nuclear cloud by precipitation when the particles are below a rain or snow cloud. When the nuclear cloud is within a rain or snow cloud, the removal of radioactive particles from the nuclear cloud is known as rainout or snowout.

WHOLE-BODY EXPOSURE

The uniform exposure of the entire body to radiation, in contrast to the irradiation of only a part of the body.

X-RAYS

Penetrating electromagnetic radiation similar to gamma rays but of non-nuclear origin and of lower energy.

YIELD

The total effective energy released in a nuclear detonation. It is usually expressed in terms of the TNT equivalent required to produce the same energy release in an explosion. Nuclear detonation yields are commonly expressed in kilotons or megatons (thousands or millions of tons) of TNT equivalent.

Many of the definitions cited above have been adapted from Glasstone and Dolan; Atomic Energy Commission, Nuclear Terms; and Bureau of Radiological Health Publ No. 2016.

APPENDIX B

ANNOUNCED UNITED STATES
NUCLEAR TESTS
JULY 1945 THROUGH DECEMBER 1982*

^{*}Prepared by the Office of Public Affairs of the U.S. Department of Energy, Nevada Operations Office, January 1983 (publication number NVO-209, Rev. 3).

APPENDIX B

ANNOUNCED UNITED STATES NUCLEAR TESTS JULY 1945 THROUGH DECEMBER 1982

This document lists chronologically and alphabetically by event name all nuclear tests conducted and announced by the United States from July 1945 through December 1982, with the exception of the GMX experiments. The 22 GMX experiments, conducted at the Nevada Test Site (NTS) between December 1954 and February 1956, were "equation-of-state" physics studies that used small chemical explosives and small quantities of plutonium. Several tests conducted during Operation Dominic involved missile launches from Johnston Atoll. Several of these missile launches were aborted, resulting in the destruction of the missile and nuclear device either on the pad or in the air.

On August 5, 1963, the United States and the Soviet Union signed the Limited Test Ban Treaty which effectively banned testing of nuclear weapons in the atmosphere. All U.S. nuclear tests conducted prior to that date have been announced and are listed in this document. Some tests conducted underground since the signing of the Treaty and designed to be contained completely have not been announced. Information concerning these events is classified. Occasionally, the code name and detonation date of an unannounced test is declassified which permits its listing in subsequent revisions to this document.

Data on United States tests were obtained from and verified by the Department of Energy's three weapons laboratories--Los Alamos National Laboratory, Los Alamos, New Mexico; Lawrence Livermore National Laboratory, Livermore, California; and Sandia National Laboratories, Albuquerque, New Mexico. Additionally, data were obtained from public announcements issued by the Atomic Energy Commission and its successors, the Energy Research and Development Administration and the Department of Energy, respectively.

Test Dates

Time and date for all events listed in this document were converted from local time to Greenwich Civil Time (GCT). The event date listed is the GCT date for the event.

Test Series

U.S. nuclear tests were conducted on an intermittent basis from 1946 to October 1958. Each series of tests during that period was given a name, such as Operation Crossroads, 1946; Operation Sandstone, 1948; and Operations Ranger, Greenhouse, Buster, and Jangle in 1951.

On November 1, 1958, the United States entered into a unilateral testing moratorium announced by President Eisenhower with the understanding that the U.S.S.R. would also refrain from conducting tests. The Soviet Union broke that moratorium in September 1961 with a series of large tests.

On September 15, 1961, the U.S. resumed testing on a year-round basis. The tests are listed by fiscal year. For example, FY 1963 tests--which began July 1, 1962, and extended through June 30, 1963--were in the Operation Storax series.

Also after the resumption of testing, the U.S. conducted Operation Dominic I in the Pacific between April and November of 1962 and Operation Dominic II at the Nevada Test Site in July of 1962.

In 1976, the Federal Government changed the fiscal year to begin on October 1 and end on September 30. Accordingly, the FY 1976 series, Operation Anvil, did not end on June 30 but was extended through September 30, 1976, a period of 15 months.

Test Yields

The nomenclature for test yields varied according to information policy governing specific years. In some cases, no yield information has been released; in a few cases, the terms "very slight" and "slight" were used without amplification. Except for tests where specific yields or relative specific yields such as "about 2 kt," "several Mt," "less than 0.1 kt," etc., were announced, test yields are given in these terms:

1945 through 1963:

Low (less than 20 kt)
Intermediate (20 to 200 kt)-all tests except Operation Dominic I
Intermediate (20 to 1,000 kt)-Operation Dominic I
Submegaton (less than one Mt, but more than 200 kt)
Megaton Range
Low Megaton (from one to several Mt)

1964 through February 1976:

Less than 20 kt 20 to 200 kt 200 to 1,000 kt

March 1976:

During a series of high-yield tests conducted during this month, two ranges were added, and the 200 to 1,000 kt range was dropped.

200 to 500 kt 500 to 1,000 kt

Since March 1976:

On March 31, 1976, the Soviet Union and the United States agreed to limit the maximum yield of underground tests to 150 kt. The yield ranges now reported are:

Less than 20 kt 20 to 150 kt

Test Locations

The first test of a nuclear weapon was in the atmosphere on July 16, 1945, at Alamogordo, New Mexico. At various times between June 1946 and November 1962, atmospheric and underground tests were conducted by the United States in the Marshall Islands, Christmas Island, and Johnston Atoll in the Pacific Ocean; and over the South Atlantic Ocean. Between January 1951 and July 1962, atmospheric and underground nuclear tests were conducted at the Nevada Test Site.

Since July 1962, all nuclear tests conducted in the United States have been underground and most of them have been at the NTS. Some tests were conducted on the Nellis Air Force Base Bombing Range; in central and northwestern Nevada; in Colorado, New Mexico, and Mississippi; and on Amchitka, one of the Aleutian Islands off the coast of Alaska.

Test Types and Purpose

The definition of terms used in this document appears in the Glossary of Terms. "Type" refers to the method of deployment of the nuclear device at time of detonation such as "tower," "tunnel," "airdrop," etc. "Purpose" indicates whether the test was part of the weapons development program, a DOD effects test, a joint U.S./U.K. test, or was part of some special program that involved the use of nuclear devices. In the Summary preceding the chronological listing of nuclear tests, the sum of all tests conducted underground (tunnel, shaft, and crater events) appears as "Total Underground." With the exception of five underwater tests, the remaining events appear as "Total Atmospheric."


Categorization of a test as "atmospheric" or "underground" should not be used in all cases as an indicator that radioactivity from the test was or was not detected. Unless otherwise noted, all nuclear tests that took place at NTS or the Bombing Range prior to September 15, 1961, produced radioactivity detected off site.* On the other hand, unless otherwise noted, no test taking place at NTS or the Bombing Range on or after September 15, 1961, produced an uncontrolled release of radioactivity.

Test Totals for Nevada Test Site

DOE's Nevada Operations Office, when discussing off-site detection of radiation from tests, sometimes has used the term "atmospheric" to describe any test where the release of radioactivity to the atmosphere was anticipated and was a factor in test planning. Nineteen tests (nine crater and ten shaft) listed in this document as "underground" have been categorized elsewhere as atmospheric since they were not "designed to be contained." See the following table for a comparison of test totals listed by the placement criterion used in this document with those listed by the "designed to be contained" criterion.

*See Glossary of Terms for definition of "off site."

CATEGORIZATION OF NTS NUCLEAR TESTS



- (1)Consists of 84 weapons or weapons effects tests and 16 safety tests, all of which were conducted "in the air" at the NTS.
- (2)Consists of four storage-transportation tests and one safety test "in the air" on the Bombing Range.
- (3) Nine events were conducted underground in unstemmed holes to minimize but not eliminate the release of radioactivity to the atmosphere. Because incandescent gases were released, these tests are sometimes referred to as "Roman candles."
- (4)Ten tests were designed to be cratering tests, hence not designed to be contained. Sulky on December 18, 1964, failed to produce the expected crater, but because placement was in a shaft, albeit shallow, it is listed in this document as a shaft test.

GLOSSARY OF TERMS

Airburst

The explosion of a nuclear weapon at such a height that the expanding fireball does not touch the earth's surface prior to the time the fireball reaches its maximum luminosity. The airburst reported in this document resulted from the detonation of a device fired from a 280-mm cannon.

Airdrop

A nuclear device dropped from an aircraft and exploded in the atmosphere.

Atmospheric

A test conducted aboveground or above water, i.e., in the open air.

Balloon.

A nuclear device suspended from a balloon and exploded in the atmosphere.

Barge

A nuclear device exploded from a barge moored in the lagoon at Enewetak or Bikini.

Crater

A nuclear device placed shallow enough underground to produce a throw-out of earth when exploded.

Joint U.S.-U.K.

A nuclear test conducted jointly by the United States and the United Kingdom under a cooperative agreement in effect between the two countries since August 4, 1958.

KT

A kiloton. The energy of a nuclear explosion that is equivalent to an explosion of 1,000 tons of TNT.

MT

A megaton. The energy of a nuclear explosion that is equivalent to an explosion of one million tons of TNT.

NTS

The Nevada Test Site, a 1,350-square-mile area in southern Nevada in Nye County and about 65 miles northwest of Las Vegas.

Off Site

The detection of radioactivity off site is defined as detected outside the Test Range Complex, an area that includes both the Nevada Test Site and the adjacent government-controlled Nellis Air Force Range.

On Site

A notation that radioactivity was detected on site only is made for tests from which there was an unplanned release of radioactivity into the atmosphere that was not detectable beyond the boundaries of the Test Range Complex.

Plowshare

Application of nuclear explosives to develop peaceful uses for atomic energy. The program is no longer active.

Rocket

A nuclear device launched by rocket and exploded in the atmosphere.

Safety Experiment

Experiment designed to confirm a nuclear explosion will not occur in case of an accidental detonation of the explosive associated with the device.

Seismic Calibration

A nuclear test to evaluate seismic effects of an underground explosion.

Shaft

A nuclear device exploded at the bottom of a drilled or mined vertical hole. Some safety tests were set off at the bottom of unstemmed drilled holes, producing a "Roman candle" effect.

Storage-Transportation

Detonations of combinations of high explosives and nuclear materials designed to study distribution of nuclear materials during accidents in several transportation and storage configurations.

Surface

A nuclear device placed on or close to the earth's surface.

T

A ton. Equivalent to a ton of TNT.

Thermonuclear Device

A "hydrogen bomb."

Tower

A nuclear device mounted at the top of a steel or wooden tower and exploded in the atmosphere.

Tunne 1

A nuclear device exploded at the end of a long horizontal drift mined into a mountain or mesa in a way that places the burst point deep within the earth.

Underground nuclear test conducted in a tunnel

or at the bottom of a drilled hole or shaft. Some underground nuclear tests were not designed to contain all radioactivity, e.g., cratering

tests or safety experiments.

UW A nuclear test conducted underwater.

Vela Uniform Department of Defense (DOD) program designed to

improve the capability to detect, identify, and

locate underground nuclear explosions.

Weapons Effects A nuclear test to evaluate the civil or military

effects of a nuclear detonation on various

targets, such as military hardware.

Weapons Related A nuclear detonation conducted for the purpose

of testing a nuclear device intended for a

specific type of weapon system.

Yield The total effective energy released in a nuclear

explosion. It is usually expressed in terms of equivalent tonnage of TNT required to produce

the same energy release in an explosion.

ANNOUNCED UNITED STATES NUCLEAR TESTS -

LS 9Y YEAP TOTALS BY TYPE TOTALS 9Y LOCATI	BY TYPE TOTALS 9Y LOCATION
TO U.S. US/UK U.S.U US/UK U.S.U US/UK DACIFIC TINNET 5.1	U.S. US/UK PACTETC U.
SHAFT 438 14	438 14 JOHNSTON ISL. AREA
CRATER 9 ENEWETAK	9 ENEWETAK
TOTAL UG 498 14 CHRISTMAS ISL. AREA	CHRISTMAS ISL. AREA
- CO	TOTAL PACIFIC
25	25
TOWER 56 NTS	56 NTS UNDERGPOUND
AIROROP 54 NIS AIMOSPHERIC ROCKFI 12	54 NIS ATMOSPHERIC
32 SURFACE 28 TOTAL NTS 5A7	2A TOTAL NTS
or and	Ď.
TOTAL ATMOS. 212 TOTAL S. ATLANTIC	OTAL ATMOS. 212 TOTAL
96 2	
TOTAL UM 5	UN 55
~	
	ALAMOGORDO
NATAL CANADA	
	TARIUM DE LE LA LINGUES DE LA
	FARMINGTON
	GRAND VALLEY
28 SIELE	ale le
701164 0::0016	
FORMER VANCE	HOMEN ON THE OF
12 IOIAL DIMEN	IDIAL DIMER
o •	
7 11	
16	
15 1	
12	
12 2	
11 A	
134 1	
ATY 394 12	
715 14 TOTAL 715 14 TOTAL 715	715 14 TOTAL

Y LINI T						
FIRST TEST OF	97/16/45 A NUCLFA9	ALAMOGOREO WEAPCN.	TOWER	WFAPONS PELATED	1 9KT	
WORLD WAR II 08/05/45 FIRST COMBAT USE-HIRDSHIMA	08/95/45 USE-HIRNSHIMA	Negal	AIPOROP	COMBAT	17 KT	
MOPLO WAR IT 18/09/45 SFCOND COMBAT USE-NAGASAKI	18/09/45 USE-NAGASAKI	JAPAN	AIPNPrb	СОМВДТ	23 KT	
		OPERATION CROSSROADS	808			
APLE	36/33/46	PIKINI	ATPORUP	WEADONS EFFECTS	2 * KT	
BAKFE	91/57/10	INI	MO	WEBPONS EFFECTS	23 KT	
		CFPATION CANDSTONE	IN F			
X -RAY	04/14/48	FNEWFTAK	TOWER	WEAPONS RELATED	3 7KT	
YOKE	04/33/48	FNFWFTAK	TOWER	WEAPONS RFLATED	t 9KT	A
ZERDA	35/14/44	FNEWFTAK	TOWER	WFAPO'S RFLATED	1947	rre
		JPERATTON PANGER				NDIX
AMF	01/27/51	NT S	AIPORCP	WEAPONS PELATED	147	. D
BAKER	31/28/51	NT.	AIPORCP	WEAPONS PELATED	みた1	(co
EASY	02/01/51	STA	AIPORCO	WEAPONS RELATED	1 × 1	1161
BAKER-2	02/02/51	NT.	AIRFROP	WFAPONS RFLATED	æ ጸተ	nue
FOX	02/05/51	NTS	AIRDROP	WEA FONS RELATED	22KT	a)
		OPERATION GREENHOUSE	USF			
ესც	34/07/51	ENEWFTAK	TOWER	WEAPONS RELATED		
EASY	04/20/51	ENEWETAK	TOWER	WFAPONS PELATED	47KT	
GFORGE	05/08/51	ENEWETAK	TOWFR	WEAFONS PELATED		
ITEM	05/24/51	ENFWETAK	TOWER	WEAFONS RELATFO		
		JOEPATION BUSTEP				
A D I C A D A D A D A D A D A D A D A D A D A	***************************************	VI VI	TOWER	MEADONIC DELATER		

APPENDIX B (continued)

EVENT NAME	DATE (GCT)	LACATION	TYPE	PilongE	VIELD PANSE
BAKFR	10/28/51	NTS	AIRCROS	WFADOWS RELATED	3.54T
CHARLIE	10/30/51	STS.	ATROROP	WFAPONS RFLATFO	14KT
900	11/01/51	NTS	AIPORNP	WEAPONS RELATED	21KT
EASY	11/05/51	NTS.	ATONROP	WEAPONS RELATED	1157
		SPERATICN JANGLE			
Q # D(1) C	11/19/51	NTS	SUFFACE	WEAPONS EFFECTS	1.247
HUCLF	11/29/51	NTS	CRATER	WEAPONS EFFETS	1.287
		OPERATION TUMBLER-SNAPPER	S-SNAPPFR		
APLE	34/01/52	KTS	ATPDROP	WEAPONS FFFECTS	147
BAKER	34/15/52	NTS	AIFDROP	NEAPONS FFFECTS	API
CHASLIE	04/22/42	NTS	AIPDPOP	WFAPONS RELATED	SENI
900	35/31/52	V + 2	AIPDROP	HEADONS RELATED	XIO
EASY	15/01/52	NTS	TOWER	WEAPONS RELATED	12KT B
FOX	15/25/52	KTS	TOWFR	WFAPONS RELATED	114
350935	35/01/52	S+2	TOWER	WEAPONS PELATED	nti Ty¢4
HOH	05/05/52	21.5	TOWER	WFA DONS RFLATED	nue 1 tx1
		SPECENTION IVY			d)
MIKE FYPEPIMENTAL	16/1/52 Fypepimental thermonurlear	ENEWETAK JEVICE	SURFACE	WFAPCHS RELATED	15.441
KING	11/15/52	FNFWFTAK	ATPDROP	WEAPONS PELATED	א היה א
		DEFRATION UPSHOT-KNOTHOLE	KNCTHOLE		
ANNTF	33/11/54	WTS	TOWER	WFAPONS PFLATED	16K7
NANCY	15/75/10	V L N	TOWER	WEAPONS PELATED	24% 1
РОТН	03/31/53	NTS	TOWER	WFACONC PFLATED	0.2KT
DIXIF	04/36/54	N15	AIFORCP	WFAPONS PELATED	11KT

ANNOINCED UNITED STATES NUCLEAR TESTS - RY DATE

EVENT NAME	OATE (GCT)	LOCATION	TVFF	PUZDOSE	YIFLD RANGE
RAY	04/11/53	NTS	TOWER	WEAPORS RELATED	0.2**
9A3GFR	04/18/53	NTS	TOWFR	WEAPONS RFLATFO	2441
SIMON	15/52/40	NTS	TOWER	WEAPONS RELATED	4 3 K T
FNCORE	05/04/53	NTS	AIRDRCP	WEAPONS EFFECTS	2747
H ARRY	05/19/51	MTS	TOWER	WEAPONS RELATER	3241
GRAPLE 35/25/53 FIRED FROW 280MM GUN	35/25/53 80mm Gijn	NTS	A I PGR ST	WEAPONS PELATFO	15KT
CLIMAX	16/04/53	V L Z	AIRDROP	WEAPONS RELATED	51KT
		OPERATION CASTLE			
BRAVO EXPERÍMENTAL	32/28/54 RIKINI EXPERIMENTAL THEFMONUCLFAR DEVICE	aIKINI DEVICE	SUPFACE	WEADONS RELATED	1541
00450	03/26/54	BIKINI	98965	WEAPO'S PELATED	AF
YOON	74/36/24	BIKIHI	SUPFACE	WEAPONS RELATED	PPEN LA CIT
HOINT	95/52/90	BIKINI	PARGE	WEAPONS PELATED	IDI)
* AWK FF	75/70/50	9TKINI	BAPGE	WEAPONS RELATED	13.54T
NFCTAP	05/11/54	ENEWFTAK	BAPGE	WEAFONS RELATED	1.6941
		OPERATION TEAPOT			onti
WASP	02/11/55	NTS	AIPUROP	WEAPONS EFFECTS	nued
#0TH	02/22/59	нтS	TOWER	WEAPONS PELATED	2×1
TFSLA	03/01/59	818	TOWER	NFAPONS RELATED	7 K T
TURK	33/97/55	NTS	TOWFR	WFAPONS RELATED	4257
* 41861	84/4/18	• 1:	4914	HEAPONS RELATED	441
AFE	03/22/28	415	TOWER	WEAPOWS RELATED	» × ←
ESS	03/23/55	NTS	CRATER	WEAPONS EFFECTS	1 1 1
APPLE-1	03/29/55	NTS	TOWER	WEADONS PELATED	1441
HASP PRIME	03/29/55	NTS	AIROROP	WEAPOPS RELATED	381
T	55/90/10	215	AT ROPOP	WEAPONS FFFECTS	3×1

PY JATE
ſ
TESTS
NUCLEAR
STATES
UNITED
ANNOUNCED

YI'LD PANGE	2KT	22KT	29KT	2 AKT		30.57		7580	7580	NO WIELD	VERY SLIGHT		£ C X→	SEVEDAL MT	3.5 MT			13.7 KT					
PIIPINSE	WFAPONS RELATED	WEAPONS EFFECTS	WFAPONS RELATED	WFAPONS RELATED		WFAPONS FFFECTS		SAFETY FYDER.	SAFÇTY "XPEQ.	SAFETY EXPER.	SAFETY EXPER.		WFAPONS RELATED	WFAPONS PELATER	WEAPONS RELATED	NEAPORS PELATED	WEAPONS BELATED	WFA PONS RELATED	WEAPONS RFLATED	WEAPONS RELATED	WFAPONS PELATED	WEA FONS RELATED	WEAPONS RELATFO
TYPE	TOWER	TOWER	TOWER	TOWER		N O		CUPFACE	SUOFACE	SURFAPF	SURFACE	1 د	SURFACE	ATROROP	SURFACE	TOWER	TOWFR	SUPFACE	BARGE	TOWER	TOWER	AIRNROD	TOWER
LOCATION	NTS	NTS	NTS	NTS	OPFRATION WIGHAM	PACIFIC E CREES.	PROJECT 56	NTS	275	NTS	NTS	DESPATION PEDMIN	ENEWFTAK	91KINT THEOMONUCLFAD WFADON	PIKINI	ENEWFTAK	FNEHFTAK	ENEWETAK	PIKINI	ENEWFTAK	ENEWETAK	ENFWETAK	ENEWETAK
DATE (GCT)	55/60/10	34/12/58	05/05/55	05/15/55				11/01/55	11/03/55	11/05/55	01/18/56		05/00/56	05/20/56 RY U.S. CF A	35/27/56	05/27/56	95/88/50	34/36/56	04/11/56	06/11/56	06/13/56	36/16/56	06/21/56
EVENT NAME	P0ST	#ET	APPLF-2	ZUCCHINI		HIGHAM NOPTH 29 DEGPE		PROJECT 56 NO 1	PPOJECT 56 NO 2 PU DISPERSE.	PROJFET SE NO 3 PU DISPFRSAL.	PROJECT 56 MM 4 PU DISPERSAL.		LACROSSE	CHEROKEF FIRST AIR DROP	INI)Z	6 UM A	ERIE	SEMINOLE	FLATHEAP	BLACKFOCT	K 1CKAPOO	0546F	TNCA
	NAME DATE(GCT) LOCATION TYPE PIPATOSE TILU	VENT NAME DATE(GFT) LOCATION TYPE PHYTOSE TITLE OL/109/55 NTS TOWER WFAPONS SELATED 2KT	FUFNT NAME DATE(GCT) LOCATION TYPE PURTOSE TITUE T 04/19/55 NTS TOWER WEAPONS EFFECTS 22KT	FUENT NAME DATE(GCT) LOCATION TYPE PURTOSE TITLU G4/09/55 NTS TOWER WEAPONS FFECTS 22KT LF-2 05/05/55 NTS TOWER WEAPONS RELATED 29KT	FUENT NAME DATE(GCT) LOCATION TYPE PRINTSE TITLU G4/09/55 NTS TOWER WEAPONS EFFECTS 22KT LF-2 05/05/55 NTS TOWER WEAPONS RELATED 29KT CHINI 05/15/55 NTS TOWER WEAPONS RELATED 28KT	FVENT NAME DATE(GCT) LOCATION TYPE PRINTSE TITLE 04/19/55 hts TOWER WEAPONS RELATED 2RT 10-2 05/15/55 hts TOWER WEAPONS RELATED 29KT 10-4 05/15/55 hts TOWER WEAPONS RELATED 28KT 10-5 05/15/55 hts TOWER WEAPONS RELATED 28KT	FUENT NAME	FVENT NAME	FUENT NAME DATE (GCT) LOCATION TYPE PINTOSE TITO 1 04/19/55 NTS TOWER WEADONS RELATED ZYTT 1 04/15/55 NTS TOWER WEADONS RELATED ZYTT 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TOWER DATE (GCT) LOCATION TYPE PHYTOSE TITLU	04/15/55 NTS TOWER WEAPONS FERCTS 22KT TOWER WEAPONS FERCTS 22KT TOWER WEAPONS FERCTS 22KT TOWER WEAPONS FERCTS 22KT TOWER WEAPONS RELATED 29KT D5/15/55 NTS TOWER WEAPONS RELATED 29KT D5/14/55 NTS TOWER WEAPONS FERCTS 30KT ESS WEST 126 DE CPEES. 11/01/55 NTS CUPFACE SAFETY FXDER. 75RO 11/01/55 NTS SUPFACE SAFETY FXDER. 75RO 11/01/55 NTS SUPFACE SAFETY FXDER. 75RO 11/05/55 NTS SUPFACE SAFETY FXDER. 75RO 11/05/55 NTS SUPFACE SAFETY FXDER. 40 FTEL	05/15/55 NTS TOWER WEAPONS GELATED 2KT 04/15/55 NTS TOWER WEAPONS GELATED 2KT 05/15/55 NTS TOWER WEAPONS RELATED 29KT 05/15/55 NTS TOWER WEAPONS RELATED 29KT 11/01/55 NTS TOWER WEAPONS FFECTS 22KT 05/14/55 NTS TOWER WEAPONS FFECTS 36KT 11/01/55 NTS SUPFACE SAFETY FYPEP, 7FRO 11/01/55 NTS SUPFACE SAFETY FYPER, 7FRO 11/05/55 NTS SUPFACE SAFETY FYPER, 7FRO 01/18/56 NTS SUPFACE SAFETY FYPER, VFRY SL	04/15/55 NTS TOWER WEAPONS RELATED ZEKT 04/15/55 NTS TOWER WEAPONS RELATED ZEKT 05/15/55 NTS TOWER WEAPONS RELATED ZEKT 05/14/55 NTS TOWER WEAPONS RELATED ZAKT 11/01/55 NTS CUPFACT UN WEAPONS RELATED ZAKT 11/01/55 NTS CUPFACE SAFETY FYPER ZERT 11/05/55 NTS SUPFACE SAFETY FYPER ZERA 11/05/55 NTS SUPFACE SAFETY FYPER ZERA 11/05/55 NTS SUPFACE SAFETY FYPER VERY SL	04/19/55 NTS TOWER WEAPONS TELATED 22KT 04/15/55 NTS TOWER WEAPONS TELATED 22KT 05/15/55 NTS TOWER WEAPONS TELATED 29KT 05/15/55 NTS TOWER WEAPONS TELATED 29KT 05/14/54 NTS TOWER WEAPONS TELATED 29KT 11/01/55 NTS TOWER WEAPONS TELATED 29KT 11/01/55 NTS TOWER WEAPONS TELATED 29KT 11/01/55 NTS TOWER SAFETY TYPER, 75RO 11/01/55 NTS SUPFACE SAFETY TYPER, 75RO 11/05/55 NTS SUPFACE SAFETY TYPER, 75RO 11/05/55 NTS SUPFACE SAFETY TYPER, 75RO 11/05/55 NTS SUPFACE SAFETY TYPER, 75RO 01/18/56 NTS SUPFACE SAFETY TYPER, 75RO 01/18/56 ENEWTTAK SURFACE WEAPONS TELATED 44 KT	05/14/55 NTS TOWER WEAPONS EFECTS 22KT TOWER WEAPONS EFFECTS 22KT TOWER WEAPONS FFECTS 22KT TOWER WEAPONS FFECTS 22KT TOWER WEAPONS FFECTS 22KT TOWER WEAPONS FFECTS 30KT TOWER WEAPONS FELTY FYPER VOICES SAFETY FYPER VOICES	1406/756	1406/756	04/16/75 NIS	14 15 16 16 17 18 18 18 18 18 18 18	04/09/55 NTS	04/15/55 NTS	04/04/55 NIS TOMER WEADONS GELATED ZEXT 04/04/55 NIS TOMER WEADONS GELATED ZEXT 05/05/55 NIS TOMER WEADONS GELATED ZEXT 05/14/56 NIS TOMER WEADONS GELATED ZEXT 05/14/56 PACIFIC TOWER WEADONS GELATED ZEXT 05/14/56 PACIFIC TOWER WEADONS GELATED ZEXT 11/01/55 NIS TOWERF SAFETY FYDER, NO FIEL 11/01/55 NIS SUBFACE SAFETY FYDER, NO FIEL 11/05/55 NIS SUBFACE SAFETY FYDER, NO FIEL 05/04/56 GILLINT SUBFACE WEADONS GELATED 4, KT 05/21/56 GILLINT SUBFACE WEADONS GELATED 3.5 KT 05/21/56 FWEWFTAK TOWER WEADONS GELATED 05/11/56 FWEWFTAK TOWER WEADONS GELATED 06/11/56 GILLINT RARGE WEADONS GELATED 06/11/56 GILLINT TOWER WEADONS GELATED 06/11/56 GILLINT RARGE WEADONS GELATED 06/11/56 GILLINT TOWER TOWER 06/11/56 GILLINT TOWER	0.4.15.75

EVEN NATE	UATETSCIT	LOCATION	TYPE	PUPICSE	VIFLO RANGE	
DAKOTA	06/25/56	BIKTNT	PARGE	WFA PONS RELATED		
HOHAWK	07/02/56	ENEWFTAK	TOWFR	WFA PONS RELATED		
APACHF	97/98/56	ENEWETAK	BAPGE	WEAPONS PELATED		
NAVAJO	07/10/56	PIKINI	BAPGE	WEAFONS RELATED		
TENA	07/20/56	BIKINI	BAPGE	WEAPONS RELATED	T I	
HURON	07/21/56	ENGWETAK	AAPGE	WEAPONS RFLATED		
		OPOJECT 57				
PPOJECT 57 NO 1 PU DISPERSAL.	04/24/57	BOMBING RANSF	SUPFACE	SAFFTY FXPER.	7 £ R C	
		OPERATTON PLUMONGR	σ 1		АРР	ДРР
B CL T 7 MA NN	15/82/51	NTS	TOWER	WEAPONS RFLATED	12KT	FND
FRANKLIN	18/12/187	NTS	TOWER	WEAFONS PELATED	1 to TCNS	тx
LASSEN MINOR LFVELS	36/05/57 N'OF SADIOACTIVITY	NTS PETECTED ON-SITE ONLY	BALLOON	MEAPONS PFLATED	B 5 TONS C	В (с
HILSON	36/18/57	NTS	BALLOON	WFA PONS PELATED	ONE:	ont
PRISCILLA	96/24/57	V-12	BALLOON	WEAPONS RELATED	inu.	inu
COULDMB-A NO RADIOACTIVE	07/01/57 NTS E RFLEASF DETECTED	NTS Fred	SUPFACE	SAFETY FKDER.	7ERO 7	ed)
ноол	07/05/57	415	BALLOON	WEAPONS RELATED	イなみが	
DIA9LO	37/15/57	NTS	TOWER	WFAPONS RELATED	17KT	
JOHN AIR-TJ-AIR HI	07/19/57 HISSILE.	27.5	ROCKET	WFA FONS EFFICTS	AROUT 2KT	
KEPLEP	37/24/57	NTS	TOWFR	WFAPONS RELATED	16KT	
OWENS	17/25/57	N1.0	BALLOON	WEAFONS PFLATED	9.7KT	
PASCAL-A UNSTEMMED HOLE.	£7/26/57 LE.	XT.S	SHAFT	SAFETY PXPER.	SLISHT	
STOKES	08/07/57	NTS	RALLOON	WEAFONS PFLATED	1961	
		U	1000	44 44 44 44 44 44 44 44 44 44 44 44 44		

EVENT NAME	DATE (COT)	LOCATION	TYPE	PUPPASE	YIELD RAIGE
SHASTA	04/14/57	NTS	TOWER	WFAPONS RELATED	17KT
DOPPLER	04/23/57	N+5	BALLOON	WEAPONS RELATED	1147
SASTAL -8		NTS	SHAFT	SAFETY EXOEP.	
NO RADICACTIVE RELEASE	RELEASE DETECTED	760			
FRANKLIN PPIME	98/39/57	NTS	BALLOGN	WEAPCUS PELATED	4.751
S#0⊀Y	98/31/57	NTS	TOWER	WFA CONS RELATED	ר ני גע ד
GALILEO	09/32/57	NTN	TOWER	WFAFONS PELATED	1141
WHEELER	39/06/57	N+S	BALLOON	WFAFONS PELATED	107 TONS
COULOMB-B	09/06/57	KTS	SURFACE	SAFETY EXPEZ.	0.3KT
LAPLACF	09/38/57	NTS	BALLOCN	WEAPORS RFLATED	1 1 1
FIZEAU	09/14/57	VTS	TOWER	WEAPONS RELATED	APH
NEWTON	39/16/57	NTS	BALLOOM	WFA PONIS BELATED	PENI TACE
RAINIER FIRST DETCHATION CONTAI NO RADICACTIVE RELEASE D	99/19/57 Ion contained Release deter	NED UNDEFGROUND. ETECTED	TUNNEL	WEAGONS RFLATFO	DIX B
* HITTE	39/23/57	NTS	TOMER	WEAPONS RELATED	100
CHAPLESTON	25/82/60	NTS	RALLOON	WEAPONS RELATED	nti
MORGAN	13/0/01	NTS	BALLOON	WEBPONS PELATED	nue ⊾
		DOQ JECT 59			d)
PASSAL-C UNSTEMMED MOLE MINOR LEVELS OF	12/36/57 F PADIMACT	NTS JVITY DETECTED GN-SITE ONLY	SHAFT	SAFFTY FXPED.	SLIGHT
2-8%07003	15/00/21	NTS	STURFALE	SAFETY EXPER.	0.5 × t
		OPEGATION PLUMOROR	5 1		
VFMUS NO RADTOACTIVE	J2/22/54 NTS RELEASE DETFCTED	NTS TED	TUNNEL	SAFETY EXPED.	LESS THAN ONE TON
		DONJECT 59 A			
UPANUS NO RADIOACTIVE	01/14/59 NTS RELEASE DETECTED	410 170	TUNNEL	SAFETY FXPES.	LESS THAN ONE TON
		SPERATION HARDTACK I	CK 1		

105

ANNOVINCED UNITED STATES MUCLEAG TESTS - BY DATE

DATF (GCT) LOCATION
04/28/58 PACIFIC NORTH 12 DEG. 37 MIN. EAST 153 PEG. 01 MIN.
05/05/59 FNEWETAK
05/11/5A 9IKINI
95/11/58 ENEWFTAK
05/12/5A ENEWSTAK
05/16/58 ENFWETAK
05/23/58 FNEWFTAK
05/21/59 PIKINI
95/26/58 ENEWFTAK
05/26/59 FNFWFTAK
95/30/58 ENEWETAK
05/31/58 91KINI
96/02/59 ENEWFTAK
86/89/59 ENEWETAK
06/16/5A 9IKINI
06/14/58 PIKINI
36/14/59 FNEWFTAK
J6/18/58 ENFWFTAK
36/27/58 RIKINT
36/27/59 ENEWFTAK
J6/28/58 ENEWETAK
16/29/54 BIKINI
07/01/59 ENEWETAK
97/02/5A PIKINJ
97/95/58 ENEWFTAK
07/12/58 PIKINI

EVENT NAME	E DATE (GCT)	LOCATION	TYPE	350abNa	YISLO ZANGE
MARS SLIGHT MINOR L	D9/28/58 SLIGMT VENTING. INDR LEVELS OF RADIDACTIV	D9/28/58 NTS SLIGMT VENTING. MINOR LEVELS OF RADIOACTIVITY DETECTFD CW-SITE OPLY	TUNNEL	SAFETY EXPER.	13 TONS
HORA	85/62/66	NTS	BALLOON	WEAPONS PELATED	2 1 1
COLFAX UNSTEM MINOR L	10/05/58 MEN HOLF. EVELS OF PADICACTIV	X UNSTEMMEN HOLF. MINOR LEVELS OF PADICACTIVITY NETECTED 3N-SITE CNLY	SHAFT	SAFETY EXDER.	5.5 TONS
HIDALGO	10/05/58	NTS	BALLOON	SAFETY EXPER.	77 TONS
TAMALPAIS SLIGHT	PAIS 10/08/58 SLIGHT VENTING PARTORYTY	PAIS 10/08/58 NTS SLIGHT VENTING PARTOACTIVITY DETECTED ONESTE ONLY	TUNNEL	WEAPONS RELATED	72 TONS
			į		
VAUQ	10/10/58	MTS	TOWER	WEA SON'S SELATED	79 TCNS
LEA	10/13/58	NTS	BALLOON	WEAPONS RELATER	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
NEPTUNE SLTG4T MINOR L	10/14/59 SLTG4T VENTING. INOR LEVELS OF PADICACTIV	NE 10/14/59 NTS SLTG4T VENTING. Minor Levels of Padicactivity Detected on-Site onl ø	TUNNEL	SAFETY FXPER.	APP APP
HAMILTON	10/15/54	NTS	TOWER	WEAPONS RELATED	END SNOT 2.1
LOGAY NO RADI	10/16/58 NTS PADIOACTIVE PELEASE DETFOTED	NTS FOTED	TUNNEL	WEAPONS RELATED	IX B
DONA ANA	10/16/54	NTS	BALLOON	WEAPONS RELATED	37 TONS (C)
VESTA FIRED IN	10/17/58 IN SURFACE STPUCTURE.	NTS E.	SURFACE	SAFETY FX2E2.	ontin
RIO ARRIBA	16/18/54	NTS	TOWER	WEAPONS RELATED	SNOT 06
SAN JUAN UNSTEMM NO RADI	UAN 10/20/58 NTS UNSTEMMED HOLE NO RADIOACTIVE RFLEASF DETECTED	NTS ECTED	SHAFT	SAFFTV FXPE?.	7590
SOCORRO	16/22/58	NTS	BALLOOM	WEAPONS RELATED	5.5.1
MRANGELL	10/22/54	NTS	BALLOON	WFAPONS RELATED	115 TONS
RUSHMORE	10/22/58	NTS	BALLOON	WEAPONS PELATED	1.88 TONS
OBERON NO RABI	13/22/58 Rabioactive Pelease Df1	8 NTS DETECTED	TOWER	SAFFTY EXPER.	7ER0
CATRON	10/24/58	NTS	TOWER	SAFETY EXPER.	21 TONS
JUNO FIRED I	18/24/58 N SURFACE STRUGTUPE EVELS OF FAGIOACTIV	10/24/58 NTS FIRED IN SURFACE STRUCTURE, MINOR LEVELS OF FADIOACTZVITY DETECTED ON-SITE ONLY	SURFACE	SAFETY FX3ER.	1.7 TONS

L
F
9
C
>
α
v
7
ŭ
۰
٥
4
u
7
Ξ
Z
v
ŭ
۳
TA
v
_
L
F
=
Ξ
-
C
ų.
ž
Ξ
5
ź

SAMPON	EVENT NAME	DATE (GCT)	100	LOCATION	TYPE	PUPF0SE	YIELD GANGE
10 10 10 10 10 10 10 10	MINOR LEVELS	19/26/59 JF RADIOACTIV	NTS ITY DETECT	EN ON-SITE ONLY	TOWER	SAFETY FXDER.	TONS
FOR 10/26/FR NTS FALLOCK NEAPONS PELATED	SANFORD	10/26/54	NTS		PALLOON		4.9KT
SYMPHYS 10/29/54 NTS 10/29/54 NTS 10/29/54 NTS 11/29/54 NTS 11/29/5	DF 9ACA	10/26/58	NTS		BALLOCN	WEAPONS RELATED	2.2KT
VENTIAGE VENTIA	CHAVE?	10/27/58	NTS		TOWER	SAFETY FXPFF.	0.6 TCNS
TOWER WEAPONS PELATED	SVAVE	10/29/58	NTS		TUNNEL		55 TONS
A FE 10/29/54 NTS TOWER WEAPONS PELATED NJ RAJJOACTIVE RELEASE DETECTED TOWER NEAFONS PELATED NJ RAJJOACTIVE RELEASE DETECTED SLIGHT VENTING 11/30/54 NTS SHAFT NEAPONS PELATED HINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY MINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY MEADONS PELATED MINDR LEVELS OF RADICACTIVITY OFFICTED ON-SITE ONLY MEADONS PELATED MINDR LEVELS OF RADICACTIVITY OFFICTED ON-SITE ONLY MEADONS PELATED	FVFLS	PANTOA	TTY DETECT	FD JN-SITE CHLY			
A FE 10/29/FA VIS TOWER WEAFONS PELATED 2FRO AND RAJIOACTIVE RELEASE DETECTED A FE 10/36/5A NIS SLIGHT VENTING LIJJIO/FA NIS SLIGHT VENTING LIJJIO/FA NIS SLIGHT VENTING LIJJIO/FA NIS SLIGHT VENTING LIJJIO/FA NIS SUPFACE SAFETY EXPER. TOWNEL SAFETY FYPER. TOWER T	HIMBOLDT		NTS		TOWER	WEAPONS PELATED	7.8 TOWS
CA SLIGHT VENTING CONTAINED IN SUPFACE SPUCTURE, NO RADIOACTIVE SELECTED NO RADIOACTIVE SELECTED NO RADIOACTIVE SELECTED NO RADIOACTIVE SELECTED NO SADIOACTIVE NO SELECTED NO SADIO	MAZAMA NJ RAJIOACTIVE	16/29/5 RFLEASE	NTS ECTED		TOWER		ZFR3
SLIGHT VENTING SCHOOL SCHOOL STEP NO RADIOACTIVE RELEASE DETECTED NO RADIOACTIVE RELEASE DETECTED NO RADIOACTIVE RELEASE DETECTED SPECATOR NOT SUBSTANCE SPECATOR SPECATED SPECATOR SPECATOR STATE WEAPONS RELATED SPECATOR SP	SANTA FF	10/36/58	NTS		RALLOCN		1.3KT
FER TOWER OF THE STRUCTIVE. CONTAINED IN SUPFACE SPUCTIVE. NO RADIOACTIVE RELEASE DETETTEN NIA 10/30/5A NTS D9/15/61 NTS PELEASE OF PADIOACTIVITY DETECTED OFF SITE HINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY TOWER TOWER OF TABLES OF TABLES OF THE ONLY HINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY TOWER TOWER OF TABLES OF TA	BLANCA SLIGHT VENTING		NTS		TUNNEL		22KT
FEE TOWER SAFITY FYDER, 0.2 SPECIAL NITS D9/15/61 NTS WEAPONS PELATED 2.6K WINDR LEVELS OF PADIJACTIVITY DETECTED OF SITE ONLY MINDR LEVELS OF PADIJACTIVITY DETECTED ON-SITE TITE TITE TATORNEY MINDR LEVELS OF PADIJACTIVITY DETECTED ON-SITE TATORNEY MINDR LEVELS OF PADIJACTIVITY DETECTED ON-SITE TATORNEYER MINDR LEVELS OF PADIJACTIVITY DRAFT	GANYMEDE CONTAINED IN S NO RADIOACTIVE		NTS TUPE. Erten		SURFACE	SAFETY EXPER.	2ER0
PELEASE OF PADIJOSCIIVITY DETECTED OFF SITE WEAPONS PELATED WINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY WINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY WINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY MINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY SHAFT WHEAPONS PELATED SHAFT WEAPONS PELATED SHAFT WEAPONS PELATED SHAFT WEAPONS PELATED TOWNSHAPE SHAFT WEAPONS PELATED SHAFT WEAPONS PELATED SHAFT WEAPONS PELATED TOWNSHAPE TOWNSHAPE	TITANIA	10/30/58	S F %		TOWER	SAFETY FXDEC.	
PELEASE OF PADIJACTIVITY DETECTED OFF SITE MINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY METON METON SELATED ONLY METON SELATED			juć	TABUTH MUTTER			
HINDR LEVELS OF RADICACTIVITY DETFCTED IN-SITE ONLY A 10/10/61 NTS A 10/20/61 NTS A 10/20/61 NTS BHAFT WEAPONS RELATED A 10/20/61 NTS BHAFT WEAPONS RELATED A 12/30/61 NTS BHAFT WEAPONS PELATED F 12/30/61 NTS BHAFT WEAPONS PELATED F 12/30/61 NTS F 12/30/61 NTS BHAFT WEAPONS PELATED F 12/30/61 NTS F 12/30/61	ELEASF OF	09/15/61)17ACTIVITY 0	NTS ETECTED OF	SITE	TUNNEL		2.5KT
HINOR LEVELS OF RADICACT 1VITY NETECTED ON-SITE ONLY A 10/10/61 NTS HINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY HINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY HINOR LEVELS OF RADICACTIVITY NETECTED ON-SITE ONLY SHAFT WEAPONS RELATED FR. 12/10/61 NTS SHAFT WEAPONS PELATED FR. 12/10/61 NTS SHAFT WEAPONS PELATED FR. 12/10/61 NTS FR	MINOR LEVFLS	09/15/61)F RADICACTIV	NTS ITY DETFOT	ED JN-SITE ONLY	SHAFT		L 0#
MINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY 10/29/61 NTS HINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY MINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY MINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY MINOR LEVELS OF RADICACTIVITY DETECTED CN-SITE ONLY MINOR LEVELS OF RADICACTIVITY DETECTED CAVITY 160-17C FT.OTAMETEP ACARO FT.HIGH. PRIFASE OF PADICACTIVITY DETECTED OFF-SITE.	INOR LEVELS	10/01/61 JF PADICACT 1V	NTS TTY NETECT	ED ON-STTE ONLY	CHAFT		L 04
10729/61 hts MINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY SHAFT WEAPONS PELATED FROM 12/10/61 NTS SHAFT WEAPONS PELATED SHAFT WEAPONS PELATED CARLSBAD MULTIPLE-PUPPOSE EXPERIMENT IN SALT, FORMED CAVITY 160-17C FT. DIAMETEP GG-80 FT. HIGH. PFIFASE OF PADIOBALITYTY DETECTED OFF-SITE.	MINOR LEVFLS	10/10/61 3F RADICACTIV	NTS ITY DETECT	EN ON-STYE ONLY	TUNNEL		* L
12/03/61 NTS SHAFT WEAPONS PELATED INOR LEVELS OF RADIOACTIVITY DETECTED (N-SITE ONLY 12/10/61 CARLSBAD SHAFT PLOMSHAPE ULTIPLE-PUPPOSE EXPERIMENT IN SALT, FORMED CAVITY 160-17C FT, OTAMETEP	MINDR LEVELS	10/29/61)F RADICACTIV	NTS TTY NETECT	ED AN-SITE ONLY	SHAFT		LCW
12/10/61 CARLSBAD SHAFT PLOMSHAPE 3 WULTIPLE-PUPPOSE EXPERIMENT IN SALT.FORMED CAVITY 160-17C FT.DIAMETEP 66-80 FT.HIGH, PFIFASE OF PADIOACTIVITY DETECTED OFF-STF.	INOR LEVELS	12/03/61 3f Radioactiv	NTS TTY DETFCT	FO CN-STIF DULY	SHAFT	WFAPONS PELATED	13.487
	GNOME MULTIPLE-PUPPC	12/10/61 DSE EXPERIMEN	CARLSBAD IT IN SALT. PADIOSCII) FORMED CAVITY 1 VITY DETECTED O	SHAFT .60-17C FT.C FF-STTF.	PLOWSHAPE JIAMETEP	

1	Ľ
	_
	_
	>
1	ď
	_
	•
•	
(۰
1	2
1	۰
	٥
	0
•	
4	Ċ
	•
	7
(
	٠
	•
1	
1	-
1	۰
4	-
	2
	2
	622
	Ľ
	2
	=
	Č
	ž
	2
	_

5

EVENT NAME	9475 (667)	LOCATION	TYPE	3503FU9	YIELD RANGE
CHINCHILLA II MINOR LEVE	03/31/62 NTS	HILLA II 03/31/62 NTS MINOR LEVELS OF RADICACTIVITY DEFFCTED ON-SITE ONLY	SHAFT ONLY	WEAPONS RELATED	LOW
DOGMOUSE IF	29/50/10	MTA	SHAFT	WFAPONS RELATED	10.FKT
PASSAIC	29/90/10	NTS	SHAFT	WEAPONS RELATED	F04
HUDSON	34/12/62	NTS	SHAFT	WEAPONS RELATED	ron
PLATTF RELEASE OF	04/14/62 RADIOACTIVITY	F RELEASE OF RADIOACTIVITY DFTECTED OFF STTE	TUNNEL	WEAPONS RELATED	1.85KT
DEAN	04/21/62	hTS	SHAFT	HEAPONS PELATED	101

1962 TESTS IN THE CHRISTHAS AND JOHNSTON TYLAND AREAS AND ELSEWHERE IN THE PACIFIC WEPE PART OF OFERATION DOMINIC I.
INTERMEDIATE YIELD FOR THESE TESTS MEANS 20 TO 1000 KT.

ADORF OPERATION	04/25/62 904INIG I	CHRISTMAS ISL APFA	AIRORCP	WFAPONS PFLATED		INTEOMEDIATE
AZTEC OPERATION	04/27/62 00minic i	CHRISTMAS ISC AREA	AIBURNP	WEAPONS RELATED		INTECMEDIATE
PLACK	04/27/62	NTS	SHAFT	WFAPONS RELATED		LOW
APKANSAS OPERATION	85/82/62 Dominic 1	CHRISTMAS ISL ARFA	AIRORCO	WEAPONS RELATED		LCW PESATON
QUESTA OPERATION	95/04/62 DCMINIC I	CHRISTMAS ISL APEA	4180808	WEAPONS PELATED		INTERMFOLATE
FPIGATE BTPD CPERATION NOTH 4 DI WARHERD II	DS/OB/62 DOMINIC I EGREES SO MIN. WE'N N MISSILE LAUNCHE	TE BTPD 05/26/62 PACIFIC COPERATION DOMINIC I NORTH 4 DEGREES 50 MIN. NEST 149 DEG. 25 MIN. WARHERD IN MISSILE LAUNCHET FROM POLARIS SUGMARINE	ROFKET	WEAPONS RELATED	ATED	
PACA MINOR LEVELS		05/07/62 NTS SHAFT OF PAJICACTIVITY DETECTED CN-SITE ONLY	SHAFT	WEAPONS RELATED		ron
V (IKCM OPERAL ION	95/08/62 Dominic I	FHPISTMAS ISL BPEA	AIDURNP	WEAPONS RELATED		I NT ERMEN LATE
MESTLLA OPERATION	05/09/62 DOMINIC I	CHPISTMAS ISL APER	AIPORCO	WFAPONS RELATED		INTERMEDIATE
ARIKAPEE	05/10/62	NTS	SHAFT	WEADONS RFLATED		ron
#USKEGON OPFR&TON	05/11/62 00MINTE T	CHOISTMAS ISL APEA	A TROPCO	WFAPONS RELATED		INTERMEDIATE

							A	APPEN	DIX 1	В (con	tinue	ed)					
YIFLG PANGE	רנא	INTERMEDIATE	₽ • × 4	INTERMEDIATE	, rov	INTERMENTATE	10M	r 0 M	I PTERMODIATE	1 O M	rcw	INTERNENIATE	INTERMEDIATE	LOW MESATON	INTERMEDIATE.	T 0M	INTEPMENIATE	INTGRMEDIATE
PURPOSE	WEAPONS EFFECTS	WFADONS RELATED	WEAFONS PELATED	WFAPONS RELATED	WFAPONS RELATED	WEADONS RELATED	WEAFONS RELATED	WEAPONS RELATED	WEAPONS PELATED	WEAPONS PELATED	WEAFONS PELATED	WEAFONS RELATED	WFAPONS RELATED	WEAPONS RELATED	WEAPONS RELATED	WFAPONS RELATED	WEAPONS RELATED	MEAPONS PELATED
TYPE	NO.	A I O DR OP	SHAFT	AIRPRCP	SHAFT	AIFOROP	SHAFT	AIRDROP	AIPORCP	SHAFT	SHAFT	AIPOROP	ATROPO	A I R DR OP	AIRORCP	TUNNEL	A I POR OP	A I R DR OP
LOCATION	PACIFIC WEST 124 DEGREFS 13 MIN OC/ SYSTFM PROOF TEST	CHRISTMAS ISL APFA	NTS VITY DETECTED ON-SITE ONLY	CHRISTMAS ISL ARFA	NTS DETECTEN OFF STTE	CHRISTHAS ISL AREA	NTS	CHPISTMAS ISL APEA	CHPISTMAS ISL ARFA	NTS	NTS	CHPISTMAS I'L AREA	CHRISTMAS ISL ADFA	CHRISTMAS ISL APFA	CHRISTMAS ISL ARFA	NTS DETECTED OFF STIE	CHRISTMAS ISL AREA	CHRISTMAS ISL APFA
EVFNT NAME DATE (GCT)	SWOPDFISH OPERATION COMINIC I NORTH 31 DEGREES 14 MIN. WEST 124 DEGREES 13 MIN. ANTISJOHARINE ROCKET /ASPOC/ SYSTEM PROOF TEST	ENCTHO 35/12/62 OPERATION DOMINIC I	AARDVARK 05/12/62 NT MINOR LEVELS OF RADIOACTIVITY	SWANEF 35/14/62 OPERATION DOMINIC I	EEL 35/19/62 NTS RELEASE OF RADIDACTIVITY DETECTEN OFF STIFE	CHETCO 35/19/62 OPERALION DOMINIC I	MHITE 35/25/62	TANANA DERATION CONTINIC I	NAMME 05/27/62 OPERATION DOMINIC I	RACCOON 06/01/62	PACK9AT 06/06/62	ALMA OPERALION COMINIC I	TPUCKFE 06/09/62 OPERATION DOMINIC I	YESO DERAFION DOMINIC I	HARLEW 06/12/62 OPERATION DOMINIC I	DES MOINES D6/13/62 PFLEASF OF RADIOAGTIVITY D	RINCONADA 06/15/62 OPERATION DOMINIC I	DECETION DOMINIC I

ANNOUNCED UNITED STATES MUCLEAR TESTS - BY NATE

PELATED RELATED RELATED RELATED RELATED RELATED					, ,	
06/21/62 CHRISTHAS ISL APEA AIPOROP WEAPONS PELATED OPERATION DOWINIC I OFFICE OF PATTON DOWINIC I RN OPERATION DOWINIC I RN OPERATION DOWINIC I NEAPONS RELATED SHAFT WEAPONS RELATED WEA	EVENT NAME	OATE (GCT)	LOCATION	TYPE	PUPPOSE	YIELN RANGE
OPERATION DOMINIC I NEADONS RELATED OPERATION DOMINIC I NEADONS RELATED OPERATION DOMINIC I NEADONS RELATED SHAFT WEADONS RELATED OBJECT OF PADIOACTIVITY DETECTED ON-SITE ONLY MINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY TONE OF STATE OF			CHRISTHAS ISL APEA	A I POR OP	WEAPONS PELATED	רסא
OPERATION DOMINIC: I RN OPERATION DOMINIC: I KER HER OFFRATION DOMINIC: I KER HINOR LEVELS OF RADIOACTIVITY DETECTED ON-SITE ONLY HINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY HINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY TONE OFFRATION DOMINIC: I MEADONS RELATED WEAPONS RELATED OFFRATION STORAX CRATEP CRATEP DLOWSHAGE	DAMAN I	06/21/62	NTS	SHAFT	WEAPONS RELATFO	LOW
J6/27/62 CHPISTMAS ISLAREA AIRDROP WEAPONS RELATED D6/27/52 NTS LEVELS OF RADIOACTIVITY DETECTED ON-SITE ONLY J6/26/62 NTS TUNNEL WEAPONS RELATED J0/30/62 NTS SHAFT WEAPONS RELATED J0/30/62 NTS CRATEP CRATEP G7/06/62 NTS CRATEP CRATEP G7/06/62 NTS CRATEP G7/06/62 NTS CRATEP DOMINION OF THE TOWN STORMY CRATEP CRATEP CRATEP D10 NOW TOWN TOWN TOWN TOWN TOWN TOWN TOWN	OTOWI OPERATION D	~	CHDISTHAS ISL ASEA	4 I P D P O P	WEAPONS RELATED	INTERMEDIATE
D6/20/62 NTS LEVELS OF RADIOACT IVITY DETECTED ON-SITE ONLY D6/26/62 NTS LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY D6/30/62 NTS D6/30/62 NTS TUNNEL MFAPONS EFFECTS TUNNEL MFAPONS EFFECTS D6/30/62 NTS SHAFT WEAPONS RELATED D6/30/62 NTS CRATEP PLOMSHAGE	GIGHORN CPERATION D	36/27/62 00minic i	CHPISTMAS ISL AREA	AIROPOP	WFAPONS RELATED	FEGATON RANGE
D6/26/62 NTS LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY 06/30/62 CHRISTMAS ISLAPFA AIPDROP WEAPONS RELATED 10N D2MINIC I 06/30/62 NTS SHAFT WEAPONS RELATED 172FPATTON STORAX CRATEP PLOMSHAGE	HAYNAKER HINOR LEVEL	06/27/52 S OF PADIOACT I	NTS VITY DETECTED ON-SITE ON	SHAFT	WFA PONS RELATED	5.7.KT
06/30/62 CHRISTMAS ISL APFA AIPORCP WEAPONS RELATED 06/30/6? NTS SHAFT WEAPONS RELATED 07/06/62 NTS CRATEP PLOWSHAGE	MARSHMALLOW Dod Event MINOR LEVEL	36/28/62 S OF RADICACTI	NTS VITY DETECTED ON-SITE ON	TUNNEL NLY	WFA PONS EFFECTS	101
06/30/6? NTS SHAFT WEAPONS RELATED 12EPATION STORAX 07/06/62 NTS CRATEP PLOMSHAGE	BLUESTONE OPEQATION O		CHRISTMAS ISL ARFA	AIRDRCP	WEAPONS RELATED	LOW MEGATON
D7/06/62 NTS CRATEP PLOMSHAGE	SACPAMENTO	06/30/62	NT N	SHAFT	WEAPONS RELATED	١٥ ه
07/06/62 NTS CRATED PLOWSHAGE			JOEPATION STORAX	× 1		
	24じょし	07/06/62	NTS	CRATED	PLOWSHAGE	10487

CRATEP DLONSHAGE
EXCAVATION EXPERIMENT-CPATER 1230 FT.DIAM 420 FT.DEEP-THERMONIGLEAP DEV.
PFLEASE OF PADTOACTIVITY DEFECTED OFF-SITE.

THREE WEAPOWS EFFECTS TESTS AT NTS IN JULY OF 1962 WERE PART
OF OPERATION DOMINIC IT

1	1.4 MEGATONS	INTEPMEDIATE	LCW MEGATON	0.5 KT
WEB CONS FFECTS	MEA PONS PPREDIS	WEAFONS RELATED	WFAPONS PELATED	WEADONS EFFECTS
SURFACE	POTKET	A 1 P UP OP	A I POR OP	C.Q. & T.E. D
NTS OMINIC TI SERIFS. VITY DETFITED OM-SITE	JOHNSTON TSL APEA	CMRISTMAS ISL ARFA	CHRISTMAS ISL ARFA	97/11/62 NTS LOW GROUND, DOMINIC II SERIES, RADIOACTIVITY DETECTED OFF-STIE.
LITTLE FELLEPII 07/07/62 NTS SLTGHTLY AROVE GROUND, DOWINIC TI SERIFS, MINOR LEVELS OF PADICACTIVITY NETFUTED OM-SITE ONLY	STARFISH POTME 07/19/62 OPERATION DOMINIC I HIGH BLTITUDE-450 KM	SUNSFT 07/10/52 OPFRATION DOMINIC I	PAMLICO 07/11/62 OPERATION DOMINIC I	JOHNTE ROY 97/11/62 NTS SLIGHTLY MELOW GROUND. DOMINIC II SERIES. PFLEASE OF RADIDACTIVITY DETECTED OFF-STTE

FVENT NAME DATE (CCT)	LOCATION	TYPE	PURODSE	YIELD PANSE
TLL 3PRIME 10/26/62 OPERATION DOMINIC 1 HIGH ALTITUDE - TENS OF KMS	JOHNSTON ISL ARFA	ROCKET	WEAPONS EFFECTS	SUBMEGATON
10/27/62	NTS	SHAFT	WEAPONS PELATED	LOW
117 OPERATION DEMINTO I	JOHNSTON ISE AREA	ATRURCP	WEAPONS RELATED	INTERMODIATE
10/35/62 OPERATION DOWINIC T	JOHNSTON TSL AREA	AIDUROP	WFAPONS PFLATED	MFSATON PANGE
11/31/62 CPFRAFION COMINIC I HTGH <ITUDE - TENS OF KMS	JOHNSTOM ISL AREA	ROCKET	MEABCNS FFFECTS	SUBWFGATON
11/34/62 OPERATION DOMINIC I HIGH BLTITUDE - TENS OF KMS	JOHNSTON TSL APEA	ROCKET	HEAPONS EFFECTS	- LOW
AWPENCE 11/09/62 h Minor Levela of Rayinbarivity	NIS SHAFT VITY DETECTED ON-STIE ONLY	SHAFT	WEAPONS RELATED	רסא
11/15/62 MINOR LFVELS OF PADIOACTIV	11/15/62 NTS SHAFT PATESTEN NA-STTE ONLY	SHAFT	MF& PONS RELATFD	רסא
STIA DEVICE DEVELOPMENT MINOR LFVELS OF PASTIACTIV	1/27/62 NTS INT PAJIDACTIVITY DETECTED ON-SITE ONLY	SHAFT	PLOMSMARE	١٥٨
12/04/62	NTS	SHAFT	WFA FONS RFLATED	רטא
12/07/62	NTS	SHAFT	JULAN US-UK	LOW
12/12/62	NTS	TUNNEL	WEAPONS PELATED	LOW
12/12/62	NTS	SHAFT	WEA FONS RELATER	ron
12/14/62	NTS	SHAFT	WFAPONS RELATED	רנא
02/08/53	NTS	SHAFT	WFAFONS RELATED	L 0 M
I Minop Levels of Padioactiv	D2/D8/63 NTS SHAFT OF PADIDACTIVITY DEFECTED ON-SITE ONLY	SHAFT ONLY	WEAGONS RELATED	104
02/03/63	NTS	SHAFT	WEAPONS RFLATED	L0*
1970120	NTS	SHAFT	WEAPONS RELATED	F0#
UNK 02/15/63 Minop Levels of Padioactiv	02/15/63 NTS SHAFT OF PADIDACTIVITY DETECTED ON-SITE ONLY	SHAFT	WEAPONS PELATED	10M
D2/21/67 DEVICE DEVELOPMENT	NTS	SHAFT	PLOWSHAPE	FOM

EVENT NAME	E DATE (GCT)	LOCATION	TYPE	PyprosF	VIELO PANGE
HATACO HINOR L	D 06/14/53 MINOR LEVELS OF PADIDACTIV	14/53 NTS DIDACTIVITY NETECTED ON-SITE O	SHAFT	HFAFONS RELATED	LCW
KENNEBEC Minor L	BEC DEVELS OF PANIGACTIV	25/63 NTS OFFECTED ON-SITE CNLY	SHAFT NLY	WFAPONS PELATED	I CM
		OPEPATTON NIBLICK	žĪ		
PFKAN	08/12/63	418	SHAFT	WFA FOWS PELATED	רטא
SATSOP	0A/15/63	NTS	SHAFT	WEAPONS RELATER	NO T
KOHOCTON	38/23/63	NTS	SHAFT	WFA PONS RELATED	10M
AHTANUM	09/13/63	NTS	SHAFT	WEAPONS RELATED	ron
9ILBY FIRST U	09/13/63 FTRST UNNFRGROUND TEST REP	3 NTS REPORTED FELT IN LAS VEGAS	SHAFT	WFA PONS RELATED	249KT
GRUNTON	10/11/63	NTS	SHAFT	WEAPONS PELATED	HOI
TOPNILLG PEVICE	10/11/63 DEVELOPMENT	NTS	SHAFT	PLOWSHARE	rom
CLEAºWATER	10/16/63	NTS	Subst	WEAPPHS RELATED	INTERMEDIALE
SHOAL MUCLEAR TEST	10/26/63 TEST DETECTION-PES	10/26/63 FALLON DETECTION-OFSEA9CH FYPERIMFNT NFAR	SHAFT FALLON NEVADA	VFLA UNIFORM	1247
ANCHOVY MINOR LEVFLS	11/ 0F PA	14/63 NTS DICAGTIVITY PETECTED ON-SITE OF	SHAFT	MEA PONS RELATED	HC)
MISTANG	11/15/63	NTS.	SHBFT	WEAPONS RELATED	104
Spers	11/22/64	NTS	SHAFT	WEAPONS PFLATED	INTEPMENIATE
SARBINE MINOR L	12/04/63 EVELS OF PADIOACT IV	NE 12/04/53 NTS MINOP LEVELS OF PADIOAGTIVITY DETECTED ON-SITE D	SHAFT CNLY	WEAPONS RELATFO	104
EAGLF MINOR L	12/12/63 NTS MINOR LEVELS OF PADICACTIVITY DETFCTED OFF	NTS ITY DETECTED OFF STTE	SHAFT	WFAPONS RELATED	₩ 01
FORE	01/16/64	NTS	SHBFT	WEAPONS RELATED	20 TO 250KT
0 CON T 0	01/23/64	×+×	SHAFT	WEAPONS RELATED	LFSS THAN 20KT
KLICKITAT Device	32/20/54 DFVFLOPMENT	NT N	SIAI	PLNWSHARE	20 TO 20CKT
PIKE	717 73/1/10	W 12	10420		

DATE
⋖
0
Ą
•
75
:
Ε,
TEST
FAP
•
ت
Ü
NOC
v

FVENT NAME	JATE (GCT)	LOFATION	TYPE	350c a(1d	YIELO PANGE	
HODK MINOR LEVELS	04/14/64 VELS OF RADIOACTIVITY	NTS VITY DETECTED ON-SITE ONLY	SHAFT	WEAPONS RELATED	LESS THAN 23KT	
STURGEON	04/15/64	NTS	SHAFT	WFAPONS RELATED	LESS THAN 23KT	
TURF	19/12/16	NTS	SHAFT	WEAPONS PELATED	23 TO 2JCKT	
PIPEFISH MINOR LEVELS	04/29/64 NT VELS OF RADICACTIVITY	NTS SHAFT VITY DETECTED ON-STTE ONLY	SHAFT 1LY	WFAFONS RELATED	LESS THAN 20KT	
BACKSWING MINOR LE	05/14/64 N' LEVELS OF RADICACTIVITY		SHAFT	WEAPONS RELATED	LESS THAN 23KT	
H INNOH	05/15/64	NTS	SHAFF	MEA PONS RELATED	LESS THAN 20KT	
ACE DEVICE DI MINOP LE	OEVICE DEVELOPMENT MINOP LEVELS OF PADIOACTIVITY	NTS VITY DETECTED ON-SITE ONLY	SHAFT	PLOWSHAPE	LESS THAN ZUKT	
FADE MINOR LEVELS	06/25/64 NT VELS OF PADICACTIVITY	NTS SHAFT VITY DETECTED ON-SITE CNLY	SHAFT ILY	WFAPONS RELATED	LESS THAN 20KT	
DUG DEVICE DI MINOR LE	DEVICE DEVELOPMENT MINOR LEVELS OF RADICACTIVITY	NTS VITY DETECTED ON-SITE ONLY	SHAFT	PLONSHAPE	LFSS THAN 20KT	APPENI
		OPERATTON WHETSTONE	ONE .			OLX F
AYE	07/16/64	NIS	SHAFT	WFAFONS RFLATED	20 TO 200KT	3 (c
CORMORANT MINOR LE	07/17/64 NI LEVELS OF RADIOACTIVITY	NTS SHAFT VITY DETECTED ON-SITE ONLY	SHAFT ILY	JOINT US-UK	LESS THAN 2LKT	onti
ALVA PELEASF OF	DA/19/64 Radidactivity	NTS CHAFT OFF-SITE BY AIRCRAFT ONLY.	CHAFT	WEAPONS RELATED	LESS THAN 23KT	nued)
CANVASBACK	08/22/64	NTS	SHAFT	WEAPONS RELATED	LESS THAM 20KT	•
HADDOCK	99/52/64	NTS	SHAFT	WEADONS RELATED	LFSS THAN 20KT	
GUANAV	79/10/60	NTS	SHAFT	WEAPONS RFLATED	LESS THAN 20KT	
AUK	10/02/64	213	SHAFT	WEAPONS RELATED	LESS THAN 2LKT	
PAR ISOTOPE F	10/19/64 NTS ISOTOPE PRODUCTION-EXPLOSIVE DEVELOPMENT	NTS IVE DEVELOPMENT	SHAFT	PLOWSHARE	BAKT	
BARBEL	10/16/64	NTS	SHAFT	WEAPONS RELATED	LESS THAN 23KT	
NOM IN	10.22.C. UATT		10410	100	, ,	

u
4
4
-
_
₹
┏
_
v
-
TESTS
S
ш
_
_
~
MUCLEAR
⋖
ш
_
=
=
2
STATES
S
1.
•
-
-
_
-
S
-
u
140
-
_
7
_
<u>-</u>
-
u
Ľ
₹
-
=
Ć
=
z
DECINONN
₹
•

EVFNT NAME	DATE (GCT)	LUCATION	TYDE	PURSONSE	YIFLN DANGE
FreeSt	10/31/64	NTS	SHAFT	WEAPONS RELATED	
HANDCAR FFFECTS C HINDR LEV	11/05/64 OF CONTAINED EXPL VELS OF PADICACTI	AR 11/05/64 NTS FFECTS OF CONTAINED EXPLOSICN IN CARROWATE POCK HINDR LEVELS OF PADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	PLOWSHAPF	12KT
CREPE	12/05/64	VIS	SHAFT	WEAPONS RELATED	2G TO 2JOKT
DPILL PELEASE C	12/05/64 OF RADIOACTIVITY	12/05/64 NTS RADIOACTIVITY DETECTED OFF-SITE.	SHAFT	WFAMONS RELATED	₩ **
PARROT HTNOR LEVELS OF	12/16/54 VFLS OF PADTOACTI	.2/16/64 NTS PADIDACTIVITY DETECTED OFF STTE	SHAFT	WEAPONS RELATED	1.3KT
MUNPACK DAD EVENT	12/16/64	NTS	SHAFT	WFAPONS EFFECTS	2.7KT
SULKY EXCAVATTO PPODUÇFD FELEASE O	12/13/64 NT EXCAVATION TEST OF EXPLOSIVE P PPODUCED MOUND OF BROKEN ROFK FELEASE OF PADIOACTIVITY DETEC	19764 NTS SHAFT PLOWSHAPE FYPLOSIVE BUPIFD AT SPEATSP DEPTH IN PELATION TO YISLD BROKEN ROCK ILVITY DETECTED OFF-SITE	SHAFT ITH TN PELAT	PLOMSHADE ION TO YIFLD	0.692KT
MCOL	01/14/65	MTS	SHAFF	WEAPONS PELATED	LESS THAN 2:KT
CASHUFPE	02/04/65	S L N	SHAFT	WFAPONS PELATED	LESS THAN 20KT
ALPACA Minor Lfvfls		02/12/65 NTS OF PADIDACT TVITY DETECTED OFF SITE	SHAFT	WFAPONS PELATED	LFSS THAN 23KT
MEPLIN Minor Levels	0	02/16/65 NTS FAULOACTIVITY NETECTED ON-SITE ONLY	CHAFT	WEAPONS RELATED	12.147
HISHACNE HINOR LEVELS		02/18/65 NTS OF PADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	WEAPONS PELATED	LESS THAN 22KT
WAGTAIL	03/33/65	NTS	SHAFT	WFA PONS PELATED	26 TO 201KT
CUP	91/56/65	MTS	SHAFT	WEADONS DELATED	21 TG 219KT
KFSTEFL	59/56/40	HTS	SHAFT	WFA 90MS RELATED	LESS THAN 20KT
PAL ANDUIN SPATERING	04/14/65 Expfriment	CPATES OF PAPLOACTIVITY NETECTED	CPATER FLO TECTED OFF-SITE.	FLOWSHAPE SITF.	4.354
GUM MROP DOD EVENT	94/21/65	STA	TUNNEL	WFA FONS EFFECTS	LESS THAN 23KT
TEE MINOR LEVELS		95/07/65 NTS OF PANICACTIVITY DETECTEN NEF SITE	SHAFT	WF4 PONS FFFECTS	LESS THAN 23KT
BUTEO	05/12/65	NTS	SHAFT	WEAFONS PELATED	LESS THAN 20KT
314110	05/14/65	V	SHAFT	WEAPONS RFLATED	LFSS THAN 26KT

w
۲
•
CATE
Ä
1
75
2
FST
Ξ
٠
ď
u
MUCL
Ç
⊇
Š
-
STA
_
63
-
7
UNI
ANNOUNCED
4
ပ္
1
ర
ž
ž
4

CAMBRIC CAMBRIC TMED TMED 05/21/65 NTS SHAFT PETREL HINOR LEVELS OF RADIOACTIVITY DETECTED ON-SITE ONLY DOD EVENT HINOR LEVELS OF RADIOACTIVITY DETECTED OF S TINY TOT DOD EVENT HINOR LEVELS OF PADICACTIVITY DETECTED ON-SITE CNLY DOD EVENT HINOR LEVELS OF PADICACTIVITY DETECTED ON-SITE CNLY	765 NTS 765 NTS 767 NTS		SHAFT	MEADONS DELATED	, ,	
TWEED 05/21/ PETREL 06/11/ HINOP LEVELS OF RADIO DOD EVENT HINOR LEVELS 06/17/ HINOR LEVELS OF PADIC	765 NTS			MEATONG ALEATON	, Ar.	
PFTREL HINOP LEVELS OF RADIO DILUTED WATERS DOCEVENT HINOR LEV TINY TOT DOCEVENT HINOR LEVELS OF PADIO	765 NTS		SHAFT	WEAPONS RELATED	LESS THAN 23KT	
OTLUTED WATERS 06/16/ DOD EVENT HINDR LEV TINY TOT 06/17/ DOD EVENT HINDR LEVELS OF PADIC	ACT IVITY OF	ETECTED ON-SITE ONLY	SHAFT	WEAPONS RELATED	1.3KT	
TINY TOT DOD EVENT HINDR LEVELS OF PADIC	0.6	INACT JVITY DETFCTED	SHAFT OFF SITE	WEAPONS EFFECTS	LESS THAN 20KT	
USD EVENS HINDR LEVELS OF PADIC	765 NTS		TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT	
	ACTIVITY DE	ETECTED ON-SITE CNLY				
		OPERATION FLINTLOCK	¥ 1			
97/23/65	765 NTS		SHAFT	WFAPONS RELATED	2J TO 2JOKT	
4AUVF 03/96/65	765 NTS		SHAFT	WEAPCAS RELATED	LESS THAN 20KT	
CENTAUR D9/27/ MINOR LEVELS OF PADIO	165 NTS	09/27/65 NTS OF PADIDACTIVITY DETECTED ON-SITE ONLY	SHAFT ONLY	WEAPONS RELATED	LESS THAN 25KT	API
SCREAMER 09/01/65 MINOR LEVELS OF PADIOAC	'65 NTS	ETECTED AN-SITE	SHAFT ONLY	WEAPONS EFFECTS	LFSS THAN ZUKT	PENDI
CHARCOAL 09/19/65	169 NTS		SHAFT	JOINT US-UK	26 TG 210KT	ХВ
ELKH4RT 39/17/65	755 NTS		SHAFT	WEAPONS RELATED	LES THAN 23KT	(c
LONG SHOT 13/29/65 AMCHT DOD EVENT. NUCLEAP TFST DETFCTION	'65 ANCHTI	rça Expfq[4€nt	CHAFT	VFLA UNTFORM	ANOUT SOKT	onti
SEPIA 11/12/65	.65 NTS		SHAFT	WEAPONS RELATED	LESS THAN 22KT	nue
CORPUPDY 12/03/65	165 HTS		SHAFT	WEAPONS RELATED	20 TO 250KT	d)
EMERSON 12/16/ HTNOR LEVELS OF RADIO	65 NTS	12/16/65 NTS OF RADIOACTIVITY DETECTED ON-SITE ONLY	SHAFT	WFAPONS PELATED	LESS THAN 23KT	
RUFF 12/16/65	765 NTS		SHAFT	WEAPONS RELATED	2G TO 200KT	
MAXWELL 01/13/65	'66 NTS		SHAFT	WEAPONS RELATED	LESS THAN 20KT	
LAMP3LACK 31/18/66	.66 NTS		SHAFT	WEAPONS PELATED	20 TO 200KT	
00VEKTE 01/21/56	.46 NTS		SHAFT	WEAPORS PELATED	LESS THAN 2.KT	
PLAID II HINOR LEVELS OF RADIO	66 NTS ACTIVITY DE	02/33/66 NTS SHAFT OF RADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	WFAPONS PELATED	LESS THAN 20KT	
REX 02/24/66	766 NTS		SHAFT	WEAGONS RFLATED	19KT	

ANNOUNCED UNITED STATES NUCLEAR TESTS - BY DATE

FVFNT NAMF	DATE (GCT)	LOFATION	TYPE	o∪e>0SE	YIELO PANGE
PFO HOT DOD EVENT.	93/85/66 MINOP LEVFLS OF	NTS TUNNEL RADIOACTIVITY DETECTED OFF SITE	TUNNEL OFF SITE	WEAFONS EFFEGTS	LFSS THAN 2JKT
FINE DOT MINOR LEVELS	03/07/56 S OF PADIOACTIVE	OT 03/07/66 NTS SHAFT MINOR LEVELS OF PADIOACTIVITY DETECTFD 3N-SITE ONLY	SHAFT	WEAPONS RELATED	LFSS THAN 20KT
CLYMFR	03/12/66	NTS	SHAFT	WEAPONS RELATED	LFSS THAN 23KT
DURPLE	03/14/66	NTS	SHAFT	WEAPONS RFLATED	LESS THAN 23KT
TEMPLAR FYCAVRTION (AR FYCAVATION DEVICE DEVELOPME	6 NTS LOPMF1) T	SHAFT	FLOWSHAPE	LESS THAN 20KT
LIME	34/01/66	NTS	SHAFT	WFA PONS RFLATED	LFSS THAN 26KT
STUT7	34/06/66	NTA	SHAFT	WFA GONS RELATED	LESS THAN 23KT
TOMATO	94/11/66	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
DURYEA	34/14/65	NTS	SHAFT	WEAPONS PFLATED	70KT
DIN STRIPE NOD EVENT.	04/25/66 MINOR LEVELS OF	NTS RADIOACTIVITY DETECTED	SHAFT OFF SITE	MFAPONS EFFECTS	LESS THAN 20KT
TPAVELLER	05/04/66	MTS	SHAFT	WEAPONS RFLATED	LESS THAN 2CKT
CYCLAMEN INCLUDED HEAVY	05/35/66 Element	VIV VIVE GEOXE	SHAFT	WEADONS RELATED	1241
CHAPTREUSE	05/36/66	MTS	SHAFT	WEADONS DELATED	7357
TAPFSTRY WINOR LEVELS	05/12/56 S OF PADIOACTIVI	TRY 35/12/56 NTS SHAFT MINOR LEVELS OF PADIDAGTIVITY DETECTED ON-SITE ANLY	SHAFT	MEA PONS PELATED	LESS THAN 2CKT
AHVAGIO	05/13/66	NTS	SHAFT	WEADONS RELATED	23 TO 230KT
DUMONT	05/19/66	213	SHAFT	WFAPONS RELATED	2C TO 20CKT
DISCUS THROWER NO. EVENT	35/27/66	NTS	SHAFT	WFAPONS FFFECTS	2257
PILF DAIVE	36732766	NTS	TUNNEL	WEAPONS EFFECTS	62KT
MINOR LEVELS		OF PADIDACTIVITY DETECTED ON-SITE ONLO			
T AN	06/03/66	415	SHAFT	MEAPONS RELATED	26 to 250KT
PUCF	06/13/66	v Lz	SHAFT	WEADONS RELATED	LESS THAN 2.KT
DOUBLE PLAY DOD EVENT.	O6/15/66 MINOP LEVFLS OF	NTS TUNNEL: RADIOACT JVITY DETECTED OFF-SITE	TUNNEL OFF-SITE	WFAPONS EFFECTS	LESS THAN 2CKT
K BNKAKEE	06/15/66	N + N	SHAFT	WEAPONS RELATED	20 TO 230KT

1
-
٤
C
5
¢.
٠
v
7
'n
TFS1
_
=
EAC
۳.
_
בַ
ž
•
ř
100
•
_
2
150
٠.
_
_
2
111
c
w
c
INCED
=
Ē
4
Ž

PART PRESE	DATE (GCT)	LOCATION	TYPE	PU? POS E	YTELD PANGE
VIILCAN 06/25	04/25/66 CPMENT. HEAVY	NTS FLEMENT PPODUCTION.	SHAFT	PLOWSHARE	25KT
HALFREAK	36/10/65	NTS	SHAFT	WEAFONS RELATED	365KT
		OPEPATION LATCHKEY	. I		
SAXON FXCAVATION D	37/29/56 NTS FXCAVATION DEVICE DEVELOFMENT	NTS NT	SHAFT	PLOWSHAPF	LESS THAN 26KT
ROVENA	08/10/66	NTS	SHAFT	WEAPONS PFLATED	LESS THAN 20KT
DERPINGER MINOR LEVFLS	09/12/66 OF PADIOACTIVE	NGER 09/12/66 NTS MINOR LEVELS OF PADIOACTIVITY DETECTED NFF STTF	SHAFT	WEAPONS FFFFCTS	LESS THAN 2UKT
DALOUIRI	09/23/66	STN	SHAFT	WFAMONS PELATED	LESS THAN 20KT
NFWARK	99/52/60	NTS	SHAFT	WEAGONS RELATED	LESS THAN 20KT
SIMMS FXCAVATION D	11/05/66 FXCAVATION DEVICE DEVELOPME	NTS E4.4	SHAFT	FLOWSHAPE	LFSS THAN 23KT
AJAX MINOR LEVFLS	11/11/56 OF PADICACTIV	11/11/56 NTS SHAFT MINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	WFAPONS RELATED	LFSC THAN 2CKT
GFRISE Minor Levels	E 11/11/65 MINOR LEVELS OF RADIDACTIV	NTS SHAFT ITY DETECTED ON-SITE ONLY	SHAFT	WFAPONS RELATED	LFSS THAN 2CKT
STEPLTNG NUCLEAR TEST	TNG 12703756 NUCLEAR TEST DETECTION FYPI	HATTTESBUOG Epiment	SHAFT	VELA IINTF3P4	3A3 124S
NFW POINT DOD EVENT	12/13/66	27.5	SHAFT	WEAPONS EFFECTS	LESS THAN 2UKT
GPFFLEY	12/20/66	NTS	SHAFT	WFAPONS RELATED	አ ንዐለተ
NASH MTNOR LEVELS	31/19/67 : OF PADICACTIV	31/19/67 NTS MINOR LEVELS OF PADIMACTIVITY RETECTED RFF SITE	SHAFT	WFAPONS RELATED	20 TC 200KT
8 GUP 9 ON	91/20/67	NTS	SHAFT	WEAPONS PELATED	24 TG 200KT
WARD	32/38/67	NTS	SHAFT	WEAPONS RELATED	LESS THAN 23KT
PERSTMHCN	32/23/67	V-12	SHAFT	WFAPCT'S PELATFO	LESS THAN 20KT
AGILF	32/23/67	NTS	SHAFT	WEAGONS RELATED	2u TO 203KT
RIVET III	03/02/67	SIM	SHAFT	WFAPONS PELATED	LESS THAN 23KT
FAEN	04/07/67	×1×	SHAFT	WEAPONS RFLATED	LESS THAN 20KT
CHOCOLATE	04/21/67	213	SHAFT	WFAPORS PELATED	LESS THAN 20KT

Į.
0.075
C
۲ ۲
α
•
'n
TESTS
L
NUCL FAR
L
_
S
STATES
-
⋖
v
UNITED
1
z
C
ANNOUNCED
Z
Č
ž
4

FEFFENDI 00/27/47 NIT NI	EVENT NAME	DATE (SCT)	LOGATION	TVDE	PURPUSE	VIELD PANGE
05/20/67 NIS SHAFT WEADONS PELATED 26 TO 2008	EFFENDI	04/27/67	ATA	SHAFT	WEAPONS RFLATED	LESS THAN 20KT
05/20/67 NIS SHAFT WEADONG RELATED 250 KT	HICKEY	05/10/67	MTS	SHAFT		26 TO 256KT
SHAFT WEADONS PELATED 155KT	COMMONOPE	05/20/67	NTS	SHAFT		25G KT
### 10 05/26/67 MTS	SCOTCH	05/23/67	NTS	SHAFT		155KT
### 100 DEVICE DEVELOPMENT ### 100 DEVELOR OF ### 100 DEVELOPMENT DEV	KNICKER BOCKFR	05/26/67	NTS	SHAFT		7641
FUENCE. DELEASE OF RADIOACTIVITY DETECTED OFF-SITE BY A ISCRAFF ONLY 36,29457 NTS COPERATION COOSSITE 07,227/67 NTS 08/10/67 NTS 08/10/67 NTS 08/10/67 NTS CHEVELS OF PADIOACTIVITY DETECTED OFF SITE 08/10/67 NTS CHEVELS OF PADIOACTIVITY DETECTED OFF SITE 08/10/67 NTS CHEVELS OF PADIOACTIVITY DETECTED OFF SITE 10/10/25/67 NTS CHAPT 11/10/25/67 NTS CHAPT COUT-INDUSTRY CAS SITHOLISTION EXPERIENT 11/10/25/67 NTS CHAPT 11/10/25/67 NTS CHAPT COUT-INDUSTRY CAS SITHOLISTION EXPERIENT CHAPTORY CH	SWITCH FXCAVATION	J6/22/67 DEVICE JEVELOR	NTS PMENT	SHAFT	BerHSMUld	
### ##################################		06/25/57 Pelease of	NTS ADIOACTIVITY DETECTED		WEAPONS EFFECTS	
### PAPPING PELATED ### PAPPING PAPPING PELATED ### PAPPING PAPPING PELATED ### PAPPING PAPPING PAPPING PAPPING PAPPING PAPPING PAPPING PAPPING PAPPING P	UMBER HINOR LEVE	36/29/57 LS OF PADINACT	NTS IVITY DETECTED OFF SIT		WEAPONS EFFECTS	
### ### ##############################				SSTIF		
######################################	STANLEY	07/27/67	N N	SHAFT	WEBPONS PELATED	20 TO 20CKT
### ##################################	MASHED	08/10/67	NTS	SHAFT		LESS THAN 2CKT
EVENT. MINOS LEVELS OF RADICACTIVITY OFTECTED OFF SITE 19/37/67 NTS SHAFT 09/21/67 NTS SHAFT 09/21/67 NTS SHAFT 09/21/67 NTS SHAFT 10/14/67 NTS SHAFT 10/25/67 NTS SHAFT WEADONS RELATED 20 TO 200K LESS THAN 11/08/67 NTS SHAFT WEADONS RELATED 20 TO 200K 11/08/67 NTS SHAFT WEADONS RELATED 20 TO 200K 11/08/67 NTS SHAFT WEADONS RELATED 12/10/67 FARMINGTON SHAFT WEADONS RELATED 12/10/67 FARMINGTON SHAFT WEADONS PELATED LESS THAN 12/10/67 NTS SHAFT WEADONS PELATED LESS THAN 12/10/67 NTS SHAFT WEADONS PELATED LESS THAN 12/16/67 NTS SHAFT MEADONS PELATED LESS THAN 12/16/67 NTS SHAFT MEADONS PELATED 14. (KT	BCRUFAUX	04/14/67	NTS	SHAFT		
19/01/67 NTS SHAFT WEAPONS RELATED 2C TO 2CDX 29/21/67 NTS SHAFT PLCHSHAPE LESS THAN 29/21/67 NTS SHAFT WEAPONS PELATED 23 TO 2COX 19/27/67 NTS SHAFT WEAPONS PELATED 23 TO 2COX 10/25/67 NTS SHAFT WEAPONS PELATED LESS THAN 11/08/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/10/67 FARMTNGTCM SHAFT WEAPONS PELATED LESS THAN	MIST DOD EVENT			TUNNEL CTFO OFF SITE		
D9/21/67 NTS SHAFT PLOWSHAPE LESS THAN B LEVELS OF RADICACTIVITY PETGCTEN ON-STTE CALY 10/12/67 NTS SHAFT WEAPONS PELATED 23 TO 226K 10/25/67 NTS SHAFT WEAPONS PELATED LESS THAN 11/08/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/10/67 FARMTNGTCM SHAFT PLOWSHAPE 29KT 12/10/67 FARMTNGTCM SHAFT WEAPONS PELATED LESS THAN 12/10/67 NTS SHAFT WEAPONS EFFECTS 12/10/67 LESS THAN	YBRO	19/07/67	NTS	SHAFT	WEA PONS RELATED	2G TO 2COKT
10/27/67 NTS SHAFT WEAPONS PELATED 23 TO 226K 11/18/67 NTS SHAFT WEAPONS PELATED 25 TO 200K 11/08/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/10/67 FARMTNGTCN SHAFT PLOWSHAPE 29KT 12/13/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/13/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/13/67 NTS SHAFT WEAPONS FFFEOTS 14.1 KT	MAPVĘL Emplacemen' Minop level	99/21/67 T TEGHNIOUE EYF LS OF RADICACTI	NTS PFP[MENT IVITY OETGCTED ON-STTE	SHAFT	BELCHSHAPE	LESS THAN 2CKT
10/25/67 NTS SHAFT WEAPONS PELATED 2: TO 200K 11/08/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/10/67 FARMTNGTCH SHAFT WEAPONS PELATED LESS THAN 12/10/67 FARMTNGTCH SHAFT PLOMSHAPF 29KT 12/15/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/15/67 NTS SHAFT WEAPONS FFFEGTS 1L.(KT	Z 5 7 A	19/21/61	STN	SHAFT	WFAPONS RELATED	23 TO 236KT
11/08/67 NTS SHAFT WEAPONS RELATED LESS THAN 12/10/67 FARMTNGTCM SHAFT PLOMSHAPE 29KT 12/15/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/15/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/15/67 NTS SHAFT WEAPONS PELATED LESS THAN 12/16/64 NTS SHAFT WEAPONS EFFECTS 14.1 KT	LANPHER	13/14/67	NTS	SHAFT		20 TO 200KT
11/08/67 NTS 12/10/67 FARMINGTON T GOVT-INDUSTRY CAS STIMULATION EXPERIMENT 12/15/67 NTS 12/15/67 NTS 11/18/64 NTS 11/18/64 NTS SHAFT WEAPONS FFFETTS 11/1 KT	SAZFRAC	10/25/67	V+2	SHAFT		LESS THAN 20KT
12/10/67 FARMTNGTCN T GOVT-INDUSTRY CAS STIMULATION EXPERIMENT 12/15/57 NTS 01/10/64 NTS SHAFT WFAPONS FFECTS 16.(KT	COBPLEP	11/08/67	STA	SHAFT	WEAGONS RELATED	
12/15/57 NTS SHAFT WEAPONS PELATED LESS THAN 81/18/67 NTS SHAFT WEAPONS EFFECTS 16.(KT paifnactivity detected dee site	ź		FARMTNGT CM TTIMULATION EXPERIMENT	SHAFT	PLOWSHAPF	2981
01/10/64 NTS SHAFT WFAPONS EFFECTS 1L.(STELT	12/15/57	KTS	SHAFT	WEAPONS PELATED	
	HUPMOBILE SYSTEM	01/18/64 LS OF PADICACT	NTS JVITY DETESTED OFF STA			

					_					L	CNDI	X F			a-cu						_		
YIELD RANGE	20 TO 200KT	260 TO 1600KT	2.3KT	2u TO 20UKT	LESS THAN 23KT	Λ. 4.Κ.π.	1.5KT	24 TO 202KT	LES" THAN 23KT		23 TO 231KT	23 TO 230KT	LESS THAN 23KT	1.3 MEGATONS	21 TO 230KT	LESS THAN 23KT	20 TC 20CKT	20 TO 200KT		20 TO 200KT	LESS THAN 23KT		TABLE OF AC
PUPPOSE	WEAPONS RELATED	WEAPONS RELATED	PLOWSHARE	WFAPONS PFLATED	WEAPONS EFFECTS	PLOWSHARE	WFAPONS RELATED	WEAPONS RELATED	WEAPONS EFFECTS		WEAPONS RFLATES	WEAPONS RELATED	VELA UNTFORM	WEAPONS PFLATED	WEAPONS BELATED	WEAPONS RELATED	WEAPONS RELATED	WFAPONS RELATED		WEAFONS RELATED	WEAFORS EFFECTS		DIE DONG SELECT
3441	SHAFT	SHAFT	CRATER	SHAFT	TUNNEL	CRATER IMULTAMEDIIS DETONATIONS TED OFF-SITE	SHAFT	SHAFT	SHAFT	ITE ONLY	SHAFT	SHAFT	SHAFT TTE ONLV	SHAFT	SHAFT	SHAFT FTE ONLY	SHAFT	SHAFT	JUL INE	SHAFT	SHAFT	TYE ONLY	F 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
LOCATION	NTS	CENTRAL NEVADA	NTS RETECTEN OFF-STTE	NTS	NTS	NTS FTVE STMULTANGOUS D' OFTECTED OFF-SITE	NTS	NTS	NTS	VITY DETECTED ON-SITE ONLY	NTS	MIS	NTS PERIMENT VITY DETECTED DH-S!TE ONLY	NTS	MTS	NTS VITY DETECTED ON-SITE ONLY	NTS	NTS	OPERATION BOWLINE	NTS	RTS	VITY DETECTED ON-SIVE ONLY	7
DATE (GCT)	01/19/68	01/19/69 Calibration.	11/26/54 OF PADIOACTIVITY	02/21/68	02/29/68	03/12/6A NTS EXPERTMENT - FTVE STWUL RADIOACTIVITY OFTECTED	33/14/69	03/22/64	31/25/68	S OF RADICACTIVITY	04/13/64	04/16/68	L NUCLEAR TEST DETECTION EXPERIM MINOR LEVELS OF RADIOACTIVITY	04/26/58	95/11/64	06/36/64 NT S OF PADIOACT IVITY	06/15/69	06/24/68		07/35/69	08/27/68	S OF RADIOACTIVITY	08/20/68
EVENT NAME	STACCATO	FAULTLESS SEISTIC CAL	CABPIOLET RELEASE OF F	KNOX	DORSAL FIN DOD EVENT	BUGGY POW CHARGE E RELEASE OF R	D TH MARD	STINGER	HILK SHAKE	DOC EVENT MINOR LEVELS	MOOR	SHUFFLE	SCROLL NUCLEAR TEST MINOR LEVELS	BCKCAP	CLARKSMOBILE	TUB MINOM LEVELS	PICKEY	CHATEAUSAY		TANYA	DIANA LCON	DOD EVENT MINOR LEVELS	LE LO

-
DATE
Ā
•
S
-
ESTS
=
d d
W
3
Ċ
12.5
v
ш
STATE
Ë
S
0
ī
۲
Ξ
UNITED
NNOUNCED
ت
z
8
ž
Z
•

14 F 14 P 17 P		1200		2000		
N I N II	40 L	0415(0(1)	Aul Ido	1 YOF	3500600	YIELM MANGE
N O G G T N	60	99/36/68	NTS	SHAFT	WEAPONS RFLATED	20 TO 200KT
KNIFE A	6	93/12/68	NTS	SHAFT	WFA PONS RELATED	LESS THAN 29KT
STONDADD	APD 09/17/69 N. FXCAVRTION DEVICE DEVELOPMENT	09/17/68 CE DEVELOP ³	ZTS IEZ T	SHAFT	PLOWSHAPE	20 TC 2GEKT
HUDSON SEAL OOD EVENT	ENT	09/24/69	NTS	TUNNEL	WFA DONS FFEEGTS	LESS THAN 20KT
KNIFF C	10	10/03/68	MTS	SHAFT	WFA DONS RELATED	LESS THAN 20KT
CPEH	11	11/04/68	NTS	SHAFT	WEAPONS RELATED	20 TC 202KT
KNIFF	11	11/15/68	NTS.	SHAFT	WEAPONS RELATED	LESS THAN 23KT
MING VASE NOO EVENT	A	11/23/6ª EA 15	NTS	TUNNEL	WEADONS EFFECTS	LESS THAN 20KT
TINGEROX	11	11/22/68	NTS	SHAFT	WEAPONS RELATED	LESS THAN 234T
SCHOONER RELEAS	12 Release of Radioa	12/09/64 OACTIVITY D	NIS DETECTED OFF-SITE	CPATER	PLOWSWARE	33KT
TYG MINOR	12 LEVELS OF P	71276A ADIOACTIV	12/12/64 MTS MINOR LEVELS OF PADIGACTIVITY DETECTED DN-SITE O	SHAFT O'LY	WFAPONS PELATED	LESS THAN 23KT
PENHBA	12	12/19/68	NTS	SHAFT	WFABONS RELATED	1.15 MFGATON
PACKADN HINDR	PN 01 MINOR LEVELS OF P	/15/59 ADICACT IV	01/15/59 NTS SHAFT PADICACTIVITY NETECTED ON-SITE CALY	SHAFT	WFAPONS RELATED	7.4 KT
HINESKIN	31	31/15/69	NTS	SHAFT	WFAPONS RELATED	20 TG 206KT
VISE	31	01/30/69	∨L z	SHAFT	WEADOMS RELATED	20 TO 22CKT
CYPPESS	č 0	92/12/59	NT 5	TUNNEL	WFAPONS EFFECTS	LESS THAN 23KT
BARSAC MINOR	OT NOR LEVELS OF R	07/20/49 = QANICAFTIV	1/20/69 NTS RANICACTIVITY DETECTED DN-SITE D	SHAFT	WFA03HS RFLATED	LESS THAN 20KT
ن (آفاد د	£ 0	01/21/69	N+S	SHAFT	WEAPONS RELATED	LESS THAN 100KT
THISTLE	70	94/11/46	NTS	SHAFT	WFAPONS RELATFO	20 TO SCEKT
ALFNTON MINOF	ON MINOF LEVFLS OF P	04/78/69 Padinastiv	4/10/69 NTS PADINAGIIVITY DETERTED AN-STIF O	SHAFT O'LY	WEAPONS RELATED	20 TO 200KT
PURSE	50	05/07/69	NTS	SHAFT	WEA PONS RELATED	26 TO 230KT
1040100	36	35/27/69	NTS	SHAFT	WF4 FONS PELATED	20 Th 200KT
TAPPEP MTNOR	DE NEVELS OF P	712769 AD LOACT IV	36/12/69 NTS SHAFT F PADIOACTIVITY JETFCTED NH-STTE NNLY	SHAFT	WEAPONS PELATED	LFSS THAN 20KT

EVENT NAME	DATE (GCT)	LOCATION	TYPE	PURPOSE	YIELO RAKSE
ILOPIM	37/16/69	NTS	SHAFT	WEAPONS RELATED	2C TO 260KT
нотен	07/16/69	NTS	SHAFT	WFAPONS PELATED	20 TO 200 KT
SPIDER	08/14/69	NTS	SHAFT	WEAPONS RELATED	LESS THAN 25KT
PLIEPS 08/27/69 NT MINOR LEVELS OF PADIGACTIVITY	08/27/69 OF PADIGACTT	NTS SHAFT VITY DETECTED OL-SITE ONLY	SHAFT	WFA PONS RELATED	LESS THAN 20KT
RULISON 09/10/69 JOINT GOVT-INDUSTRY GAS	09/10/69 DUSTRY GAS S	GPAND VALLEY STIMULATION EXPERIMENT	SHAFT	PLOWSHAPE	10X1
MINUTE STERK	09/12/60	MTS	SHAFT	WEAPONS EFFECTS	LESS THAN 22KT
MINOR LEVELS OF PADIDACTIVITY	OF PADIOACT I	VITY DETECTED ON-SITE CNLY	> _		
208U4	19/16/69	NTS	SHAFT	WEAPONS RELATED	LFSS THAN 1 MEGAT
MILRON 10/02/ SEISMIC CALIBRATION.	10/02/69 Bration.	AMCHI + K A	SHAFT	WFAPONS PELATED	ABOUT 1 MEGATON
OIPKIN	16/08/69	NTS	SHAFT	WFAPONS RELATED	AF 1203KT
CHUET	10/29/69	NTS	SHAFT	WEAPONS RELATED	PPEN
POO MINOR LEVELS (10/29/69 OF RADIOACTI	10/29/69 NTS Minor Levels of Ranioastivity defected offsite	SHAFT	WFAPONS RELATED	28 TC 200KT
CALABASH	10/29/69	NTS	SHAFT	WEAPONS RELATED	110KT (
SCUTTLE 11/13/69 NTS HINCR LEVELS OF RADINACTIVITY	11/13/69 OF RADIOACT	NTS IVITY DETECTED DEF-SITE.	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
PICCALILLI	11/21/69	NTS	SHAFT	WEAPONS RELATED	20 10 200KT
DIESEL TRATH DOD EVENT	12/02/69	NTS	TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT
GRAPE A	12/11/69	NTS	SHAFT	WEAPONS PELATED	20 TO 26.KT
LOVAGE	12/11/69	NTS	SHAFT	WEAFONS PELATED	LESS THAN 2JKT
TERRINF	12/18/69	MTS	SHAFT	WEAPONS RELATED	20 TO 200KT
۳ 09	31/23/70	NTS	SHAFT	WEAPONS PELATFO	LESS THAN 20KT
AJO IN MINED SHAFT	01/30/73 T	MTS	SHAFT	MEAPONS RELATED	LESS THAN 23KT
COADE B	02/94/10	MTS	SHAFT	WEAPONS RFLATED	25 TO 200KT
LABIS	02/02/20	NTS	SHAFT	WEAPONS RELATED	25 KT

DAT
Ā
ı
TFSTS
NUCLEAP
STATES
UNITED
NNOUNCED

EVFNT NEME	OATE (GCT)) LOCATION	TYPE	3S04end	YIELD PANGE
DIANA MIST DOD EVFNT	92/11/70	NTS	TUNNEL	WEAPONS EFFECTS	1
CUMARIN	02/25/70	NTS	SHAFT	WEAPONS PELATFO	20 TO 200KT
WANNIGAN	32/26/79	NTS	SHAFT	WEAPONS PELATED	26 TO 206KT
SYA THUS	03/36/70	S L Z	SHAFT	WEAPONS RELATED	#.7 KT
ARABIS	01/06/10	NTS	SHAFT	HEADONS RFLATED	LESS THAN 20KT
JAL	03/19/70	⊗ FZ	SHAFT	WEAPONS PELATFO	LESS THAN 23KT
SHADEP	03/23/70	S L N	SHAFT	WFAPONS PFLATED	20 TO 304KT
HANDLEY	11/26/73	NTS	SHAFT	WFAPONS PFLATED	MOOF TANK 1 MEGAT
SNUBBFP MINOR LEVELS	34/21/79 NTS OF RADICACTIVITY DETECTED	NTS TY DETECTED THE STIF	THBFT	WFB FONS EFFECTS	L#S* *H&N 20KT
CAN	04/57/10	NTS	SHAFT	WFB ONNS DELATED	20 TO 2.6KT
BFEGALM	05/01/73	NTS	SHAFT	WEBPONS DELATED	LESS THAN 21KT
HOD MINOR LEVELS	95/31/70 9F RADIOACTIVI	35/31/70 NTS SMAFT OF RADIDAGIIVITY DETECTED ON-SITE CHLY	SHAFT	WFACONS PELATED	LESS THAN 20KT
MINT LEAF NOD EVENT. N	95/95/70 MINOP LEVELS OF	NTS TUNNEL TO STEPTED OF SITE	TUNNEL	NEW DONG EST FOR	LESS THAN 2.KT
DIAMEND DUST NUCLEAR TEST MINOR LEVELS	05/12/70 DETFCTION EXPE OF PAGIFACTIVE	40 DUST 05/12/70 NTS AUGLEBR TEST DETECTION EXPEDIMENT AINOR LEVELS OF PAGICBGTZVITY OETECTED AN-SITE FELY	• TIJNNEL LY	VELA HNTESOM	LFSG THAN 25KT
CORNICE	15/12/73	S.L.	מחופד	WEBBOYS DELATED	FW7.6 ST 15
MANJANAS MINOS LEVELS	35/21/73 OF PADICACTIVI	35/21/72 NTS STECTED OF STAF CYLY OF TECTED OF STAF CYLY	SHAFT.	WEASONS SPLATER	LESS THAB 2 KT
Nood W	95/21/75	HTS	Suart	WFAPO'S PELATFO	2 - 7 2 2 1/4
HIJDSON MOON DOD EVENT MINOR LEVELS	35/26/73 OF PADICACTIVI	5/26/73 NTS RADICACTIVITY DETECTED C1-SITE ONLY	TUNNEL.	المدهمين وودريج	LESO THAN 2 KT
FLASK MINOR LEVELS	95/26/70 OF PAJICACTIVI	05/26/70 NTS OF PADICACTIVITY DETECTED NASITE CHLY	SHAFT	PLOWSHA ? F	1:5KT
ANTON	36/25/73	NTS	SHAFT	WEAPONS PELATED	20 TO 200KT
		PPERATION FYFRY			

Ŀ.
►
DA TF
γ
•
S
-
10
TESTS
œ
A P
u
13 Tulice
L
_
Ξ,
-
v
Ĺ.
_
-
•
-
STATES
_
-
u
UNITED
•
7
=
_
ANNOUNCED
u
C
- 2
=
Ξ
C
2
7
=
•

TAN TANA	DATE (GPT)	LOCATION	TYFE	3 SD Jana	YIELD RANGE
TIJERAS	10/14/70	NTS	SHAFF	WEAPONS PFLATER	2. TO 2.:KT
ABEYTAS	11/05/70	KTS	CHAFT	WEAPONS PELATED	24 TG 254KT
APFESTA	12/15/70	NTS	SHAFT	WFAPONS PFLATFO	20 Th 200KT
CREAM MINOR LEVELS	12/16/76 OF PADIOACTIV	12/16/76 NTS SHAFT HINOR LEVELS OF PADIDASTIVITY DETECTED ON-SITE ONLY	SHAFT	WEAPONS RELATED	LESS THAN 25KT
CARPETSAG	12/17/70	NTS	SHAFT	WEAPONS RELATED	22011
RANE MERRY MINOR LEVELS	12/18/70 OF RADICACTIV	FRAY 12/18/70 NTS MINOR LEVELS OF RADICACTIVITY DETECTED OFFSITE	SHAFT	WEAPONS PELATED	10 KT
EMBUDO	06/16/71	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
LAGUNA	36/23/71	NTS	SHAFT	WEAPONS RELATED	20 TO 200KT
HARERFLL	14/72/98	MTS	SHAFT	WEAPONS RELATED	20 TO 2GOKT
CAMPHOR MINOR LEVELS	06/29/71 OF RADIOASTIV	OR MINOR LEVELS OF RADIOASTIVITY DETECTED ON-SITE CNLY	TUNNEL	WFADONS EFFECTS	LESS THAP' 20 KT
		OPERATION GROWHET	E. 1		
DIAMOND MINF NUCLEBR TEST	NO MIMF 07/01/71 NTS NUCLEBR TEST DETFCTION EXPFRIMENT	NTS DFR IMENT	TUNNEL	VELA UNIFORM	LESS THAN 20KT
MINIATA PEVICE DEVEL	TA DEVELOPMENT EXPERIMENT	NTS TSXT	SHAFT	PLOWSHARE	A3 KT
ALGONONES	08/18/71	SHA	SHAFT	WFAPONS RELATED	20 TO 2CuKT
PFDERNAL	14/62/60	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
CATHAY	16/08/71	NTS	SHAFT	WEAFONS PFLATED	LESS THAN 23KT
CANNIKIN TFST OF WARHEAU FOR CDAPTAN	11/36/71 EAG FOR SPAPTA	AMCHITKA An Missile	SHAFT	WEAPONS RELATED	LESS THAN 5 4ESAT
DIACONAL LINE	11/24/71	MTS	SHAFT	WEAPONS EFFECTS	LESS THAN 20KT
DOD EVENT MINOP LEVELS	DOD EVENT Minop Levels of padicactiv	JVITY DETECTED OFF-SITE	AV ATECRAFT ON	ONLY.	
CHAFLACTIS	12/14/71	NTS.	SHAFT	WEAPONS PELATED	26 TO 208KT
LONGCHAMPS	04/19/72	N N	SHAFT	WFA PONS DELATED	LES" THAN 25KT
MISTY NORTH DOD EVENT	05/02/72	NTS	TINNEL	WEAPONS EFFECTS	LESS THAN 20KT
ZIMNIZ	05/17/72	NTS	SHAFT	WFAFONS GFLATED	LESS THAN 2CKT

APPENDIX	В	(continued)
----------	---	-------------

	EVENT NEWS	DATE (GCT)		LOCATION	TYPE	s SQuofia	Y TELO DANGE
MONFRO	0 8 1	05/19/72	NTS		SHAFT	WEAPONS PELATED	LESS THAN 20KT
				OPERATION TOGGLE			
DIA	DIAMOND SCULLS DOO EVENT	07/20/72	STA		TUNNEL	WFAPONS EFFECTS	LESS THAN 23KT
OSCURO	140	09/21/72	NTS		SHAFT	WEAPONS RELATED	20 10 2u5KT
DEL	DELPHINIUM	24/56/72	NTS		SHAFT	WEAPONS RELATED	1547
FLAX	J	12/21/72	NTS		SHAFT	WEA PONS RELATED	21 10 201Kz
MIFRA	4 A	03/08/73	NTS		SHAFT	WEAPONS PELATED	20 TO 200KT
ANGUS	2.	34/25/73	NTS		SHAFT	WEAPONS PFLATED	24 TO 200KT
STAR	STARWORT	04/26/7"	NT S		SHAFT	WEAPONS RELATED	901
% TO	RIO 9LANCO 05/17/73 SAS STIMULATION EXPERIMENT	05/17/73 4 Experiment	PIFLE	50VT-IMBUSTOV	SHAFT	FLCWSHAZE	THREE 37KT DEVICE
0190	DIDD AUEEN 900 EVENT	06/05/73	N V		TUNNEL	WEAPONS EFFECTS	LESS THAN ZUKT
ALME	ALMENTPC	06/06/73	NTS.		SHAFT	WEAPONS RELATED	266 TO 10COKT
PORT	PORTULACA	04/29/73	NTS		SHAFT	WEAPONS PELATED	20 TO ZOUKT
				OPERATION ARBOR			
HUS	HUSKY ACE nod event	10/12/73	41 S		TUNNEL	WEAPONS EFFETS	LESS THAN 20KT
14 NO JU	משר	11/28/73	NTS		SHAET	WFA POWS DELATED	LESS THAN 21KT
LATTO	٥	92/12/20	NTS		SHAFT	WEAPONS RELATED	23 TO 200KT
FALLON	XC.	05/23/74	NTS		SHAFT	JOINT US-JK	20 TO 200KT
F TN	MING ALADE DOD EVENT	12/61/90	N S		TUNNEL	WFA PONS EFFECTS	LESS THAN 23KT
				OPF9ATTON BFDPNCK			
£ SC1	FSCABOSA	37/10/74	NTS		SHAFT	WFAPONS RELATED	20 TO 20CKT
PUYE	l.	34/14/74	NTS		SHAFT	WFA PONS RELATED	LESS THAN 20KT
600	PCQTHANTEAU	38/30/74	NT S		SHAFT	WEAFONS RELATED	26 TO 206KT

ANNOUNCED UNITED STATES NUCLEAR TESTS - RY DATE

EVENT NAME	DATE (GCT)) LOCATION TYPE	TYPE	PURPOSE	YIELM RANGE
STANVAN	99/26/74	NTS	SHAFT	WEAPONS RELATED	23 TO 266KT
HYBLA FAIR DOD EVFNT	10/28/74	2TS	TUNNEL	WEAPONS EFFECTS	LESS THAN 2CKT
TOPGALLANT	02/28/75	NTS	SHAFT	WEAPONS RELATED	20 TO 29GKT
CABRILLO	03/07/75	NTS	SHAFT	WEAPONS RELATED	23 TO 255KT
DINING CAR DOD EVENT	04/05/75	27.5	TUNNEL	WEAPONS EFFECTS	LESS THAN 2CKT
EDAH	34/54/15	NTS	SHAFT	WEAPONS RELATED	24 TO 263KT
0848	04/30/75	NTS	SHAFT	WEAPONS RELATED	20 TC 200KT
1 1 80	05/14/75	NTS	SHAFT	WFAPONS RELATED	200 TC 10COKT
STILTON	94/03/75	× + x	SHAFT	WFAPONS RELATED	20 TO 260KT
HIPTEN	05/03/75	NTS	SHAFT	WEAPONS RELATED	2G TO 2CGKT
MAST	06/19/75	NTS	SHAFT	WFAPONS RELATED	200 TO 1603KT
CAMEMBERT	06/26/75	NTS	SHAFT	WEAFONS RELATED	200 TO 1003KT
		OPFPATTON ANVIL	. 1		
HBRSH	39/06/75	NTS	SHAFT	WFAPONS RELATED	LESS THAN 20KT
HUSKY PUP DOD EVENT	10/24/75	NTS	TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT
KASSFRI	10/28/75	NTS	SHAFT	WEAPONS RELATED	200 TC 1600KT
IMLET	11/20/75	NTS	SHAFT	WFA PONS PFLATED	200 TO 1000KT
LEYDEN	11/26/75	NT.	SHAFT	WEADONS RELATED	LESS THAN 23KT
CHIRERTA	12/20/75	NTS	SHAFT	WFAPONS RELATED	20 TO 20GKT
MUENSTER	01/03/76	NTS	SHAFT	WFAPONS RELATED	260 TO 1063KT
KEELSON	02/04/76	NTS	SHAFT	WEAPONS RELATED	29 TO 20JKT
ESROM	02/04/75	NTS	SHAFT	WEAPONS RELATFD	20 TO 200KT
FONTINA	02/12/76	27.5	SHAFT	WEAPONS RELATED	2CG TO 1000KT
CHESHIRE	02/14/76	STA	SHAFT	WEAPONS RELATED	260 TO 500KT
ESTUARY	93/69/16	NTS	SHAFT	WFAPONS RELATED	2CC TC SCOKT

1
4
~
,
v
-
5
۳
۵
EA
_
2
Z
S
H
•
2
0
ū
=
z
>
E0
O
ž
5
ź

EVENT NAME	IE DATE (GCT)	LOCATION	TVPE	3SDa afta	YIFLD PANGE
COLBY	03/14/76	NTS	SHAFT	WFA PONS RELATED	520 TC 1060KT
POOL	33/17/76	NTS	SHAFT	WEAPONS RELATED	200 TC SGUKT
STRAIT	03/17/16	415	SHAFT	WEAPONS RELATED	200 TO 560KT
MIGHTY EPIC DOD EVENT	05/12/76 :NT	NTS	TUNNEL	WEAPONS EFFECTS	LESS THAN 23KT
ATLLFT	07/27/76	27.5	SHAFT	WFAPONS RELATED	23 TO 15C KT
BANON	38/26/75	NTS	SHAFT	JOINT US-UK	25 TO 150 KT
		OPERATTON FULCPIN	нідэт		
CHEVRE	11/23/76	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
0114034	12/98/76	HTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
ASIAGO	12/21/76	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
RUODER	12/28/76	NTS	SHAFT	WFA PONS RELATED	20 TC 150 KT
MARSTLLY	11/56/10	⊘L ≅	SHAFT	WEAPONS PELATED	20 TC 150 KT
BULKHEAD	04/27/77	NTS	SHAFT	WEAPONS PELATED	20 TO 150 KT
GPENLINE	35/25/77	S t x	SHAFT	WEAPONS RELATED	20 TO 150 KT
STRAKE	72746780	NTS	SHAFT	WEAPONS RELATED	24 TC 150 KT
SCANTLING	08/19/77	MTS	SHAFT	WEAPONS RELATED	20 TC 150 KT
EBATIDE	09/15/77	STX	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
COUL CHM IERS	11/12/60	STA	SHAFT	WEAPONS RELATED	20 TO 150 KT
		OPERATION CRESSET	ESSET		
308STAY	10/26/77	Sta	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
HYBLA GOLD DOD EVENT	11/01/77 INT	Z T X	TUNNEL	WEAPONS EFFECTS	LESS THAN 20 KT
SANDOEEF	11/09/77	NTS	SHAFT	WEAPONS RELATED	23 TO 15G KT
SEAMOUNT	11/17/77	NTS	SHAFT	WEAPONS RELATED	LESS THAN 25 KT
FAGALLONES	12/14/77	NTS	SHAFT	WFA PONS PELATED	20 TO 150 KT
SUGNES	02/13/74	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT

15
A
C
Ą
æ
•
O
ST
TES
œ
ū
_
ပ္
NUCLEAR
v
STATES
-
=
UNITED
۲
Н
Z
_
c
S
Ž
5
Z
ANNOUNCED
4

EVENT NAME	DATERCT		TYPE TYPE	b.E	PURPOSE		YIELD PANGE
	0272270	2 2			HEAPONS RELATED	9	20 TO 150 KT
AESE OF INGR	0.463436	2					
ICERFRG	03/23/78	NTS	SHAFT		WEAPONS RELATED	e	25 TC 150 KT
BACKBEACH	04/11/78	N N	SHBFT		WFAPONS RELATED	ο.	29 TO 156 KT
FOUNDITA	04/11/79	MTS	SHAFT		JOINT US-UK		2. TO 15C KT
TRANSCH	05/10/79	NTS	SHAFT		WFAPONS RELATED	9	ZERS
NO NUCLEAR DEVICE MAS	2 YIFLO 5 DESTROVED AY HEA	ETS	DFTONATION ON 69/06/79.				
LOWBALL	07/12/78	NTS	SHAFT		WEAPONS RELATED	ρ.	26 TO 156 KT
PANIO	08/31/78	NTS	SHAFT		MEAPONS PELATED	Θ.	2C TO 150 KT
DIABLO HAWK DOD EVENT	09/13/78	S LN	TUNNEL		WEAPONS EFFECTS	Ņ	LESS THAN 20 KT
DRAUGHTS	B972777A	NTS	SHAFT		WEAPONS PELATFD	0.	20 TO 150 KT
RUMMY	09/27/74	NTS	SHAFT		HEAPONS RELATED	9	2C TO 150 KT
			JPEGATTON DUTCKSTLVEP				
EMMENTHAL	11/02/78	NTS.	SHAFT		WEAPONS RELATED	9	LESS THAN 20 KT
DUAPGFL	11/14/74	NTS	SHAFT		JCINT US-UK		20 TO 156 KT
F ARM	12/16/79	NTS	SHAFT		WEAFONS RFLATED	Ω.	2C TO 158 KT
BACCARAT	01/24/19	NTS	SHAFT		WEAPONS RELATED	6.	LESS THAN 23 KT
QUINFLLA	62/88/26	NTS	SHBFT		WEAFONS RELATED		26 TC 153 KT
KLOSTER	02/15/79	NTS	SHAFT		WEAPONS RELATED	e :	20 TO 150 KT
MENORY	03/14/79	NTS	SHAFT		WEAPONS PELATED	e	LESS THAN 20 KT
PFPATO	06/11/79	NTS	SHAFT		WEAPONS RELATED	<u>0</u>	22 TO 150 KT
CHESS	06/20/79	NTS	SHAFT		WEAPONS RELATED	0:	LESS THAN 20 KT
FAJY	36/28/79	NT S	SHAFT		WEAPONS RELATED	<u>0</u> :	24 TC 156 KT
BURZET	04/03/14	NTS	SHAFT		WFADONS RELATED	0:	20 TO 150 KT
OFFSHORE	38/08/79	NTS	SHAFT		WEAPONS RELATED	0:	20 TO 150 KT
NFSSEL	08/29/79	NTS	SHAFT		JUINT US-UK		20 TO 150 KT
HEARTS 09/06/79 DESTROYED TRANSOM	09/06/79 0ESTRCYED TRAM	_	SHAFT DEVICE THAT DID NOT DETONATE ON	FT WE	WFAPONS RELATED 35/10/78.	6 3	2C TO 150 KT

EVENT	NT NAME	DATE (GCT)	LOCATION	TYPE	PUPPOSE	VIELO RANSE
D FRO A		61/80/60	NTS	SHAFT	WFRPONS RELATED	LESS THAN 2C KT
SHEEPSHEAD	HEAD	09/26/79	NTS	SHAFT	WEAPONS RELATED	20 TO 150 KT
			OPERATION TINDERBOX	šl		
BACKGAMHON	Ž O I	11/29/79	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
A 7UL	12/14/79 DETOMATION DESTPOYED PE EMPLACEMENT ON 10/23/74	12/14/79 NTS DESTPOYED PENINSULA ON 10/23/75, THE R	DEVICE THAT WAS DENINSULA DEVICE	SHAFT DAMAGED MURING WAS NOT TESTFO	WFAPONS PELATED.	LESS THAN 20 KT
TARKD		02/28/80	NTS	SHAFT	WEAPONS RELATED	LESS THAN 23 KT
NORBO		23/25/49	MTS	SHAFT	WEADONS RELATED	LESS THAN 26 KT
LIPTAUER	نو چھ	04/03/80	NTS	SHAFT	WEAPONS PFLATED	20 TO 150 KT
PYRAMIO	0	04/16/40	NTS	SHAFT	WEAPONS RELATED	20 TO 150 KT
COLMICK	¥	04/52/40	NTS	SHAFT	JOINT US-UK	20 TO 150 KT
CANFIELD	۲.	95/32/40	MTS	SHAFT	WF&PONS RELATED	LESS THAN 20 KT
FLORA		08/22/80	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
KASH		05/12/89	NTS	SHBFT	WEADONS RELATED	20 TO 150 KT
HURON KING DOD EI	KING Doð evfnt	16/24/80	Z + Z	SHAFT	WEAPONS FFFECTS	LESS THAN 20 KT
TAFI		07725780	NTS	SHAFT	WFAPONS PELATED	20 TO 150 KT
VERDFLLO	١٥	07/31/90	N17	SHAFT	WEAPONS RELATED	LESS THAN 23 KT
BCNARDA	4	09/25/40	NTS	SHAFT	WEAPONS PFLATED	26 TO 156 KT
9 10L A	MTNOR LEVELS	99/25/80 S OF RADIOACTI	39/25/83 NTS MINOR LEVELS OF RADIOACTIVITY DETECTED OFF-TIF.	SHAFT	WFA PONS PELATED	LESS THAN 20 KT
			SPERATION GUARDIAN	z l		
DUTCHESS	کن	19/24/80	N15	SHAFT	JOINT US-UK	LESS THAN 2. KT
MINFPS	MINFPS IROW DOD EVENT	16/31/43	210	TUNNEL	WEAPONS FFFECTS	LESS THAN 20 KT
NIHANDU	2	11/14/90	Sta	SHAFT	WEADONS RELATED	LESS THAN 2C KT
SERPA		12/17/80	NTS	SHAFT	JCINT US-UK	20 TG 150 KT

ANNOUNCED UNITED STATES MUCLEAR TESTS - BY DATE

u
Ē
DATE
c
Ŗ
æ
٠
TESTS
-
S
۳
_
~
AR
ū
۳.
~
Ξ
SUCE
S
TES
⊢
STA
\vdash
S
_
0
u
•
H
UNITED
⊃
_
2
بر
=
8
ANNUMBER
Ī
•
-

PARK TARKE	DATERGET	LOCATION	TYPE	PUPPOSE	YIELD RANGE
0 4650411	01/15/81	NTS	SHAFT	WEAPONS RELATED	2 t TO 15C KT
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	o La	CHAFT	WEAPONS RELATED	LESS THAN 23 KT
טרא ואב . ו כ	18 /60 /30				
SECO	32/25/81	N+12	SHAFT	WEAPONS MELATED	,
V10F	94/30/81	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
ALIGOTE	05/29/81	MTS	SHAFT	WEAPONS RELATED	LFSS THAN 2" KT
HAR7CR	06/06/81	NTS	SHAFT	WEAPONS RELATED	21 TO 150 KT
NIZA	07/16/81	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
PINFAU	07/16/81	NTS	SHAFT	MEADONS RFLATED	LESS THAN 25 KT
HAVAPTI	14/50/40	NTS	SHAFT	WFAPONS RELATED	LESS THAN 20 KT
ISLAV	38727781	NTS	SHAFT	WEAPONS PELATED	LESS THAN 20 KT
TREBAIANO	09/04/81	NTS	SHAFT	WFAPONS RELATED	LESS THAN 2. KT
CERNADA	09/24/81	NTS	SHAFT	WFA PONS RELATED	LESS THAN 2C KT
		OPERATION POAFTOPIAN	PIAN		WDI.
PAL I7A	19/01/91	NTS	SHAFT	WEAPONS RELATED	2a 70 15u KT
זורנו	11/11/81	NTS	SHAFT	WEAPONS RELATED	20 TO 150 KT
ROUSANNE	11/12/81	NTS	SHAFT	JOINT US-UK	20 TO 15C KT
AKAVI	12/03/81	NTS	SHAFT	WEAPONS RELATED	26 TO 156 KT
CABOL	12/16/81	NTS	SHAFT	WFAPORS RELATED	LESS THAN 23 KT
JORNADA	01/28/82	NTS	SHAFT	WEAPONS RELATED	20 TO 150KT
HOL BO	02/12/82	NTS	SHAFT	WEAPONS RELATED	20 TO 150KT
HOSTA	07/12/82	NTS	SHAFT	WFA PONS RELATED	26 TO 156KT
TENAJA	04/17/82	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
GINNE	34/52/95	NTO	SHAFT	JCINT JS-UK	20 TO 150KT
KFY110ST	05/06/42	NTS	SHAFT	WEAPONS RELATED	LESS THAN 26KT
BOUSCHET	05/07/82	NTS	SHAFT	WEAPONS PELATED	20 TO 15CKT
KFSTT	96/16/87	NTS	SHAFT	WFAPONS RELATED	LESS THAN 20KT

ANNOUNCED UNITED STATES NUCLEAP TESTS - BY DATE

EVENT NAME	DATE (FCT)	اد	LOCATION	TYPE	3 \$0a afid	YIFLD FANGE
NEBRIOLO	96/24/82	NTS		SHAFT	WEAPONS RELATED	26 TO 159KT
MONTEREY	37/29/82	NTS		CHAFT	WFAPONS RELATED	20 TO 156KT
ATRISCO	08/05/82	STN		SHAFT	WEAPONS RELATED	20 TO 150KT
nueso	08/11/80	NTS		SHAFT	WEAPONS PELATED	LESS THAN 23KT
CERPO	09/02/82	NTS		SHAFT	WEAPONS RELATED	LESS THAN 25KT
HURON LANDENG	28/23/60	N F N		TUNNEL	WEA PONS EFFECTS	LESS THAN 20KT
DOD EVENT SIMULFANEOUS WITH DIAMONN ACE	WITH DIAMONA	AGE				
SIAMOND ACE	39/23/82	NTS		TUNNEL	WEAPONS EFFECTS	LESS THAN 23KT
100 EVENT SIMULTANEOUS	WITH HUPON LANJING	SNI CNE				
EPIC:0	39/23/82	ATS		SHAFT	WEAPONS RELATED	2C TO 159KT
BORREGO	39/29/82	STN		SHAFT	WEAPONS PELATED	LESS THAN 159KT
		ě I	OPFRATION PHALAMX	ž		
SFYVAL	11/12/82	NT S		SHBFT	WEAPONS RELATED	LESS THAN 20KT
なしょとのま	12/10/82	X 1.0		SHAFT	WEAPONS RELATED	SU TO INDEE

	ı
Į,	
7	1
F	
FVFNT VAMP	
ž	
•	
ANMOUNCED UNITED STATES MUCLEAR TESTS	
2	
JUE	
ž	
TES	
STA	
6.5	
NIT	
ت ت	
ي	
in G	
Z	

SWEW THREAD	UATE (CCT)	LOCATION	TYPE	350dc11d	VIFLD PAIGE
AARTVARK MINOR LEVELS	05/12/62 OF PADIOACT IV	05/12/62 NTS OF PADIOACTIVITY DETECTED ON-SITE ONLY	SHAFT	MEAFONS PFLATED	4.CKT
AREVTAS	11/05/70	\$ L P	SHAFT	WEAPONS PFLATED	2. TO 236KT
A 8L E	26/30/45	PIKINI	AIRURCP	WFA PONS EFFECTS	23 KT
ABLE	01/27/51	NTS	AIROROP	WEAPONS RELATED	141
ABLE MINOR LEVFLS	10/22/51 OF PADIOACTIV	10/22/51 NTS MINOR LEVELS OF PADICACTIVITY DETECTED ON-SITE CHLY	TOWER	NEADONS GELATER	LFSS THAN 0.1KT
APLF	04/01/52	NTS	AIROROP	WEAPONS FFFECTS	141
ACE DEVICE DEVELOPMENT MINOP LEVELS OF RA	DS/11/64 OPMENT OF RADICACTIV	06/11/64 NTS DEVICE DEVELOPMENT MINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	PLOWSHAPE	LESS THAN 26KT
ACUSHI MINOR LEVELS	02/18/63 OF RADIOACTIV	SHAFT SHAFT OZZJAKZS NTS SHAFT MINOR LEVELS OF RADIDACTIVITY DETECTED 3N-SITE ONLY	SHAFT	WFAPONS RELATED	רטא
ANOBE 04/25/62 OPERATION DOMINIC I	94/25/62 MINIC I	CHRISTMAS ISL APFA	AIRDROP	WEAPONS RELATED	INTEDMENTATE
AGILF	02/23/67	NTS	SHAFT	WEAPONS RELATED	26 TC 2. üKT
AGOUTI	01/18/62	NTS	SHAFT	WFAPONS RELATED	6.447
AHTANUM	09/13/63	NTS	SHAFT	WEAPONS RELATED	רנא
AJAX HINOR LEVELS	11/11/65 OF PADICACT IV	11/11/66 NTS MINOR LEVELS OF RADICACTIVITY DETECTED ON-STTE ONLY	SHAFT	WEAPONS RFLATED	LESS THAN 20KT
AJO IN HINED SHAFT	01/30/70 FT	V + 2	SHAFT	WEA OOLS RELATED	LESS THAN 20KT
AKAVI	12/03/81	NTS	SHAFT	WEAPONS RELATED	20 TO 150 KT
ALGODONES	08/18/71	NTS	SHAFT	MEAPOHS RELATED	20 TC 200KT
ALTGOTE	18/62/51	STN	SHAFT	WEAPONS RELATED	LFSS THAN 20 KT
ALLEGHENY MINOR LEVFLS	09/29/52 OF PADICACT IV	HENY 09/29/52 NTS SHAFT MINOR LEVFLS OF PADICACTIVITY DETECTED ON-SITE CYLY	SHAFT CNLY	WEAPONS PELATED	r c w
ALMA OPERATION DOMINIC I	06/05/62 MINIC I	CHPISTMAS ISL APPA	A I R OP OP	WFAPONS RELATED	INTERMFOIATE
ALMENDRO	06/06/73	NTS	SHAFT	WEAGONS PELATED	230 TO 10COKT
ALPACA MINOR LEVELS	02/12/65 0F 9ADI9ACTIV	A 02/12/65 NTS MINOR LEVELS OF RADIOACTIVITY DETECTED OFF STTE	SHAFT	WFAPON'S RELATED	LESS THAN 23KT

YIELD FANSE	LESS THAN 20KT	r c r	PON	INTEPWFDIATE	20 TC 200KT	16KT	2.5KT		1447	29KT	ГОН	LESS THAN 20KT	1-2KT	1-2KT	1-2KT	T C M	LOM МЕ БАТОЧ	7.147	20 TO 208KT	20 TO 200KT	
PUZPOSE	WEAPONS RELATED	PLOWSHASE	WEAPONS RELATED	WEAPONS PELATED	WFA PONS RELATED	WEA POWS RELATED	WEAPONS RELATED	WEAPONS RELATER	WEAPONS RFLATED	WEAPONS RELATED	WEAPONS RELATED	WEAPONS PELATED	WEAPONS EFFECTS	WEAPONS EFFEGTS	WEAPONS EFFECTS	WEAPONS RELATED	WEAFONS RELATED	WEAPONS RELATED	WEAPONS RELATED	WEAPONS PELATED	
TYPE	SHAFT W	SHAFT	SHAFT	AIPORCP	SHAFT	TOMES	TUNNEL	BARGE	TONER	TOWER	SHAFT	SHAFT	ROCKET 11.5 DEG.	90CKET 8.2 7EG.	POCKET 9.7 DEG.	SHAFT	AIROROP H	SHAFT	SHAFT	SHAFT	
LOCATION	NTS DETECTED OFF-SITE RY	NTS VITY DETECTED ON-SITE	NTS TY DETECTED ON-SITE	JOHNSTON ISL APEA	NTS	NTS	NTS DETECTED OFF SITE	ENEWETAK	STM	NTS	DE PADIDACTIVITY DETECTED ON-SITE ONLY	NTS	SOUTH ATLANTIC	SOUTH ATLANTIC SOUTH 49.5 DEG., WEST	SCUTH ATLANTIC SOUTH 48.5 DEG., MEST	215	CHRISTMAS ISL ARFA	02/09/62 NTS OF GADICACTIVITY DETECTED ON-SITE	MTS	NTS	
E DATE (GCT)	08/19/64 OF RADIOACTIVITE	STIA 11/27/62 DEVICE DEVELOPMENT HINOR LEVELS OF PADICACTIVI	VV 11/14/63 NTS HINOP LEVELS OF RADICACTIVITY DFTECTED ON-SITE	SCOGGEN 10/02/62 Operation Dominic I	04/25/73	03/17/53	R 09/15/61 Release of Radioactivity de	07/38/56	01/29/55	05/05/55	DEFOOTENT EVELS OF RADIOACTIVE	33/96/73	I 09/27/58 ABOUT 330 MILES ALTITUME.	09/30/59 300 MILES ALTITUDE.	APGUS III 09/06/58 APGUT 300 MILES ALTITUDE.	95/13/62	SAS 05/02/62 Operation dominic i	02/09/62 Evels of Paricactivi	06/26/70	12/16/70	
EVENT NAME	ALVA RELEASE	ANACOSTIA DEVICE D HINOP LE	ANCHOVY MINOP LE	ANDODSCOGGEN OPERATIO	ANGUS	ANNT	ANTL ^{er} Release	APACHE	APOLF-1	APPLE-2	APSHAPA MINOR LEVELS	ARARIS	A º GUS I A B OUT 3 0	APGUS II ARCUT 30	APGUS III AACUT 30	ASTKADEE	APKANSA S OPERATIO	APMAJILLO Minor Levels	APNICA	AOTESIA	

ANNOUNCED UNITED STATES NUCLEAR TESTS - PY EVENT NAME

EVENT NAME	DATE (GCT)	LOCATION	TYPE	3SUa efta	Ŀ	YIFLO RANGE
ACPEN	36/14/58	PIKINI	BAGE	WFAPONS RFI	RFLATED	
ATRISCO	28/53/83	NTS	SHAFT	WEAPONS REI	RELATED	20 TO 150KT
AUK	10/32/64	NTS	SHAFT	WEA CONS DE	PELATED	LESS THAN 23KT
A7TEC 04/27/62 OFFREION NOMINIC I	04/27/62 MIMIC I	CHRISTMAS TSL APFA	AIRDROP	WFAPONS PE	PELATED	INTERMEDIATE
A7UL DETOWATION E PPLECEMENT	12/14/79 DETOWATION DESTROYED PENINS EMPLACEMENT ON 10/21/75. T	NTS ULA NEVICE THAT WAS HE DININGULA DEVICE	SHAFT DAMAGFO DUPING WAS NOT TESTFO.	WFAPONS	RELATED	LESS THAN 29 KT
GACCARAT	01/54/19	415	SHAFT	WEAPONS REI	RELATED	LESS THAN 20 KT
RACKREACH	04/11/78	ST.	SHAFT	WFA PONS REI	RELATFO	23 TC 150 KT
PACKGAMMON	11/29/14	NTS	SHAFT	WFAPONS RFI	RFLATED	LESS THAN 20 KT
BACKSWING HEVELS HINDR LEVELS	05/14/64 OF PADINACTIVIT	NTS VITY DETECTED ON-SITE ONLY	CHAFT LY	WFA FONS PF	RELATEN	LESS THAN 20KT
BADGEP	04/11/53	NTS	TOWER	WEA PONS REI	RELATED	2 3KT
BAKER	91/57/10	91K INI	¥ 0	WEAPONS EFF	EFFECTS	23 KT
BAKER	01/24/51	NTS	AIPOROP	WEAPONS REI	RELATED	- A
GAKER	10/28/51	NTS	AIROROP	WEAPONS REI	RELATED	3.5KT
S AKF	04/15/52	∑ + Z	AIROROP	WFAPONS EF	EFFECTS	1 KT
9AK ER-2	02/32/51	MTS	AIRDROP	WFAPONS REL	RELATED	⊅ X →
BANDICOOT RELEASE OF R	13/19/62 Radioactivity Det	NTS DETECTEN OFF STTE	SHAFT	WEAPONS REL	RELATED	, no 1
BANEBERRY HEVELS	12/18/70 0F RADIOACT IVIT	NTS VITY DETECTED OFFSITE	SHAFT	WFA PONS REI	RELATED	13. KT
BANON	04/26/76	NTS	CHAFT	JOINT US-JK	¥	20 TO 156 KT
BARREL	10/16/64	NTS	SHAFT	WFAPONS PFI	PFLATED	LESS THAN 23KT
BARSAC MINOR LEVELS	03/20/69 OF RADIOACT IVIT	NTS SHAFT VITY DETECTED ON-SITE CNLY	SHAFT	WEBPONS PEI	PELATFO	LESS THAN 2CKT
9ASERALL	01/15/41	NTS	SHAFT	WFA PONS REL	RELATED	22 TC 153 KT
BEE	33/22/55	NTS	TOWER	WEAFONS RE	RELATED	ъ. К
BEESALM	05/01/70	NTS	SHAFT	MFA PONS REL	RELATED	LESS THAN 23KT

EVFNT NAME	OATE (GCT)	LCCATION	1 ¥ 0 F	∄೩೦c∈Na	YIFLD PANGE	! !
MIZZEN	06/03/75	NTS	SHAFT	WEAPONS RELATED	20 TO 200KT	
MOHAWK	07/02/56	FNEWETAK	TOWER	WFA FOMS RELATED		
MOLBO	02/12/42	NT.	SHAFT	WEAPONS RELATEN	20 TP 150KT	
MONERO	05/19/72	NTS	SHAFT	WFAPONS RELATED	LESS THAN ZOKT	
MONTEREY	07/29/82	NTS	SHAFT	WEAPONS PELATED	20 TO 156KT	
MORA	69/29/58	NTS	BALLOCN	WEAPONS PELATED	2KT	
MORGAN	10/37/57	NTS	BALLOON	WEAPONS RELATED	3.5.1	
HORRONES	05/21/70	RTS	SHAFT	WFAPONS RELATED	20 TO 200KT	
м ОТН	02/22/55	NTS	T 04FR	WFAPONS RELATED	241	
MUDPACK DOD EVENT	12/16/64	N T T	SHAFT	WFAPONS FFFECTS	2.741	
MUENSTER	01/03/75	NTS	SHAFT	WFAPONS RELATED	260 TO 1033KT	
MUSKEGON OPERATION DO	GON 05/11/62 Operation dominic t	CHRISTMAS ISL ARFA	AIRDROP	WFAPONS RELATED	INTERMEDIATE	IPPE N
MUSTANG	11/15/63	NTS	SHAFT	WEAPONS RELATED	T C D	
NAMBF OPERATION DO	05/27/62 Operation Dominic I	CHOISTHAS ISL ARFA	ATRNROP	WEAPONS RELATED	INTERMEDIATE	. в (
NANCY	03/24/53	NTS	10WFR	WEAPOP'S RELATED	24KT	
NASH MINOP LEVELS	01/19/67 S OF RANIOACTIV	01/19/67 NTS Minop levels of radioactivity detected off stif	SHAFT	WEAPONS RELATED	20 TC 200KT	cinue
NAVAJO	07/10/56	BIKINI	39048	WEAFONS RELATED		Í
NEBBIOLO	28/57/90	NTS	SHAFT	WFAPONS RELATED	20 TO 150KT	
NECTAR	05/13/54	ENEWFIAK	BARGE	HEAPONS PELATED	1.6941	
NEPTUNE SLIGHT VEN' MINOR LEVFL	10/14/59 SLIGHT VENTING. MINOR LEVELS OF PADIOACTIVIT	NTS IITY DETECTED ON-SITE ONLY	TUNNEL	SAFFTY EXDER.	115 TONS	
NFSSFL	08/29/79	NTS	SHAFT	JCTNT US-UK	25 TO 153 KT	
NFW POINT DOD EVENT	12/13/66	N L N	SHAFT	WEAPONS EFFECTS	LESS THAN 20XT	
NEWAGK	227 007 00	(

EVENT NAME	gate (GCT)	LOCATION	TYPE	3S0aaild	YIFLO RANGE
NEMTON	19/14/57	NTS	BALLOON	WEAPONS RELATED	12KT
NIZA	18/01/20	NTS	SHAFT	WEAPONS RELATED	LFSS THAN 20 KT
NOGGIN	89/90/66	NTS	SHAFT	WFAPONS RELATED	2C TO 200KT
N008	04/10/68	MTS	SHAFT	WEAPONS RELATED	26 TO 236KT
NORRO	03/04/43	NTS	SHAFT	WEAPONS RELATED	LESS THAN 23 KT
NUMBAT	12/12/62	NTS	SHAFT	WEAPONS PELATED	LOW
NUTHEG	05/21/5A	PIKINI	BARGE	WFA PONS PELATED	
OAK	36/28/58	FNEWETAK	BARGE	WEAPONS RELATED	7.9 HT
a¥60	34/39/75	245	SHAFT	WEAPONS RELATED	20 TO 200KT
OBERON No RADIOACTIVE	10/22/58 NTS RELEASE DETECTED	NTS CTED	TOWER	ÇAFETY FXDE2.	Z5Rn
0 TO 0 TO 0	01/23/64	NTS	SHAFT	WEAPONS RELATED	LESS THAN 23KT
OFFSHOPE	04/04/19	NTS	SHAFT	WEA DONS RELATED	20 TO 150 KT
OLIVE	07/22/54	ENEWETAK	BARGE	WEAPONS RELATED	
ORANGE	95/21/96	JOHNSTON ISL AREA	PJCKET	WFAPONS EFFECTS	MESATON PANGE
OFAGE	36/14/56	ENEWETAK	AISORUP	WEAPONS RELATED	
080080	24/12/60	NTS	SHAFT	WFAPONS PELATED	20 TO 200KT
OTERO UNSTEMMED HOLE]9/12/5A E	N-T-X	SHAFT	SAFETY Expf0.	18 TONS
OTOWI 06/22/62 OFFRAFION DOMINIC I	06/22/62 NIC I	CHRISTMAS ISL ARFA	AIRDRCP	WEAPONS RELATED	INTERMEDIATE
OWENS	15/52/10	NTS	PALLOON	WEAPONS PELATED	9.787
PACA MINOR LEVELS O	95/07/62 F Padtoastivi	35/07/62 NTS SHAFT OF PADIDACTIVITY DETECTED ON-SITE ONLY	SHAFT	WEAPONS RELATED	r L C W
PACKARD MINOR LEVELS O	01/15/69 F RADIOACTIVI	RD 01/15/69 NTS SHAFT MINOR LEVELS OF RADIOACTIVITY DETECTED IN-SITE ONLY	SHAFT	WEAPONS RELATED	7.4 KT
PACKPAT	06/06/62	NTS	SHAFT	WEAPONS RFLATED	HCN
PAISANO MINOR LEVELS O	04/24/63 F RADIGACT IVI	04/24/63 NTS OF RADIOACT IVITY DETECTED ON-SITE ONLY	SHAFT	WEAPONS RELATED	LOW
PALANDUIN 34/14/65 CPATERING EXPEPIMENT 6	34/14/65 PIMENT PELF	GRATER PLOWSHARE PLOWSHARE PLOWSHARE PELFACE OF RADIOACTIVITY DETECTED OFF-SITE.	CRATER STECTED OFF+S	PLOWSHARF ITE.	H X E * * *

	UONNA	ANNOUNCEE UNITED STATES MUCLEAR TESTS - AY FVENT NAME	R TESTS - AY	FVENT NAME	
EVENT NAME	DATE (GCT)	LOCATION	TYPE	3500600	YISLD RANGE
PALIZA	10/01/41	NTS	SHAFT	WFAPONS RELATED	20 TO 15G KT
PANLICO OPFRATION DOMINIC I	97/11/62 OMINIC I	CHRISTMAS ISL AREA	A I 9 DR 0P	WEAPONS RELATED	LOW HEGATON
PAMPAS RELEASE OF	03/01/62 Radioactivity	NTS DETECTED OFF STTE	SHAFT	JOINT US-UK	רסא
PANIR	04/31/78	NTS	SHAFT	WFAPONS RELATED	20 TO 150 KT
PAR ISOTOPE PRO	16/09/64 ISOTOPE PRODUCTION-EXPLOSI	NTS IVE DEVEL CPMFNT	SHAFT	PLOWSHAPF	38KT
PARROT MINOR LEVEL	T 12/16/64 Minor Levels of Padioactiv	NTS VITY DETECTED OFF STTE	SHAFT	WFAFONS RELATED	1.3KT
PASCAL-A Unstemmed Hole.	87/26/57 HOLE.	NTS	SHAFT	SAFETY EXDEP.	SL16H7
PASCAL-9 UNSTEMMED HCLE. NO RADIOACTIVE R	DA/27/57 UNSTEMMED MCLE. NO RADIOACTIVE RELEASE DET	NTS TECTED	SHAFT	SAFETY EXPER.	
PASCAL-C UNSTEMMED MOLE MINOR LEVELS O	L-C UNSTEMMED HOLE MINOR LEVELS OF RADICACTIV	NTS VITY DETECTED ON-STTE ONLY	SHAFT Y	SAFETY FXPER.	SLIGHT
PASSAIC	29/90/70	NTS	THAFT	WFAPONS PELATED	104
PEBA	09/20/62	NTS	SHAFT	WEAPONS RELATED	ron
PEDERNAL	14/62/60	NTS	SHAFT	WFAPONS PELATED	LESS THAN 20KT
PEKAN	04/12/63	NTS	CHAFT	WFAPONS PELATED	LOW
PEPATO	96/11/79	MTS	SHAFT	WEAPONS PELATED	20 TO 153 KT
PERA	62/80/60	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
PERSTHHON	02/23/67	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
PETIT 06/19/62 Operation dominic I	06/19/62 DMINIC I	CHRISTMAS TOL ARFA	AIDDROP	WEAPONS RELATED	104
PETREL MINOR LEVELS	L 06/11/65 Minor Levels of Radioactiv	NTS SHAFT VITY DETECTED ON-SITE CNLY	SHAFT	WEAPONS RELATED	1.3KT
PICCALILLI	11/21/69	NTS	SHAFT	WFAPONS RELATED	23 TO 238KT
PIKF MINOR LEVELS	03/13/64 S OF RADIOACT IN	03/13/64 NTS MINOR LEVELS OF RADIOACTIVITY NETECTED OFF SITE	SHAFT	WEAPONS RELATED	LFSG THAN ZEKT
PILE DRIVER	06/02/64	NTS	TUNNEL	WEAPONS EFFECTS	62KT
MINOR LEVELS	S OF PADIOACT I	DOU EVEN! MINOR LEVELS OF PADIOACTIVITY DETECTED ON-SITE CALY			

EVENT NAME	DATE (GCT)	LOCATION	Jant	3SOdofid	VIELD PANGF	
DIN STRIPE DOD EVENT.	04/25/66 MINOR LEVELS OF	NTS F RAPIDACT IVITY DETECTED	SHAFT OFF SITE	WEAPONS EFFECTS	LESS THAN 20KT	
PINE	17/26/5A	ENEWFTAK	BARGE	WEAPONS RELATED		
PINEAU	07/16/91	NTS	SHAFT	WEAPONS RELATED	LESS THAN 23 KT	
PIPEFISH HINOP LEVELS	04/29/64 OF RADIOACTIVITY	NTS TTY DETECTED AN-SITE ONLY	SHAFT	WEAPONS RELATED	LESS THAN 2CKT	
NIANI	16/08/69	NTS	SHAFT	WFAPONS PFLATED	233 TC 1453KT	
PIRANHA	35/13/65	NTS	SHAFT	WEAPONS RELATED	23 TO 256KT	
PISONIA	07/17/58	ENEWFTAK	BARGE	WEAPONS PELATED		
PLAID II HINOR LEVELS	32/33/66 OF RADINACTIVIT	NTS SHAFT ITY DETECTED ON-SITE ONLY	SHAFT	WFA PONS RELATED	LESS THAN 20KT	
OLATTE RELEASE OF R	04/14/62 Radioactivity D	NTS DETECTED OFF STTE	TUNNEL	WEAPONS RELATED	AP)	د ۲۸
PLATYPUS HIMOP LEVELS	32/24/62 OF PANIDACTIVIT	NTS Y DETECTFO AM-SITE	SHAFT	WEA PONS RELATED	PENDI	DEMIN
PLEASANT MINOR LEVFLS	05/29/63 Of Ranioactivit	NTS Y DETECTED JM-SITE	SHAFT	WFAPONS PELATED	XX B	v n
PLIERS MINOR LEVFLS	09/27/59 OF RADIGACTIVIT	NTS Y DETECTFD ON-SITE	SHAFT ONLY	WEAPONS PELATEN	LESS THAN 25KT	(
POD MINOR LEVELS	10/29/69 OF RANIOACTIVIT	NTS Y DETEGTED MFFSITE	SHAFT	WEAPONS RELATED	20 10 20 MT	- + i
POTENTO	03/14/68	NTS	SHAFT	WEAPONS RELATED	red)	الم .
POOL	03/17/76	NT.	SHAFT	WEAFONS RELATED	260 TO SJUKT	
PCPLAR	07/12/58	BIKINT	PARGE	WEAPONS RELATED		
PCRTMANTEAU	98/30/74	27.5	SHAFT	WEAPONS RELATED	20 TO 200KT	
PORTILACA	06/28/73	Sin	SHAFT	WFAPONS RELATED	20 TO 200KT	
POST	95/60/70	NTS	TOWER	WEAPONS RELATED	2 K T	
PFISCILLA	06/24/57	NTS	BALLOON	WEAPONS RELATED	3 7KT	
PROJECT 56 NO 1	11/01/55	NTS	SURFACE	SAFETY EXDER.	ZFRC	
PPOJFCT 56 NO 2 PU DISPERSAL.	11/03/55	NTS	SURFACE	SAFETY FYPEO.	7ER0	

APPENDIX B (continued)

	DATE (GCT)	LOCATION	TYFE	руэр05 g	VIELN OANGE	
PROJECT 56 NO 3 PU DISPEPSAL.	11/05/55	NTS	SUPFACE	SAFFTY = XDEF.	NO VIELD	
PRCJFCT 56 NO 4 PU DISPERSAL.	31/19/56	MTS	SUPFACE	SAFETY FXDEO.	VERY SLIGHT	
PROJECT 57 NO 1 PU DISPERSAL.	34/24/57	BOMBILS RANSE	SUPFACE	SAFETY EXPEP.	7540	
PUCE	06/10/66	NTS	SHAFT	MFAPONS RELATED	LESS THAN 20KT	
PURPLE	33/18/66	NTS	SHAFT	WEAPONS OFLATED	LESS THAN 20KT	
PURSF	05/07/69	NTS	SHAFT	WEAPONS RELATED	29 TO 209KT	
PUYE	12/11/90	NTS	SHAFT	NFAPONS RELATED	LESS THAN 23KT	
PYRAHID	34/16/40	MTS	SHAFT	WFA PONS RELATED	2. TO 150 KT	
GUARGEL	11/18/78	NTS	SHAFT	JOINT US-UK	22 TO 15G KT	
QUAV	10/10/58	NTS	TCWER	WEAFONS RELATED	SNOT 67	
QUESO	08/11/82	NTS	SHAFT	WEAPOPS PELATED	LESS THAM 23KT	
QUESTA 05/24/62	05/34/62 Inic I	CHRISTMAS ISL ARFA	AIRDROP	WEAPONS RELATED	INTEDAFOLATE	IDIX
QUINCE	04/06/58	FNEWETAK	SURFACE	WEAPONS PELATED		- (
OUINELLA	62/80/20	NTS	SHAFT	WEAPONS RELATED	20 TC 150 KT	con
RACCOON	06/01/62	NTS	SHAFT	WEAPONS RELATED	10 N	
RAINIER FIRST DETONATION CONTAINED NO RAJIOACTIVE RELEASE DFTEG	09/19/57 Ition contained L F Release Offect	NTS D UNDERGROUND. ECTED	TUNNEL	WFA POWS RELATED	1.7KT	,
RARITAN	29/90/66	NTS	SHAFT	WEAPONS RELATED	I CH	
RAY	04/11/53	NTS	TOWER	WEAPONS RELATFO	0.2KT	
REBLOCHON	32/23/74	NTS	SHAFT	WFAPONS RELATED	2J TO 150 KT	
RFD HOT DOD EVENT. M	J3/J5/66 MINOP LEVELS OF	NTS F RADIOACTIVITY DETECTED	TUNNEL OFF SITE	WEAPONS EFFECTS	LESS THAN 20KT	
REDMUD	12/08/76	NTS	SHAFT	WFAPONS RELATED	LESS THAN 23 KT	
RED WOOD	36/27/58	BIKINI	BAPGE	WEAPONS RELATED		
REX	02/24/65	NTS	SHAFT	WFAPONS RELATED	19KT	

EVENT	NAME DATF (GCT)	101)	LOCATION	Bart	3 Sua a Na	YIELU PANGE
RICKEY	36/15/64		NTS	SHAFT	WFA PONS RELATED	2C TO 2GONT
R INCONADA	NADA BALION DOWINIC 1		CHRISTMAS ISL ARFA	AIPDPOP	WEAPONS RELATED	INTERMEDIATE
PINGTAIL	12/17/ OR LEVELS OF RADIO	61 ACT IVIT	AIL 12/17/61 NTS SHAFT MINOR LEVELS OF RADIOAGTIVITY DETECTFD ON-SITE ONLY	SHAFT	WEAPONS RELATED	LCM
APITA CIA	9A 10/18/58		NTS	TOWER	WEAPONS RELATER	90 TONS
PIO BLANCO	LANCO 05/17/73 GAS STIMULATION EXPEDIMENT		RIFLE JOINT GOVI-THOUSTRY	SHAFT	PLOWSHAME	THREE 33KT DEVICE
P TOL A	J9/25/ HINO? LFVELS OF PADI	OACTIVE	JOZSZAS NTS OF PASTOACTIVITY NETECTEN OFF-SITE.	SHAFT	WFAPONS PELATED	LESS THAN 26 KT
PIVET III	I 03/32/67		NTS	SHAFT	WEAPONS RELATED	LESS THAN 25KT
90ANDKE MINI	KE MINOR LEVELS OF RADIOACT	62 AGT IVIT	NTS SHAFT IVITY DETECTED ON-STIE ONLY	SHAFT	WFADONS PELATED	r c n
03H00	03/26/54		AIKINI	ABPGF	WEADONS PELATED	1147
žSú a	36/32/54		ENEWGTAK	9.APGE	WEAPONS RELATER	
ROUSANNE	11/12/41		NTS	SHAFT	JOINT US-JK	20 TO 15C KT
ANANON	08/10/66		NTS	SHAFT	WFADONS PELATED	LESS THAN 23KT
ailiure	12/28/76		KTS	SHAFT	WEAPONS RELATED	2: TC 150 KT
RULTSON JOI	ON 39/10/69 JOINT GOVT-INBUSTRY RAS		GRANG VALLEY STIMULATION EXPFRIMENT	CHAFT	PLOWSWADE	£-0.54
RUMMY	94/17/19		NTA	CHBFT	WFAPONS RELATED	23 TO 150 KT
BOUNTSILD	19/22/5	er	WTS	BALLOON	WEAPONS RELATED	188 TONS
РОТН	03/31/53		NTS	TOWER	MEA BONS RELATED	3.2KT
SACPAMENT	10 05/30/62		NTS	SHAFT	WEAPONS PELATED	LOW
SALMON	N NUCLERP TEST DETECTION '	Δ	HATOTESRUPG FSEARCH EXPERIMENT	SHAFT	VELA UNTFJRM	n.uk4
NAUL WA?	UBN UNSTFMMFN HOLE NO RADIOACTIVF ?FLEASE	1	NTS	SHAFT	SAFFTY FXDER.	7 F P O
SANDPEEF	11/00/11		NTS	SHAFT	WFA PONS RFLATED	20 TO 152 KT
SANFORD	10/26/58		STA	BALLOON	WEAPON'S PELATED	4.957

APPENDIX B (continued)

FVFNT NAME	DATE (GCT)	LOCATION	TYPE	350ana	VIELO PANGE
SANTA FE	10/33/54	4,43	PALLOON	WFAPONS FELATED	1.347
SANTEE	19/27/62	27.5	SHAFT	MEAPPHS PELATER	*Cl
SAPDINE MINOR LEVELS (12/04/67 OF PADICACTIVI	12/34/64 NTS SHAFT OF PADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	WEAFONS RELATER	רטא
SATSOP	99/15/63	NTS	SHAFT	WEAPONS RELATED	רטא
SATURN NO RADIDACTIVE	08/10/5 Release	7 NTS DETECTED	TUNNEL	SAFFTY FXPE4.	7 ER 0
SAXON EXCAVATION DEV	17728766 YTS Excavation device development	21×	SHAFT	Bornsmold	LESS THAN 23KT
SAZERAC	10/25/67	NTS	SHAFT	WEAPONS BELATED	LESS THAN 20KT
SCAEVOLA	37714759	ENEWFTAK	BARGE	SAFETY EXPER.	LOW
SCANTLING	72/61/80	NTS	SHAFT	WEAFONS PELATED	2¢ TO 15¢ KT
SCAUP	05/14/65	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
SCHOONER RELEASE OF RAI	12/03/68 Radioactivity De	NTS DETECTED OFF-SITE	CRATER	FLOWSHAZE	3681
SCOTCH	05/23/67	MTS	SHAFT	WFAPONS RELATED	195KT
SCRFAMER Minop Levels (09/01/65 DF PADICACT 1VI	99/31/65 NTS OF PADICACT JVITY DETECTED OM-SITE CAL	SHAFT C*LY	WFADONS EFFECTS	LESS THAN 20KT
SCROLL NUCLERR TEST (MINOR LEVELS (04/23/68 Detection expe De radioactivi	04/23/69 NTS DETFCTION EXPERIMENT OF RADIOACTIVITY DETECTED ON-SITE ONLY	SHAFT	VELA UNIFORM	LESS THAN 25KT
SCUTTLE MINOR LEVELS	11/13/69 OF RADIOACTIV	713/69 NTS RADIOACTIVITY DETECTED OFF-SITE.	SHAFT	WEAPONS RELATED	LESS THAN 20 VT
SFAMOUNT	11/11/11	MTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
SECO	18/52/20	NTS	SHAFT	WEAPONS RELATED	LESS THAN 23 KT
SEDAN FXCAVATION EXF RELEASE OF RAI	07/06/62 NTS EXPERIMENT-CRATER 1290 RADIOACTIVITY DETECTED	FT.DIAM 320 OFF-SITE.	CRATEP PLONSHAPE FT. JEEP-THERMONUCLEAR DEV.	PLOMSMAPE CLEAR DEV.	134KT
SEMTNOLE	98/90/90	FNEWFTAK	SURFACE	WFAPONS RELATED	13.7 KT
SEPIA	11/12/65	MTS	SHAFT	WEAPONS RELATED	LESS THAN 23KT
SFQUOIA	07/01/54	FNEWETAK	BAPGE	WFAPONS PELATED	
SFRPA	12/17/90	NTS	SHAFT	JOINT US-UK	20 TC 150 KT

ANNOTINGER LIVITED STATES MUCLEAR TESTS - RY EVENT NAME

YIFLU PANGE	LESS THAN 29KT	O 200KT		0 15C KT			0 20EKT	LESS THAN 26K.		ZECKT	IDIX B		THAN 25KT	ueć	LESS THAN 20KT		TO ZOBKT	TO 200KT	TO 280KT	1.4 MEGATCNS		
il A	LESS	20 10	17KT	20 TO	12KT	۲۵۲	20 10	LESS	43KT	20 10	LON	4 4 K T	LESS	6KT	LESS	LOW	20 1	20 T	25 1	1.4	9 CKT	
3SOu aild	WEAPONS PELATED	WEAPONS RELATED	WEAPONS PELATED	WEAPONS RELATED	VELA UNTFORM	WFAPONS RELATED	WFAPONS RELATED	PLOWSHARE	WEAPONS RELATED	WEAPONS RELATED	WEA PONS FFFFTTS	WEAPONS RELATED	WFABON'S EFFECTS	WFAPONS RELATED	WEADONS RELATED	WEAPONS PELATED	WFAPONS RELATED	WEAPOWS PELATED	WEAPONS RELATED	WEAPONS EFFECTS	WEAPONS RELATED	
TYFE	SHAFT	SHAFT	TOWER	SHAFT	SHAFT IR FALLON NEVADA	SHAFT . ONLY	SHAFT	SHAFT	TOWER	SHAFT	TOWER	TOWER	SHAFT	RALLOON	SHAFT	SHAFT ONLY	SHAFT	SHAFT	SHAFT	ROCKFT	SHAFT	
LOCATION	NTS	NTS	NTS	415	FALLON ARCH EXPEPIMENT NFAR FALLON NEVADA	NTS SHAFT TY DETFCTEN ON-SITE ONLY	NTS	NTS NT	NTS	NTS	MTS INIC II SEPIES. TECTED OFF-SITE.	NTS	NTS TY DETECTED DEF STTE	NTS	NTS	NTS TV DETECTED ON-SITE	NTS	NTS	NTS	JOHNSTON ISL AREB	NTS	
DATE(GCT)	11/12/82	03/23/70	08/18/57	04/52/10	10/26/63 TEST DETFCTION-RESEA	09/16/61 LS OF RADICACTIVIT	04/18/58	11/05/66 Excaurtion device develophen	15/52/70	08/29/58	37/14/62 ABOVE GROUND, DOWT F RADIOACTIVITY DET	08/31/57	04/21/70 LS OF PADIOACTIVIT	10/22/58	38/14/69	11/09/62 ILS OF RADICACTIVIT	01/19/58	07/27/67	09/26/74	07/09/52 DOMINIC I 'UDE-450 KM	04/26/73	
EVENT NAME	SFYVAL	SHAPER	SHASTA	SHEEPSHEAD	SHOAL NUCLEAR TE	SHREW MINOR LEVELS	SHUFFLE	SIMMS EXCAVATION	SIMON	SLFn	SMALL BOV Slightly Ab Release of	SHOKY	SNUARER MINOR LEVFLS	SOCOPRO	SPIOFR	ST. LAWRENCE MINOP LEVELS	STACCATO	STANLFY	STANYAN	STARFISH PPIME 07. OPERATION DOMINIC HIGH ALTITUDE-453	STAPMORT	

NAME
VENT
- PY E
21511
MUCLEAP
ATES NUC
S
UNTTED
SECNI
NUUNNE

EVENT NAME	HE DATE (GCT)	LOCATION	TYPE	3 Süd à Md	YIFLO DANGE
STILLWATER	02/08/62	NTS	SHAFT	WFAPONS RELATED	3.074T
STILT	12/15/67	NTS	SHAFT	WFA DONS PELATED	LFSS THAN 20KT
STILTON	06/13/75	NT.	SHAFT	WFAPONS RELATED	20 TO 200KT
STINGER	33/22/64	NTS	SHAFT	WEAPONS PELATED	20 TO 200KT
STOAT MINOR LFVELS	01/ OF RA	09762 NTS Dicactivity detected cn-site of	SHAFT ONLY	WEA GONS RELATED	5.1KT
STODDARD EXCAVATION	09/17/68 NTS TION DEVICE DEVELOPMENT		SHAFT	PLOWSHADE	26 TO 256KT
STOKES	08/07/57	STS	BALLOON	WEAFO'S PFLATED	1951
STONFS	05/22/63	2TS	SHAFF	WFA PONS RELATED	INTEGMENTATE
STRAIT	93/11/16	NTS.	SHAFT	WFAPONS RELATFO	200 TC SGOKT
STRAKE	48/04/77	NTS	SHAFT	WEAPONS RELATED	2C TO 15G KT
STUPGEON	04/15/64	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
STUTZ	99/96/70	MTS	SHAFT	WEAPONS RELATED	LESS THAN 23KT
SUGAR	11/19/51	NTS	SUPFACE	WEA PONS EFFECTS	1.2KT
SULKY EXCAVAT PRODUCEI RELEASE	12/1 ION TEST OF D HOUND OF B OF RADIOACT	9/64 NTS SHAFT PLOWSHAPE EXPLOSIVE BURTED AT GREATER PEPTH IN KFLATION TO YIELD ROKEN ROSK IVITY DETFCTED OFF-SITE	SHAFT FPTH IN KFLAT	PLDWSHAPE Ion to Yield	0.392KT
SUNSET OPERATI	T OPERATION NOMINIC I	CHRISTMAS ISL ARFA	AIPOROP	WEAFONS RELATED	Intermediate
SWANEE OPERATI	E 05/14/62 Operation dominic i	CHRISTMAS ISL ARFA	AIRORCP	WFAPONS RELATED	INTERMEDIATE
SHITCH EXCAVAT	H EXCAVATION DEVICE DEVELOFMENT	NTS MENT	SHAFT	PLOWSHAPE	LESS THAN 23KT
SWOPJFISH OPERATI NORTH ANTISUE	FISH 05/11/62 POPERATION DOMINIC I NORTH 31 DEGREFS 14 MIN. WEST ANTISUBMARINE ROCKET /ASPOC/	PACIFIC WEST 124 DEGREES 13 FIN. POC/ SYSTEM PROJE TEST	* ·	WEAPONS EFFECTS	row
SYCAMORE	05/31/54	PIKINI	BARGE	WEAPONS PELATED	
TAFI	07/25/40	NTS	SHAFT	WEAPONS RELATED	2C TO 15C KT
TAMAL PAIS	10/08/58 VENTING	NTS	TUNNEL	WEAPONS RELATFR	72 TONS
HINDR	EVELS OF EADICACTI	MINDR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY	۲,		

EVENT NAME	E NATE (GCT)	LOCATION	TYPE	3Swaall d	YIELD PANGE
TAN	06/03/66	NTS	SHAFT	WEAPONS RELATED	20 TO 2CCKT
T ANANA OPERATI	A 05/25/62 Operation Dominic I	CHRISTMAS ISL ARFA	AIFNROP	WEAPONS RELATED	гон
TANYA	07/30/68	Z L	SHAFT	WEAPONS RELATED	20 TO 200KT
TAPESTRY HINOR LEVELS		DS/12/66 NTS OF RADIDACTIVITY DETECTED ON-SITE O	SHAFT	WEAPONS RELATED	LESS THAN 23KT
TAPPER HINOR LEVELS		06/12/69 NTS SHAFT OF PADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	WEADONS RELATED	LESS THAN ZGKT
TARKO	02/28/80	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
TAUNTON	12/04/62	NTS	SHAFT	WEAPONS PELATED	HJ7
TEAK	08/01/58	JOHNSTON ISL AREA	POCKET	WEA PONS FFFECTS	MEGATON PANGE
TEE HINOR LEVELS		05/07/65 NTS OF PADICACTIVITY NETECTEN OFF SIME	SHAFT	WEAPONS EFFECTS	LESS THAN 29KT
TEJON	05/17/64	NTS	SHAFT	WFAPONS RELATED	רטא
TEMPLAR Excavat	AR 03/24/65 NTS EXCAVATION DEVICE DEVELOPMENT	NTS PMELT	SHAFT	PLOWSHARE	LESS THAN 23KT
TENAJA	24/11/46	NTS	SHAFT	WFAPONS RELATED	LESS THAN 23KT
TENDOAC	12/07/52	ZT.S	SHAFT	JOINT US-UK	r.c.
TERPINE	12/18/69	NTS	SHAFT	WEAFONS RELATED	26 TC 250KT
TESLA	91/01/55	NTS	TOWER	WEAPONS RELATED	7 % T
TEWA	07/20/55	gikini	BARGE	MEADONS RELATED	5 HT
THISTLE	69/32/50	NTS	SHAFT	WFAPONS RELATED	26 TO 250KT
TIGHTOOPE OPFRATI HIGH AL	11/04/62 Operation dominic I High altitude - Tens of 1	JOHNSTON ISL APFA	ROCKET	WEAPONS EFFECTS	ГОМ
TIJERAS	10/14/70	NTS	SHAFT	WEADONS RELATED	2C TO 200KT
TILCI	11/11/81	MTS	SHAFT	WEAPONS RELATED	2C TO 150 KT
T INDE P 90X	11/22/68	NTS	SHAFT	WFAPONS RELATFO	LESS THAN 20KT
TINY TOT	06/17/65 NT	MTS	TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT
HINOR LEVELS	ELS OF PAD	IOACTIVITY DETECTED NN-SITE ONLY	A TNC		

APPENDIX E (continued)

MAY
EVENT
<u>۔</u>
TESTS
7,0,7
STATES WILL
_
C P CNUCNA A

EVFNT NAME	ME DATE (GCT)) LOCATION	エッド点	Py9 P05 F	YIELD DANGE
TIOGA	10/19/62	NTS	SHAFT	WEAPONS PELATED	L 04
TITANIA	10/30/58	NTS	TOWER	SAFFTY EXFER.	6.2 TONS
TOBACTO	05/33/5A	ENEWFTAK	BAPGE	WF&POWS RELATED	
TOMATO	99/10/10	NTS.	SHAFT	WEAFONS PELATED	LFSS THAN 26KT
TOPGALLANT	02/28/75	V1S	SHAFT	WFAPONS RFLATED	26 TO 250KT
TORWILLO PEVICE	LLO 10/11/63 nevice development	NTS	SHAFT	PLOWSHA·F	rew
TORRIDO	05/27/69	NTS	SHAFT	WEAPONS RELATED	20 TO 200KT
TCVAH	03/15/61	NTS	SHAFT	WFAPONS PFLATER	HO1
TPAMSOM LN ON	M DS/18/78 NO NJCLEAR YIELD		SHAFT	WEAPONS PELATED	7680
DEVIC	E WAS DESTPOYED BY	V HEARTS DETONATION ON 09/06/79.	6/79.		
TRAVELLER	95/10/50	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
TPEAGTANO	09/04/81	NTS	SHAFT	WFA FONS PELATED	LESS THAN 20 KT
TRINITY FIRST	TY 07/16/45 FIRST TEST OF A NUCLEAR	ALAMOGORCO WEAPON.	TOWER	WEAPONS RELATED	19KT
T PUCKFE OPFRAT	FE 06/19/62 Operation cominic I	CHPISTMAS ICL APEA	AIPOROP	WEADONS RELATED	INTFRMEDIATE
TU9 MINOR	06/06/59 Levels of Radicac	D6/D6/58 NTS SHAFT WINOR LEVELS OF RADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	WEAFONS PELATED	LESS THAN 20KT
TURF	49/42/40	NTS	SHAFT	WEAPONS RELATED	25 TO 265KT
TURK	03/07/55	NTS	TCWER	WEAPONS PELATED	₽ 3K1
TWEEN	05/21/65	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
1730	05/14/75	NTS	SHAFT	WFAPONS RELATED	200 TO 103UKT
TYG	12/12/69 LEVELS OF RADIOAC	12/12/69 NTS SHAFT MINOR LEVELS OF RADIOACTIVITY DETFCTFD ON-SITE ONLY	SHAFT	WEAPONS RELATED	LESS THAN ZÜKT
UMBER HINOR	36/29/67 MINOR LEVELS OF PADIOACT	NTS TIVITY DETECTED OFF STTE	SHAFT	WEAPONS EFFECTS	LFSS THAN 20KT
UMBRELLA	06/08/58	ENEWETAK	3	WEAPONS EFFECTS	
UNCLE	11/29/51	NTS	CRATER	WEAPONS EFFECTS	1.2KT
UNION	34/52/24	PIKINI	PAPGE	WEAPONS PELATED	F 1 0 . A

3	
EVENT NAME	
7	
_	
_	
z	
انما	
_	
~	
u	
. 1	
>	
C.	
- 1	
- 1	
•~	
υ,	
-	
TESTS - UX	
٠,	
4	
-	
٠,	
_	
ᅋ	
-	
MICLEAR	
_	
e >	
=	
-	
d	
n	
2	
ES	
TES	
ATES	
TATES	
STATES	
STATES	
STATES	
STATES	
D STATES	
FD STATES	
TED STATES	
TED STATES	
ITED STATES	
NITED STATES	
UNITED STATES	
UNITED STATES	
UNITED STATES	
C UNITED STATES	
EC UNITED STATES	
SEC UNITED STATES	
ICE C UNITED STATES	
VOEC UNITED STATES	
INCEC UNITED STATES	
HUNCE C UNITED STATES	
OUNCEC UNITED STATES	
NOUNCE C UNITED STATES	
HNOUNCE C UNITED STATES	
MNOUNCE C UNITED STATES	
ANNOUNCEC UNITED STATES	

TYPE PURPOSE YIELG PANGE	TUNNEL SAFETY EXPER. LESS THAN ONE TON	IAFT SAFETY EXPER. 2 TONS	TUNNEL SAFETY EXPER. LESS THAN ONE TOW	JAFT WEAFONS RELATED LESS THAN 25 KT	SURFACE SAFETY EXPER. 24 TONS	JAFT WEAPONS PELATED LESS THAN 20 KT	WEAPONS RELATED 26 TO 265KT	ABET PLOMSHAPF 25KT IOUNSHAPF 1 CONSHAPP IOUNSHAPP IOUNS	WEARONS RELATED - 20 TC 200KT	WEAPONS FFFECTS	PAPGE WEAPONS RELATED	SHAFT WEAPONS RELATED LESS THAN 23KT nu	SHAFT MEADONS PELATED LESS THAN 23KT B	AIPOPCP WEAPOWS EFFECTS 1KT	AIRDROP WEAPONS RELATED 3KT	BALLOON WEAFONS PELATED 197 TONS	SHAFT WEAPONS RELATED LOW	TOWER WFA PONS RELATED 19KT	SHAFT WFADONS RFLATED LOW	MEAPONS EFFECTS 30KT	BALLOON WEAPONS RELATED 10KT	HART MEADONN DELATED 23 TO 200KT
EVENT NAME DATE(GOT) LOCATION TYP	UPANUS 03/14/59 NTS TUNN NO RADIOACTIVE RELEASE DETECTED	VALENCIA UNSTEMMED HOLE. MINOR LEVELS OF RADINACTIVITY DETECTED ON-SITE ONLY	VENUS 02/22/59 NTS TUNN NO RADIOACTIVE RELEASE DETECTED	VERDELLO 07/31/80 NTS SHAFT	VESTA 10/17/59 NTS SUPP FIRED IN SUPFACE STRUCTURE.	VTGF 04/30/A1 VTS SHAFT	VISE 01/30/69 NTS SHAFT	VULGAN DEVICE DEVELOPMENT. HEAVY FLEMENT PRODUCTION.	WAGTAIL 03/03/65 NTS SHAFT	WANDS 05/16/59 ENEWETAK UM	MALNUT D6/14/5A ENEWETAK RAPG	MARD 02/00/67 NTS SHAF	WASHER OA/13/67 NTS SHAF	MASP 32/18/55 NTS AIPE	WASP PRINE 03/29/55 NTS AIRC	WHEELER 09/06/57 NTS BALI	WHITE BE/25/62 NTS SHAF	WHITNEY 09/23/57 NTS TOWE	MICHITA 07/27/62 NTS SHAF Minor Levels of Radioactivity detected rw-site only	WIGWAW 05/14/55 PACIFIC UM NORTH 29 DEGREES WEST 126 DEGREES.	WILSON 06/18/57 NTS RALL	THE STATE OF THE S

1 X X
EVENT
Ā
ŧ
TrSTS
NUCLEAR
STATES
UNITED
ANNOUNCED

FVFNT NAME	DATE (GCT)	LOCATION	TYPE	PURPOSE	VIELD RANGF
MOLVFPINE MINOR LEVELS	PINE 10/12/62 h Minor Levels of Padioactivity	NTS TY DETECTED ON-SITE ONLY	SHAFT	WEAPONS RELATED	ED LOW
HOOF	01/14/65	NTS	SHAFT	WEAPONS RELATED	ED LESS THAN 20KT
WORLD WAR II 34/35/45 FIRST COMBAT USE-WIROSHIMA	3A/35/45 USE-HIROSHIMA	VADA\.	AIPORCD	COMBAT	13 KT
WORLD WAR II Second Comba	WAR II 08/09/45 Second Combat USE-NAGASAKI	JAPAN	AIPOROP	COMPAT	23 KT
WRANGELL	10/22/54	NTS	BALLOON	WEAPONS RELATED	ED 115 TOWS
X-RAY	04/14/48	ENEWETAK	TOWFR	WEAPONS RELATED	ED 17KT
VANKFE	75/70/50	BIKINI	RARGE	WEAPONS RELATED	ED 13.5MT
VANNIGAN	32/26/70	NTS	SHAFT	WEA PONS RELATED	ED 2C TO 2COKT
YARO	19/10/60	NTS	SHAFT	WEA DONS RELATED	En 26 TO 200KT
VELL OWN 000	05/26/59	ENEWETAK	BAPGE	WEAPONS PELATED	0
YESO DERAFION DOMINIC I	06/10/62 1inic i	CHRISTMAS ISL APFA	AIPCROP	WEAPONS RELATED	ED LOW MEGATON
YOKE	84/38/48	ENEWETAK	TOMER	WEAPONS RELATED	ED 49KT
YORK	08/24/62	NTS	SHAFT	WEAPONS RELATED	LOW
YUBA POST-FEST COM	16/05/64 POST-FEST CONTROLLED RELEASE	NTS TUNNEL W. : OF RADIOACTIVITY DETECTED OFF-STIE.	TUNNEL CTED OFF-STT	WEAPONS RELATED F.	104
YUCCA NORTH 12 DEC	04/28/58 Norta 12 Deg. 37 min. East	PACIFIC 153 OFG. 01 MIN.	BALLOCM	WEA PONS FFFETS	inue
VUKON OPERATION DOMINIC I	05/08/62 (INIC I	CHRISTMAS ISL ARFA	AIPORCP	WEAPONS RELATED	INTERMEDIATE
VUMA	05/27/56	ENFWETAK	TOWER	WEAPONS RELATED	.
Z A Z A	19/22/67	NTS	SHAFT	WFAPONS RELATED	ED 20 TO 200KT
ZEBRA	05/14/48	ENEWFTAK	TOWFD	WEAFONS RELATED	ED 18KT
Z INNI A	05/17/72	NTS	SHAFT	WEAPONS RELATFO	FD LFSS THAN 2CKT
ZUCCHINI	05/15/55	NTS	TOWER	WFAPONS RFLATED	ED 24KT
ZUNI	05/27/56	PIKINI	SUPFACE	WEAPONS PELATED	ED 3.5 HT

									APPE	NDIX	В (со	ntinu	ied)	•								
YIELD RANGE	1.15 MFGATON	LESS THAN 20KT	15 TCNS	MEGATON PANGE	249KT	26 TO 155 KT	*01		22K*	2) TO 2 CKT	SUSMFG1TON	LOM MFGATON	LOW	LESS THAN 20 KT	1247	20 TO 150 KT	LOW	LESS THAN 23KT	LESS THAN 150KT	23 TO 233KT	23 TO 15CMT	1.3 MEGATONS
950 a ofto	WEAPONS PELATED	WEA DONS RELATED	SAFFTV EXDEQ.	WEADONS PFLATED	WFAPONS PELATED	WFA PONS PELATEN	WEAPONS RELATED	WFAPONS PFLATER	WFAPONS RELATED	WEANONS OFLATER	WEADONS EFFECTS	MEAPONS RELATED	WEAPONS PELATFO	WEAPONS PELATED	WEAPONS RELATED	WEAPONS RELATED	WEBPONS RELATEN	WEAPONS PFLATED	WEADONS RELATED	WFAPONS RELATED	WEADONS RELATED	WFAPONS RELATED
TYPE	SHAFT	SHAFT	SHAFT.	AIROROP	SHAFF	SHAFT	SHAFT	TOWFR	TUNNEL	SHAFT CHLY	POPKET	AIROROP	SHAFT	SHAFT	TOWFR	SHAFT	SHAFT	SHAFT	SHAFT	SHAFT	SHAFT	SHAFT
LOCATION	NTS	S-LN	NTS ITY NETFCTFO ON-SITE CNLY	CHRISTMAS ISL ARFA	D9/11/63 NTS FIRST UNDEPGROUND TEST REPOPTED FELT IN LAS VFGAS	NTS	NTS	ENEMETAK	215	IS ŊET£∩TFN 94+SITĒ	JOHNSTON ISE AREA	CHRISTMB" I'L ARFA	NTS	NTA	MTS	NTS	NTS SHAFT IT Y DETECTED ON-SITE ONLY	N _T S	,15	V-1-2	NT.	NT S
DATE (GCT)	12/19/58	11/28/73	09/17/58 LE DE RADIOACTIV	06/27/67 Inic I	09/11/53 JUND TEST REP	07/27/76	04/27/62	06/11/56	10/10/58	04/30/69 De Padicactiv	10/26/62 Into 1 - Tens of Kms	1 JIVI 1 JIVI	04/24/62	15/26/77	15/42/50	09/52/60	10/01/61 3F PANI 10 BCT IV	08/18/67	09/29/82	01/20/67	05/07/82	24/26/68
EVENT NAME	BENHAM	BFRNAL	GFRNALILLO 09/17/54 NT UNSTEMMED MOLE HINOR LEVELS OF RADIDACTIVITY	RIGHORN OFFRATION DOWING I	allay First undergro	AILLET	PLACK	BLACKFOOT	BLANÇA Slight Venting	9LENTON 04/30/69 NI HINOP LEVEL® OF PADIDACTIVITY	3LUFSILL 3PPIME 15/26/62 OPERATION DOMINIC I HIGH ALTITUDE - TENS CF	9LUFSTONE 06/30/62 OPERATION DOMINIC T	0 4 8 O F	9.7BSTAY	9 OL T 7 M & N N	Andanga	GOCWER 13/01/61 NT HINDP LEVFLS OF PARITACTIVITY	BORDEAUX	ษาพุธธุรก	ROUPHON	GOUSTHET	9 LXCA P

									AF	PEN	NDI	КВ	(c	ontir	nuec	1)							
VIFLO - ANGE	1547	. s.	20 TO 236KT	25 TO 2 JAKT	5.457	26 TO 156 KT	LON	20 TO 150 KT	LESS THAN 20KT		20 TC 200KT	LESS THAN 23 KT	20 TO 200KT	2.3KT	FX & #	110KT	INTERMEDIATE	.75KT	214 TO 1630KT	LESS THAN 20 KT	LFSS THAN 2L KT	2C TO POCKT	LESS THAN 25 PT
350e811 a	WEAPONS PELATED	WEAPONS PELATEN	WFAPONS RELATED	WEAPONS RFLATER	PLOWSMAPE	WEAPONS RELATED	WEAPONS PELATED	WEAPONS RELATED	WEA PONS RELATED	WFA PONS PELATED	WFAPONS PELATED	WEAPONS RELATED	WEAPONS RELATED	PLOWSMADE	WEAPONS RELATED	WEAPONS PELATED	WEAPONS PELATED	WFAPONS RELATED	WEAPONS RELATED	WFAPONS EFFECTS	WEAPONS RFLATFD	WFAPONS RELATED	WEAPONS RELATED
TYPE	SURFACE	CHAFT	SHAFT	SHAFT	COATER TTONS	SHAFT	AIDOROP	SHAFT	SHAFT	BARGE	SHAFT	SHAFT	SHAFT	CRATER	SURFACE	SHAFT	AIPTRCP	SHAFT	SHAFT	TUNNEL MLY	SHAFT	SHAFT	SHAFT
LOCATION	SIKINI P DEVICE	NTS DETECTED ON-SITE ONLY	NTS	MTS	NTS CATER OF SIMULTANEOUS DETONATIONS	STN	JOHNSTON TSL APEA	NTS	NTS	ENEWETAK	NTS	NTS	NT:	NTS DETECTED OFF-STTE	ENEWETAK	S L X	JOHNSTON ISL APTA	NTS	MTS	NTS STECTED ON-STTE ONLY	NTS	NTS	A + A
OATE(GCT)	32/24/54 91K THFRMONUCLFAR DEVI	S 93/08/62 NTS Minor Levels of Radioactivity o	07/23/65	12/16/65	J3/12/69 NTS EXPERIMENT - FIVE SI RADIOACTIVITY DETECT	04/27/77	10/06/62 4INIC I	04/03/79	35/12/65	05/11/58	37/16/64	12/16/81	93/01/15	01/26/69 NTS OF RADIOACTIVITY DETECT	05/05/54	16/29/69	10/27/62 MINIC I	05/14/65	16/26/75	OP 06/29/71 NTS Minor Levels of Radioactivity D	02/13/78	04/21/70	05/02/AG
EVENT NAME	BFAVO EXPERIHFNTAL	9PA73S MINOR LEVELS	BP0N7F	80FF	BUGGY ROM CHAPGE EN PELEASE OF RA	9UL KHE A O	9UMPING 10/06/62 OPERALION DOMINIC I	BURZET	BUTFO	BUTTERNUT	BYE	CABOC	CABRILLO	CABRIOLET Release of RA	GACTUS	GAL APASH	CALAWITY OPERATION DOMINIC I	CAMBRIC	CAMEMBERT	CAMPHOR MINOR LEVELS	CAMPOS	CAN	CANFIELD

										AP	PEND	IX B	(c	ont	inu	ed)								
YIFLD PANGE	LESS THAN 5 MEGAT	LESS THAN 20KT	רטא	223KT	LFSS THAN 20KT	10M	LESS THAN 20KT	21 TONS		LESS THAN 20KT	0.7 TONS	LESS THAN 20KT	LESS THAN 23 KT	LESS THAN 20KT	26 TO 2664T	LOM MEGATON	20 TO 200KT	1.2KT	1451	31KT	73KT	20 TO 200KT	0.6 TONS	רסא
3 SOa Erid	WFA FONS RELATED	WEAPONS RELATFO	WEAPONS RELATED	WFAPONS RELATED	WEAPONS PELATED	WEAPONS PELATED	WEAPONS RELATED	SAFETY FXDEQ.	WEAPONS RELATED	WEAPONS RELATED	SAFFTY EXDED.	WEAPONS PELATED	WEAPONS RELATED	WEAPONS RFLATED	WEAPONS PELATED	WFAPONS RELATED	JOINT US-UK	WFAPONS RFLATED	WEA DONS RELATED	WEAPONS PELATED	WFAPONS RELATFR	WFA PONS RELATED	SAFETY EXPER.	MFAPONS EFFECTS
TYFE	SHAFT	SHAFT	SHAFT	SHAFT	SHAFT	SHAFT	SHAFT	TOWER	BAOGE	SHAFT	TOWER	SHAFT	SHAFT	SHAFT	SHAFT	ATOUROP	SHAFT	BALLOOM	ATPDROP	AIRDROP	SHAFT	SHAFT	TOWER	ROCKET
LOCATION	BMCHITKA MISSILE	NTS	STN	NTS	NTS	STN	NTS	MTS	PIKTNI	NTS TY DETECTED ON-SITE	NTS TY DETECTED AN-SITE	NTS TY DETECTED 34-STYE	NTS	NTS	NTS	JOHNSTON TSL ABEA	NT S	NTS	NTS	NTS	415	MTS	NTS	JOHNSTON ISL BREA
E DATE (GCT)	11/06/71 WARHEAD FOP SPARTAY	08/22/64	02/21/63	12/17/70	02/04/65	02/08/63	10/08/71	10/24/58	07/02/54	UR DAYZZZZ NTS HINGR LEVELS OF PADIDACT TVITY DETECTED ON-SITE ONLY	10/26/59 NTS HINDR LEVELS OF RADIOACTIVITY DETECTED 14-SITE ONLY	F 11/19/66 NTS SHAFT PINOR LEVELS OF PADIDAGTIVITY DETECTED 94-STTE ONLY	19/24/A1	09/02/82	12/14/71	OPERATION DOMINIC I	09/10/65	09/28/57	10/39/51	04/22/25	05/06/66	06/28/68	10/27/58	MATE 10/23/62 OPERATION DOMINIC I HIGH ALTITUDE - TENS OF KMS
EVENT NAME	CANNIKIN TEST DF	CANVASBACK	CAPMEL	CARPETBAG	CASHMERE	CASSFL HAN	CATHAY	LATOON	CENAP	CFNTAUR Mingr Le	CERES MINOR LE	CFRISE MINOR LE	CFRNADA	CFROO	CHASNAC TIS	CHAMA CPERATIC	CHARCOAL	CHAPLESTON	CHAPLTE	CHARLIE	CHARTREUSE	CHATFAUGAY	CHAVE 7	CHECKMATE OPERATIC HIGH ALI

FVENT NAME	DATE (GCT)	POCATION	TYFE	35000010	VIFLO PANGE
CHENA MINOR LEVELS	10/13/61 OF RANICACT IVI	10/13/61 NTS OF RANIGAGTIVITY DETECTED ON-SITE CALY	TUNNEL	WFAPONS RELATED	רטא
CHFRCKEE FIRST AIR DROP	05/20/56 BY U.S. NF	RIKINI A THERMONUCLEAR WEAPON	ATPDROP ON	WEAPONS RELATED	SEVERAL 4T
CHFSHIRE	32/14/76	NTS	SHAFT	WEAPONS RELATED	263 TO 503KT
CHESS	06/20/79	NTS	SHAFT	WEAPONS PELATED	LFSS THAN 23 KT
CHETGC 05/19/62 OPERATION DOMINIC I	05/19/62 IINIC I	CHRISTMAS ISL ADEA	A I P NR OP	WEAPONS RELATED	INTERHEDIATE
CHEVRE	11/23/75	NTS	SHAFT	WFAPONS RFLATED	LESS THAN 23 KT
CHIBERTA	12/20/75	NTO	SHAFT	WEAPONS RELATED	24 TO 23CKT
CHINCHILLA MINOR LEVELS	02/19/62 Of Radicastivi	02/19/62 NTS SHAFT OF RADICACTIVITY DETECTED ON-SITE ONLY	SHAFT	WFAPONS RELATED	1.9KT
CHINCHILLA II MINOR LEVELS	03/31/62 OF PADIGACTIVI	03/31/62 NTS SHAFT OF PADIDACTIVITY DETFCTEN ON-SITE ONLY	SHAFT ONLY	MEAPONS RELATED	, no 1
CHIPMUNK MINOR LEVELS	02/15/43 OF PADICACTIVI	02/15/63 NTS SHAFT OF PADICACTIVITY DETECTED ON-SITE ONLY	SHAFT ONLY	MEAPONS RFLATEN	LOW
CHOCOLATE	04/21/67	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
CIMAPPON	92/23/62	NTS	SHAFT	WFAPONS RELATED	11.95KF
CLAIRETTE	02/05/81	NTS	CHAFT	WEAPONS RELATED	LESS THAN 20 KT
CLARKSMO91LE	05/17/68	NTS	SHAFT	WEAPONS RELATED	20 TO 2COKT
CLEAN SLATE I 05/25/6 PADIOACTIVITY DETECTED PU DISPERSAL	•	ED49ING FANSE OFF-SITE	SUPFACE	STOPAGE-TRANSP	7 E B J
CLEAN SLATF II PU DISPERSAL. FINOR LEVELS	95/31/63 OF RADICACTIVE	95/31/63 ROMBING FANGE OF RADICACTIVITY OETESTED ON-SITE	SURFACE	STORAGE-TPANSP	7693
CLEAN SLATE III RADIOACTIVITY PU DISPERSAL.	06/09/63 Detecten	ROMBTNG PANGE OFF-SITE	SURFACE	STOPAGE-TPANSP	7540
GLEARWATER	10/16/63	NTS	SHAFT	WEAPONS RELATED	INTERMEDIATE
CLIMAX	06/04/53	NTS	AIROROP	WFAPONS RELATED	6187
CLYMER	03/12/66	NTS	SHAFT	WEAPONS PELATED	LESS THAN 20KT
COBBLES	11/28/67	NTS	SHBFT	WEAPONS PELATED	LESS THAN 25KT

EVFNT NAME	DATE(GCT)	LOCATION	TVPE	PURPOSE	VIFLO RANGE
CODSAW	29/61/20	NTS	SHAFT	WEAPONS RELATED	רסא
COFFER	03/21/69	NTS	SHAFT	WEAPONS RELATED	LESS THAN 13GKT
COLBY	03/14/76	NTS	SHAFT	WEAPONS RELATED	SCO TO 100CKT
COLFAX UNSTEMMED HOLE.	10/05/58	NTS	SHAFT	SAFETY EXPER.	5.5 TONS
MINOR LEVELS OF PADICACTIVIT	F PADICACTIVI	TY DETECTED ON-SITE ONLY			
COLWICK	34/26/83	NTS	SHAFT	JOINT US-UK	26 TO 150 KT
COMMODORE	05/20/67	NTS	SHAFT	WEAPONS PELATED	253 KT
CORNURDY	12/03/65	NTS	SHAFT	WEAPONS RELATED	20 TO 250KT
CORMORANT MINOR LEVELS OF	37/17/64 OF PADIOACTIVIT	NTS SHAFT TY DETFCTFD ON-SITE ONLY	SHAFT	JOINT US-JK	LESS THAN 20KT
CORNICE	35/15/73	NTS	SHAFT	WEAPONS RELATED	Su to 200KT
COULO#9-A NO RADIDACTIVE	07/01/57 Releasf Deter	NTS	SUPFACE	SAFETY EXPEQ.	PPEN 2
GCULOM8-8	15/90/66	NTS	SUPFACE	SAFETY EXPER.	DIX
COULO*9-5	12/09/51	NTS	SUPFACE	SAFETY FXPEP.	B
COULOWHIERS	39/27/77	NTS	SHAFT	WEAPONS DELBTER	20 דר 150 אד
COVPU	04/10/63	NTS	SHAFT	WFAPONS RELATED	nti
CREAM 12/16/70 MINOR LEVELS OF PADIOACTIVIT	12/16/70 F PADIOACT IVI	NTS SHAFT TY DETECTED ON-SITE ONLY	SHAFT	MEAPONS RELATED	LESS THAN 20KT
BoãoS	12/05/64	NTS	SHAFT	WFA DOWS RELATED	2E TO 25 UKT
CoEx	11/04/68	NTS	SHAFT	WFAOONS RELATED	20 TO 200KT
CPEMLINF	05/25/77	NTS	SHAFT	WEAPONS RELATED	23 TO 150 KT
CRUFT	10/29/69	NTS	SHAFT	WEAPONS RELATED	11 KT
CUMBRIN	02/25/10	NTS	SHAFT	WEAPONS RELATED	20 TO 205KT
CUMBERLAND	04/11/63	NTS	SHAFT	WEAPONS RELATED	LOW
CUP	03/26/65	NTS	SHAFT	WEAFONS RELATED	ZO TO ZOOKT
CYATHUS	03/06/70	NTS	SHAFT	WEAPONS RELATED	9.7 KT
CYCLAMFN 05/05/66 NTS INCLUDEN HEAVY ELEMENT EXPEPTHFNT	05/05/66 Element expe	RTS PINFRT	SHAFT	WFA PONS RELATED	12KT

ZAKE
FVENT
à
ľ
TEST
LEAD
SEZ
STATES
UNITED
BUNDONN
4

	DATERET	70 F # 400 -	TVDE	2000010	
Ė	11361	MATTER 107		rive ost	
CYPRESS	92/12/69	NTS	TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT
DAIGUIRI	19/23/66	NTS	SHAFT	WEAGONS RELATED	LESS THAN 25KT
DAKOTA	16/25/56	PIKINI	39 3 4 8	WEAFON'S RELATED	
DAMAN T	06/21/62	NTS	SHAFT	WEAPONS RELATED	MOT
DANNY BOY	13/15/62	NTS	CRATER	WEAPONS EFFECTS	- 4 W X
UDU EVENT CRATER DIAMETER 265 RELEASE OF RADIDACT	FT. I	DETENTE BY ET. IN BASALT DETENTED OFF-STIF.			
DAUPHIN	11/14/80	NTS	SHAFT	WFAPONS PELATED	LESS THAN 20 KT
DF BACA	10/26/58	NTS	PALLOGN	WEAPONS PELATED	2.2KT
OFAD	04/21/62	X 1 3	SHAFT	WFA PONS PELATED	rch
DFLPHINIUM	09/26/72	NTS	SHAFT	WFA PONS RELATED	15KT
DFROINGER MINOR LEVELS	09/12/66 OF RADIOACTI	09/12/66 NTS OF RADIOACTIVITY DETECTED OFF SITE	SHAFT	WFA DONS EFFECTS	LESS THAN 23KT
DES MOINES RELEASE OF RA	06/13/62 OF RADIDACTIVITY	NTS DETECTED OFF SITE	TUNNEL	WEAPONS RELATED	F 0.8
DIABLO	07/15/57	NTS	TOWER	WFAPONS RELATED	17KT
DIABLO HAWE DOO EVENT	09/13/78	NTS	TUNNEL	WFAPONS EFFECTS	LFSS THAN 23 KT
DIAGONAL LINE	11/24/71	NTS	SHAFT	WEAPONS FFFFFTS	LESS THAN 20KT
ELS	OF RADICACT !	OF RADICACTIVITY DETFCTED OFF-SITE BY	AIRCRAFT	041.	
DIAMOND ACE	19/23/92	N L	TUNNEL	WFADONS EFFECTS	LESS THAN 26KT
SIMULTANEOUS	WITH HURON LANDING	AND THS			
DIAMOND DUST NUCLEAR TEST MINOR LEVELS	95/12 DETECTI OF PADI	770 NTS ON EXPERIMENT CACTIVITY DETECTED ON-SITE CNLY	TUNNEL. LY	VFLA UNIFORM	LESS THAN 2.KT
DIAMOND MINE 07/01 NUCLEMP TEST DETECTI	07/01/71 DETESTION EX	771 NTS ON EXPERIMENT	TUNNEL	VELA UNIFORM	LESS THAN ZUKT
DIAMOND SCULLS DOD EVENT	37/20/72	NTS	TUNNEL	WEAPONS EFFECTS	LESS THAN 25KT
DIANA HTST DOD EVENT	92/11/79	SHN	TUNNEL	WEAPONS EFFFGTS	LESS THAN 26KT

EVENT NAME	DATE(GCT)	LOCATION TYPE	1	3SOa ôfia	VIELD PANSE
DIANA HCON	08/27/68	NTS	SHAFT	WEAPONS EFFECTS	LESS THAN 20KT
NOD EVENT MINOR LEVELS	S OF RADIOACTIVITY	/ITY DETECTED ON-SITE ONLY	_		
DIDD QUEEN DOD EVENT	06/05/73	Sta	TUNNEL	WEA FONS EFFECTS	LESS THAN 20KT
DIESEL TRAIN nod event	12/35/69	2 t x	TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT
DTLUTED HAFERS ncd Event	06/16/65 MINOR LEVFLS 0	NTS OF PADIDACTIVITY DETECTED	SHAFT OFF SITE	WEAFONS EFFECTS	LESS THAN 20KT
DINING CAR nod event	94/96/12	χ + Σ	TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT
DISCUS THROHER DOD EVENT	05/27/66	NTS	SHAFT	WEAPONS EFFECTS	22Kf
DIXIE	16/90/40	N1S	4 J 9 J 8 O P	WEAPONS PELATED	11167
900	04/07/51	FNEWFTAK	TOWER	WFAPONS RELATED	APP1
906	11/01/51	NTS	ATPOROP	WEAPONS RELATED	21KT
900	05/01/52	NTS	419090	WEAPONS PELATED	IX :
ncewbon	07/05/54	ENEWETAK	3946	WEAFONS RELATED	В (
DONA ANA	10/16/5A	vts	BALLOON	WFAPONS PELATED	con
DOOP MIST DOD EVENT.	08/31/67 MINOR LEVELS 0	NTS OF PADIMACTIVITY DETECTED	TUNNEL OFF SITE	WEAPONS EFFEGTS	LESS TYAN 25KT
DOPPLFR	98/23/57	NTS	BALLOON	WEAPONS PELATED	ed)
DORMOUSE MINOR LEVEL	USE 01/30/62 NT Minor Levels of Panioact Ivity	NTS SHAFT	SHAFT	WFA FONS PELATED	LOM
DORMOUSE II	29/56/50	NTS	SHAFT	WEAPONS PELATED	1C.6KT
DORSAL FIN DOD EVENT	19762/20	415	TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT
DOUBLE PLAY DOD EVENT.	06/15/66 MINOR LEVFLS 1	NTS OF PADIOAGTIVITY DETECTED	TUNNEL OFF-SITE	WEAPONS EFFECTS	LESS THAN 20KT
DOUGLE TRACKS RADIOMCTIVITY PU DISPERSAL	>	05/15/63 ROMSING RANGE DETECTEN OFF-SITE	SUPFACE	STOOAGE-TOANSD	7FR0
DCVEKIE	01/21/66	STX	SHAFT	WEAPONS PELATED	LESS THAN 20KT

The state of the s	DATE (GCT)	LOCATION	TYPE	JSO4 dild	YIFL) PANGE
DRAUGHTS	09/27/78	NTS	SHAFT	WEAPONS RELATED	20 TO 155 KT
ORILL RELEASE OF	12/35/64 Padicactivity	12/35/64 VTS PADIJACTIVITY NFTEGTEN OFF-STTE.	SHAFT	WEAPONS RELATED	3.4 KT
DUB DEVICE DEV MINOR LEVE	86/33/64 FLOPMENT LS OF PADICACTI	06/33/64 NTS DEVICE DEVFLOPMENT MINOR LEVELS OF PADICACTIVITY DETECTED ON-SITE CN	SHAFT	PLONSHADE	LFSS THAN 23KT
DULGE OPERAFION	06/17/62 OPERATION COMINIC I	CHRISTHAS ISL ARFA	AIROROP	WEAPONS PELATED	INTEPMEDIATE
DIMONT	05/19/66	NTS	SHAFT	WEAPONS PELATED	23 TO 206KT
DURVEA	04/14/66	NTS	SHAFT	WFAPONS OFLATED	7.3KT
оитснеѕѕ	10/24/83	NTS	SHAFT	JOINT US-JK	LESS THAN 25 KT
EAGLE MINOR LEVE	12/12/63 LS OF RADIOACT I	12/12/63 NTS MINOR LEVELS OF RADIOACT IVITY DETECTED OFF STTE	SHAFT	WEAPONS RELATED	MO 7
EASV	02/01/51	NTS	ATPOROP	WEAPONS RELATED	114
EASY	04/20/51	ENFWETAK	TOWER	WEAPONS RELATED	47KT
EASV	11/05/51	NTS	A I P OR OP	WFAPONS RELATED	31KT
EASY	25/20/50	NTS	TOWER	WEAFONS PELATED	12KT
EBBTIDE	11/51/60	NTS	SHAFT	WFAPONS RFLATED	LESS THAN 20 KT
ENAM	34/54/18	NTS	SHAFT	WEAPONS RELATED	20 TO 255KT
EDDV	09/19/58	NTS	BALLOON	WEAPONS RELATED	A3 TONS
EEL RELEASE OF	05/19/6 Radioactivi	2 NTS TY DETECTED OFF SITE	SHAFT	WFAPONS RELATED	1 OM
EFFENDI	04/27/67	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
ELDFR	06/27/58	ENEWFTAK	BARGE	WEAPONS PELATED	
ELKHART	09/17/65	NTS	SHAFT	WEAFONS RELATED	LESS THAN 20KT
EMBUDO	36/16/71	NTS	SHAFT	WEAPONS PELATED	LESS THAN 23KT
EMEPSON MINOR LEVEI	12/16/ES	ON 12/16/65 NTS HINDR LEVELS OF PADICACT IVITY DETECTED ON-SITE ONLY	SHAFT	WEA PONS RELATER	LESS THAN 23KT
EMMENTHAL	11/02/78	NTS	SHAFT	WFAPONS RELATED	LESS THAN 23 KT
ENCINO 09ERATION DOMINIC I	05/12/62 30MINIC 1	CHRISTMAS ISL AREA	AIRNRNP	WEAPONS RELATED	INTERMEDIATE

EVENT NAME	DATE (GCT)	LOCATION	TYPE	PURPOSE	VIELD RANGE
	05/08/53	NTS	AIRCROP	WFAPONS EFFECTS	27KT
ERTE	05/30/56	FNEWFIAK	TOWER	WEAPONS RELATED	
3nlma3	29/90/£0	NTS	SHAFT	WEAPONS RELATED	LOW
ESCAPOSA	07/10/74	NTS	SHAFT	WEAPONS RELATED	22 TO 200KT
ESROM	32/04/16	NTS	SHAFT	WEAPONS RELATED	21 TO 200KT
ESS	01/21/55	NTS	CRATEP	WEAPONS EFFECTS	1 KT
ESTUARY	91/69/10	NTS	SHAFT	WEAFONS RELATED	260 TO 503KT
EVANS	10/29/54	NTS	TUNNEL	WEAPONS RELATED	55 TONS
VENTIMS MINOR LEVFLS	OF PADIDACTI	VENTING MINOR LEVELS OF PADICACTIVITY DETFCTED ON-SITF CALY	١,		
FADF HINOR LEVELS	06/25/64 NO OF PADIOACT IVITY	NIS VITY DEFECTED ON-STIE ONLY	SHAFT	WEAPONS RELATED	LESS THAN 20KT
r A∪∀	04/24/79	NTS	SHAFT	WEAPONS RELATED	PPE 25 TO 155 KT
FALLON	95/23/74	MTS	SHAFT	JOINT US-UK	20 TO 2004
FARALLOWES	12/14/77	NTS	SHAFT	WEAPONS RELATED	25 TO 150 KT
FARM	12/16/79	MTS	SHAFT	WEAPONS RELATED	26 TO 150 KT
FAULTLESS SEISMIC CAL	91/19/68 Cali99ation.	CENTBAL NEVADA	SHAFT	NEAPONS RELATED	בנפ זה ובניגאד
FAUN	34/37/67	NTS	SHAFT	WFAPONS RELATED	LESS THAN 20KT and
FEATHER RFLEASE OF R	12/22/51 Radioactivity	NTS DETECTED OFF SITE	TUNNEL	WEAPO'S PELATED	d)
negon	02/08/63	StN	SHAFT	WEADONS PELATED	LOW
rfoort ppide	04/05/63	NTS	SHAFT	WEAPONS RELATED	רטא
Fic	08/18/58	ENEWFTAK	SUPFACE	WEAPONS RELATED	
FINFOOT MINOR LEVFLS	OT 03/07/66 N Minop Levfls of Radicactivity	TS DETFETED ON-STTE	SHAFT ONLY	WEAPONS RELATED	LESS THAN 23KT
FIR	95/11/54	BIKINI	BAFSE	WEAFONS RELATED	
FISHER MINOR LEVELS	12/03/61 . OF PADIOACTI	R 12/03/61 NTS SHAFT SHAFT HINDR LEVELS OF PADIDACTIVITY DETERTED ON-SITE ONLY	SHAFT LY	WEAPONS PELATER	13.6KT
FIZEAU	19/14/57	NTS	TOWER	WFAPONS PELATED	11K7

APPENDIX B (continued)

EVENT NAME	DATE (GCT)	LnCATIO+	TVPE	PIIDOSF	VIFLD RANGE
FLASK MINOR LEVELS	05/26/70 OF PADIOACTIV	NTS IVITY DETECTED ON-SITE OPLY	SHAFT	PLOWSHAPE	105KT
FLATHFAO	06/11/56	PIKINI	AARGE	WFAFONS PELATED	
FLAX	12/21/72	NTS	SHAFT	WEAPONS RELATED	26 TO 2 CUKT
FLORA	08/22/90	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20 KT
FOR	01/23/73	NTS	SHAFT	WEAFONS RELATED	LESS THAN 20KT
FONDUTTA	04/11/74	MTS	SHAFT	JOINT US-UK	20 TO 150 KT
FONT INA	02/12/76	NTS	SHAFT	WEAFONS RELATED	236 TO 1863KT
FORF	01/16/64	N 4 N	SHAFT	WEAFONS PELATED	20 TO 226KT
FOREST	10/31/64	NTS	SHAFT	WFAPONS RELATED	LESS THAN 25KT
F 0X	02/06/51	NTS	A I P n P OP	WEAPONS RELATED	22KT
FOX	05/25/52	NTS	TOWER	WEAPONS RELATED	1147
FRANKLIN	16/05/57	NTS	TOWER	WEAPONS PFLATED	1 40 TCNS
FRANKLIN PRIME	15/02/40	NTS	BALLOON	WEAFONS PELATER	4.781
FRIGATE BIRD	05/06/62	PACIFIC	POCKET	WFAPONS RELATED	
UPERATION DOWING I NORTH 4 DEGREES 50 WARMERO IN MISSILE	INIC I ES 50 MTM. WE SSILE LAUNCHE	DW DOWINIC I DEGRES 50 MTM. MEST 149 DEG. 25 MTM. IN MISSILE LAUNCHEN FPOM POLARIS SURMAFINE			
FRISCO	09/23/82	NTS	SHAFT	WEAPONS RELATED	20 TO 15CKT
GALILEO	15/20/60	NTS	TOWFR	WFAPONS RELATED	11KT
GANYMEDE 10/30/59 NTS CONTAINED IN SURFACE STRUCTURE. NO RADIOACTIVE RELEASE DETEFTED	10/30/59 Surface Struc E release deti	NTS TURE. EP TEO	SUPFACE	SAFFTY CYPER.	7FR()
GASBUGGY 12/10 JOINT GOVT-INDUSTRY	1/67 5AS	FARMINGTON Stimulation experiment	SHAFT	PLOWSHAPE	29KT
GEOPGF	15/08/51	ENEVELAK	TOWER	WEAPONS RFLATED	
GFORGE	06/31/52	NTS	TOWER	WFADOWS RELATED	15KT
GFRAIL	03/54/63	415	SHAFT	WFA POWS RELATER	L 0 W
GIBNF	04/52/45	MTS	SHAFT	JOENT US-UK	25 TO 150KT
GNOME MULTIPLE-PURPOSE EXPEQIMENT 60-80 FT.HJGH. RELEASE OF R	12/10/51 OSE EXPERIMEN • RELEASE OF	raplegad In Salt.Foomed cavity Aniorctivity deterted	SHAFT FLOWSHAPE 16C-17C FT.DIAWFTER OFF-SITE.	FLOWSHADE Ameter	3 KT

ANNOUNCED UNITED STATES MUCLEAR TESTS - AY EVENT NAME

			102	1000110	
EVFNT NAME	gale (GCT)	LUCATUM	TYPE	PII 3 T. O.S.E.	TIELU MANGE
SPARIE FRED FR	E 05/25/53 FIPED FROM 280MM GUN	NTS	ATRARST	WEAPONS RELATED	15KT
GRAPE A	12/11/69	NTS	SHAFT	WEAPONS RELATED	24 TC 234KT
G DAPE A	02/34/70	∨⊢ z	SHAFT	WEAPONS RELATED	ZO TO 200KT
GPEELEY	12/20/66	NTS	SHAFT	WEAPONS RELATED	872KT
GREYS	11/22/63	RTS	SHAFT	WEAPONS RELATED	INTFRMEDIATE
GPUNION	10/11/63	NTS	SHAFT	WFADONS RELATED	HO 7
GUANAY	79/70/60	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
GUM NROP DON EVENT	04/21/65	NTS	TUNNEL	WEAPONS EFFECTS	LESS THAN 20KT
GUNDI MINOR LE	11/15/62 NI MINOR LEVELS OF PADIOACTIVITY	NTS VITY DETECTED ON-SITF ONLY	CHAFT JLY	WEAPONS PELATED	A
GUNDI PRIME Minor Le	PRIME 35/09/63 NI MINOR LEVELS OF PADICACTIVITY	NTS SHAFT VITY NETECTED OM-SITE ONLY	SHAFT	WEAPONS RELATED	APPEN:
Ā	34/36/55	NTS	AIPOROP	WEAPONS EFFECTS	E DIX
HADOOCK	94/28/64	NT.N	SHAFT	WEAPONS RELATED	LESS THAN 23KT
HALFBEAK	96/30/66	V + Z	SHAFT	WEAPONS RELATED	365KT
HAMILTON	10/15/58	S L	TOWFR	WFAPONS PELATED	uti
HANNCAR FFFECTS MINOR LE	AR FFFECTS OF CONTAINED EXPLOSION IN Minor Levels of Padioast Ivity nete	NTS OSION IN CARBONATE PNCK IVITY DETECTED ON-SITE CMLY	SHAFT	PLOWSHARE	nued)
HANDLEY	03/26/70	MTS	SHAFT	WEAPONS RFLATED	40RF THAN 1 MEGAT
HARD HAT	02/15/62	N L	SHAFT	WEAPONS EFFECTS	5.741
MINOR LEVELS	VELS OF RADICACTIVITY	IVITY DETECTED ON-STIF ONLY	۲,		
HAREGELL	06/24/71	MTS	SHAFT	WEAPONS RELATED	20 TO 200KT
IARKEE	15/11/63	NTS	SHAFT	WFAPONS RELATED	LOW
HARLFH Operatio	DEFAITON COMINIC I	CHRISTMAS ISL AREA	A I Q NR OP	WEAPONS RELATED	INTERMEDIATE
H & & & & & & & & & & & & & & & & & & &	34/19/53	NTS	TOWER	WFAPONS RELATED	32KT
HAR7FR	06/06/41	NTS	SHAFT	WEAPONS RELATED	2C TO 150 KT

EVENT NAME	JATE (GCT)	LOCATION	TYPE	350aand	YIELD HANGE
HATCHIE	32/08/63	NTS	SHAFT	WEAPONS RELATER	רסא
HAVAPTI	09/05/41	HTS	SHAFT	WFAPONS RFLATED	LESS THAN 20 MT
HAYMAKER HINOR LEVELS	D6/27/62 NTS OF PADICACT IVITY D	NTS VITY DETECTED ON-SITE CMLY	SHAFT	WFAPCHS PELATED	67XT
HEARTS 09/06/79 NTS 05/106/79 DETONATION DESTPCYEN TRANSOM DEVISE	09/06/79 STPCYEN TRAN	NTS SOM DEVICE THAT DID NOT DETONATE	20	WEADONS RFLATED 05/10/74.	20 TO 15G KT
HICKORY	85/62/96	RIKINI	RAPGE	WFAPONS RELATFO	
HIDALGO	10/05/58	NTS	BALLOON	SAFFTY FXPER.	77 TONS
HOD HINOR LEVELS OF PATIDAGETVITY OF	65/31/73 OF @ANTOACT 1	NTS SHAFT VITY DETECTED ON-STTF CNLY	SHAFT	WFAPONS PELATED	LESS THAN 23KT
HOGNOSE	23/12/62	NTS	SHAFT	WEAPOWS RELITED	101
HOLLY	05/20/54	EVEWETAK	RARGE	WFAPONS PELATED	
4000	15/50/10	STM	BALLOON	WEAPONS RELATED	AI.
HOOK HOOK LEVELS OF RADIOACTIVITY D	04/14/54 9F RATIOACT I	ETFCTFD ON-SITE	SHAFT	WEAPONS RELATFO	LFSS THAN 20KT
Э1500н	33/28/62	STA	SHAFT	WFAPONS PFLATED	XX
HORNET	0 1/12/59	NT.	TOWFR	WEAPONS RFLATED	B (
HOSTA	02/12/62	NTS	SHBFF	WEAPON'S RFLATED	2: TO 150KT
HOUSATONIC 16/35/62 OPERATION DOMINIC I	16/38/62 ITNIC I	JOHNSTON ISL APEA	AIRDRCP	WEAPONS PELATED	4EGATON RANSE
MOH	0f/05/52	MTS	TOWER	WEAFONS PELATED	ed)
HUDSON	04/12/62	NTS	SHAFT	WEAPONS PELATED	104
HUDSON MOON	02/52/50	NT.S	TUNNEL	WFAPONS FFECTS	LESS THAN 20KT
MINDR LEVELS	OF RADICACTIVITY D	ETECTED ON-SITE	۵۹۲ ۸		
HUDSON SEAL DOO EVENT	09/57/68	NTS	TUNNEL	WEAPONS EFFECTS	LESS THAN PORT
HUMBOL DT	13/62/61	NTS	TOWER	WEAPONS RELATED	7.4 TONS
HUPMOBILE 01/18/68 NTS Minor Levels of Radicactivity o	91/18/68 OF RADICACTI	NIS VITY DETECTED OFF SITE	SHAFT	WEAPONS EFFECTS	16.3 KT
HURON	07/21/56	ENEWETAK	BARGE	WFA PONS PELATED	

TYPE
<i>/</i> 1
TUNNEL
TUNNEL
TURNEL
SHAFT
SHAFT
TUNNEL
TUNNEL
SHAFT
SHAFT
SHAFT
TOWER
SHAFT
SHAFT
TOMES
SHAFT
SHAFT
FOCKET
CPATER
SHAFT
SHAFT
न ६० ६६

FVENT	NAME (SCT)	LOCATION	TYPE	JS0calia JS0calia	VIELD PANGE
JUND FIRED MINOR	10/24/59 IN SURFACE STRUCTURE LEVELS OF RADICACTI	10/24/59 NTS FIRED IN SURFACE STRUCTURE. MINOR LEVELS OF RADICACTIVITY DETECTFO ON-STTE CNLY	SURFACE	SAFETY EXPER.	1.7 TONS
KANKAKEE	96/15/66	NTS	SHAFT	WFAPONS RELATED	25 TO 26EKT
K ASH	06/12/80	NTS	THAFT	WFAPONS RELATED	23 TO 150 KT
KASSERI	10/28/75	NTS	SHAFT	WEA PONS RELATED	200 TO 1053KT
KAWFAH DEVIC	DEVICE DEVELOPHENT	NTS	SHAFT	PLNUSMADE	L C W
KEELSON	02/04/76	NTS	SHAFT	WEAGONS PFLATED	20 TC 260KT
KFNNE9EC HINDR	MEC D6/25/63 MINOR LEVELS OF RADIDACTIV	NTS VITY DETECTFO ON-SITF ONLY	CHAFT	WEAPONS RELATED	. D.
KEPLER	121/21/57	MTS	TOWER	WEAPONS RELATED	10%
KESTI	36/16/82	NTS	SHAFT	WEA PORS PELATED	LESS TWAN 20KT
KFSTREL	59/50/70	NTS	SHAFT	WFA PONS PELATED	LESS TWAN 20KT
K TCKA POO	06/13/56	ENFWFTAK	TOWER	WEAPONS RELATED	
K ING	11/15/52	ENFWETAK	AIRUROP	WEAPONS RELATER	560 KT
KINGFISH OPEPAT HIGH A	11/01/62 Operation Dominic I High Altitude – Tens of KWS	JOHNSTON TSL AREA	POCKET	WFABONS FFF5TS	SUB MEGATON
KLICKITAT OEVICE	JZ/20/64 DEVICE DEVELOPMENT	N N	SHAFT	PLOWSHARE	2. TO 2.OKT
KLOSTER	02/15/79	NTS	SHAFT	WEAPONS PELATED	20 70 150 KT
KNICKER BOCKEP	KEP 05/26/67	NTS	SHAFT	WEAFORS RELATED	76KF
KNIFE A	09/12/68	NTS	SHAFT	WEAPONS RELATED	LESS THAN 26KT
KNIFE 9	11/15/68	NTS	SHAFT	WEAPOWS RELATED	LESS THAN 20KT
KNIFF C	10/03/64	KTS	SHAFT	WEAPONS PELATED	LESS THAN 20KT
KNOK	02/21/64	NTS	SHAFT	WEAPONS RELATED	20 TO 200KT
KOA	95/12/58	FNEWFTAK	SUPFACE	WFAPONS PELATED	1.37 HT
KOHOCTON	34/23/63	NTS	SHAFT	WEAPONS PELATED	101
KOON	75/96/70	PIKIWI	SUPFACE	WFAPONS PELATED	113 KT

			107.		i () 4 4 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7
EVENT NAME	DATE (GCT)	LOCATION	TVDE	PURPOSE	TIELU MANGE
KOOTANAI Minor Levels (04/24/63 OF RADIOACTIVE	NTS IVITY DETECTED ON-SITE ONLY	SHAFT	WEAPONS PELATED	
KeynnosT	05/06/82	N S T N	SHBFT	WEAFONS PELATFD	LESS THAN 20KT
LARIS	02/05/79	NTS	SHAFT	WFAPONS RELATED	25 KT
LACROSSE	95/10/50	ENEWFTAK	SURFACE	WEAPONS RELATED	£ 57
LAGINA	06/23/71	NTS	SHAFT	WEAPONS PFLATED	20 TC 233KT
LAMPRLACK	01/19/56	NTS	SHAFT	WEAPONS PELATED	23 TO 200KT
LANDHER	10/18/67	NTS	SHAFT	WEAPONS RELATED	20 TO 200KT
LAPLACE	19/16/60	NTS	BALLOCN	WEAPONS RELATED	141
LASSFN MINOR LEVELS (36/05/57 3F PADICACT	36/05/57 NTS OF PADICACTIVITY DETFCTED ON-SITE ONLY	PALLOON Y	WEAPONS RELATED	0.5 TONS
LATIR	41/12/20	NTS	SHAFT	WEAPONS RELATED	24 TO 200KT
LEA	10/13/58	NTS	BALLOON	WEAPONS PELATED	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
LEYDEN	11/26/75	NTS	SHAFT	WFAPONS RELATFO	LESS THAN 2.KT
LIME	34/01/66	NTS	SHAFT	WEAPONS RELATED	LESS THAN 20KT
LINDEN	06/19/58	ENEWFTAK	PAPGE	WEAPONS RELATED	
LIPTAUER	04/03/40	NTS	SHAFT	HEAPONS RELATED	22 TO 150 KT
LITTLE FELLER I SLIGHTLY ABOVI RELEA ^r f OF RAI	T 07/17/62 ABOVE GPOUND.	MTS DOMINIC II SEMIES. DETECTER OFF-SITE.	SURFACE	WEA PONS EFFECTS	רסא
LITTLE FELLERII 07/07/62 SLIGHTLY AGOVE GROUND. HINOP LEVELS OF PADIRAL	07/07/62 E GROUND.	07/07/62 NTS SERIES. SROUND. DOMINIC II SERIES. PADICALTIVITY DETECTED ON-SITE ONLY	SUPFACE	WEADONS FFFFTS	רפא
LOGAN 16716/5A NTS NO RAJIOACTIVE RELEASF DETECTED	16/16/5A E RELEASF DI	NTS ETECTED	TUNNEL	WEAPONS RELATED	υπ Σ Τ
LONG SHOT 10/29/65 000 000 EVENT. NUCLEAR TEST		AMCHITKA Detection experiment	SHAFT	VELA UNTFOPM	ABOUT SCKT
LONGFHAMPS	04/19/72	NTS	SHAFT	HEAPONS DELATED	LESS THAN 20KT
Levage	12/11/69	NTS	SHAFT	WEAPONS PELATED	LESS THAN 20KT
LOWBALL	07/12/78	415	SHAFT	WEAPONS RELATED	20 TO 15G KT
LUNA CONTRACTOR CONTRA	39/21/58	N1.0	SHAFT	SACETY EXPER.	1.5 TCNS
MINOR LEVELS (JF RADIOACT	UNSIETTED MILE. MINOR LEVELS OF RADIOACTIVITY DETFLIFO ON-SITE ONLY	>		

APPENDIX B (continued)

166

EVENT NAME	DATE (GCT)	LOCATION	3dA.	350eofid	VIFLO OANGE
MAD MINDE LEVELS	12/13/61 NO OF PADICACT SVITY	NTS DETECTED ON-SITE PALY	SHAFT	WFAPONS DELATED	G.52KT
MADISON	12/12/62	NTS	TUNNEL	WFA DONS RFLATED	רטא
MAGNOLIA	35/26/58	ENEWFTAK	9 A F GE	WFA POWS RELATED	
MANATEE	12/14/62	NTS	SHAFT	WFAPONS RELATED	LON
MANTECA	12/13/82	\$ LA	SHAFT	WFAPONS RELATED	26 TO 15EKT
MANZANAS MINOR LEVELS	05/21/70 NI OF RADIOACTIVITY	NTS SHAFT VITY DETECTED ON-SITE ONLY	SHAFT	WEAPONS RELATED	LESS THAN 20KT
MAPLE	06/10/58	PIKINI	BAPGE	WEAPONS PELATED	
MARS SLIGMT VENTING. MINOP LEVELS OF	09/28/59 N NG. OF PADIOACTIVITY	NTS VITY "EFECTED OK-SITE O'LY	TUNNEL	SAFFTY EXPER.	13 TONS
MARSH	34/06/75	NTS	SHAFT	WFA PONS PELATED	LESS THAN 20KT
MARSHMALLON	36/28/52	NTS	TUNNEL	WEARONS EFFECTS	APPI
MINOR LEVELS	OF PADICACTIVITY	VITY DETECTED ON-SITE ONLY	۲.		END
MARSILLY	04/05/77	NTS	SHAFT	WFA PONS RELATED	20 TO 150 KT
MARVEL 19721767 VI EMPLACEMENT TECHNIQUE EXPERIPE MINOR LEVELS OF FADICACTIVITY	J9/21/67 ECHNIQUE EXPU OF FANICACT!	NTS ERIPENT VITY DETECTED ON-SITE ONLY	SHAFT	PLOWSHAGE	LESS THAN 23KT
4AST	06/19/75	NTS	SHAFT	WEAPONS RELATED	200 TO 1000KT
MATAGO Minor Levels	06/14/63 N OF RADIDACT IVITY	NTS SHAFT VITY DETECTED ON-STTE CNLY	SHAFT	WFAPONS RELATED	nued)
MAUVF	08/06/65	NTS	SHAFT	WFAPONS PELATED	LESS THAN 23KT
MAXWFLL	31/11/16	NTS	SHAFT	WEBPONS AFLATED	LESS THAN 26KT
MAZAMA No Radioactive	10/29/58 NTS IE RELFASE DETECTED	NTS TECTFO	TOWFR	WFAPONS RELATED	ZFRC
4EM08 Y	62/71/10	242	SHAFT	WEAPONS RELATED	LESS THAN 23 KT
MERCURY No radioactive	09/23/9 PELEASE	B NTS (DETECTED)	TUNNEL	SAFFTY FXDER.	SLIGHT
MFRLIN MINOR LEVELS	02/16/65 N' OF PADICACTIVITY	TS DETECTED ON-SITE	SHAFT	HEAPONS PELATED	10.1KT
MERRIMAC Minor Levels	07/13/62 OF PANICACTIVITY	rs gerecten on-stre	SHAFT LY	WEAPONS RELATED	INTERMEDIATE

NAME	
Y FVENT NAME	
ğ	l
'n	l
TEST	
A	I
JUCLE	۱
ES	ı
TAT	ı
S	
1	
Š	
ANNOUNCED UNITED STATES NUCLEAR TESTS - PY FVENT	

CLATED INTFRMEDIATE	27S 22KT	20 TO 2:0KF	LESS THAN 23KT	23 TO 2.CKT	Ė		Ā		1 MESATON	THAN 2J KT	HAN ZUKT	4AN 23KT			THAN 23KT	THAN 20KT	HAN 2CKT		4AN 20
SLATED	213			2	LESS THAN 2CKT	1C.6HT	LFSS THAN		A nout	LESS T	LESS THAN	LESS THAN	A3 KT	F 0 7	LESS T	LESS T	LESS THAN	115 KT	LESS THAN 20KT
<u></u>	EFFFCTS	RELATEN	EFFECTS	PELATED	EFFECTS	PELATFO	EFFECTS		RELATED	EFFECTS	EFFECTS	PFFFGTS	la.	RELATED	REL AT ED	EFFFCTS	EFFECTS	RELATER	EFFECTS
MFADONS P	MFA PONS E	WFAPONS R	WEAPONS E	MEA PONS B	MEAPONS	WEAPONS	MEA PONS		WEA PONS	WEAPONS	WEA PONS	WEA PONS	PLOWSHAP	MEA PONS	MEA PONS	WEAFONS	WEAPONS	WFAPONS	SNCd V JM
A I R D R OP	TOWFR	SHAFT		SHAFT	TUNNEL	SUPFACE	SHAFT		SHAFT	TUNNEL	TUNNEL	TUNNFL	SHAFT	SHAFT	SHAFT	TUNNFL OFF STTF	SHAFT	SHAFT	TUNNEL
LAREA			ECTEN OFF-9					N-SITE CKL						N-STTE CHL		Y DETECTED	N-SITE CNL		
RISTHAS IS	S	ý	S TIVITY DET	'n	٤	IEWETAK /ICE	ş	DETERTED ?	CHITKA	2	۵	٨	۳	rs Detectfo A	Z.	TS ADIOACTIVIT	rs netected a	75	RTS
£	2	7	NT ADICAC	Z	2	FN AP nEV	2	TVITY	Ā	2	Z		NEW I	IV TT Y	2		N VTIVIT	Z	Z
05/09/62 HINIC I	04/15/55	05/10/67	96/26/67 PELEASE OF P	93/08/73	05/12/75	10/31/52 THERMONUCLE	03/25/64	OF RADIDACT	10/32/69 IBPATION.	10/31/49	06/19/74	11/20/68 Area 16	17/88/71 PHENT EXPER	10/29/61 OF PADICACT	05/15/64	05/35/70 MINOP LEVEL		10/05/62	35/02/72
TLLA OPERATION DO		(EY	HIST DOD EVENT.	₩.	HTY EPIC DOD EVENT			MINOR LEVELS	FOW SEISMIC CAL	FRS IRON DOD EVFNT	G BLADE DOD EVENT	EVENT	IATA nevice devel		302	T LEAF DOD EVENT.	475 STEAK DOD EVENT MINOR LFVELS	Jdd I \$\$1 5	MISTY NORTH DOD EVENT
	CHRISTMAS ISL AREA	05/09/62 CHRISTMAS ISL AREA AIRDROP Eration dominic i 04/15/55 nts	ILLA 05/09/62 CHRISTMAS ISL AREA AIRDROP WFADONS OPERATION DOMINIC I 04/15/55 NTS TOWFR WFADONS KEY 05/10/67 NTS SHAFT WFADONS	ILLA 05/09/62 CHRISTMAS ISL AREA AIRDROP WFADONS OPERATION DOMINIC I 04/15/55 NTS TOWFR WFADONS KEY 05/10/67 NTS SHAFT WFAPONS THIST 06/26/57 NTS TUNNEL WEAPONS TO DOD EVENT. PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIRPART ONLY	LA 05/09/62 CHRISTMAS ISL AREA AIRDROP WFAPONS OPERATION DOMINIC I 04/15/55 NTS TOWER WFAPONS Y 05/10/67 NTS SHAFT WEAPONS DOD EVENT, PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIFFDAFT ONLY DATA ONLY DATA ONLY DETECTED OFF-SITE BY AIFFDAFT ONLY DETECTED OFF-SITE BY AIFFDAFT ONLY DETECTED OFF-SITE BY AIFFDAFT ONLY DATA ON	LA 05/09/62 CHRISTMAS ISL AREA AIRDROP WFAPONS OPERATION DOMINIC I 04/15/55 NTS TOWER WFAPONS Y NIST 06/26/67 NTS SHAFT WFAPONS DOD EVENT. PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIFFAFT ONLY OPERATOR OFF-SITE BY AIFFAFT OFF-SIT	LA 05/09/62 CHRISTMAS ISL AREA AIRDROP WFAPONS OPERATION DOMINIC I 04/15/55 NTS TOWFR WFAPONS WFAPONS ODD EVENT. PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIRPAFT ONLY ONLY ODD EVENT WEAPONS ODD EVENT IN THE PROPERTY OFF SIDERT WEAPONS ODD EVENT SIDERT WEAPONS EXPERIMENTAL THERMONUCLEAP NEVICE	LA 05/09/62 CHRISTMAS ISL AREA AIRDROP WFAPONS OPERATION DOMINIC I 04/15/55 NTS TOWFR WFAPONS NTS TOWFR WFAPONS DOD EVENT. PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIRTPAFT ONLY OF EVENT OFF-SITE BY AIRTPAFT ONLY DOD EVENT 10/31/52 FNEWETAK SUPFACE WEAPONS FXPERIFFWALL THERMONUCLEAP NEXT SHAFT WEAPONS SHAKE SHAFT WEAPONS	LA 05/09/62 CHRISTMAS ISL AREA AIRDROP WFAPONS OPERATION DOMINIC I 04/15/55 NTS TOWFR WFAPONS NISS SHAFT WFAPONS DOD EVENT. PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIRPAFT ONLY OND EVENT NEAPONS SHAFT WFAPONS OCCUEVENT 10/31/75 NTS SHAFT WFAPONS EXPERT WEAPONS FXPERIFICATED OFF-SITE RY AIRPAFT WEAPONS SHAKE 31/25/64 NTS SHAFT WEAPONS PARE 10/31/42 FREWETAY SUPFACF WEAPONS PHAKE 31/25/64 NTS SHAFT WEAPONS PHAKE SHAFT WEAPONS	LA 05/09/62 CHRISTHAS ISL AREA AIRDROP WEAPONS OPERATION DOMINIC I 04/15/55 NTS TOWER WEAPONS SHAFT WEAPONS DOD EVENT. PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIRPADONS ON EVENT NTS SHAFT WEAPONS SHAFT WEAPONS SHAFT WEAPONS ON EVENT NTS SHAFT WEAPONS EXPERITHENTAL THERMONUCLEAP DEVICE SHAKE 33/25/64 NTS SHAFT WEAPONS COD EVENT NTS SHAFT WEAPONS HINDRE LEVELS OF RADIOACTIVITY DETECTED ON-SITE CALL SHAFT WEAPONS SEISMIC CALIBRATION.	LA 05/09/62 CHRISTMAS ISL AREA AIRDROP HEADONS OPERATION DOMINIC I 04/15/55 NTS TOWER WEAPONS SHAFT WEAPONS NO EVENT. PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIRDART ONLY NO EVENT NEAPONS SHAFT WEAPONS OF EXPERIMENTAL THERMONUCLEAD NEVICE SHAKE 10/31/62 FNEWETAK SUBFACF WEAPONS ODO EVENT 110/31/62 AMCHITKA SHAFT WEAPONS SHAFT WEAPONS SHAFT WEAPONS SEISMIC CALIBBATION. TUNNEL WEAPONS SEISMIC CALIBBATION.	LA 1907962 CHRISTHAS ISL AREA AIRDROP WEADONS OPERATION DOMINIC I D4/15/55 NTS TOWFR WEAPONS Y D5/10/67 NTS SHAFT WEAPONS NDD EVENT. PELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIFFART ONLY DOD EVENT 10/31/62 NTS SHAFT WEAPONS SHAKE 31/25/54 NTS SHAFT WEAPONS FYPERITHEM NUCLEAR DEVICE SHAFT WEAPONS NDD EVENT 10/31/62 MACHITKA SHAFT WEAPONS NDD EVENT 10/32/64 NTS SHAFT WEAPONS NDD EVENT 10/32/64 NTS SHAFT WEAPONS SEISMIC CALIBRATION. 10/31/40 NTS SHAFT WEAPONS SEISMIC CALIBRATION. 10/31/40 NTS THOM TUNNEL WEAPONS NDD EVENT NEAPONS NDD EVENT NDS EVENT NEAPONS NDD EVENT NDS NTS TUNNEL WEAPONS NDD EVENT NDS NTS TUNNEL NDS NDS EVENT NDS NDS NDS EVENT NDS	LA 05/09/62 CHRISTMAS ISL AREA AIRBROP WEADONS 04/15/55 NTS TOWER WEADONS 7 05/10/67 NTS TOWER WEADONS 500 EVENT. DELEASE OF PADICATIVITY DETECTED OFF-SITE BY AIRFARDONS 500 EVENT 10/31/42 FWEWETAK 500 EVENT 10/31/42 FWEWETAK 500 EVENT 10/31/42 FWEWETAK 500 EVENT 10/31/43 NTS 500 FWET WEADONS 500 EVENT 10/31/43 NTS 500 FWET WEADONS 500 EVENT 10/31/43 NTS 10/31/44 NTS 10	LA 05/09/62 CHRISTMAS ISL AREA AIRBROP HEADONS OPERATION DOMINIC I 04/15/55 NTS TOWER HEADONS OF DAVISOR OF SITE BY A FF DAVIS OF DEVENT HEADONS OF DEVENT HEADONS OF DAVIS OF DAVIS OF DAVID OF DAVIS O	LA 05/09/62 CHRISTMAS ISL AREA AIRDROP HEADONS OPERATION DOMINIC I 04/15/55 NTS TOWER HEADONS OF SHAFT HEADONS OF SELANT. PELEASE OF PAGICACTIVITY DETECTED OFF-SITE BY AIRPADANS OF SELANT. PELEASE OF PAGICACTIVITY DETECTED OFF-SITE BY AIRPADANS OF SELANT HEADONS OF SELANT OF SELANT HEADONS OF SELAN	LA 05/09/62 CHRISTMAS ISL AREA AIRDROP WEADONS OPERATION DOMINIC I 04/15/55 NTS TOWER TOWER WEADONS NOOD EVENT. DELEASE OF PADICACTIVITY DETECTED OFF-SITE BY AIRTRAFOND NUMBER OF PADICACTIVITY DETECTED OFF-SITE BY AIRTRAFOND NUMBER OF PADICACTIVITY DETECTED OFF-SITE BY AIRTRAFOND NUMBER OF PADICACTIVITY DETECTED OFF-SITE BY AIRTRAFOND NEADONS NOOD EVENT NOOD EVENT NEADONS NOOT EVENT NEADONS NEADONS NOOT EVENT NEADONS NEADO	La	Deration downing Decretion of Family	LA 67.09/62 CHRISTHAS ISLAREA AIROROP WEADONS OPERATION DOMINIC I O 0 1 1 5 7 5 NTS NIST O 0 1 1 5 7 5 NTS NIST O 0 1 1 5 7 5 NTS NIST O 0 1 1 5 7 5 NTS NIST O 0 1 1 5 7 5 NTS NIST O 0 1 1 5 7 5 NTS NIST O 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

APPENDIX C

RADIATION EXPOSURE STANDARDS U.S. NUCLEAR TEST SERIES*

^{*}Summary of dose limits provided in the continental and oceanic series volumes.

APPENDIX C

RADIATION EXPOSURE STANDARDS U.S. NUCLEAR TEST SERIES

R	COMP	ENDED I	OSE	LIMITS I	Y AGENC	Y ROUTINE MPE*	CLOUD SAMPLERS	DESERT ROCK	SPECIAL GROUPS	REMARKS
OPERATION	MCR	P	1CR	P	FRC	KOUTTHE IFE	CLOUD SAWEEKS	DESERT ROCK	SPECIAL WOODS	
TRINITY (Alamogordo, NH) 7/16/45		R/day R/wk		R/day, R/wk		5R/2 month period	N/A	N/A	N/A	Personnel were to evacuate before 30 min. if gamma reading outside shelter reached 1R/h, put on gas masks & evacuate if alpha reading reached 5 c/m
CROSSROADS (Bikini) 7/1/46- 7/25/46						O.1R/day not to exceed 50-60R in 2 wks. If indiv- idual received 10R in one day or 60R in 2 wks, he was withdrawn from operation	N/A	N/A	M/A	Cloud trackers adhered to same standards as other units at CROSSPOADS
SANDSTONE (Enewetak) 4/14/48- 5/15/48	1		١			0.1R/24 hrs, not to exceed 3R for the operation	Cloud samplers were Drone 8-17s	N/A		Higher exposures approved only by Cdr/JTF7 & indivi- dual was prohibit- ed from further exposure for 30 days
RANGER (NTS) 1/27/51- 2/6/51	0.3	R/wk	0.3	R/wk		SR/operation, 2R for personnel participating in GREENHOUSE, AEC workers: 3.R/wk	Manned sampler aircraft first used at RAMGER	N/A	Public could receive up to 25R w/out danger	Cloud sampling air- craft in NV operate out of Indian Sogs. AFB. All samplers required to wear oxygen masks
GREENHOUSE (Enewetak) 4/8/51- 5/25/51						3.9 R/13 wks; 0.1 R/day, not to exceed 0.7R/week	Drone 8-17s used as Cloud Samplers	N/A		
BUSTER-JANGLE (NTS) 10/22/51- 11/29/51						3R/3 wonth period	3.9R for 13 wk. operation; cloud sampling aircraft were B-29's		All observers wore film badges (DR II.III)	AEC's Div. of Brology & Medi- cine agreed to umpublicized expo- sure of 3.9R. 3P MPE could be exceed ed if Test Director approved
TUMBLER-SNAPPER (MTS) 4/1/52- 6/5/52	-					3R/operation	Cloud samplers 8-29's,T-33's, F-84's; cloud trackers. 8-29's, 8-25's	DR-3R/operation, recommends expo- sure level be raised above 3R	When transporting radioactive samples, aircrew members were limited to 10mR/h	1.1% of test par- ticipants exceeded exposure level of
IVV (Enewetak) 11/1/51- 11/16/52						3.9R/operation gamma only	Crews on sampling aircraft total MPE of 20R for operation	N/A	AEC approved emergency expo- sure of 25R total	
UPSHOT~KNOTHOLE (NTS) 3/17/53- 6/4/53		1				3.9R (gamma only) unless reduced by Test Director		6R for operation	mR/h when trans- porting samples of radioactive material	No limits set on rate of accumulation of MPE
CASTLE (Bikint Enewetak) 3/1/54- 5/14/54	0.3	R/13 v R/wk x) rem/y	øk			3.9R/13 weeks; augmented by .3R/ week after that	Special MPE of 2DR (gamma only)	N/A	MPE waiver approved by Dir., DBM, Surgeons General Maximum received was 7.8 R	
TEAPOT (NTS) 2/18/55- 5/15/55			1			3_9R/operation	Cloud samplers F-84's; Cloud trackers. B-25's B-50,B-29's	DR VI-6R total-no more than 3R prompt for one test, 6R in six months	DR VI: Volunteers: 10R total w/5R prompt, not more than 25R/opera- tion	Exposure of person- nel above (3.9/R) was authorized in advance by the Test Hanager upon recom- mendation of the TD as to operational necessity

APPENDIX C (Continued)

DPERATION	NCRP	1 CRP	FRC	ROUTINE MPE	CLOUD SAMPLERS	DESERT ROCK	SPECIAL GROUPS	REMARKS
MIGWAH (Pacific) 5/14/55				Whole body 3.9R/operation; hands & feet ZOR/ operation	Unly Cloud track- ers, no Sampler's at WIGWAM	N/A	Approx. 10 water sample collectors were authorized 20R/operation	
REDWING (Bikini, Enewetak) 5/5/56- 7/22/56				3.9R/13 weeks only	20R (gamma only) authorized for operational period	N/A	Emergency MPE 7R/operation, Authori- zation to exceed MPE limits granted by CJTF-7	3 1
PLUMBBOB (NTS) 4/27/57- 10/7/57	5 rem/y (avg) 12 rem/y (max)	V		JR (whole body gamma)/13 weeks, 5 R/yr; Alpha:max. of T0,000 units/13 consec, wks	7.5R B-57's used for cloud sampling	5R/6 months no limit on rate of accumulation. No more than 2R prompt	than 20 mR/h dur-	MPE limits recom- mended by AEC's Div. of Biology &
HARDIACK I (Bikini, Enewetak, Johnston Is.) 4/28/58- 8/18/58	U.3 rem/wk (max) 3.0 rem/13 wks 12 rem/y (max) 5(N-18)rem	3.0 rem/		3.75 R/13 wks; 5R for operation	B-57's	N/A	167.5 (H&N) requested that 3.75R be increased (unspec.) & that 5R be increased to 10R for 35 H&N employees	22 individuals are known to have er- ceeded the 5F limit
WGUS (South Atlantic) 3/27/58- 0/6/58					None	N/A		
ARDTACK 11 (NTS) 9/19/58- 10/30/58				3R/operation 3rem/quarter 5rem/year neutron	IUR-IDR for those also participa- ting Hardtack I	N/A	12 personnel (FC/ AFSMP) author- 1zed by T.M. to get 25R	Provisions of 785 Handbook 59 pre- vailed in case of accidental or emergency exno- sure.
DOMINIC 1 (Christmas & Johnston Island: and Eastern Pacific) 4/25/62- 11/4/62	;		3 rem/13wk 5 rem/y (avg) 12 rem/year (max) 5(N-18)rem	wks, 5R/year (whole body gamma Under age 19:1.25 /13 weeks)	N/A	Emergency MPE 25R	brave emergency MPE 50R. Pers. under age 19 had to evacuate if cumulative dose reached 1R
DOMINIC II (NTS) 7/7/62- 7/17/61				Small Boy 3 rem/ quarter	Shot Small Boy Aircrews 3rem/ quarter	N/A		
PLUMSHARE Project Gnome (Carlsbad, 12/10/61 Sedan (NTS)	HR4)			3 rem/quarter established by Test Director Sedan Shot		N/A		Sedan Maximum personnel exposure was 300 mR, Average was 250 mR

* Selected abbreviations used in this radiological matrix are:

AFB	Air Force Base
Cdr	Commander
CJTF	Commander Joint Task Force
DBM	Division of Biology and Medicine, AEC
DR	Desert Rock
FC	Field Command
FRC	Federal Radiation Council
H&N	Holmes and Narver, Inc.
ICRP	International Commission on Radiological Protection

APPENDIX C

RADIATION EXPOSURE STANDARDS U.S. NUCLEAR TEST SERIES

					BY AGENC	Y ROUTINE MPE*	CLOUD SAMPLERS	DESERT ROCK	SPECIAL GROUPS	REMARKS
OPERATION TRINITY (Alamogordo, NM) 7/16/45		R/day R/wk		R/day, R/wk	FRC	SR/2 month period	N/A	N/A	N/A	Personnel were to evacuate before 30 min. if gamma reading outside shelter reached lR/h, put on gas masks å evacuate if alpha reading reached 5 C/m
CROSSROADS (Bikini) 7/1/46- 7/25/46						0.1R/day not to exceed 50-60R in 2 wks. If indiv- idual received 10R in one day or 60R in 2 wks, he was withdrawn from operation	N/A	N/A	N/A	Cloud trackers adhered to same standards as other units at CROSSROADS
SANDSTONE (Enewetak) 4/14/48- 5/15/48	١		١			0.1R/24 hrs, not to exceed 3R for the operation	Cloud samplers were Drone B-17s	N/A		Higher exposures approved only by Cdr/JTF7 & indivi- dual was prohibit- ed from further exposure for 30 days
RANGER (NTS) 1/27/51- 2/6/51	0.3	R/wk	0.3	R/wk		3R/operation, 2R for personnel participating in GREENHOUSE; AEC workers: 3.R/wk	Manned sampler aircraft first used at RANGER	N/A	Public could receive up to 25R w/out danger	Cloud sampling air- craft in MY operated out of Indian Supsi AFB. All samplers required to wear oxygen masks
GREENHOUSE (Enewetak) 4/8/51- 5/25/51						3.9 R/13 wks; 0.1 R/day; not to exceed 0.7R/week	Drone 8-17s used as Cloud Samplers	N/A		
BUSTER-JANGLE (NTS) 10/22/51- 11/29/51						3R/3 month period	3.9R for 13 wk, operation; cloud sampling aircraft were B-29's		All observers wore film badges (DR II.III)	AEC's Div. of Boology & Medi- cine agreed to unpublicized expo- sure of 3.9R. 3R MPE could be exceed ed if Test Director approved
TUMBLER-SNAPPER (NTS) 4/1/52- 6/5/52						3R/operation	Cloud samplers: B-29's,T-33's, F-84's; cloud trackers: B-29's, B-25's	DR-3R/operation; recommends expo- sure level be raised above 3R	When transporting radioactive samples, aircrew members were limited to 10mR/h	1.1% of test par- ticipants exceeded exposure level of
1VY (Enewetak) 11/1/51- 11/16/52						3.9R/operation - gamma only	Crews on sampling aircraft: total MPE of 20R for operation	H/A	AEC approved emergency expo- sure of 25R total	
UPSHOT-KNOTHOLE (NTS) 3/17/53- 6/4/53	١					3.9R (gamma only) unless reduced by Test Director	Cloud samplers F-84's;Cloud tracker's B-29's & B-25	6R for operation	Aircraft crew limited to 20 mR/h when trans- porting samples of radioactive material	No limits set on rate of accumulation of MPE
CASTLE (Bikini Enewetak) 3/1/54- 5/14/54	0.3 (ma	R/13 v R/wk x) rem/y	vk			3.9R/13 weeks; augmented by .3R/ week after that	Special MPE of 20R (gamma only)	N/A	MPE waiver approved by Dir., DBM, Surgeons General; Maximum received was 7.8 R	
TEAPOT (NTS) 2/18/55- 5/15/55	١		1			3.9R/operation	Cloud samplers: F-84's, Cloud trackers: B-25's B-50,B-29's	DR VI-6R total-no more than 3R prompt for one test; 6R in six months	DR VI: Volunteers: 10R total w/SR prompt, not more than 25R/onera- tion	Exposure of person- nel above (3.9/R) was authorized in advance by the Test Manager upon recom- mendation of the TD as to operational necessity

APPENDIX C (Continued)

OPERATION	NCRP	ICRP	FRC	ROUTINE MPE	CLOUD SAMPLERS	DESERT ROCK	SPECIAL GROUPS	REMARKS
WIGHAM (Pacific) 5/14/55				Whole body: 3.9R/operation; hands & feet 20R/ operation	Unly Cloud track- ers, no Sampler's at WIGHAM		Approx. 10 water sample collectors were authorized 20R/operation	
REDWING (Bikini, Enewetak) 5/5/56- 7/22/56				3.9R/13 weeks only	20R (gamma only) authorized for operational period	N/A	Emergency MPE 7R/operation; - Authori- zation to exceed MPE limits granted by CJTF-7	
PLUMBBUB (NTS) 4/27/57- 10/7/57	5 rem/y (avg) 12 rem/y (max)	Y		3R (whole body gamma)/13 weeks, 5 R/yr; Alpha-max. of 10,000 units/13 consec. wks	7.5R B-57's used for cloud sampling	5R/6 months no limit on rate of accumulation. No more than 2R prompt	be exposed to dose rate greater than 20 mR/h dur- ing flight	MPE limits recom- mended by AEC's Div. of Biology & Medicine
HARDIACK I (Bikini, Enewetak, Johnston Is.) 4/28/58- 8/18/58	0.3 rem/wk (max) 3.0 rem/13 wks 12 rem/y (max) 5(N-18)rem	3.0 rem, 13/wk 5(N-18):	í	3.75 R/13 wks; 5R for operation	B-57's	N/A	1G7.5 (H&N) requested that 3.75R be increased (unspec.) & that 5R be increased to 10R for 35 H&N employees	22 individuals are known to have ex- ceeded the 5R limit
ARGUS (South Atlantic) 8/27/58- 9/6/58					None	N/A		
HARDTACK 11 (NTS) 9/19/58- 10/30/58				3R/operation 3rem/quarter 5rem/year neutron	IOR-15R for those also participa- ting Hardtack I	N/A	12 personnel (FC/ AFSWP) author- ized by T.M. to get 25R	Provisions of N8S Handbook 59 pre- vailed in case of accidental or emergency expo- sure.
DOMINIC I (Christwas & Johnston Island: and Eastern Pacific) 4/25/62- 11/4/62	:		3 rem/13wk 5 rem/y (avg) 12 rem/year (max) 5(N-18)rem	Over age 19:3R/13 wks, 5R/year (whole body gamma Under age 19:1-25 /13 weeks))	N/A	Emergency MPE: 25R	Grave emergency MPE 50R. Pers. under agn 19 had to evacuate if cumulative dose reached 1R
DOMINIC II (NTS) 7/7/62- 7/17/61				Small Boy 3 rem/ quarter	Shot Small Boy: Aircrews: 3rem/ quarter	N/A		
PLOWSHARE Project Gnome (Carlsbad, 12/10/61 Sedan (NTS)	MH)			3 rem/quarter established by Test Director Sedan Shot		N/A		Sedan Maximum personnel exposure was 300 mR, Average was 250 mR

* Selected abbreviations used in this radiological matrix are:

AFB	Air Force Base
Cdr	Commander
CJTF	Commander Joint Task Force
DBM	Division of Biology and Medicine, AEC
DR	Desert Rock
FC	Field Command
FRC	Federal Radiation Council
H&N	Holmes and Narver, Inc.
ICRP	International Commission on Radiological Protection

APPENDIX C (Continued)

JTF Joint Task Force

MPE Maximum Permissible Exposure
NBS National Bureau of Standards

NCRP National Council on Radiation Protection and Measurements

NTS Nevada Test Site

R Roentgen

TD Test Director

TG Task Group

TM Test Manager

APPENDIX D

FOREIGN NUCLEAR DETONATIONS -- THROUGH DECEMBER 31, 1982*

SUMMARY

Total	Events	for	U.S.S.R.	-	314
Total	Events	for	Britain	-	35
Total	Events	for	France	-	43
Total	Events	for	China	-	25
Total	Events	for	India	-	1
Total	Events	for	Unknown	_	0

^{*}Prepared by Department of Energy, January 1983.

APPENDIX D

FOREIGN NUCLEAR DETONATIONS ** U.S.S.R. **

YIELD RANGE		First USSR Test	te 1.	te 1.	Thermonuclear	ď	te 1.	te 1.	te 1.	te 1.	Megaton Range
YIE		First	See Note 1.	See Note	Thermo	Fission	See Note 1.	See Note	See Note 1.	See Note 1.	Megato
ANNOUNCED BY	The date given is the date of announcement, not necessarily the shot date. These tests, announced by the AEC on 10/24/58, were of high yield, probably in the MT range. USSR denotes the explosion was in Soviet territory but the test site was not identified.		White House	White House			AEC	AEC	AEC	AEC	AEC See Note 1
TYPE	essarily the soft high yield out the test s	Atmos*	Atmos	Atmos	Atmos	Atmos detonated at N	Atmos inued at inter	Atmos	Atmos	Atmos	Atmos See
LOCATION	The date given is the date of announcement, not necessarily the shot date. These tests, announced by the AEC on 10/24/58, were of high yield, probablussR denotes the explosion was in Soviet territory but the test site was n	USSR	USSR	USSR	USSR	USSR Atmos ase equivalent to type detonated at NTS	10/26/54 USSR Part of a series that began in mid-September and continued at intervals to the announcement date	USSR the preceding few days	USSR nated	USSR nated	USSR
DATE	is the date on nounced by the explosion w	08/29/49	10/03/51	10/22/51	08/12/53	08/23/53 . Energy release	10/26/54 that began in ent date	08/04/55 detonated in	09/24/55 recently deto	11/10/55 recently deto	11/23/55
EVENT NAME	The date given These tests, ar USSR denotes th				Part of a series	Part of a series.	10/26/9 Part of a series that beg to the announcement date	08/04/55 Part of a series detonated in the	09/24/55 Part of a series recently detonated	11/10/55 Part of a series recently detonated	Part of a series
EVI	Note 1 Note 2 Note 3	Test	Test	Test	Test	Test	Test F	Test	Test	Test	Test F
						176					

^{*}Atmospheric

APPENDIX D (Continued)

	EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
Test		03/21/56 Part of a series detonated in prec	USSR seding few days	Atmos	AEC	See Note 1.
Test	, ,	04/02/56 Part of a series detonated in prec	USSR seding few days	Atmos	AEC	See Note 1.
Test	Part of a series	08/24/56	Siberia	Atmos		Less Than Megaton.
Test	Part of a series	08/30/26	Siberia	Atmos		Large
Test	Part of a series	09/02/56	USSR	Atmos		
Test	Part of a series	09/10/56	USSR	Atmos	Soviet Union	
Test	Part of a series	11/17/56	USSR	Atmos		Large
Test	Part of a series	01/19/57	USSR	Atmos		
Test	Part of a series	03/08/57	USSR	Atmos		
Test	Part of a series	04/03/57	USSR	Atmos		
Test	Part of a series	04/06/57	USSR	Atmos		

YIELD RANGE	Large		Large	Substantial	Moderate	Megaton Range	Substantial	Small		Megaton Range	Megaton Range	Large	Below Megaton Range	Below Megaton Range
ANNOUNCED BY					AEC See Note 1.		Soviet Union .ntial size.							
TYPE	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos f substa		Atmos	Atmos	Atmos	Atmos	Atmos	Atmos
LOCATION	USSR	USSR	Siberia tested so far this series	Siberia	Siberia two days	Arctic	10/06/57 USSR Amoounced by USSR as a hydrogen device. AEC said it was of substantial size.	Arctic	Siberia	Arctic	Arctic	Arctic	Arctic	Arctic
DATE	04/10/57	04/12/57	04/16/57 Largest tested	08/22/57	09/09/57 receding	09/24/57	10/06/57 as a hydr	10/10/57	12/28/57	02/23/58	02/27/58	02/27/58	03/14/58	03/14/58
EVENT NAME) Part of a series) Part of a series.		09/09/57 Detonated within preceding two days		Announced by USSR 8		. •))	3
Ħ	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test
						17	2							

APPENDIX D (Continued)

YIELD RANGE	Below Megaton Range	Small		Medium	Moderate to High	Moderate to High	Moderate	Moderate	Smaller Than 4 Above	Relatively Large	Large. See Note 2.	Large. See Note 2.	Large. See Note 2.	Small	Large. See Note 2.	Large. See Note 2.
ANNOUNCED BY																
TYPE	Atmos	Atmos	Atmos than the test the day before.	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos	Atmos
LOCATION	Arctic	Arctic		Arctic	Arctic	Arctic	Arctic	Arctic	Arctic	Arctic	Arctic	Arctic	Arctic	Arctic	Arctic	Arctic
DATE	03/15/58	03/20/58	03/21/58 Sit This detonation was in a larger range	03/22/58	06/30/28	06/30/28	10/02/58	10/02/58	10/05/58	10/10/58	10/12/58	10/15/58	10/18/58	10/19/58	10/20/58	10/22/58
EVENT NAME	Test	st	_	st	st	st	st	st	st	st	st	st	st	st	st	st
	Te	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test	Test

	EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
	Test	10/24/58	Arctic	Atmos		Large. See Note 2.
	Test	10/25/58	Arctic	Atmos		Relatively Large
	Test	11/01/58	Siberia	Atmos		Relatively Low
	Test	11/03/58	Siberia	Atmos		Relatively Low
	Test	09/01/61	Semipalatinsk	Atmos	White House	Intermediate Range
	Test	09/04/61	Semipalatinsk	Atmos	AEC	Low Kiloton Range
	Test	09/05/61	Semipalatinsk	Atmos	AEC	Low to Intermediate
102	Test	09/06/61	E of Stalingrad	Atmos	AEC	Low to Intermediate
	Test	09/10/61	Novaya Zemlya	Atmos	AEC	Several Megatons
	Test	09/10/61	Novaya Zemlya	Atmos	ABC	Low to Intermediate Kiloton Range
	Test	09/12/61	Novaya Zemlya	Atmos	AEC	Several Megatons
	Test	09/13/61	Semipalatinsk	Atmos	AEC	Low to Intermediate
	Test	09/13/61	Novaya Zemlya	Atmos	AEC	Low to Intermediate
	Test	09/14/61	Novaya Zemlya	Atmos	AEC	Several Megatons
	Test	09/16/61	Novaya Zemlya	Atmos	AEC	Order of a MT
	Test	09/17/61	Semipalatinsk	Atmos	AEC	Intermediate

APPENDIX D (Continued)

	H	EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
	Test	10/31/e Probably below a megaton	10/31/61 megaton	Novaya Zemlya	Atmos	AEC	Intermediate to High
	Test		11/02/61	Novaya Zemlya	Atmos	AEC	Low to Intermediate
	Test		11/02/61	Novaya Zemlya	Atmos	AEC	Low to Intermediate
	Test	11/04/61 On 12/09/61, AEC stated in a nuclear test series that the	11/04/61 No stated in a prelimin ies that the USSR had	Novaya Zemlya Atmos AEC preliminary analysis of the recent Soviet USSR had conducted approximately 50 atmospheric tests.	Atmos recent Soviet tely 50 atmos	AEC pheric tests.	Several Megatons
132	Test	Announced as appa detectability ev indicates it occi	Announced as apparently conducted well above the detectability even by a single national systemindicates it occurred underground.	W (1)	UG* AEC threshold of underground The absence of acoustic signals	AEC und ic signals	
	Test	On 08/06/62, the conducted a few o	08/05/62 AEC stated that t days prior to the	08/05/62 Novaya Zemlya Atmos Al On $08/06/62$, the AEC stated that tests in the low kiloton range had been conducted a few days prior to the test on $08/05/62$.	Atmos range had be	AEC en	30 Megatons
	Test		08/01/62	Central Siberia	Atmos	AEC	Low Kiloton
	Test		08/10/62	Novaya Zemlya	Atmos	AEC	Less Than 1 MT
	Test		08/20/62	Novaya Zemlya	Atmos	AEC	Order of Several MTs
	Test		08/22/62	Novaya Zemlya	Atmos	AEC	Low Megaton
	Test		08/25/62	Novaya Zemlya	Atmos	AEC	Order Several MTs
	Test		08/25/62	Semipalatinsk	Atmos	AEC	Low
	*Unde:	*Underground.					

APPENDIX D (Continued)

FOREIGN NUCLEAR DETONATIONS ** U.S.S.R. **

Н	EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
Test		08/27/62	Novaya Zemlya	Atmos	AEC	Several Megatons
Test		09/02/62	Novaya Zemlya	Atmos	AEC	Intermediate
Test	AEC announced thi tests are not spe	09/08/62 M this was the 10th speci specifically announced	ovaya Zemlya ific test in the and a number of	Atmos current series, additional test	Atmos AEC current series, but all detected additional tests had been conducted.	Megaton Range
Test		09/15/62	Novaya Zemlya	Atmos	AEC	Several Megatons
Test		09/16/62	Novaya Zemlya	Atmos	AEC	Several Megatons
Test		09/18/62	Novaya Zemlya	Atmos	AEC	A Few Megatons
Test	09/19/62 Nov Announced by AEC as the 2nd largest at the 4th multimegaton test in the past	09/19/62 as the 2nd larg iton test in the	Atmos Amounced by AEC as the 2nd largest atmospheric test in the current the 4th multimegaton test in the past 5 days.	Atmos in the current	AEC series and	Multimegaton
Test		09/21/62	Novaya Zemlya	Atmos	AEC	A Few Megatons
Test	09/25/62 No Slightly larger than test on 09/19/62	09/25/62 than test on 09/	Novaya Zemlya 19/62	Atmos	AEC .	Multimegaton
Test		09/27/62	Novaya Zemlya	Atmos	AEC	Less Than 30 MT
Test		10/07/62	Novaya Zemlya	Atmos	AEC	Intermediate
Test		10/14/62	Semipalatinsk	Atmos	AEC	Low Yield Range
Test		10/22/62	Central Asia	HA*	AEC	A Few Hundred KT
*High	*High altitude.					

12/18/62Novaya ZemlyaAtmosAtmosAECIntermediate12/20/62Novaya ZemlyaAtmosAECLow12/22/62Novaya ZemlyaAtmosAECIntermediate

APPENDIX D (Continued)

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
Test AEC 12/26/62 and The largest was	12/23/62 nouncement said a about 20 MT; the	12/23/62 Novaya Zemlya Atmos AEC 12/26/62 announcement said a number of atmospheric tests were held The largest was about 20 MT; the others were low to a few megatons.	Atmos tests were held few megatons.	AEC during 12/23-25/62.	See Comment Below.
Test	12/24/62	Novaya Zemlya	Atmos	AEC	About 20 Megatons
Test	12/25/62	Novaya Zemlya	Atmos	AEC	See Comment Above.
Seismic Signal	09/18/64	Novaya Zemlya	DO	ACDA	Low
Seismic Signal	10/25/64	Novaya Zemlya	DC	ACDA	Low
Seismic Signal	11/16/64	Semipalatinsk	9 0	AEC	Low to Low Interm
Test	01/15/65	Semipalatinsk	90	AEC	Intermediate
Seismic Signals	03/03/65	Semipalatinsk	9 0	AEC	Low to Low Interm
Seismic Signals	10/08/65	Semipalatinsk	DC	AEC	Low to Low Interm
Seismic Signals	11/21/65	Semipalatinsk	DO.	AEC	Low to Low Interm
Seismic Signals	02/13/66	Semipalatinsk	DC	AEC	Low Intermediate
Seismic Signals	03/20/66	Semipalatinsk	90	AEC	To Intermediate
Seismic Signals	04/21/66	Semipalatinsk	90	AEC	Low
Seismic Signals William C. Foste the US recorded	c Signals 06/29/66 USSR William C. Foster stated on 7/07/66 that the US recorded seismic signals from the	as recently as Soviet nuclear	UG 8 days ago testing area.	ACDA	Low Intermediate

YIELD RANGE	Low to Intermediate	Intermediate to High	Low Intermediate	Intermediate	Low Intermediate	Low Intermediate	Intermediate	Low	Low	Low Intermediate	Low Intermediate	Low Intermediate	Intermediate	Low	Low Intermediate
ANNOUNCED BY	AEC	AEC	AEC	AEC	AEC	AEC	AEC	AEC	AEC	AEC	AEC	AEC	AEC	AEC	AEC
TYPE	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90
LOCATION	Semipalatinsk	Novaya Zemlya	Semipalatinsk	Semipalatinsk	Semipalatinsk	Semipalatinsk	Novaya Zemlya	Semipalatinsk	Semipalatinsk	Semipalatinsk	N of Caspian Sea	Semipalatinsk	Novaya Zemlya	Semipalatinsk	Semipalatinsk
DATE	10/19/66	10/27/66	12/18/66	02/26/67	04/20/67	10/17/67	10/21/67 cange	04/24/68	06/11/68	06/19/68	07/01/68	89/02/60	11/07/68 range	12/18/68	69/10/60
EVENT NAME	Seismic Signals	Test	Test	Seismic Signals	Seismic Signals	Seismic Signals	Seismic Signals Cower end of range	Seismic Signals	Seismic Signals	Seismic Signals	Seismic Signals	Seismic Signals	Seismic Signals Lower end of range	Seismic Signals	Seismic Signals

	EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
	Seismic Signals	05/16/69	Semipalatinsk	90	AEC	Low Intermediate
	Seismic Signals	05/31/69	Semipalatinsk	9n	AEC	Low
	Seismic Signals	07/23/69	Semipalatinsk	90	AEC	Low Intermediate
	Seismic Signals	69/80/60	Ural Area	nc	AEC	Low
	Seismic Signals	09/11/69	Semipalatinsk	nc	AEC	Low
	Seismic Signals	69/56/60	S of Volvograd	90	AEC	Low Intermediate
]	Seismic Signals	10/01/69	Semipalatinsk	90	AEC	Low Intermediate
187	Seismic Signals	10/14/69	Novaya Zemlya	90	AEC	Intermediate
	Seismic Signals	11/30/69	Semipalatinsk	90	AEC	Intermediate
	Seismic Signals South of Urals	12/06/69	Kazakh Desert	90	ABC	Low Intermediate
	Seismic Signals	12/28/69	Semipalatinsk	90	AEC	Low Intermediate
	Seismic Signals	01/29/70	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	06/28/70	Semipalatinsk	9n	AEC	20 to 200 KT
	Seismic Signals	07/21/70	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	07/24/70	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	02/90/60	Semipalatinsk	90	AEC	20 to 200 KT

APPENDIX D (Continued)

	EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
	Test	10/14/70	Novaya Zemlya	5 0	AEC	3 to 6 Megatons
	Seismic Signals	11/04/70	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	12/12/70	Kazakh Desert	9n	AEC	200 KT to 1 MT
	Seismic Signals	12/17/70	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	12/23/70	Kazakh Desert	90	AEC	200 KT to 1 MT
	Seismic Signals	03/22/71	Semipalatinsk	90	AEC	20 to 200 KT
188	Seismic Signals	03/23/71	Ural Area	90	AEC	20 to 200 KT
3	Seismic Signals	04/25/71	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	06/06/71	Semipalatinsk	ne	AEC	20 to 200 KT
	Seismic Signals	06/19/71	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	06/30/71	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals Western Slopes of	07/10/71 Ural Mountains	Ural Area	90	AEC	20 to 200 KT
	Test	09/27/71	Novaya Zemlya	nc	AEC	2 to 4 Megatons
	Seismic Signals	10/09/71	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	10/21/71	Semipalatinsk	ng	AEC	20 to 200 KT

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
Seismic Signals	12/10/72	Semipalatinsk	90	AEC	20 to 200 KT
Seismic Signals	12/10/72	Semipalatinsk	90	AEC	200 KT to 1 MT
Seismic Signals	02/16/73	Semipalatinsk	ne	AEC	20 to 200 KT
Seismic Signals	04/19/73	Semipalatinsk	90	AEC	20 to 200 KT
Seismic Signals	07/10/73	Semipalatinsk	90	AEC	20 to 200 KT
Test	07/23/73	Semipalatinsk	90	AEC	200 KT to 1 MT
Seismic Signals	08/15/73	NW of Tashkent	9n	AEC	20 to 200 KT
Seismic Signals	08/28/73	Kazakh Desert	90	AEC	20 to 200 KT
Test	09/12/73	Novaya Zemlya	90	AEC	6 Megatons
Seismic Signals	09/19/73	Kazakh Desert	90	AEC	20 to 200 KT
Seismic Signals	09/27/73	Novaya Zemlya	90	AEC	20 to 200 KT
Seismic Signals	09/30/73	Ural Area	90	AEC	20 to 200 KT
Seismic Signals	10/26/73	Semipalatinsk	90	AEC	20 to 200 KT
Seismic Signals	10/26/73	Ural Area	90	AEC	Less Than 20 KT
Test	10/27/73	Novaya Zemlya	90	AEC	3 to 6 MT
Seismic Signals	12/14/73	Semipalatinsk	90	AEC	200 KT to 1 MT

APPENDIX D (Continued)

5

	EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
	Seismic Signals	01/30/74	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	05/16/74	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	05/31/74	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	08/14/74	Tazovskiv Penins	90	AEC	20 to 200 KT
	Test	08/29/74	Novaya Zemlya	90	AEC	1 to 3 Megatons
	Seismic Signals	10/16/74	Semipalatinsk	90	AEC	20 to 200 KT
19	Test	11/02/74	Novaya Zemlya	90	AEC	3 to 4 Megatons
1	Seismic Signals	12/27/74	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	02/20/75	Semipalatinsk	99	AEC	20 to 200 KT
	Seismic Signals	03/11/75	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	04/27/75	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	06/08/75	Semipalatinsk	90	AEC	20 to 200 KT
	Seismic Signals	08/07/75	Semipalatinsk	99	AEC	20 to 200 KT
	Test	08/23/75	Novaya Zemlya	90	AEC	Multimegaton
	Test	10/18/75	Novaya Zemlya	90	AEC	Multimegaton
	Test	10/21/75	Novaya Zemlya	90	ABC	Multimegaton

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
Seismic Signals	10/29/75	Semipalatinsk	DO	AEC	20 to 200 KT
Seismic Signals	12/25/75	Semipalatinsk	DN.	AEC	20 to 200 KT
Seismic Signals	04/21/76	Semipalatinsk	90	ERDA	20 to 150 KT
Seismic Signals	92/80/90	Semipalatinsk	ng	ERDA	20 to 150 KT
Seismic Signals	07/04/76	Semipalatinsk	90	ERDA	Not Given
Seismic Signals	07/29/76	N of Caspian Sea	ng	ERDA	Not Given
Seismic Signals	08/28/76	Semipalatinsk	ΩC	ERDA	Not Given
765 Test	09/29/76	Novaya Zemlya	DO	ERDA	Not Given
Seismic Signals	10/20/76	Novaya Zemlya	501	ERDA	Not Given
Seismic Signals	11/05/76	Central Siberia	ng	ERDA	Not Given
Seismic Signals	11/23/76	Semipalatinsk	ng	ERDA	Not Given
Seismic Signals	12/06/76	Semipalatinsk	ng	ERDA	Not Given
Seismic Signals	03/29/77	Semipalatinsk	nG	ERDA	Not Given
Seismic Signals	05/29/77	Semipalatinsk	Ω	ERDA	Not Given
Seismic Signals	06/29/77	Semipalatinsk	90	ERDA	Not Given
Seismic Signals	07/26/77	Central Siberia	ŊĠ	ERDA	Not Given

APPENDIX D (Continued)

YIELD RANGE Not Given ANNOUNCED BY ERDA ERDA ERDA ERDA DOE DOE DOE DOE DOE DOE DOE DOE DE. DOE DOE DŒ TYPE 2 2 2 2 20 9 2 9 2 2 2 2 2 2 2 9 N Central Siberia N of Caspian Sea Central Siberia Eastern Siberia Semipalatinsk Novaya Zemlya Semipalatinsk Semipalatinsk Semipalatinsk Semipalatinsk Semipalatinsk Novaya Zemlya Semipalatinsk Semipalatinsk Semipalatinsk Semipalatinsk LOCATION 03/26/78 04/22/78 06/11/78 07/28/78 11/30/77 08/20/77 09/05/77 09/30/77 07/05/78 09/01/77 82/60/80 08/10/78 10/29/77 03/19/78 08/24/78 10/29/77 DATE Seismic Signals EVENT NAME

APPENDIX D (Continued)

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
Seismic Signals	08/29/78	Semipalatinsk	DO.	DOE	Not Given
Seismic Signals	09/15/78	Semipalatinsk	90	DOE	Not Given
Seismic Signals	09/21/78	NW Siberia	nc	DOE	Not Given
Seismic Signals	09/27/78	Novaya Zemlya	50	DOE	Not Given
Seismic Signals	10/17/78	N of Caspian Sea	90	DOE	Not Given
Seismic Signals	10/17/78	Far NW Siberia	50	DOE	Not Given
Seismic Signals	10/31/78	Semipalatinsk	90	DOE	Not Given
Seismic Signals	11/04/78	Semipalatinsk	90	DOE	Not Given
Seismic Signals	11/29/78	Semipalatinsk	90	DOE	Not Given
Seismic Signals	11/29/78	Semipalatinsk	DO.	DOE	Not Given
Seismic Signals	12/18/78	N of Caspian Sea	90	DOE	Not Given
Seismic Signals	01/17/79	N of Caspian Sea	90	DOE	Not Given
Seismic Signals	02/01/79	Semipalatinsk	90	DOE	Not Given
Seismic Signals	02/16/79	Semipalatinsk	DO.	DOE	Not Given
Seismic Signals	06/23/79	Semipalatinsk	50	DOE	Not Given
Seismic Signals	62/20/20	Semipalatinsk	90	DOE	Not Given

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
Seismic Signals	07/14/79	Semipalatinsk	90	DOE	Not Given
Seismic Signals	08/04/79	Semipalatinsk	Ðn	DOE	Not Given
Seismic Signals	08/18/79	Semipalatinsk	90	DOE	Not Given
Seismic Signals	09/24/79	Novaya Zemlya	5 0	DOE	Not Given
Seismic Signals	10/04/79	E of Ural Mountains	90	DOE	Not Given
Seismic Signals	10/18/79	Novaya Zemlya	90	DOE	Not Given
Seismic Signals	10/24/79	N of Caspian Sea	20	DOE	Not Given
Seismic Signals	10/28/79	Semipalatinsk	99	DOE	Not Given
Seismic Signals	12/02/79	Semipalatinsk	90	DOE	Not Given
Seismic Signals	12/23/79	Semipalatinsk	90	DOE	Not Given
Seismic Signals	04/25/80	Semipalatinsk	90	DOE	Not Given
Seismic Signals	05/22/80	Semipalatinsk	90	DOE	Not Given
Seismic Signals	06/12/80	Semipalatinsk	90	DOE	Not Given
Seismic Signals	06/29/80	Senipalatinsk	9n	DOE	Not Given
Seismic Signals	09/14/80	Semipalatinsk	Sn C	DOE	Not Given
Seismic Signals	10/11/80	Semipalatinsk	90	DOE	Not Given

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
Seismic Signals	10/12/80	Semipalatinsk	90	DOE	Not Given
Seismic Signals	11/01/80	N Central Siberia	90 100	DOE	Not Given
Seismic Signals	12/14/80	Semipalatinsk	nc	DOE	Not Given
Seismic Signals	12/27/80	Semipalatinsk	nc	DOE	Not Given
Seismic Signals	03/28/81	Semipalatinsk	DC	DOE	Not Given
Seismic Signals	04/21/81	Semipalatinsk	DC	DOE	Not Given
Seismic Signals	05/25/81	NW USSR	90	DOE	Not Given
Seismic Signals	05/26/81	Semipalatinsk	DC	DOE	Not Given
Seismic Signals	09/12/81	Semipalatinsk	90	DOE	Not Given
Seismic Signals	10/01/81	Novaya Zemlya	90	DOE	Not Given
Seismic Signals	10/17/81	Semipalatinsk	nc	DOE	Not Given
Seismic Signals	11/28/81	Semipalatinsk	90	DOE	Not Given
Seismic Signals	12/26/81	Semipalatinsk	90	DOE	Not Given
Seismic Signals	04/24/82	Semipalatinsk	DC	DOE	Not Given
Seismic Signals	07/03/82	Semipalatinsk	ne	300	Not Given
Seismic Signals	08/30/82	Semipalatinsk	90	DOE	Not Given
Seismic Signals	10/11/82	Novaya Zemlya	90	DOE	Not Given
Seismic Signals	12/04/82	Semipalatinsk	90	DOE	Not Given
Seismic Signals	12/25/82	Semipalatinsk	90	DOE	Not Given

FOREIGN NUCLEAR DETONATIONS ** BRITAIN **

	EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
	HURRICANE	10/03/52	Monte Bello Is	Ship	First UK Test	Kiloton Range
	TOTEM	10/14/53	Woomera	Tower		Kiloton Range
	TOTEM	10/26/53	Woomera	Tower		Kiloton Range
	MOSAIC	05/16/56	Monte Bello Is	Tower		Kiloton Range
	MOSAIC	06/19/56	Monte Bello Is	Tower		Kiloton Range
	BUFFALO	09/27/56	Maralinga	Tower		Kiloton Range
1	BUFFALO	10/04/56	Maralinga	Surface		Low
.97	BUFFALO	10/11/56	Maralinga	Air	First Air Drop	Low
	BUFFALO	10/22/56	Maralinga	Tower		Kiloton Range
	GRAPPLE 1957	05/15/57	Christmas Is	Air		Megaton Range
	GRAPPLE 1957	05/31/57	Christmas Is	Air		Megaton Range
	GRAPPLE 1957	06/19/57	Christmas Is	Air		Megaton Range
	GRAPPLE 1957	11/08/57	Christmas Is	Air		Megaton Range
	ANTLER	09/14/57	Maralinga	Tower		Low
	ANTLER	09/25/57	Maralinga	Tower		Kiloton Range
	ANTLER	10/09/57	Maralinga	Balloon		Kiloton Range
	GRAPPLE 1958	04/28/58	Christmas Is	Air		Megaton Range

FOREIGN NUCLEAR DETONATIONS ** BRITAIN **

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
GRAPPLE 1958	08/22/58	Christmas Is	Balloon		Kiloton Range
GRAPPLE 1958	09/02/58	Christmas Is	Air		Megaton Range
GRAPPLE 1958	09/11/58	Christmas Is	Air		Megaton Range
GRAPPLE 1958	09/23/58	Christmas Is	Balloon		Kiloton Range
PAMPAS	03/01/62	NTS	90	Joint US-UK	Low
TENDRAC	12/07/62	NTS	90	Joint US-UK	Low
CORMORANT	07/17/64	NTS	nc	Joint US-UK	Low
CHARCOAL	09/19/65	NTS	ne	Joint US-UK	20 to 200 KT
FALLON	05/23/74	NTS	90	Joint US-UK	20 to 200 KT
BANON	08/26/76	NTS	ne	Joint US-UK	20 to 150 KT
FONDUITA	04/11/78	NTS Pahute	90	Joint US-UK	20 to 150 KT
QUARGEL	11/18/78	NTS	90	Joint US-UK	20 to 150 KT
NESSEL	08/29/79	NTS	nc	Joint US-UK	20 to 150 KT
COLWICK	04/26/80	NTS	nc	Joint US-UK	20 to 150 KT
DUTCHESS	10/24/80	NTS	90	Joint US-UK	Less Than 20 KT
SERPA	12/17/80	NTS	ne	Joint US-UK	20 to 150 KT
ROUSANNE	11/12/81	NTS	ne	Joint US-UK	20 to 150 KT
GIBNE	04/25/82	NTS	nc	Joint US-UK	20 to 150 KT

APPENDIX D (Continued)

õ

FOREIGN NUCLEAR DETONATIONS ** FRANCE **

EVENT NAME DATE 02/13/60 First test of a nuclear of a n	DATE LOCATION 02/13/60 Reggan nuclear device by France. 04/01/68 Reggan 12/27/60 Reggan 04/25/61 Reggan 11/07/61 Sahara 05/01/62 Sahara 03/30/63 Sahara 02/14/64 Sahara 06/15/64 Sahara 02/27/65 Sahara 05/30/65 Sahara 05/30/65 Sahara 05/30/65 Sahara 05/30/65 Sahara	TYPE Tower 350 feet high Surface Tower UG UG UG UG UG UG UG UG UG U	ANNOUNCED BY	YIELD RANGE 60-70 KT Small Small Weak Weak Weak Weak Weak Weak Weak Weak
12/01/65	Sahara	90		Weak
02/16/66	Sahara	90		Weak

FOREIGN NUCLEAR DETONATIONS ** FRANCE **

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
	07/02/66	Mururoa	Barge		Small
	07/19/66	Mururoa	Air		Small
	09/11/66	Mururoa	Balloon		Small
	09/24/66	Fangataufa	Barge		Small
	10/04/66	Mururoa	Barge		200-300 KT
	06/05/67	Mururoa	Balloon		Sma.11
9	06/27/67	Mururoa	Balloon		Small
200	07/02/67	Mururoa	Balloon		Small
	89/10/10	Mururoa	Balloon		Small
	07/15/68	Mururoa	Balloon		0.5 Megaton
	89/69/80	Mururoa	Balloon		Low Intermediate
	08/24/68	Fangataufa	Balloon	First H-Bomb	Low Megaton
	89/80/60	Mururoa	Balloon	Second H-Bomb	Low Megaton
ANDROMEDE	05/15/70	Mururoa	Balloon		Intermediate
CASSIOPEE	05/22/70	Mururoa	Balloon		Intermediate
DRAGON	05/30/70	Fangataufa	Balloon	Megaton Range	Intermediate
ERIDAN	06/24/70	Mururoa	Balloon		Low

APPENDIX D (Continued)

FOREIGN NUCLEAR DETONATIONS ** FRANCE **

YIELD RANGE	1 Megaton	Low	Low Intermediate	Intermediate	Low	Intermediate	Low	Low	High
ANNOUNCED BY	Hydrogen Bomb								
TYPE	Balloon	Balloon	Balloon	Balloon	Atmos	Atmos	Atmos	Atmos	Atmos
LOCATION	Mururoa	Mururoa	Fangataufa	Mururoa	Mururoa	Mururoa	Mururoa	Mururoa	Mururoa
DATE	07/03/70	07/27/70	08/02/70	08/06/70	06/05/71	06/12/71	07/04/71	08/08/71	08/14/71
EVENT NAME	LICORNE	PEGASE	ORION	TOJOAN	DIONE	ENCEL ADE	D JAPET	PHOEBE	RHEA

FOREIGN NUCLEAR DETONATIONS ** CHINA **

EVENT NAME	DATE	LOCATION	TYPE	ANNOUNCED BY	YIELD RANGE
10/16/64 First Chinese Communist Test.		LOP NOR Fission. U-235	Atmos	White House	LOW
	05/14/65	LOP NOR	Atmos	State Department	Higher Than First Test
Fission. U-235.	05/09/66 Thermonuclear	05/09/66 LOP NOR Thermonuclear material involved.	Atmos Low end of range	State Department	Low Intermediate
U-235	10/27/66	LOP NOR	Atmos	AEC	Low-Low Intermediate
U-235. Thermonuc	12/28/66 LOP N Thermonuclear material involved	LOP NOR nvolved	Atmos	AEC	Few Hundred KTs
Thermonuclear	06/17/67	LOP NOR	Atmos	AEC	Several Megatons
	12/24/67	LOP NOR	Atmos	AEC	Low
12, Thermonuclear device	12/27/68 vice	LOP NOR	Atmos	AEC	About 3 Megatons
	09/22/60	LOP NOR	90	AEC	Low Intermediate
	09/53/69	LOP NOR	Atmos	AEC	About 3 Megatons
	10/14/70	LOP NOR	Atmos	AEC	About 3 Megatons
	11/18/71	LOP NOR	Atmos	AEC	About 20 KT
	01/07/72	LOP NOR	Atmos	AEC	Less Than 20 KT
	03/18/72	LOP NOR	Atmos	AEC	20 to 200 KT

APPENDIX D (Continued)

FOREIGN NUCLEAR DETONATIONS ** CHINA **

YIELD RANGE	2 to 3 Megatons	200 KT to 1 MT	ıan 20 KT		,00 KT		About 4 Megatons	Less Than 20 KT	Than 20 KT	Less Than 20 KT	200 KT to 1 MT
YIEL	2 to 3	200 KT	Less Than 20	Low	20 to 200 KT	Low	About 4	Less Th	Less Th	Less Th	200 KT
ANNOUNCED BY	AEC	AEC	AEC	ERDA	ERDA	ERDA	ERDA	ERDA	DOE	DOE	DOE
TYPE	Atmos	Atmos	90	Atmos	Atmos	90	Atmos	Atmos	Atmos	Atmos	Atmos
LOCATION	LOP NOR	LOP NOR	LOP NOR	LOP NOR	LOP NOR	LOP NOR	LOP NOR Largest one detected	LOP NOR	LOP NOR	LOP NOR	LOP NOR
DATE	06/26/73	06/17/74	10/26/75	01/23/76	09/26/76	10/17/76	11/17/76 4th Chinese test this year.	09/17/77	03/15/78	12/14/78	10/16/80
EVENT NAME							4th Chinese ta				
Ħ							2.5	Test	Test	Test	Test
							20	3			

FOREIGN NUCLEAR DETONATIONS ** INDIA **

YIELD RANGE	10 to 15 KT
ANNOUNCED BY	
TYPE	90
LOCATION	Northern India Raiasthan Desert
DATE	05/17/74 First nuclear test by India.
EVENT NAME	First nuclear

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

U.S. Military Academy

ATTN: Director of Libraries

DEPARTMENT OF THE NAVY Armed Forces Staff College Aviation History Unit ATTN: Library ATTN: Library Asst. Secy of Defense Bureau of Medicine and Surgery ATTN: Asst. for Medical Surgery Public Affairs ATTN: PAO James Carson Breckinridge Lib Asst to the Secy of Defense ATTN: Library Div Atomic Energy ATTN: Executive Asst ATTN: Military Applications Marine Corps Base ATTN: Document Custodian Defense Nuclear Agency Marine Corps Dev & Education Command ATTN: PAO ATTN: J. C. Breckinridge Lib ATTN: GC ATTN: BA Marine Corps Historical Center 30 cy ATTN: NTPR 2 cy ATTN: Code HDH-2 25 cy ATTN: TITL Marine Corps Nuc Test Personnel Review Defense Tech Info Center ATTN: Code MSRB-60 12 cy ATTN: DD Merchant Marine Academy Field Command ATTN: Director of Libraries Defense Nuclear Agency ATTN: FCTT, W. Summa Naval Historical Center ATTN: FCLS, MAJ D. Norton ATTN: FCTT, G. Ganong ATTN: FCLS ATTN: Operational Archives Branch Naval Hospital Corps School ATTN: FCTXE ATTN: Library Interservice Nuclear Weapons School Naval Ocean Systems Center ATTN: TTV ATTN: Library National Defense University Naval Oceanographic Office ATTN: ICAF, Tech Library ATTN: Code 025, Historian DEPARTMENT OF THE ARMY Naval Postgraduate School ATTN: Code 1424, Library Army Library ATTN: Military Documents Sect Naval Research Laboratory ATTN: Library Army Nuclear Test Personnel Review ∠ cy ATTN: DAAG-AMR, R. Tago Naval School ATTN: Librarian U.S. Army Center of Military History ATTN: DAMH-HSO Naval Sea Systems Command ATTN: Nuclear Technology Div U.S. Army Chemical School ATTN: ATZN-CM-AL ATTN: ATZN-CM-CS Naval Surface Weapons Center ATTN: Library U.S. Army Comd & General Staff College Naval War College ATTN: Professor 8 Libraries ATTN: Library U.S. Army Nuclear & Chemical Agency Naval Weapons Center ATTN: Code 343 (FKA6A2) Tech Svcs ATTN: Library U.S. Army War College Naval Weapons Evaluation Facility ATTN: Library ATTN: Library

DEPARTMENT OF THE NAVY (Continued)

Navy Department Library ATTN: Librarian

Navy Nuclear Power School ATTN: Library

Navy Nuclear Test Personnel Review 2 cy ATTN: W. Loeffler

Nimitz Library ATTN: Documents & Reports Dept

Office of the Judge Adv Gen ATTN: Code 73

U.S. Merchant Marine Academy ATTN: Librarian

U.S. Naval Air Station Library ATTN: Library

DEPARTMENT OF THE AIR FORCE

Aerospace Defense Command ATTN: Historian

Air Force Communications Command ATTN: Historian

Air Force Institute of Technology ATTN: Library

Air Force Logistics Command ATTN: Historian

Air Force Nuclear Test Personnel Review ATTN: HQ USAF/SGES

Air Force Systems Command ATTN: Historian

Air Force Technical Applications Ctr ATTN: Historian

Air Force Weapons Laboratory ATTN: Tech Library

Air National Guard ATTN: Historian

Air Training Command ATTN: Historian

Air University Library ATTN. AUL-LSE

Military Airlift Command ATTN: Historian

Pacific Air Forces ATTN: Historian

Strategic Air Command ATTN: Historian

ATTN: NRI-STINFO, Library

DEPARTMENT OF THE AIR FORCE (Continued)

Tactical Air Command ATTN: Historian

U.S. Air Force Academy Library ATTN: Library

U.S. Air Force Occupational & Env Health Lab ATTN: NTPR

USAF School of Aerospace Medicine ATTN: Strughold Library

DEPARTMENT OF ENERGY

Department of Energy ATTN: OMA

Nevada Operations Office ATTN: Health Physics Div 2 cy ATTN: R. Nutley

Human Health & Assessments Div ATTN: Librarian

DEPARTMENT OF ENERGY CONTRACTORS

Holmes & Narver, Inc ATTN: JNATDR, Mr Greene

Lawrence Livermore National Lab ATTN: Technical Info Dept Library

Los Alamos National Laboratory ATTN: M. Walz, ADLA MS A183 ATTN: D. Cobb, ESS MSS D466 2 cy ATTN: Library 2 cy ATTN: ADPA MMS 195

Reynolds Electrical & Engr Co, Inc ATTN: CIC ATTN: W. Brady

Sandia National Lab ATTN: Central Library ATTN: W. Hereford

OTHER GOVERNMENT AGENCIES

U.S. Public Health Service ATTN: G. Caldwell

Central Intelligence Agency ATTN: Office of Medical Services

Dept of Health & Human Svcs ATTN: Office of General Counsel

Exec Ofc of the President Management & Budget Ofc Lib ATTN: Librarian

Library of Congress
ATTN: Library Service Division
ATTN: Attached & Technology Div ATTN: Science & Technology Div ATTN: Serial & Govt Publication

OTHER GOVERNMENT AGENCIES (Continued) OTHER GOVERNMENT AGENCIES (Continued) National Archives Veterans Administration - RO ATTN: Librarian San Francisco, CA ATTN: Director National Atomic Museum ATTN: Historian Veterans Administration - RO Denver, CO ATTN: Director Department of Commerce ATTN: Librarian Veterans Administration - RO Hartford, CT Occupational Safety & Health Admin ATTN: Library ATTN: Director Office of Health & Disability Veterans Administration - RO ATTN: R. Copeland Wilmington, DE ATTN: Director Office of Workers Compensation Pgrm ATTN: R. Larson Veterans Administration - RO St. Petersburg, FL ATTN: Director U.S. Coast Guard Academy Library ATTN: Librarian Veterans Administration - RO U.S. House of Representatives Atlanta, GA 2 cy ATTN: Committee on Armed Services ATTN: Director U.S. House of Representatives Veterans Administration - RO ATTN: Subcommittee on Health & Envir Honolulu, HI ATTN: Director U.S. Senate ATTN: Committee on Veterans Affairs Veterans Administration - RO Chicago, IL ATTN: Director U.S. Senate ATTN: Committee on Veterans Affairs Veterans Administration - RO Veterans Administration - RO Seattle, WA Providence, RI ATTN: Director ATTN: Director Veterans Administration - RO Indianapolis, IN Veterans Administration Washington, D.C. ATTN: Director ATTN: Board of Veteran Appeal Veterans Administration - RO Veterans Administration - Ofc Central Des Moines, IA Washington, D.C. ATTN: Dept Veterans Benefit, Central Ofc ATTN: Director ATTN: Director Veterans Administration - RO Wichita, KS Veterans Administration - RO ATTN: Director Montgomery, AL ATTN: Director Veterans Administration - RO Louisville, KY Veterans Administration - RO ATTN: Director Anchorage, AK ATTN: Director Veterans Administration - RO New Orleans, LA ATTN: Director Veterans Administration - RO Phoenix, AZ ATTN: Director Veterans Administration - RO Togus, ME Veterans Administration - RO ATTN: Director Little Rock, AR ATTN: Director Veterans Administration - RO Baltimore, MD Veterans Administration -RO ATTN: Director

Veterans Administration - RO

ATTN: Director

Boston, MA

Los Angeles, CA ATTN: Director

OTHER GOVERNMENT AGENCIES (Continued)

Veterans Administration - RO St. Paul, MN ATTN: Director

Veterans Administration - RO Jackson, MS ATTN: Director

Veterans Administration - RO Huntington, WV ATTN. Director

Veterans Administration - RO St. Louis, MO ATTN: Director

Veterans Administration - RO Fort Harrison, MT ATTN: Director

Veterans Administration - RO Lincoln, NE ATTN: Director

Veterans Administration - RO Reno, NV ATTN: Director

Veterans Administration - RO Manchester, NH ATTN: Director

Veterans Administration - RO Newark, NJ ATTN: Director

Veterans Administration - RO Milwaukee, WI ATTN: Director

Veterans Administration - RO Albuquerque, NM ATTN: Director

Veterans Administration - RO Buffalo, NY ATTN. Director

Veterans Administration -RO New York, NY ATTN: Director

Veterans Administration -RO Winston Salem, NC ATTN. Director

Veterans Administration - RO Fargo, ND ATTN: Director

Veterans Administration - RO Cleveland, OH ATTN: Director

Veterans Administration - RO Muskogee, OK ATTN: Director

OTHER GOVERNMENT AGENCIES (Continued)

Veterans Administration - RO Portland, OR ATTN: Director

Veterans Administration - RO Pittsburgh, PA ATTN: Director

Veterans Administration - RO Philadelphia, PA ATTN: Director

Veterans Administration - RO APO San Francisco ATTN. Director

Veterans Administration - RO San Juan, Puerto Rico ATTN: Director

Veterans Administration - RO Columbia, SC ATTN: Director

Veterans Administration - RO Sioux Falls, SD ATTN: Director

Veterans Administration - RO Houston, TX ATTN: Director

Veterans Administration - RO Waco, TX ATTN: Director

Veterans Administration - RO Salt Lake City, UT ATTN: Director

Veterans Administration - RO White River Junction, VT ATTN: Director

Veterans Administration - RO Roanoke, VA ATTN. Director

Veterans Administration - RO Cheyenne, WY ATTN: Director

Veterans Administration - RO San Diego, CA ATTN: Director

Veterans Administration - RO Boise, ID ATTN: Director

Veterans Administration - RO Detroit, MI ATTN: Director OTHER GOVERNMENT AGENCIES (Continued)

Veterans administration - RO Nashville, TN

ATTN: Director

The White House

ATTN: Domestic Policy Staff

DEPARTMENT OF DEFENSE CONTRACTORS

Advanced Research & Applications Corp

ATTN: H. Lee

JAYCOR

ATTN: A. Nelson

10 cy ATTN: Health & Environment Div

Kaman Tempo

ATTN: E. Martin

ATTN: DASIAC

Kaman Tempo

ATTN: R. Miller

Kaman Tempo

10 cy ATTN: C. Jones

National Academy of Sciences

ATTN: C. Robinette ATTN: Medical Follow-up Agency

ATTN: National Materials Advisory Board

Pacific-Sierra Research Corp

ATTN: H. Brode, Chairman SAGE

R & D Associates

ATTN: P. Haas

Science Applications, Inc

ATTN: Tech Library

Science Applications, Inc.

10 cy ATTN: L. Novotney

OTHER

Adams State College ATTN: Govt Publication Lib

Akron Public Library

ATTN: Govt Publication Librarian

Alabama St Dept of Archives & History

ATTN: Military Records Division

University of Alabama

ATTN: Reference Dept/Documents

University of Alaska

ATTN: Director of Libraries

University of Alaska

ATTN: Govt Publication Librarian

OTHER (Continued)

Albany Public Library

ATTN: Librarian

Alexander City State Jr College

ATTN: Librarian

Allegheny College

ATTN: Librarian

Allen County Public Library

ATTN: Librarian

Altoona Area Public Library

ATTN: Librarian

American Statistics Index

ATTN: Cathy Jarvey

Anaheim Public Library

ATTN: Librarian

Andrews Library, College of Wooster

ATTN: Government Documents

Angelo State University Library

ATTN: Librarian

Angelo Iacoboni Pub Lib

ATTN: Librarian

Anoka County Library

ATTN: Librarian

Appalachian State University

ATTN: Library Documents

Arizona State University Library

ATTN: Librarian

University of Arizona

ATTN: Gov Doc Dept, C. Bower

Arkansas College Library

ATTN: Library

Arkansas Library Comm

ATTN: Library

Arkansas State University

ATTN: Library

University of Arkansas

ATTN: Government Documents Div

Austin College

Arthur Hopkins Library

ATTN: Librarian

Atlanta Public Library

ATTN: Ivan Allen Dept

Atlanta University Center

ATTN: Librarian

OTHER (Continued)

Auburn Univ at Montgomery Lib ATTN: Librarian

B. Davis Schwartz Mem Lib ATTN: Librarian

Bangor Public Library ATTN: Librarian

Bates College Library ATTN: Librarian

Baylor University Library ATTN: Docs Dept

Beloit College Libraries
ATTN: Serials Docs Dept

Bemidji State College ATTN: Library

Benjamin F. Feinberg Library State University College ATTN: Government Documents

Bierce Library, Akron University
ATTN: Government Documents

Boston Public Library
ATTN: Documents Department

Bowdoin College ATTN: Librarian

Bowling Green State Univ ATTN: Lib Govt Docs Services

Bradley University
ATTN: Govt Publication Librarian

Brandeis University Lib
ATTN: Documents Section

Brigham Young University ATTN: Librarian

Brigham Young University
ATTN: Documents Collection

Brookhaven National Laboratory ATTN: Technical Library

Brooklyn College
ATTN: Documents Division

Broward County Library Sys ATTN: Librarian

Brown University
ATTN: Librarian

Bucknell University
ATTN: Reference Dept

OTHER (Continued)

Buffalo & Erie Co Pub Lib ATTN: Librarian

Burlington Library ATTN: Librarian

California at Fresno State Univ Lib ATTN: Library

California at San Diego University ATTN: Documents Department

California at Stanislavs St Clg Lib ATTN: Library

California St Polytechnic Univ Lib ATTN: Librarian

California St Univ at Northridge ATTN: Gov Doc

California State Library
ATTN: Librarian

California State Univ at Long Beach Lib ATTN: Librarian

California State University ATTN: Librarian

California State University ATTN: Librarian

California Univ Library
ATTN: Govt Publications Dept

California Univ Library ATTN: Librarian

California University Library
ATTN: Govt Documents Dept

California University Library
ATTN: Documents Sec

California University
ATTN: Government Documents Dept

Calvin College Library ATTN: Librarian

Calvin T. Ryan Library
Kearney State College
ATTN: Govt Documents Dept

Carleton College Library ATTN: Librarian

Carnegie Library of Pittsburgh ATTN: Librarian

Carnegie Mellon University
ATTN: Director of Libraries

OTHER (Continued)

Carson Regional Library

ATTN: Gov Publications Unit

Case Western Reserve University

ATTN: Librarian

University of Central Florida

ATTN: Library Docs Dept

Central Michigan University

ATTN: Library Documents Section

Central Missouri State Univ

ATTN: Government Documents

Central State University

ATTN: Library Documents Dept

Central Washington University

ATTN: Library Docs Section

Central Wyoming College Library

ATTN: Librarian

Charleston County Library

ATTN: Librarian

Charlotte & Mechlenburg County Pub Lib

ATTN: E. Correll

Chattanooga Hamilton Co

ATTŇ: Librarian

Chesapeake Pub Lib System

ATTN: Librarian

Chicago Public Library

ATTN: Governments Publications Dept

State University of Chicago

ATTN: Librarian

Chicago University Library

ATTN: Director of Libraries ATTN: Documents Processing

Cincinnati University Library

ATTN: Librarian

Claremont Colleges Libs

ATTN: Doc Collection

Clemson University

ATTN: Director of Libraries

Cleveland Public Library

ATTN: Documents Collection

Cleveland State Univ Lib

ATTN: Librarian

Coe Library

ATTN: Documents Division

OTHER (Continued)

Colgate Univ Library

ATTN: Reference Library

Colorado State Univ Libs

ATTN: Librarian

Colorado University Libraries

ATTN: Director of Libraries

Columbia University Library

ATTN: Documents Service Center

Columbus & Franklin Cty Public Lib

ATTN: Gen Rec Div

Compton Library

ATTN: Librarian

Connecticut State Library

ATTN: Librarian

University of Connecticut
ATTN: Govt of Connecticut

Connecticut University

ATTN: Director of Libraries

Cornell University Lib

ATTN: Librarian

Corpus Christi State University Lib

ATTN: Librarian

Culver City Library

ATTN: Librarian

Curry College Library

ATTN: Librarian

Dallas County Public Library

ATTN: Librarıan

Dallas Public Library

ATTN: Librarian

Dalton Jr College Library

ATTN: Librarian

Dartmouth College

ATTN: Librarian

Davenport Public Library

ATTN: Librarian

Davidson College

ATTN: Librarian

Dayton & Montgomery City Pub Lib

ATTN: Librarian

University of Dayton

ATTN: Librarian

OTHER (Continued

Decatur Public Library
ATTN: Librarian

Dekalb Comm Coll So Cpus ATTN: Librarian

Delaware Pauw University ATTN: Librarian

University of Delaware ATTN: Librarian

Delta College Library ATTN: Librarian

Delta State University ATTN: Librarian

Denison Univ Library ATTN: Librarian

Denver Public Library
ATTN: Documents Div

Dept of Lib & Archives ATTN: Librarian

Detroit Public Library ATTN: Librarian

Dickinson State College ATTN: Librarian

Drake Memorial Learning Resource Ctr ATTN: Librarian

Drake University
ATTN: Cowles Library

Drew University
ATTN: Librarian

Duke University
ATTN: Public Docs Dept

Duluth Public Library
ATTN: Documents Section

Earlham College ATTN: Librarian

East Carolina University
ATTN: Library Docs Dept

East Central University
ATTN: Librarian

East Islip Public Library
ATTN: Librarian

East Orange Public Lib ATTN: Librarian

East Tennessee State Univ Sherrod Lib ATTN: Documents Dept OTHER (Continued)

East Texas State University
ATTN: Library

Eastern Branch
ATTN: Librarian

Eastern Illinois University ATTN: Librarian

Eastern Kentucky University
ATTN: Librarian

Eastern Michigan University Lib ATTN: Documents Libn

Eastern Montana College Library ATTN: Documents Dept

Eastern New Mexico Univ ATTN: Librarian

Eastern Oregon College Library ATTN: Librarian

Eastern Washington Univ

El Paso Public Library
ATTN: Documents & Geneology Dept

Elko County Library ATTN. Librarian

Elmira College ATTN: Librarian

Elon College Library ATTN: Librarian

Enoch Pratt Free Library
ATTN: Documents Office

Emory University
ATTN: Librarian

Evansville & Vanderburgh County Pub Lib ATTN: Librarian

Everett Public Library
ATTN: Librarian

Fairleigh Dickinson Univ ATTN: Depository Dept

Florida A & M Univ ATTN: Librarian

Florida Atlantic Univ Lib
ATTN: Div of Public Documents

Florida Institute of Tech Lib ATTN: Federal Documents Dept

Florida Intl Univ Library
ATTN: Docs Section

Florida State Library

ATTN: Documents Section

Florida State University

ATTN: Librarian

Fond Du Lac Public Lib

ATTN: Librarian

Fort Hays State University

ATTN: Librarian

Fort Worth Public Library

ATTN: Librarian

Free Pub Lib of Elizabeth

ATTN: Librarian

Free Public Library

ATTN: Librarian

Freeport Public Library

ATTN: Librarian

Fresno County Free Library ATTN: Librarian

Gadsden Public Library

ATTN: Librarian

Garden Public Library

ATTN: Librarian

Gardner Webb College

ATTN: Documents Librn

Gary Public Library

ATTN: Librarian

Georgetown Univ Library

ATTN: Govt Docs Room

Georgia Inst of Tech

ATTN: Librarian

Georgia Southern College

ATTN: Librarian

Georgia Southwestern College

ATTN: Director of Libraries

Georgia State Univ Lib

ATTN: Librarian

University of Georgia
ATTN: Dir of Libraries

Glassboro State College

ATTN: Librarian

Gleeson Library

ATTN: Librarian

OTHER (Continued)

Government Publications Library-M

ATTN: Director of Libraries

Graceland College

ATTN: Librarian

Grand Forks Public City-County Library

ATTN: Librarian

Grand Rapids Public Library

ATTN: Director of Libraries

Greenville County Library

ATTN: Librarian

Guam RFK Memorial University Lib

ATTN: Fed Depository Collection

University of Guam

ATTN: Librarian

Gustavus Adolphus College

ATTN: Library

Hardin-Simmons University Library

ATTN: Librarian

Hartford Public Library

ATTN: Librarian

Harvard College Library

ATTN: Director of Libraries

Harvard College Library

ATTN: Librarian

University of Hawaii

ATTN: Government Docs Collection

Hawaii State Library
ATTN: Federal Documents Unit

University of Hawaii at Monoa

ATTN: Director of Libraries

University of Hawaii ATTN: Librarian

Haydon Burns Library

ATTN: Librarian

Henry Ford Comm College Lib

ATTN: Librarian

Herbert H. Lehman College

ATTN: Library Documents Division

Hofstra Univ Library

ATTN: Documents Dept

Hollins College

ATTN: Librarian

Hoover Institution

ATTN: J. Bingham

Hopkinsville Comm College ATTN: Librarian

University of Houston, Library
ATTN: Documents Div

Houston Public Library
ATTN: Librarian

Hoyt Public Library
ATTN: Librarian

Humboldt State College Library ATTN: Documents Dept

Huntington Park Library
ATTN: Librarian

Hutchinson Public Library
ATTN: Librarian

Idaho Public Lib & Info Center ATTN: Librarian

Idaho State Library ATTN: Librarian

Idaho State University Library ATTN: Documents Dept

University of Idaho
ATTN. Documents Sect
ATTN: Dir of Libraries

University of Illinois, Library ATTN: Documents Section

Illinois State Library
ATTN: Government Documents Branch

Illinois Univ at Urbana Champaign ATTN: P. Watson, Documents Library

Illinois Valley Comm Coll ATTN: Library

Indiana State Library
ATTN: Serial Section

Indiana State University
ATTN: Documents Libraries

Indiana University Library
ATTN: Documents Department

Indianapolis Marion Cty Pub Library ATTN. Social Science Div

Iowa State University Library
ATTN: Govt Documents Dept

Iowa University Library
ATTN: Government Documents Dept

OTHER (Continued)

Butler University, Irwin Library ATTN: Librarian

Isaac Delchdo College ATTN: Librarian

James Madison University ATTN: Librarian

Jefferson County Public Lib ATTN: Librarian

Jersey City State College ATTN: Librarian

Johns Hopkins University
ATTN: Documents Library

John J. Wright Library, La Roche College ATTN: Librarian

Johnson Free Public Lib ATTN: Librarian

Kahului Library ATTN: Librarian

Kalamazoo Public Library ATTN: Librarian

Kansas City Public Library ATTN: Documents Div

Kansas State Library ATTN: Librarian

Kansas State Univ Library ATTN: Documents Dept

University of Kansas
ATTN: Director of Libraries

Kent State University Library ATTN: Documents Div

Kentucky Dept of Library & Archives ATTN: Documents Section

University of Kentucky
ATTN: Governments Publication Dept
ATTN: Director of Libraries

Kenyon College Library
ATTN: Librarian

Lake Forest College ATTN: Librarian

Lake Sumter Comm Coll Lib ATTN: Librarian

Lakeland Public Library ATTN: Librarian

Lancaster Regional Library ATTN: Librarian

Lawrence University
ATTN: Documents Dept

Lee Library, Brigham Young University

ATTN: Documents & Map Section

Library & Statutory Distribution & Svc 2 cy ATTN· Librarian

Little Rock Public Library ATTN: Librarian

Long Beach Publ Library ATTN: Librarian

Los Angeles Public Library

ATTN: Serials Div U.S. Documents

Louisiana State University

ATTN: Government Doc Dept ATTN: Director of Libraries

Louisville Free Pub Lib ATTN: Librarian

Louisville Univ Library ATTN: Librarian

Lyndon B. Johnson Sch of Pub Affairs Lib ATTN: Librarian

Maine Maritime Academy ATTN: Librarian

Maine University at Oreno ATTN: Librarian

University of Maine ATTN: Librarian

Manchester City Library ATTN: Librarian

Mankato State College
ATTN: Govt Publications

Mantor Library
Univ of Maine at Farmington
ATTN: Director of Libraries

Marathon County Public Library
ATTN: Librarian

Marshall Brooks Library ATTN: Librarian

University of Maryland
ATTN: McKeldin Libr Docs Div

University of Maryland ATTN: Librarian

OTHER (Continued)

University of Massachusetts
ATTN: Government Docs College

McNeese State Univ ATTN: Librarian

Memphis Shelby County Pub Lib & Info Ctr ATTN: Librarian

Memphis State University ATTN: Librarian

Mercer University
ATTN: Librarian

Mesa County Public Library ATTN: Librarian

University of Miami, Library
ATTN: Government Publications

Miami Public Library
ATTN: Documents Division

Miami Univ Library ATTN: Documents Dept

Michel Orradre Library University of Santa Clara ATTN: Documents Div

Michigan State Library ATTN: Librarian

Michigan State University Library ATTN: Librarian

Michigan Tech University
ATTN: Library Documents Dept

University of Michigan
ATTN: Acq Sec Documents Unit

Middlebury College Library ATTN: Librarian

Millersville State Coll ATTN: Librarian

Milne Library State University of New York ATTN: Docs Librn

Milwaukee Pub Lib ATTN: Librarian

Minneapolis Public Lib ATTN: Librarian

Minnesota Div of Emergency Svcs ATTN: Librarian

Minot State College ATTN: Librarian

Mississippi State University
ATTN: Librarian

University of Mississippi

ATTN: Director of Libraries

Missouri Univ at Kansas City Gen ATTN: Librarian

Missouri University Library

ATTN: Government Documents

M.I.T. Libraries
ATTN Librarian

Mobile Public Library
ATTN Governmental Info Division

Moffett Library
ATTN: Librarian

Montana State Library
ATTN: Librarian

Montana State University, Library

ATTN: Librarian

University of Montana ATTN: Documents Div

Moorhead State College ATTN: Library

Mt Prospect Public Lib ATTN: Librarian

Murray State Univ Lib ATTN: Library

Nassau Library System ATTN: Librarian

Natrona County Public Library ATTN: Librarian

Nebraska Library Comm ATTN: Librarian

Univ of Nebraska at Omaha ATTN: Librarian

Nebraska Western College Library ATTN: Librarian

Univ of Nebraska at Lincoln
ATTN: Director of Libraries

Univ of Nevada at Reno
ATTN: Governments Pub Dept

Univ of Nevada at Las Vegas
ATTN: Director of Libraries

New Hampshire University Lib ATTN: Librarian

New Hanover County Public Library ATTN: Librarian

Nebraska University
ATTN Acquisitions Dept

OTHER (Continued)

New Mexico State Library ATTN: Librarian

New Mexico State University
ATTN: Lib Documents Div

University of New Mexico
ATTN: Director of Libraries

University of New Orleans Library ATTN: Govt Documents Div

New Orleans Public Lib ATTN: Library

New York Public Library ATTN: Librarian

New York State Library
ATTN: Doc Control, Cultural Ed Ctr

New York State Univ at Stony Brook ATTN: Main Lib Doc Sect

New York State Univ Col at Cortland ATTN: Librarian

State Univ of New York
ATTN: Library Documents Sec

State Univ of New York ATTN: Librarian

New York State University ATTN: Documents Center

State University of New York ATTN: Documents Dept

New York University Library ATTN: Documents Dept

Newark Free Library ATTN: Librarian

Newark Public Library ATTN: Librarian

Niagara Falls Pub Lib ATTN: Librarian

Nicholls State Univ Library ATTN: Docs Div

Nieves M. Flores Memorial Lib ATTN: Librarian

Norfolk Public Library ATTN: R. Parker

North Carolina Agrı & Tech State Univ

Univ of North Carolina at Charlotte
ATTN: Atkins Library Documents Dept

Univ of North Carolina at Greensboro, Library ATTN: Librarian

North Carolina Central University

ATTN: Librarian

North Carolina State University

ATTN: Librarian

North Carolina University at Wilmington

ATTN: Librarian

University of North Carolina

ATTN: BA SS Division Documents

North Dakota State University Lib

ATTN: Docs Librarian

University of North Dakota

ATTN: Librarian

North Georgia College

ATTN: Librarian

North Texas State University Library

ATTN: Librarian

Northeast Missouri State University

ATTN: Librarian

Northeastern Illinois University

ATTN: Library

Northeastern Oklahoma State Univ

ATTN: Librarian

Northeastern University

ATTN: Dodge Library

Northern Arizona University Lib

ATTN: Government Documents Dept

Northern Illinois University

ATTN: Librarian

Northern Iowa University

ATTN: Library

Northern Michigan Univ

ATTN: Documents

Northern Montana College Library

ATTN: Librarian

Northwestern Michigan College

ATTN: Librarian

Northwestern State Univ

ATTN: Librarian

Northwestern State Univ Library ATTN: Librarian

Northwestern University Library

ATTN: Govt Publications Dept

Norwalk Public Library

ATTN: Librarian

OTHER (Continued)

University of Notre Dame

ATTN: Document Center

Oakland Comm College

ATTN: Librarian

Oakland Public Library

ATTN: Librarian

Oberlin College Library

ATTN: Librarian

Ocean County College

ATTN: Librarian

Ohio State University

ATTN: Libraries Documents Division

Ohio University Library

ATTN: Docs Dept

Oklahoma City University Library

ATTN: Librarian

Oklahoma City University Library

ATTN: Librarian

Oklahoma Dept of Libraries

ATTN: U.S. Govt Documents

University of Oklahoma

ATTN: Documents Div

Old Dominion University

ATTN: Doc Dept Univ Library

Olivet College Library

ATTN: Librarian

Omaha Pub Lib Clark Branch

ATTN: Librarian

Oregon State Library

ATTN: Librarian

University of Oregon

ATTN: Documents Section

Ouachita Baptist University

ATTN: Librarian

Pan American University Library

ATTN: Librarian

Passaic Public Library

ATTN: Librarian

Paul Klapper Library

ATTN: Documents Dept

Pennsylvania State Library

ATTN: Government Publications Section

Pennsylvania State University
ATTN: Library Document Sec

University of Pennsylvania
ATTN: Director of Libraries

Penrose Library University of Denver ATTN: Penrose Library

Peoria Public Library

ATTN: Business, Science & Tech Dept

Free Library of Philadelphia
ATTN: Govt Publications Dept

Philipsburg Free Public Library
ATTN: Library

Phoenix Public Library ATTN: Librarian

University of Pittsburg
ATTN: Documents Office G 8

Plainfield Public Library ATTN: Librarian

Popular Creek Public Lib District ATTN: Librarian

Association of Portland Lib ATTN. Librarian

Portland Public Library ATTN: Librarian

Portland State University Library
ATTN. Librarian

Prescott Memorial Lib Louisiana Tech Univ ATTN: Librarian

Princeton University Library
ATTN: Documents Division

Providence College ATTN: Librarian

Providence Public Library ATTN: Librarian

Cincinnati & Hamilton County Public Library ATTN Librarian

Public Library of Nashville and Davidson County
ATTN Library

University of Puerto Rico
ATTN: Doc & Maps Room

Purdue University Library ATTN: Librarian OTHER (Continued)

Quinebaug Valley Community Col ATTN: Librarian

Ralph Brown Draughon Lib Auburn University ATTN: Microforms & Documents Dept

Rapid City Public Library ATTN: Librarian

Reading Public Library ATTN: Librarian

Reed College Library
ATTN: Librarian

Reese Library Augusta College ATTN: Librarian

University of Rhode Island Library
ATTN: Govt Publications Office

University of Rhode Island
ATTN: Director of Libraries

Rice University
ATTN: Director of Libraries

Richard W. Norton Mem Lib Louisiana College ATTN: Librarian

Richland County Pub Lib ATTN: Librarian

University of Richmond ATTN: Library

Riverside Public Library ATTN: Librarian

University of Rochester Library ATTN: Documents Section

Rutgers University, Camden Library ATTN. Librarian

Rutgers State University ATTN: Librarian

Rutgers University
ATTN: Government Documents Dept

Rutgers University Law Library
ATTN: Federal Documents Dept

Salem College Library ATTN: Librarian

Samford University
ATTN: Librarian

San Antonio Public Library
ATTN: Bus Science & Tech Dept

San Diego County Library
ATTN: C. Jones, Acquisitions

San Diego Public Library ATTN: Librarian

San Diego State University Library ATTN: Govt Pubs Dept

San Francisco Public Library ATTN: Govt Documents Dept

San Francisco State College ATTN: Govt Pub Collection

San Jose State College Library ATTN: Documents Dept

San Luis Obispo City-County Library ATTN: Librarian

Savannah Pub & Effingham Libty Reg Lib ATTN: Librarian

Scottsbluff Public Library ATTN: Librarian

Scranton Public Library ATTN: Librarian

Seattle Public Library ATTN: Ref Doc Asst

Selby Public Library ATTN: Librarian

Shawnee Library System ATTN: Librarian

Shreve Memorial Library ATTN: Librarian

Silas Bronson Public Library ATTN· Librarian

Simon Schwob Mem Lib Columbus College ATTN: Librarian

Sioux City Public Library ATTN: Librarian

Skidmore College ATTN: Librarian

Slippery Rock State College Library ATTN: Librarian

South Carolina State Library ATTN: Librarian

University of South Carolina ATTN: Librarian

OTHER (Continued)

University of South Carolina ATTN: Government Documents

South Dakota Sch of Mines & Tech ATTN: Librarian

South Dakota State Library

ATTN: Federal Documents Department

University of South Dakota ATTN: Documents Librarian

South Florida University Library ATTN: Librarian

Southdale-Hennepin Area Library ATTN: Government Documents

Southeast Missouri State University ATTN: Librarian

Southeastern Massachusetts University Library ATTN: Documents Sec

University of Southern Alabama ATTN: Librarian

Southern California University Library ATTN: Documents Dept

Southern Connecticut State College ATTN: Library

Southern Illinois University ATTN: Librarian

Southern Illinois University ATTN: Documents Ctr

Southern Methodist University ATTN: Librarian

University of Southern Mississippi ATTN: Library

Southern Oregon College ATTN: Library

Southern University in New Orleans, Library ATTN: Librarian

Southern Utah State College Library ATTN: Documents Department

Southwest Missouri State College ATTN: Library

Southwestern University of Louisiana, Libraries ATTN: Librarian

Southwestern University School of Law Library ATTN: Librarian

Spokane Public Library
ATTN: Reference Dept

Springfield City Library
ATTN: Documents Section

St. Bonaventure University
ATTN: Librarian

St. Joseph Public Library ATTN: Librarian

St. Lawrence University ATTN: Librarian

St. Louis Public Library ATTN: Librarian

St. Paul Public Library ATTN: Librarian

Stanford University Library
ATTN: Govt Documents Dept

State Historical Soc Lib
ATTN: Docs Serials Section

State Library of Massachusetts
ATTN: Librarian

State Library of Ohio ATTN: Librarian

State University of New York ATTN: Librarian

Stetson Univ ATTN: Librarian

University of Steubenville ATTN: Librarian

Stockton & San Joaquin Public Lib ATTN: Librarian

Stockton State College Library ATTN: Librarian

Superior Public Library ATTN: Librarian

Swarthmore College Lib
ATTN: Reference Dept

Syracuse University Library
ATTN: Documents Div

Tacoma Public Library
ATTN: Librarian

Tampa, Hillsborough County Public Lib ATTN: Librarian

Temple University
ATTN: Librarian

Tennessee Technological University ATTN: Librarian

OTHER (Continued)

University of Tennessee
ATTN: Dir of Libraries

Terteling Library College of Idaho ATTN: Librarian

Texas A & M University Library ATTN: Librarian

University of Texas at Arlington ATTN: Library Documents

University of Texas at San Antonio ATTN: Library

Texas Christian University ATTN: Librarian

Texas State Library
ATTN: U.S. Documents Sect

Texas Tech University Library ATTN: Govt Docs Dept

Texas University at Austin
ATTN: Documents Coll

Texas University at El Paso ATTN: Documents and Maps Lib

University of Toledo Library ATTN: Librarian

Toledo Public Library
ATTN: Social Science Dept

Torrance Civic Center Library ATTN: Librarian

Traverse City Public Library
ATTN: Librarian

Trenton Free Public Library ATTN: Librarian

Trinity College Library ATTN: Librarian

Trinity University Library
ATTN: Documents Collection

Tufts University Library
ATTN: Documents Dept

Tulane University
ATTN: Documents Dept

University of Tulsa ATTN: Librarian

UCLA Research Library
ATTN: Public Affairs Svc/US Docs

Uniformed Svcs Univ of the Hlth Sci ATTN: LRC Library

University Libraries
ATTN: Dir of Libraries

Upper Iowa College
ATTN: Documents Collection

Utah State University ATTN: Librarian

University of Utah
ATTN: Special Collections

University of Utah
ATTN: Dept of Pharmacology
ATTN: Director of Libraries

Valencia Library ATTN: Librarian

Vanderbilt University Library ATTN: Govt Docs Sect

University of Vermont
ATTN: Director of Libraries

Virginia Commonwealth University ATTN: Librarian

Virginia Military Institute ATTN: Librarian

Virginia Polytechnic Inst Lib ATTN: Docs Dept

Virginia State Library
ATTN: Serials Section

University of Virginia
ATTN: Public Documents

Volusia County Public Libraries
ATTN: Librarian

Washington State Library
ATTN: Documents Section

Washington State University
ATTN: Lib Documents Section

Washington University Libraries ATTN: Dir of Libraries

University of Washington ATTN: Documents Div

Wayne State University Library ATTN: Librarian

Wayne State University Law Library ATTN: Documents Dept

Weber State College Library ATTN: Librarian

Wagner College ATTN: Librarian OTHER (Continued)

Wesleyan University
ATTN: Documents Librarian

West Chester State Coll ATTN: Documents Dept

West Covina Library ATTN: Librarian

University of West Florida ATTN: Librarian

West Hills Community Coll ATTN: Library

West Texas State University ATTN: Library

West Virginia Coll of Grad Studies Lib ATTN: Librarian

University of West Virginia ATTN: Dir of Libraries

Westerly Public Library
ATTN: Librarian

Western Carolina University
ATTN: Librarian

Western Illinois University Lib ATTN: Librarian

Western Washington Univ ATTN: Librarian

Western Wyoming Community College Lib ATTN: Librarian

Westmoreland Cty Comm Coll
ATTN: Learning Resource Ctr

Whitman College ATTN: Librarian

Wichita State Univ Library ATTN: Librarian

William & Mary College ATTN: Docs Dept

William Allen White Library Emporia Kansas State College ATTN: Govt Documents Div

William College Library ATTN: Librarian

Willimantic Public Library ATTN: Librarian

Winthrop College
ATTN: Documents Dept

University of Wisconsin at Whitewater ATTN: Governments Documents Library

Wisconsin Milwaukee University
ATTN: Librarian

Wisconsin Oshkosh University
ATTN. Librarian

Wisconsin Platteville University
ATTN: Librarian

Wisconsin University at Stevens Point ATTN: Docs Section

University of Wisconsin ATTN: Govt Pubs Dept

University of Wisconsin
ATTN: Acquisitions Dept

Worcester Public Library ATTN: Librarian

OTHER (Continued)

Yale University
ATTN: Director of Libraries


Yeshiva University ATTN: Librarian

Yuma City County Library ATTN: Librarian

Wright State Univ Library
ATTN: Govts Documents Dept

Wyoming State Library ATTN: Librarian

University of Wyoming ATTN: Documents Div



MASTER FILE

MASTER FILE