

(b) Covered individual

For purposes of subsection (a), the term “covered individual” means an individual—

- (1) who is a member of a mine rescue team or who is otherwise a volunteer with respect to a mine accident; and
- (2) who is carrying out activities relating to mine accident rescue or recovery operations.

(c) Regular employer

For purposes of subsection (a), the term “regular employer” means the entity that is the covered employee’s legal or statutory employer pursuant to applicable State law.

(Pub. L. 91-173, title I, §116, as added Pub. L. 109-236, §3, June 15, 2006, 120 Stat. 496.)

REFERENCES IN TEXT

This chapter, referred to in subsec. (a), was in the original “this Act”, meaning Pub. L. 91-173, Dec. 30, 1969, 83 Stat. 742, known as the Federal Mine Safety and Health Act of 1977, which is classified principally to this chapter. For complete classification of this Act to the Code, see Short Title note set out under section 801 of this title and Tables.

SUBCHAPTER II—INTERIM MANDATORY
HEALTH STANDARDS**§ 841. Mandatory health standards for underground mines; enforcement; review; purpose**

(a) The provisions of sections 842 through 846 of this title and the applicable provisions of section 878 of this title shall be interim mandatory health standards applicable to all underground coal mines until superseded in whole or in part by improved mandatory health standards promulgated by the Secretary under the provisions of section 811 of this title, and shall be enforced in the same manner and to the same extent as any mandatory health standard promulgated under the provisions of section 811 of this title. Any orders issued in the enforcement of the interim standards set forth in this subchapter shall be subject to review as provided in subchapter I of this chapter.

(b) Among other things, it is the purpose of this subchapter to provide, to the greatest extent possible, that the working conditions in each underground coal mine are sufficiently free of respirable dust concentrations in the mine atmosphere to permit each miner the opportunity to work underground during the period of his entire adult working life without incurring any disability from pneumoconiosis or any other occupation-related disease during or at the end of such period.

(Pub. L. 91-173, title II, §201, Dec. 30, 1969, 83 Stat. 760.)

EFFECTIVE DATE

Section operative six months after Dec. 30, 1969, except to the extent an earlier date is specifically provided for in Pub. L. 91-173, see section 509 of Pub. L. 91-173, set out as a note under section 801 of this title.

§ 842. Dust concentration and respiratory equipment**(a) Samples; procedures; transmittal; notice of excess concentration; periodic reports to Secretary; contents**

Each operator of a coal mine shall take accurate samples of the amount of respirable dust in

the mine atmosphere to which each miner in the active workings of such mine is exposed. Such samples shall be taken by any device approved by the Secretary and the Secretary of Health and Human Services and in accordance with such methods, at such locations, at such intervals, and in such manner as the Secretaries shall prescribe in the Federal Register within sixty days from December 30, 1969 and from time to time thereafter. Such samples shall be transmitted to the Secretary in a manner established by him, and analyzed and recorded by him in a manner that will assure application of the provisions of section 814(i) of this title when the applicable limit on the concentration of respirable dust required to be maintained under this section is exceeded. The results of such samples shall also be made available to the operator. Each operator shall report and certify to the Secretary at such intervals as the Secretary may require as to the conditions in the active workings of the coal mine, including, but not limited to, the average number of working hours worked during each shift, the quantity and velocity of air regularly reaching the working faces, the method of mining, the amount and pressure of the water, if any, reaching the working faces, and the number, location, and type of sprays, if any, used.

(b) Standards; noncompliance permit; renewal; procedures; limitations; extension period

Except as otherwise provided in this subsection—

(1) Effective on the operative date of this subchapter, each operator shall continuously maintain the average concentration of respirable dust in the mine atmosphere during each shift to which each miner in the active workings of such mine is exposed at or below 3.0 milligrams of respirable dust per cubic meter of air.

(2) Effective three years after December 30, 1969, each operator shall continuously maintain the average concentration of respirable dust in the mine atmosphere during each shift to which each miner in the active workings of such mine is exposed at or below 2.0 milligrams of respirable dust per cubic meter of air.

(3) Any operator who determines that he will be unable, using available technology, to comply with the provisions of paragraph (1) of this subsection, or the provisions of paragraph (2) of this subsection, as appropriate, may file with the Panel, no later than sixty days prior to the effective date of the applicable respirable dust standard established by such paragraphs, an application for a permit for noncompliance. If, in the case of an application for a permit for noncompliance with the 3.0 milligram standard established by paragraph (1) of this subsection, the application satisfies the requirements of subsection (c) of this section, the Panel shall issue a permit for noncompliance to the operator. If, in the case of an application for a permit for noncompliance with the 2.0 milligram standard established by paragraph (2) of this subsection, the application satisfies the requirements of subsection (c) of this section and the Panel deter-

mines that the applicant will be unable to comply with such standard, the Panel shall issue to the operator a permit for noncompliance.

(4) In any case in which an operator, who has been issued a permit (including a renewal permit) for noncompliance under this section, determines, not more than ninety days prior to the expiration date of such permit, that he still is unable to comply with the standard established by paragraph (1) of this subsection or the standard established by paragraph (2) of this subsection, as appropriate, he may file with the Panel an application for renewal of the permit. Upon receipt of such application, the Panel, if it determines, after all interested persons have been notified and given an opportunity for a public hearing under section 804 of this title, that the application is in compliance with the provisions of subsection (c) of this section, and that the applicant will be unable to comply with such standard, may renew the permit.

(5) Any such permit or renewal thereof so issued shall be in effect for a period not to exceed one year and shall entitle the permittee during such period to maintain continuously the average concentration of respirable dust in the mine atmosphere during each shift in the working places of such mine to which the permit applies at a level specified by the Panel, which shall be at the lowest level which the application shows the conditions, technology applicable to such mine, and other available and effective control techniques and methods will permit, but in no event shall such level exceed 4.5 milligrams of dust per cubic meter of air during the period when the 3.0 milligram standard is in effect, or 3.0 milligrams of dust per cubic meter of air during the period when the 2.0 milligram standard is in effect.

(6) No permit or renewal thereof for noncompliance shall entitle any operator to an extension of time beyond eighteen months from December 30, 1969 to comply with the 3.0 milligram standard established by paragraph (1) of this subsection, or beyond seventy-two months from December 30, 1969 to comply with the 2.0 milligram standard established by paragraph (2) of this subsection.

(c) Applications for noncompliance; contents

Any application for an initial or renewal permit made pursuant to this section shall contain—

(1) a representation by the applicant and the engineer conducting the survey referred to in paragraph (2) of this subsection that the applicant is unable to comply with the standard applicable under subsection (b)(1) or (b)(2) of this section at specified working places because the technology for reducing the concentration of respirable dust at such places is not available, or because of the lack of other effective control techniques or methods, or because of any combination of such reasons;

(2) an identification of the working places in such mine for which the permit is requested; the results of an engineering survey by a certified engineer of the respirable dust conditions of each working place of the mine with

respect to which such application is filed and the ability to reduce such dust to the level required to be maintained in such place under this section; a description of the ventilation system of the mine and its capacity; the quantity and velocity of air regularly reaching the working faces; the method of mining; the amount and pressure of the water, if any, reaching the working faces; the number, location, and type of sprays, if any; action taken to reduce such dust; and such other information as the Panel may require; and

(3) statements by the applicant and the engineer conducting such survey, of the means and methods to be employed to achieve compliance with the applicable standard, the progress made toward achieving compliance, and an estimate of when compliance can be achieved.

(d) Promulgation of new standards; procedures

Beginning six months after the operative date of this subchapter and from time to time thereafter, the Secretary of Health and Human Services shall establish, in accordance with the provisions of section 811 of this title, a schedule reducing the average concentration of respirable dust in the mine atmosphere during each shift to which each miner in the active workings is exposed below the levels established in this section to a level of personal exposure which will prevent new incidences of respiratory disease and the further development of such disease in any person. Such schedule shall specify the minimum time necessary to achieve such levels taking into consideration present and future advancements in technology to reach these levels.

(e) Concentration of respirable dust

References to concentrations of respirable dust in this subchapter mean the average concentration of respirable dust measured with a device approved by the Secretary and the Secretary of Health and Human Services.

(f) Average concentration

For the purpose of this subchapter, the term "average concentration" means a determination which accurately represents the atmospheric conditions with regard to respirable dust to which each miner in the active workings of a mine is exposed (1) as measured, during the 18 month period following December 30, 1969, over a number of continuous production shifts to be determined by the Secretary and the Secretary of Health and Human Services, and (2) as measured thereafter, over a single shift only, unless the Secretary and the Secretary of Health and Human Services find, in accordance with the provisions of section 811 of this title, that such single shift measurement will not, after applying valid statistical techniques to such measurement, accurately represent such atmospheric conditions during such shift.

(g) Compliance inspections

The Secretary shall cause to be made such frequent spot inspections as he deems appropriate of the active workings of coal mines for the purpose of obtaining compliance with the provisions of this subchapter.

(h) Maintenance of respiratory equipment; substitutes for environmental controls

Respiratory equipment approved by the Secretary and the Secretary of Health and Human Services shall be made available to all persons whenever exposed to concentrations of respirable dust in excess of the levels required to be maintained under this chapter. Use of respirators shall not be substituted for environmental control measures in the active workings. Each operator shall maintain a supply of respiratory equipment adequate to deal with occurrences of concentrations of respirable dust in the mine atmosphere in excess of the levels required to be maintained under this chapter.

(Pub. L. 91-173, title II, §202, Dec. 30, 1969, 83 Stat. 760; Pub. L. 95-164, title II, §202(a), Nov. 9, 1977, 91 Stat. 1317; Pub. L. 96-88, title V, §509(b), Oct. 17, 1979, 93 Stat. 695.)

REFERENCES IN TEXT

For the operative date of this subchapter, referred to in subsecs. (b)(1) and (d), see section 509 of Pub. L. 91-173, set out as a note under section 801 of this title.

This chapter, referred to in subsec. (h), was in the original "this Act", meaning Pub. L. 91-173, Dec. 30, 1969, 83 Stat. 742, known as the Federal Mine Safety and Health Act of 1977, which is classified principally to this chapter. For complete classification of this Act to the Code, see Short Title note set out under section 801 of this title and Tables.

AMENDMENTS

1977—Subsec. (e). Pub. L. 95-164 substituted a general reference to an "approved device" used to measure the average concentration of respirable dust for provisions which had referred to a specific device known as an "MRE instrument".

CHANGE OF NAME

"Secretary of Health and Human Services" substituted for "Secretary of Health, Education, and Welfare" in subsecs. (a), (d) to (f), and (h) pursuant to section 509(b) of Pub. L. 96-88 which is classified to section 3508(b) of Title 20, Education.

EFFECTIVE DATE OF 1977 AMENDMENT

Amendment by Pub. L. 95-164 effective Nov. 9, 1977, see section 307 of Pub. L. 95-164, set out as a note under section 801 of this title.

EFFECTIVE DATE

Section operative six months after Dec. 30, 1969, except to the extent an earlier date is specifically provided for in Pub. L. 91-173, see section 509 of Pub. L. 91-173, set out as a note under section 801 of this title.

§ 843. Medical examinations

(a) Chest roentgenogram; availability; periodic intervals; other tests; transmittal of results; advice of rights

The operator of a coal mine shall cooperate with the Secretary of Health and Human Services in making available to each miner working in a coal mine the opportunity to have a chest roentgenogram within eighteen months after December 30, 1969, a second chest roentgenogram within three years thereafter, and subsequent chest roentgenograms at such intervals thereafter of not to exceed five years as the Secretary of Health and Human Services prescribes. Each worker who begins work in a coal mine for the first time shall be given, as soon as possible

after commencement of his employment, and again three years later if he is still engaged in coal mining, a chest roentgenogram; and in the event the second such chest roentgenogram shows evidence of the development of pneumoconiosis the worker shall be given, two years later if he is still engaged in coal mining, an additional chest roentgenogram. All chest roentgenograms shall be given in accordance with specifications prescribed by the Secretary of Health and Human Services and shall be supplemented by such other tests as the Secretary of Health and Human Services deems necessary. The films shall be read and classified in a manner to be prescribed by the Secretary of Health and Human Services, and the results of each reading on each such person and of such tests shall be submitted to the Secretary and to the Secretary of Health and Human Services, and, at the request of the miner, to his physician. The Secretary shall also submit such results to such miner and advise him of his rights under this chapter related thereto. Such specifications, readings, classifications, and tests shall, to the greatest degree possible, be uniform for all coal mines and miners in such mines.

(b) Evidence of pneumoconiosis; option to transfer; wages

(1) On and after the operative date of this subchapter, any miner who, in the judgment of the Secretary of Health and Human Services based upon such reading or other medical examinations, shows evidence of the development of pneumoconiosis shall be afforded the option of transferring from his position to another position in any area of the mine, for such period or periods as may be necessary to prevent further development of such disease, where the concentration of respirable dust in the mine atmosphere is not more than 2.0 milligrams of dust per cubic meter of air.

(2) Effective three years after December 30, 1969, any miner who, in the judgment of the Secretary of Health and Human Services based upon such reading or other medical examinations, shows evidence of the development of pneumoconiosis shall be afforded the option of transferring from his position to another position in any area of the mine, for such period or periods as may be necessary to prevent further development of such disease, where the concentration of respirable dust in the mine atmosphere is not more than 1.0 milligrams¹ of dust per cubic meter of air, or if such level is not attainable in such mine, to a position in such mine where the concentration of respirable dust is the lowest attainable below 2.0 milligrams per cubic meter of air.

(3) Any miner so transferred shall receive compensation for such work at not less than the regular rate of pay received by him immediately prior to his transfer.

(c) Costs of examinations and tests

No payment may be required of any miner in connection with any examination or test given him pursuant to this subchapter. Where such examinations or tests cannot be given, due to the lack of adequate medical or other necessary fa-

¹ So in original. Probably should be "milligrams".