## H. R. 2294

To amend the Older Americans Act of 1965 to help prevent osteoporosis.

## IN THE HOUSE OF REPRESENTATIVES

June 22, 1999

Ms. Berkley (for herself, Mrs. Roukema, Ms. Delauro, Mrs. Maloney of New York, Mr. Matsui, Mr. Hoyer, Mr. Frost, Mr. Borski, Ms. Eshoo, Ms. Millender-McDonald, Mrs. Capps, Ms. Woolsey, Mrs. Thurman, Mr. Hastings of Florida, Mr. Rush, Mr. Isakson, Mr. Clyburn, Mr. Gutierrez, Mr. Sanders, Mrs. Tauscher, Mr. Costello, Mr. Wynn, Ms. Norton, Ms. Sanchez, Ms. Stabenow, Ms. Carson, Ms. McCarthy of Missouri, Mr. McNulty, Mr. Hinchey, Mr. Shows, Mr. Weiner, Ms. Schakowsky, Mr. Udall of Colorado, Mr. Capuano, Mrs. Napolitano, Ms. Jackson-Lee of Texas, Mr. Hilliard, Mr. Serrano, Mr. Sandlin, Mr. Neal of Massachusetts, and Mr. Moran of Virginia) introduced the following bill; which was referred to the Committee on Education and the Workforce

## A BILL

To amend the Older Americans Act of 1965 to help prevent osteoporosis.

- 1 Be it enacted by the Senate and House of Representa-
- 2 tives of the United States of America in Congress assembled,
- 3 SECTION 1. SHORT TITLE.
- 4 This Act may be cited as the "Osteoporosis Edu-
- 5 cation and Prevention Act of 1999".

## 1 SEC. 2. FINDINGS.

- 2 Congress makes the following findings:
- (1) Osteoporosis is a major public health problem affecting 28 million Americans, including 10 million who already have the disease and 18 million more who have low bone mass placing them at risk for fractures.
  - (2) Although there is currently no cure for osteoporosis, it is preventable in most cases, if proper steps are taken to preserve bone mass as a person ages.
  - (3) Osteoporosis is a silent disease that often is not discovered until a fracture occurs. One out of two women and one out of eight men over age 50 will have an osteoporosis-related fracture in their lifetimes.
  - (4) While both men and women may develop osteoporosis, 80 percent are women. Most adult women are not aware of their personal risk factors for osteoporosis. A woman's risk of hip fracture is equal to her combined risk of breast, uterine, and ovarian cancer.
  - (5) Although 90 percent of fractures in women 65 years of age and older are osteoporosis-related, most women presenting with fractures are not assessed for osteoporosis.

1	(6) The estimated nationwide medical cost di-
2	rectly attributable to osteoporosis-related treatment
3	is more than \$13.8 billion annually, or \$38 million
4	each day, and the cost is rising. Much of this cost
5	might be avoidable with proper education about pre-
6	vention, diagnosis, and treatment of osteoporosis.
7	Currently, only 25 states have osteoporosis programs
8	to educate the public about osteoporosis.
9	SEC. 3. AMENDMENT OF OLDER AMERICANS ACT OF 1965.
10	(a) Inclusion of Osteoporosis Program in Area
11	Plan.—Section 306(a)(6) of the Older Americans Act of
12	1965 is amended—
13	(1) in subparagraph (R)(iii), by striking "and"
14	(2) in subparagraph (S), by adding at the end
15	"and"; and
16	(3) by adding at the end the following new sub-
17	paragraph:
18	"(T) coordinate education relating to
19	osteoporosis prevention, diagnosis, and treat-
20	ment, and in States or localities which have im-
21	plemented an osteoporosis education program,
22	cooperate with the agency having charge over
23	such program; and".
24	(b) Definition.—Section 363 of the Older Ameri-
25	cans Act of 1965 is amended—

1	(1) in paragraph (2), by inserting
2	"osteoporosis," after "diabetes,"; and
3	(2) in paragraph (3), by inserting ", including
4	counseling and services relating to prevention, diag-
5	nosis, and treatment of osteoporosis" before the
6	semicolon.
7	(c) Osteoporosis Prevention Demonstration
8	Program.—Section 422(b) of the Older Americans Act
9	of 1965 is amended:
10	(1) in paragraph (12)(C), by striking the period
11	at the end and inserting "; and; and
12	(2) by inserting at the end the following new
13	paragraph:
14	"(13)(A) determine the best practices for pro-
15	viding information and outreach services (including
16	programs and information, such as forums, semi-
17	nars, and large-print, easy-to-understand, and multi-
18	lingual literature) relating to prevention, diagnosis,
19	and treatment of osteoporosis; and
20	"(B) measure the effectiveness of an
21	osteoporosis prevention program over a three-year
22	period, as shown by an increase in the percentages
23	of individuals who have demonstrated expanded

- 1 awareness and knowledge of osteoporosis (including
- 2 knowledge of personal risk factors).".

 $\bigcirc$