

Calendar No. 620

113TH CONGRESS
2D SESSION

S. 2094

To provide for the establishment of nationally uniform and environmentally sound standards governing discharges incidental to the normal operation of a vessel.

IN THE SENATE OF THE UNITED STATES

MARCH 6, 2014

Mr. BEGICH (for himself, Mr. RUBIO, Ms. AYOTTE, Mr. BLUNT, Mr. BOOZMAN, Mr. CASEY, Mr. COCHRAN, Ms. COLLINS, Ms. HIRONO, Ms. LANDRIEU, Mrs. McCASKILL, Mr. MARKEY, Ms. MURKOWSKI, Mr. NELSON, Mr. PRYOR, Mr. ROCKEFELLER, Mr. SCHATZ, Mr. THUNE, Mr. TOOMEY, Mr. VITTER, Ms. WARREN, Mr. WICKER, Mr. SESSIONS, Mr. KING, Mr. SHELBY, Mr. CHAMBLISS, Mr. GRAHAM, Mrs. SHAHEEN, Mr. ISAKSON, Mr. WARNER, Mr. COONS, Mr. MANCHIN, and Mrs. HAGAN) introduced the following bill; which was read twice and referred to the Committee on Commerce, Science, and Transportation

DECEMBER 8, 2014

Reported by Mr. ROCKEFELLER, with an amendment

[Strike out all after the enacting clause and insert the part printed in italic]

A BILL

To provide for the establishment of nationally uniform and environmentally sound standards governing discharges incidental to the normal operation of a vessel.

1 *Be it enacted by the Senate and House of Representa-*
2 *tives of the United States of America in Congress assembled,*

1 **SECTION 1. SHORT TITLE; TABLE OF CONTENTS.**

2 (a) **SHORT TITLE.**—This Act may be cited as the
3 “**Vessel Incidental Discharge Act**”.

4 (b) **TABLE OF CONTENTS.**—The table of contents of
5 this Act is as follows:

See. 1. Short title; table of contents.

See. 2. Findings; purpose.

See. 3. Definitions.

See. 4. Regulation and enforcement.

See. 5. Uniform national standards and requirements for the regulation of discharges incidental to the normal operation of a vessel.

See. 6. Treatment technology certification.

See. 7. Exemptions.

See. 8. Alternative compliance program.

See. 9. Judicial review.

See. 10. Effect on State authority.

See. 11. Application with other statutes.

6 **SEC. 2. FINDINGS; PURPOSE.**

7 (a) **FINDINGS.**—Congress makes the following findings:

9 (1) Beginning with enactment of the Act to
10 Prevent Pollution from Ships in 1980 (22 U.S.C.
11 1901 et seq.), the United States Coast Guard has
12 been the principal Federal authority charged with
13 administering, enforcing, and prescribing regulations
14 relating to the discharge of pollutants from vessels
15 engaged in maritime commerce and transportation.

16 (2) The Coast Guard estimates there are ap-
17 proximately 21,560,000 State-registered recreational
18 vessels, 75,000 commercial fishing vessels, and
19 33,000 freight and tank barges operating in United
20 States waters.

1 (3) From 1973 to 2005, certain discharges inci-
2 dental to the normal operation of a vessel were ex-
3 empted by regulation from otherwise applicable per-
4 mitting requirements.

5 (4) Over the 32 years during which this regu-
6 latory exemption was in effect, Congress enacted
7 statutes on a number of occasions dealing with the
8 regulation of discharges incidental to the normal op-
9 eration of a vessel, including—

10 (A) the Act to Prevent Pollution from
11 Ships (33 U.S.C. 1901 et seq.) in 1980;

12 (B) the Nonindigenous Aquatic Nuisance
13 Prevention and Control Act of 1990 (16 U.S.C.
14 4701 et seq.);

15 (C) the National Invasive Species Act of
16 1996 (110 Stat. 4073);

17 (D) section 415 of the Coast Guard Au-
18 thorization Act of 1998 (112 Stat. 3434) and
19 section 623 of the Coast Guard and Maritime
20 Transportation Act of 2004 (33 U.S.C. 1901
21 note), which established interim and permanent
22 requirements, respectively, for the regulation of
23 vessel discharges of certain bulk cargo residue;

24 (E) title XIV of division B of Appendix D
25 of the Consolidated Appropriations Act, 2001

(114 Stat. 2763), which prohibited or limited certain vessel discharges in certain areas off Alaska;

(G) title X of the Coast Guard Authora-
tion Act of 2010 (33 U.S.C. 3801 et seq.),
which provided for the implementation of the
International Convention on the Control of
Harmful Anti-Fouling Systems on Ships, 2001.

15 (b) PURPOSE.—The purpose of this Act is to provide
16 for the establishment of nationally uniform and environ-
17 mentally sound standards and requirements for the man-
18 agement of discharges incidental to the normal operation
19 of a vessel.

20 SEC. 3. DEFINITIONS.

21 In this Act:

22 (1) ADMINISTRATOR.—The term “Administrator” means the Administrator of the Environmental Protection Agency.

1 (2) AQUATIC NUISANCE SPECIES.—The term
2 “aquatic nuisance species” means a nonindigenous
3 species (including a pathogen) that threatens the di-
4 versity or abundance of native species or the ecologi-
5 cal stability of navigable waters or commercial, agri-
6 cultural, aquacultural, or recreational activities de-
7 pendent on such waters.

8 (3) BALLAST WATER.—

9 (A) IN GENERAL.—The term “ballast
10 water” means any water, including any sedi-
11 ment suspended in such water, taken aboard a
12 vessel—

13 (i) to control trim, list, draught, sta-
14 bility, or stresses of the vessel; or

15 (ii) during the cleaning, maintenance,
16 or other operation of a ballast water treat-
17 ment technology of the vessel.

18 (B) EXCLUSIONS.—The term “ballast
19 water” does not include any pollutant that is
20 added to water described in subparagraph (A)
21 that is not directly related to the operation of
22 a properly functioning ballast water treatment
23 technology under this Act.

24 (4) BALLAST WATER PERFORMANCE STAND-
25 ARD.—The term “ballast water performance stand-

1 “ard” means the numerical ballast water discharge
2 standard set forth in section 151.2030 of title 33,
3 Code of Federal Regulations or section 151.1511 of
4 title 33, Code of Federal Regulations, as applicable,
5 or a revised numerical ballast water performance
6 standard established under subsection (a)(1)(B), (b),
7 or (e) of section 5 of this Act.

8 (5) BALLAST WATER TREATMENT TECHNOLOGY
9 OR TREATMENT TECHNOLOGY.—The term “ballast
10 water treatment technology” or “treatment tech-
11 nology” means any mechanical, physical, chemical,
12 or biological process used, alone or in combination,
13 to remove, render harmless, or avoid the uptake or
14 discharge of aquatic nuisance species within ballast
15 water.

16 (6) BIOCIDER.—The term “biocide” means a
17 substance or organism, including a virus or fungus,
18 that is introduced into or produced by a ballast
19 water treatment technology to reduce or eliminate
20 aquatic nuisance species as part of the process used
21 to comply with a ballast water performance standard
22 under this Act.

23 (7) DISCHARGE INCIDENTAL TO THE NORMAL
24 OPERATION OF A VESSEL.—

1 (A) IN GENERAL.—The term “discharge
2 incidental to the normal operation of a vessel”
3 means—

4 (i) a discharge into navigable waters
5 from a vessel of—

6 (I)(aa) ballast water; graywater;
7 bilge water, cooling water, oil water
8 separator effluent, anti-fouling hull
9 coating leachate, boiler or economizer
10 blowdown, byproducts from cathodic
11 protection, controllable pitch propeller
12 and thruster hydraulic fluid, distilla-
13 tion and reverse osmosis brine, eleva-
14 tor pit effluent, firemain system efflu-
15 ent, freshwater layup effluent, gas
16 turbine wash water, motor gasoline
17 and compensating effluent, refrigera-
18 tion and air condensate effluent, sea-
19 water pumping biofouling prevention
20 substances, boat engine wet exhaust,
21 sonar dome effluent, exhaust gas
22 scrubber washwater, or stern tube
23 packing gland effluent; or

24 (bb) any other pollutant associ-
25 ated with the operation of a marine

1 propulsion system, shipboard maneuvering system, habitability system, or
2 installed major equipment, or from a
3 protective, preservative, or absorptive
4 application to the hull of a vessel;

6 (II) weather deck runoff, deck
7 wash, aqueous film forming foam effluent, chain locker effluent, non-oily
8 machinery wastewater, underwater
9 ship husbandry effluent, welldeck effluent, or fish hold and fish hold
10 cleaning effluent; or
11

13 (III) any effluent from a properly
14 functioning marine engine; or
15

16 (ii) a discharge of a pollutant into
17 navigable waters in connection with the
18 testing, maintenance, or repair of a system,
19 equipment, or engine described in
20 subclause (I)(bb) or (III) of clause (i)
21 whenever the vessel is waterborne.

22 (B) EXCLUSIONS.—The term “discharge
23 incidental to the normal operation of a vessel”
24 does not include—

25 (i) a discharge into navigable waters
26 from a vessel of—

1 (I) rubbish, trash, garbage, incin-
2 erator ash, or other such material dis-
3 charged overboard;

4 (II) oil or a hazardous substance
5 as those terms are defined in section
6 311 of the Federal Water Pollution
7 Control Act (33 U.S.C. 1321);

8 (III) sewage as defined in section
9 312(a)(6) of the Federal Water Pollu-
10 tion Control Act (33 U.S.C.
11 1322(a)(6)); or

12 (IV) graywater referred to in sec-
13 tion 312(a)(6) of the Federal Water
14 Pollution Control Act (33 U.S.C.
15 1322(a)(6));

16 (ii) an emission of an air pollutant re-
17 sulting from the operation onboard a vessel
18 of a vessel propulsion system, motor driven
19 equipment, or incinerator; or

20 (iii) a discharge into navigable waters
21 from a vessel when the vessel is operating
22 in a capacity other than as a means of
23 transportation on water.

24 (8) GEOGRAPHICALLY LIMITED AREA.—The
25 term “geographically limited area” means an area—

1 (A) with a physical limitation, including
2 limitation by physical size and limitation by au-
3 thorized route, that prevents a vessel from oper-
4 ating outside the area, as determined by the
5 Secretary; or

6 (B) that is ecologically homogeneous, as
7 determined by the Secretary, in consultation
8 with the heads of other Federal departments or
9 agencies as the Secretary considers appropriate.

10 (9) MANUFACTURER.—The term “manufac-
11 turer” means a person engaged in the manufacture,
12 assemblage, or importation of ballast water treat-
13 ment technology.

14 (10) SECRETARY.—The term “Secretary”
15 means the Secretary of the department in which the
16 Coast Guard is operating.

17 (11) VESSEL.—The term “vessel” means every
18 desercription of watercraft or other artificial contriv-
19 ance used, or practically or otherwise capable of
20 being used, as a means of transportation on water.

21 **SEC. 4. REGULATION AND ENFORCEMENT.**

22 (a) IN GENERAL.—The Secretary, in consultation
23 with the Administrator, shall establish and implement en-
24 forceable uniform national standards and requirements for

1 the regulation of discharges incidental to the normal oper-
2 ation of a vessel. The standards and requirements shall—

3 (1) be based upon the best available technology
4 economically achievable; and

5 (2) supersede any permitting requirement or
6 prohibition on discharges incidental to the normal
7 operation of a vessel under any other provision of
8 law.

9 (b) **ADMINISTRATION AND ENFORCEMENT.**—The
10 Secretary shall administer and enforce the uniform na-
11 tional standards and requirements under this Act. Each
12 State may enforce the uniform national standards and re-
13 quirements under this Act.

14 **SEC. 5. UNIFORM NATIONAL STANDARDS AND REQUIRE-
15 MENTS FOR THE REGULATION OF DIS-
16 CHARGES INCIDENTAL TO THE NORMAL OP-
17 ERATION OF A VESSEL.**

18 (a) **REQUIREMENTS.**—

19 (1) **BALLAST WATER MANAGEMENT REQUIRE-
20 MENTS.**—

21 (A) **IN GENERAL.**—Notwithstanding any
22 other provision of law, the requirements set
23 forth in the final rule, Standards for Living Or-
24 ganisms in Ships' Ballast Water Discharged in
25 U.S. Waters (77 Fed. Reg. 17254 (March 23,

1 2012), as corrected at 77 Fed. Reg. 33969
2 (June 8, 2012)), shall be the management re-
3 quirements for a ballast water discharge inci-
4 dental to the normal operation of a vessel until
5 the Secretary revises the ballast water perform-
6 ance standard under subsection (b) or adopts a
7 more stringent State standard under subpara-
8 graph (B) of this paragraph.

9 **(B) ADOPTION OF MORE STRINGENT**
10 STATE STANDARD.—If the Secretary makes a
11 determination in favor of a State petition under
12 section 10, the Secretary shall adopt the more
13 stringent ballast water performance standard
14 specified in the statute or regulation that is the
15 subject of that State petition in lieu of the bal-
16 last water performance standard in the final
17 rule described under subparagraph (A).

18 **(2) INITIAL MANAGEMENT REQUIREMENTS FOR**
19 **DISCHARGES OTHER THAN BALLAST WATER.**—Not
20 later than 2 years after the date of enactment of
21 this Act, the Secretary, in consultation with the Ad-
22 ministrator, shall issue a final rule establishing best
23 management practices for discharges incidental to
24 the normal operation of a vessel other than ballast
25 water.

1 (b) REVISED BALLAST WATER PERFORMANCE

2 STANDARD; 8-YEAR REVIEW.—

3 (1) IN GENERAL.—Subject to the feasibility re-
4 view under paragraph (2), not later than January 1,
5 2022, the Secretary, in consultation with the Admin-
6 istrator, shall issue a final rule revising the ballast
7 water performance standard under subsection (a)(1)
8 so that a ballast water discharge incidental to the
9 normal operation of a vessel will contain—

10 (A) less than 1 living organism per 10
11 cubic meters that is 50 or more micrometers in
12 minimum dimension;

13 (B) less than 1 living organism per 10 mil-
14 liters that is less than 50 micrometers in min-
15 imum dimension and more than 10 micrometers
16 in minimum dimension;

17 (C) concentrations of indicator microbes
18 that are less than—

19 (i) 1 colony-forming unit of
20 toxicogenic *Vibrio cholera* (serotypes O1
21 and O139) per 100 milliliters or less than
22 1 colony-forming unit of that microbe per
23 gram of wet weight of zoological samples;

24 (ii) 126 colony-forming units of esch-
25 erichia coli per 100 milliliters; and

(iii) 33 colony-forming units of intestinal *Enterococcus* per 100 milliliters; and

9 (2) FEASIBILITY REVIEW.—

- 1 (i) improvements in the scientific un-
2 derstanding of biological and ecological
3 processes that lead to the introduction or
4 establishment of aquatic nuisance species;
- 5 (ii) improvements in ballast water
6 treatment technology, including—
7 (I) the capability of such treat-
8 ment technology to achieve a revised
9 ballast water performance standard;
10 (II) the effectiveness and reli-
11 ability of such treatment technology in
12 the shipboard environment;
13 (III) the compatibility of such
14 treatment technology with the design
15 and operation of a vessel by class,
16 type, and size;
17 (IV) the commercial availability
18 of such treatment technology; and
19 (V) the safety of such treatment
20 technology;
- 21 (iii) improvements in the capabilities
22 to detect, quantify, and assess the viability
23 of aquatic nuisance species at the con-
24 centrations under consideration;

(iv) the impact of ballast water treatment technology on water quality; and

3 (v) the costs, cost-effectiveness, and
4 impacts of—

(II) maintaining the existing balanced water performance standard, including the potential impacts on water-related infrastructure, reclamation, propagation of native fish, shellfish, and wildlife, and other uses of navigable waters;

17 (C) LOWER REVISED PERFORMANCE
18 STANDARD—

1 performance standard under paragraph (1),
2 the Secretary shall require the use of the
3 treatment technology that achieves the per-
4 formance levels of the best treatment tech-
5 nology available.

6 (ii) IMPLEMENTATION DEADLINE.—If
7 the Secretary, in consultation with the Ad-
8 ministrator, determines that the treatment
9 technology under clause (i) cannot be im-
10 plemented before the implementation dead-
11 line under paragraph (3) with respect to a
12 class of vessels, the Secretary shall extend
13 the implementation deadline for that class
14 of vessels for not more than 36 months.

15 (iii) COMPLIANCE.—If the implemen-
16 tation deadline under paragraph (3) is ex-
17 tended, the Secretary shall recommend ac-
18 tion to ensure compliance with the ex-
19 tended implementation deadline under
20 clause (ii).

21 (D) HIGHER REVISED PERFORMANCE
22 STANDARD.—

23 (i) IN GENERAL.—If the Secretary, in
24 consultation with the Administrator, deter-
25 mines that ballast water treatment tech-

1 nology exists that exceeds the revised bal-
2 last water performance standard under
3 paragraph (1) with respect to a class of
4 vessels, the Secretary shall revise the bal-
5 last water performance standard for that
6 class of vessels to incorporate the higher
7 performance standard.

8 (ii) IMPLEMENTATION DEADLINE.—If
9 the Secretary, in consultation with the Ad-
10 ministrator, determines that the treatment
11 technology under clause (i) can be imple-
12 mented before the implementation deadline
13 under paragraph (3) with respect to a
14 class of vessels, the Secretary shall acceler-
15 ate the implementation deadline for that
16 class of vessels. If the implementation
17 deadline under paragraph (3) is accelerated,
18 the Secretary shall provide not less
19 than 24 months notice before the accelerated
20 deadline takes effect.

21 (3) IMPLEMENTATION DEADLINE.—The revised
22 ballast water performance standard under paragraph
23 (1) shall apply to a vessel beginning on the date of
24 the first drydocking of the vessel on or after Janu-
25 ary 1, 2022, but not later than December 31, 2024.

1 (4) REVISED PERFORMANCE STANDARD COM-
2 PLIANCE DEADLINES.—

3 (A) IN GENERAL.—The Secretary may es-
4 tablish a compliance deadline for compliance by
5 a vessel (or a class, type, or size of vessel) with
6 a revised ballast water performance standard
7 under this subsection.

8 (B) PROCESS FOR GRANTING EXTEN-
9 SIONS.—In issuing regulations under this sub-
10 section, the Secretary shall establish a process
11 for an owner or operator to submit a petition
12 to the Secretary for an extension of a compli-
13 ance deadline with respect to the vessel of the
14 owner or operator.

15 (C) PERIOD OF EXTENSIONS.—An exten-
16 sion issued under subparagraph (B) may—

- 17 (i) apply for a period of not to exceed
18 18 months from the date of the applicable
19 deadline under subparagraph (A); and
20 (ii) be renewable for an additional pe-
21 riod of not to exceed 18 months.

22 (D) FACTORS.—In issuing a compliance
23 deadline or reviewing a petition under this
24 paragraph, the Secretary shall consider, with
25 respect to the ability of an owner or operator to

1 meet a compliance deadline, the following fac-
2 tors:

3 (i) Whether the treatment technology
4 to be installed is available in sufficient
5 quantities to meet the compliance deadline.

6 (ii) Whether there is sufficient ship-
7 yard or other installation facility capacity.

8 (iii) Whether there is sufficient avail-
9 ability of engineering and design resources.

10 (iv) Vessel characteristics, such as en-
11 gine room size, layout, or a lack of in-
12 stalled piping.

13 (v) Electric power generating capacity
14 aboard the vessel.

15 (vi) Safety of the vessel and crew.

16 (E) CONSIDERATION OF PETITIONS.—

17 (i) DETERMINATIONS.—The Secretary
18 shall approve or deny a petition for an ex-
19 tension of a compliance deadline submitted
20 by an owner or operator under this para-
21 graph.

22 (ii) DEADLINE.—If the Secretary does
23 not approve or deny a petition referred to
24 in clause (i) on or before the last day of
25 the 90-day period beginning on the date of

1 submission of the petition, the petition
2 shall be deemed approved.

3 (e) FUTURE REVISIONS OF VESSEL INCIDENTAL
4 DISCHARGE STANDARDS; DECENTNIAL REVIEWS.—

5 (1) REVISED BALLAST WATER PERFORMANCE
6 STANDARDS.—The Secretary, in consultation with
7 the Administrator, shall complete a review, 10 years
8 after the issuance of a final rule under subsection
9 (b) and every 10 years thereafter, to determine
10 whether further revision of the ballast water per-
11 formance standard would result in a scientifically de-
12 monstrable and substantial reduction in the risk of
13 the introduction or establishment of aquatic nui-
14 sance species.

15 (2) REVISED STANDARDS FOR DISCHARGES
16 OTHER THAN BALLAST WATER.—The Secretary, in
17 consultation with the Administrator, may include in
18 a decennial review under this subsection best man-
19 agement practices for discharges covered by sub-
20 section (a)(2). The Secretary shall initiate a rule-
21 making to revise 1 or more best management pra-
22 ctices for such discharges after a decennial review if
23 the Secretary, in consultation with the Adminis-
24 trator, determines that revising 1 or more of such
25 practices would substantially reduce the impacts on

1 navigable waters of discharges incidental to the nor-
2 mal operation of a vessel other than ballast water.

3 (3) CONSIDERATIONS.—In conducting a review
4 under paragraph (1), the Secretary, the Adminis-
5 trator, and the heads of other appropriate Federal
6 agencies as determined by the Secretary, shall con-
7 sider the criteria under section 5(b)(2)(B).

8 (4) REVISION AFTER DECENTNIAL REVIEW.—
9 The Secretary shall initiate a rulemaking to revise
10 the current ballast water performance standard after
11 a decennial review if the Secretary, in consultation
12 with the Administrator, determines that revising the
13 current ballast water performance standard would
14 result in a scientifically demonstrable and substan-
15 tial reduction in the risk of the introduction or es-
16 tablishment of aquatic nuisance species.

17 **SEC. 6. TREATMENT TECHNOLOGY CERTIFICATION.**

18 (a) CERTIFICATION REQUIRED.—Beginning 60 days
19 after the date that the requirements for testing protocols
20 are issued under subsection (i), no manufacturer of a bal-
21 last water treatment technology shall sell, offer for sale,
22 or introduce or deliver for introduction into interstate
23 commerce, or import into the United States for sale or
24 resale, a ballast water treatment technology for a vessel

1 unless the treatment technology has been certified under
2 this section.

3 **(b) CERTIFICATION PROCESS.—**

4 **(1) EVALUATION.—** Upon application of a man-
5 ufacturer, the Secretary shall evaluate a ballast
6 water treatment technology with respect to—

7 (A) the effectiveness of the treatment tech-
8 nology in achieving the current ballast water
9 performance standard when installed on a ves-
10 sel (or a class, type, or size of vessel);

11 (B) the compatibility with vessel design
12 and operations;

13 (C) the effect of the treatment technology
14 on vessel safety;

15 (D) the impact on the environment;

16 (E) the cost effectiveness; and

17 (F) any other criteria the Secretary con-
18 siders appropriate.

19 **(2) APPROVAL.—** If after an evaluation under
20 paragraph (1) the Secretary determines that the
21 treatment technology meets the criteria, the Secre-
22 tary may certify the treatment technology for use
23 on a vessel (or a class, type, or size of vessel).

24 **(3) SUSPENSION AND REVOCATION.—** The Sec-
25 retary shall establish, by regulation, a process to

1 suspend or revoke a certification issued under this
2 section.

3 (e) CERTIFICATION CONDITIONS.—

4 (1) IMPOSITION OF CONDITIONS.—In certifying
5 a ballast water treatment technology under this sec-
6 tion, the Secretary, in consultation with the Admin-
7 istrator, may impose any condition on the subse-
8 quent installation, use, or maintenance of the treat-
9 ment technology onboard a vessel as is necessary
10 for—

11 (A) the safety of the vessel, the crew of the
12 vessel, and any passengers aboard the vessel;
13 (B) the protection of the environment; or
14 (C) the effective operation of the treatment
15 technology.

16 (2) FAILURE TO COMPLY.—The failure of an
17 owner or operator to comply with a condition im-
18 posed under paragraph (1) shall be considered a vio-
19 lation of this section.

20 (d) PERIOD FOR USE OF INSTALLED TREATMENT
21 EQUIPMENT.—Notwithstanding anything to the contrary
22 in this Act or any other provision of law, the Secretary
23 shall allow a vessel on which a system is installed and op-
24 erated to meet a ballast water performance standard
25 under this Act to continue to use that system, notwith-

1 standing any revision of a ballast water performance
2 standard occurring after the system is ordered or installed
3 until the expiration of the service life of the system, as
4 determined by the Secretary, so long as the system—

5 (1) is maintained in proper working condition;
6 and

7 (2) is maintained and used in accordance with
8 the manufacturer's specifications and any treatment
9 technology certification conditions imposed by the
10 Secretary under this section.

11 (e) CERTIFICATES OF TYPE APPROVAL FOR THE
12 TREATMENT TECHNOLOGY.—

13 (1) ISSUANCE.—If the Secretary approves a
14 ballast water treatment technology for certification
15 under subsection (b), the Secretary shall issue a cer-
16 tificate of type approval for the treatment technology
17 to the manufacturer in such form and manner as the
18 Secretary determines appropriate.

19 (2) CERTIFICATION CONDITIONS.—A certificate
20 of type approval issued under paragraph (1) shall
21 specify each condition imposed by the Secretary
22 under subsection (e).

23 (3) OWNERS AND OPERATORS.—A manufac-
24 turer that receives a certificate of type approval for
25 the treatment technology under this subsection shall

1 provide a copy of the certificate to each owner and
2 operator of a vessel on which the treatment tech-
3 nology is installed.

4 (f) INSPECTIONS.—An owner or operator who re-
5 ceives a copy of a certificate under subsection (e)(3) shall
6 retain a copy of the certificate onboard the vessel and
7 make the copy of the certificate available for inspection
8 at all times while the owner or operator is utilizing the
9 treatment technology.

10 (g) BIOCIDES.—The Secretary may not approve a
11 ballast water treatment technology under subsection (b)
12 if—

13 (1) it uses a biocide or generates a biocide that
14 is a pesticide, as defined in section 2 of the Federal
15 Insecticide, Fungicide, and Rodenticide Act (7
16 U.S.C. 136), unless the biocide is registered under
17 that Act or the Secretary, in consultation with Ad-
18 ministrator, has approved the use of the biocide in
19 such treatment technology; or

20 (2) it uses or generates a biocide the discharge
21 of which causes or contributes to a violation of a
22 water quality standard under section 303 of the
23 Federal Water Pollution Control Act (33 U.S.C.
24 1313).

25 (h) PROHIBITION.—

1 (1) IN GENERAL.—Except as provided in para-
2 graph (2), the use of a ballast water treatment tech-
3 nology by an owner or operator of a vessel shall not
4 satisfy the requirements of this Act unless it has
5 been approved by the Secretary under subsection
6 (b).

7 (2) EXCEPTIONS.—

8 (A) COAST GUARD SHIPBOARD TECH-
9 NOLOGY EVALUATION PROGRAM.—An owner or
10 operator may use a ballast water treatment
11 technology that has not been certified by the
12 Secretary to comply with the requirements of
13 this section if the technology is being evaluated
14 under the Coast Guard Shipboard Technology
15 Evaluation Program.

16 (B) BALLAST WATER TREATMENT TECH-
17 NOLOGIES CERTIFIED BY FOREIGN ENTITIES.—
18 An owner or operator may use a ballast water
19 treatment technology that has not been certified
20 by the Secretary to comply with the require-
21 ments of this section if the technology has been
22 certified by a foreign entity and the certification
23 demonstrates performance and safety of the
24 treatment technology equivalent to the require-

1 ments of this section, as determined by the See-
2 retary.

3 (i) TESTING PROTOCOLS.—Not later than 180 days
4 after the date of enactment of this Act, the Administrator,
5 in consultation with the Secretary, shall issue require-
6 ments for land-based and shipboard testing protocols or
7 criteria for—

8 (1) certifying the performance of each ballast
9 water treatment technology under this section; and
10 (2) certifying laboratories to evaluate such
11 treatment technologies.

12 **SEC. 7. EXEMPTIONS.**

13 (a) IN GENERAL.—No permit shall be required or
14 prohibition enforced under any other provision of law for,
15 nor shall any standards regarding a discharge incidental
16 to the normal operation of a vessel under this Act apply
17 to—

18 (1) a discharge incidental to the normal oper-
19 ation of a vessel if the vessel is less than 79 feet in
20 length and engaged in commercial service (as de-
21 fined in section 2101(5) of title 46, United States
22 Code);

23 (2) a discharge incidental to the normal oper-
24 ation of a vessel if the vessel is a fishing vessel, in-
25 cluding a fish processing vessel and a fish tender

1 vessel, (as defined in section 2101 of title 46, United
2 States Code);

3 (3) a discharge incidental to the normal opera-
4 tion of a vessel if the vessel is a recreational vessel
5 (as defined in section 2101(25) of title 46, United
6 States Code);

7 (4) the placement, release, or discharge of
8 equipment, devices, or other material from a vessel
9 for the sole purpose of conducting research on the
10 aquatic environment or its natural resources in ac-
11 cordance with generally recognized scientific meth-
12 ods, principles, or techniques;

13 (5) any discharge into navigable waters from a
14 vessel authorized by an on-scene coordinator in ac-
15 cordance with part 300 of title 40, Code of Federal
16 Regulations, or part 153 of title 33, Code of Federal
17 Regulations;

18 (6) any discharge into navigable waters from a
19 vessel that is necessary to secure the safety of the
20 vessel or human life, or to suppress a fire onboard
21 the vessel or at a shoreside facility; or

22 (7) a vessel of the armed forces of a foreign na-
23 tion when engaged in noncommercial service.

24 (b) BALLAST WATER DISCHARGES.—No permit shall
25 be required or prohibition enforced under any other provi-

1 sion of law for, nor shall any ballast water performance
2 standards under this Act apply to—

3 (1) a ballast water discharge incidental to the
4 normal operation of a vessel determined by the See-
5 retary to—

6 (A) operate exclusively within a geographi-
7 cally limited area;

8 (B) take up and discharge ballast water
9 exclusively within a Captain of the Port Zone
10 established by the Coast Guard unless the See-
11 retary determines such discharge poses a sub-
12 stantial risk of introduction or establishment of
13 an aquatic nuisance species;

14 (C) operate pursuant to a geographic re-
15 striction issued as a condition under section
16 3309 of title 46, United States Code, or an
17 equivalent restriction issued by the country of
18 registration of the vessel; or

19 (D) continuously take on and discharge
20 ballast water in a flow-through system that
21 does not introduce aquatic nuisance species into
22 navigable waters;

23 (2) a ballast water discharge incidental to the
24 normal operation of a vessel consisting entirely of
25 water suitable for human consumption; or

1 (3) a ballast water discharge incidental to the
2 normal operation of a vessel in an alternative com-
3 pliance program established pursuant to section (8).

4 (e) VESSELS WITH PERMANENT BALLAST WATER.—

5 No permit shall be required or prohibition enforced under
6 any other provision of law for, nor shall any ballast water
7 performance standard under this Act apply to, a vessel
8 that carries all of its permanent ballast water in sealed
9 tanks that are not subject to discharge.

10 (d) VESSELS OF THE ARMED FORCES.—Nothing in
11 this Act shall be construed to apply to a vessel of the
12 Armed Forces, as defined in section 101(a) of title 10,
13 United States Code.

14 **SEC. 8. ALTERNATIVE COMPLIANCE PROGRAM.**

15 (a) IN GENERAL.—The Secretary, in consultation
16 with the Administrator, may promulgate regulations es-
17 tablishing 1 or more compliance programs as an alter-
18 native to ballast water management regulations issued
19 under section 5 for a vessel that—

20 (1) has a maximum ballast water capacity of
21 less than 8 cubic meters;

22 (2) is less than 3 years from the end of the use-
23 ful life of the vessel, as determined by the Secretary;
24 or

1 (3) discharges ballast water into a facility for
2 the reception of ballast water that meets standards
3 promulgated by the Administrator, in consultation
4 with the Secretary.

5 (b) PROMULGATION OF FACILITY STANDARDS.—Not
6 later than 1 year after the date of enactment of this Act,
7 the Administrator, in consultation with the Secretary,
8 shall promulgate standards for—

9 (1) the reception of ballast water from a vessel
10 into a reception facility; and
11 (2) the disposal or treatment of the ballast
12 water under paragraph (1).

13 **SEC. 9. JUDICIAL REVIEW.**

14 (a) IN GENERAL.—An interested person may file a
15 petition for review of a final regulation promulgated under
16 this Act in the United States Court of Appeals for the
17 District of Columbia Circuit.

18 (b) DEADLINE.—A petition shall be filed not later
19 than 120 days after the date that notice of the promulga-
20 tion appears in the Federal Register.

21 (c) EXCEPTION.—Notwithstanding subsection (b), a
22 petition that is based solely on grounds that arise after
23 the deadline to file a petition under subsection (b) has
24 passed may be filed not later than 120 days after the date
25 that the grounds first arise.

1 **SEC. 10. EFFECT ON STATE AUTHORITY.**

2 (a) IN GENERAL.—No State or political subdivision
3 thereof may adopt or enforce any statute or regulation of
4 the State or political subdivision with respect to a dis-
5 charge incidental to the normal operation of a vessel after
6 the date of enactment of this Act.

7 (b) SAVINGS CLAUSE.—Notwithstanding subsection
8 (a), a State or political subdivision thereof may enforce
9 a statute or regulation of the State or political subdivision
10 with respect to ballast water discharges incidental to the
11 normal operation of a vessel that specifies a ballast water
12 performance standard that is more stringent than the bal-
13 last water performance standard under section 5(a)(1)(A)
14 and is in effect on the date of enactment of this Act if
15 the Secretary, after consultation with the Administrator
16 and any other Federal department or agency the Secretary
17 considers appropriate, makes a determination that—

18 (1) compliance with any performance standard
19 specified in the statute or regulation can in fact be
20 achieved and detected;

21 (2) the technology and systems necessary to
22 comply with the statute or regulation are commer-
23 cially available; and

24 (3) the statute or regulation is consistent with
25 obligations under relevant international treaties or
26 agreements to which the United States is a party.

1 (e) PETITION PROCESS.—

2 (1) SUBMISSION.—The Governor of a State
3 seeking to enforce a statute or regulation under sub-
4 section (b) shall submit a petition requesting the
5 Secretary to review the statute or regulation.

6 (2) CONTENTS; DEADLINE.—A petition shall—

7 (A) be accompanied by the scientific and
8 technical information on which the petition is
9 based; and

10 (B) be submitted to the Secretary not later
11 than 90 days after the date of enactment of
12 this Act.

13 (3) DETERMINATIONS.—The Secretary shall
14 make a determination on a petition under this sub-
15 section not later than 90 days after the date that
16 the petition is received.

17 **SEC. 11. APPLICATION WITH OTHER STATUTES.**

18 Notwithstanding any other provision of law, this Act
19 shall be the exclusive statutory authority for regulation by
20 the Federal Government of discharges incidental to the
21 normal operation of a vessel to which this Act applies. Ex-
22 cept as provided under section 5(a)(1)(A), any regulation
23 in effect on the date immediately preceding the effective
24 date of this Act relating to any permitting requirement
25 for or prohibition on discharges incidental to the normal

1 operation of a vessel to which this Act applies shall be
 2 deemed to be a regulation issued pursuant to the authority
 3 of this Act and shall remain in full force and effect unless
 4 or until superseded by new regulations issued hereunder.

5 **SECTION 1. SHORT TITLE; TABLE OF CONTENTS.**

6 (a) *SHORT TITLE.*—This Act may be cited as the “Ves-

7 sel Incidental Discharge Act”.

8 (b) *TABLE OF CONTENTS.*—The table of contents of this

9 *Act is as follows:*

Sec. 1. *Short title; table of contents.*

Sec. 2. *Findings; purpose.*

Sec. 3. *Definitions.*

Sec. 4. *Regulation and enforcement.*

Sec. 5. *Uniform national standards and requirements for the regulation of discharges incidental to the normal operation of a vessel.*

Sec. 6. *Treatment technology certification.*

Sec. 7. *Exemptions.*

Sec. 8. *Alternative compliance program.*

Sec. 9. *Judicial review.*

Sec. 10. *Effect on State authority.*

Sec. 11. *Application with other statutes.*

10 **SEC. 2. FINDINGS; PURPOSE.**

11 (a) *FINDINGS.*—Congress makes the following findings:

12 (1) *Beginning with enactment of the Act to Prevent Pollution from Ships in 1980 (22 U.S.C. 1901 et seq.), the United States Coast Guard has been the principal Federal authority charged with administering, enforcing, and prescribing regulations relating to the discharge of pollutants from vessels engaged in maritime commerce and transportation.*

19 (2) *The Coast Guard estimates there are approximately 21,560,000 State-registered recreational*

1 *vessels, 75,000 commercial fishing vessels, and 33,000*
2 *freight and tank barges operating in United States*
3 *waters.*

4 (3) *From 1973 to 2005, certain discharges inci-*
5 *dental to the normal operation of a vessel were ex-*
6 *empted by regulation from otherwise applicable per-*
7 *mitting requirements.*

8 (4) *Over the 32 years during which this regu-*
9 *latory exemption was in effect, Congress enacted stat-*
10 *utes on a number of occasions dealing with the regu-*
11 *lation of discharges incidental to the normal oper-*
12 *ation of a vessel, including—*

13 (A) *the Act to Prevent Pollution from Ships*
14 *(33 U.S.C. 1901 et seq.) in 1980;*

15 (B) *the Nonindigenous Aquatic Nuisance*
16 *Prevention and Control Act of 1990 (16 U.S.C.*
17 *4701 et seq.);*

18 (C) *the National Invasive Species Act of*
19 *1996 (110 Stat. 4073);*

20 (D) *section 415 of the Coast Guard Author-*
21 *ization Act of 1998 (112 Stat. 3434) and section*
22 *623 of the Coast Guard and Maritime Transpor-*
23 *tation Act of 2004 (33 U.S.C. 1901 note), which*
24 *established interim and permanent requirements,*

1 *respectively, for the regulation of vessel dis-*
2 *charges of certain bulk cargo residue;*

3 *(E) title XIV of division B of Appendix D*
4 *of the Consolidated Appropriations Act, 2001*
5 *(114 Stat. 2763), which prohibited or limited*
6 *certain vessel discharges in certain areas of Alas-*
7 *ka;*

8 *(F) section 204 of the Maritime Transpor-*
9 *tation Security Act of 2002 (33 U.S.C. 1902a),*
10 *which established requirements for the regulation*
11 *of vessel discharges of agricultural cargo residue*
12 *material in the form of hold washings; and*

13 *(G) title X of the Coast Guard Authoriza-*
14 *tion Act of 2010 (33 U.S.C. 3801 et seq.), which*
15 *provided for the implementation of the Inter-*
16 *national Convention on the Control of Harmful*
17 *Anti-Fouling Systems on Ships, 2001.*

18 *(b) PURPOSE.—The purpose of this Act is to provide*
19 *for the establishment of nationally uniform and environ-*
20 *mentally sound standards and requirements for the man-*
21 *agement of discharges incidental to the normal operation*
22 *of a vessel.*

23 **SEC. 3. DEFINITIONS.**

24 *In this Act:*

1 (1) *ADMINISTRATOR.*—The term “Administrator” means the Administrator of the Environmental Protection Agency.

4 (2) *AQUATIC NUISANCE SPECIES.*—The term
5 “*aquatic nuisance species*” means a nonindigenous
6 species (including a pathogen) that threatens the diversity or abundance of native species or the ecological stability of navigable waters or commercial, agricultural, aquacultural, or recreational activities dependent on such waters.

11 (3) *BALLAST WATER.*—

12 (A) *IN GENERAL.*—The term “*ballast water*” means any water, including any sediment suspended in such water, taken aboard a vessel—

16 (i) to control trim, list, draught, stability, or stresses of the vessel; or
17 (ii) during the cleaning, maintenance, or other operation of a ballast water treatment technology of the vessel.

21 (B) *EXCLUSIONS.*—The term “*ballast water*” does not include any pollutant that is added to water described in subparagraph (A) that is not directly related to the operation of a

1 *properly functioning ballast water treatment*
2 *technology under this Act.*

3 *(4) BALLAST WATER PERFORMANCE STAND-*
4 *ARD.—The term “ballast water performance stand-*
5 *ard” means the numerical ballast water discharge*
6 *standard set forth in section 151.2030 of title 33,*
7 *Code of Federal Regulations or section 151.1511 of*
8 *title 33, Code of Federal Regulations, as applicable,*
9 *or a revised numerical ballast water performance*
10 *standard established under subsection (a)(1)(B), (b),*
11 *or (c) of section 5 of this Act.*

12 *(5) BALLAST WATER TREATMENT TECHNOLOGY*
13 *OR TREATMENT TECHNOLOGY.—The term “ballast*
14 *water treatment technology” or “treatment tech-*
15 *nology” means any mechanical, physical, chemical, or*
16 *biological process used, alone or in combination, to*
17 *remove, render harmless, or avoid the uptake or dis-*
18 *charge of aquatic nuisance species within ballast*
19 *water.*

20 *(6) BIOCIDER.—The term “biocide” means a sub-*
21 *stance or organism, including a virus or fungus, that*
22 *is introduced into or produced by a ballast water*
23 *treatment technology to reduce or eliminate aquatic*
24 *nuisance species as part of the process used to comply*

1 with a ballast water performance standard under this
2 Act.

3 (7) **DISCHARGE INCIDENTAL TO THE NORMAL**
4 **OPERATION OF A VESSEL.—**

5 (A) **IN GENERAL.**—The term “discharge in-
6 cidental to the normal operation of a vessel”
7 means—

8 (i) a discharge into navigable waters
9 from a vessel of—

10 (I)(aa) ballast water, graywater,
11 bilge water, cooling water, oil water
12 separator effluent, anti-fouling hull
13 coating leachate, boiler or economizer
14 blowdown, byproducts from cathodic
15 protection, controllable pitch propeller
16 and thruster hydraulic fluid, distilla-
17 tion and reverse osmosis brine, elevator
18 pit effluent, firemain system effluent,
19 freshwater layup effluent, gas turbine
20 wash water, motor gasoline and com-
21 pensating effluent, refrigeration and
22 air condensate effluent, seawater
23 pumping biofouling prevention sub-
24 stances, boat engine wet exhaust, sonar
25 dome effluent, exhaust gas scrubber

1 *washwater, or stern tube packing gland*
2 *effluent; or*
3 (3) *any other pollutant associ-*
4 *ated with the operation of a marine*
5 *propulsion system, shipboard maneu-*
6 *vering system, habitability system, or*
7 *installed major equipment, or from a*
8 *protective, preservative, or absorptive*
9 *application to the hull of a vessel;*
10 (II) *weather deck runoff, deck*
11 *wash, aqueous film forming foam efflu-*
12 *ent, chain locker effluent, non-oily ma-*
13 *chinery wastewater, underwater ship*
14 *husbandry effluent, welldeck effluent, or*
15 *fish hold and fish hold cleaning efflu-*
16 *ent; or*
17 (III) *any effluent from a properly*
18 *functioning marine engine; or*
19 (ii) *a discharge of a pollutant into*
20 *navigable waters in connection with the*
21 *testing, maintenance, or repair of a system,*
22 *equipment, or engine described in subclause*
23 (I)(bb) *or (III) of clause (i) whenever the*
24 *vessel is waterborne.*

- 1 (B) EXCLUSIONS.—The term “discharge in-
2 cidental to the normal operation of a vessel” does
3 not include—
4 (i) a discharge into navigable waters
5 from a vessel of—
6 (I) rubbish, trash, garbage, incin-
7 erator ash, or other such material dis-
8 charged overboard;
9 (II) oil or a hazardous substance
10 as those terms are defined in section
11 311 of the Federal Water Pollution
12 Control Act (33 U.S.C. 1321);
13 (III) sewage as defined in section
14 312(a)(6) of the Federal Water Pollu-
15 tion Control Act (33 U.S.C.
16 1322(a)(6)); or
17 (IV) graywater referred to in sec-
18 tion 312(a)(6) of the Federal Water
19 Pollution Control Act (33 U.S.C.
20 1322(a)(6));
21 (ii) an emission of an air pollutant re-
22 sulting from the operation onboard a vessel
23 of a vessel propulsion system, motor driven
24 equipment, or incinerator; or

(8) GEOGRAPHICALLY LIMITED AREA.—The term “geographically limited area” means an area—

16 (9) *MANUFACTURER*.—The term “*manufacturer*”
17 means a person engaged in the manufacture, assem-
18 blage, or importation of ballast water treatment tech-
19 nology.

20 (10) SECRETARY.—The term “Secretary” means
21 the Secretary of the department in which the Coast
22 Guard is operating.

(11) VESSEL.—The term “vessel” means every description of watercraft or other artificial contriv-

1 *ance used, or practically or otherwise capable of being*
2 *used, as a means of transportation on water.*

3 **SEC. 4. REGULATION AND ENFORCEMENT.**

4 *(a) IN GENERAL.—The Secretary, in consultation with*
5 *the Administrator, shall establish and implement enforce-*
6 *able uniform national standards and requirements for the*
7 *regulation of discharges incidental to the normal operation*
8 *of a vessel. The standards and requirements shall—*

9 *(1) be based upon the best available technology*
10 *economically achievable; and*

11 *(2) supersede any permitting requirement or*
12 *prohibition on discharges incidental to the normal op-*
13 *eration of a vessel under any other provision of law.*

14 *(b) ADMINISTRATION AND ENFORCEMENT.—The Sec-*
15 *retary shall administer and enforce the uniform national*
16 *standards and requirements under this Act. Each State*
17 *may enforce the uniform national standards and require-*
18 *ments under this Act.*

19 **SEC. 5. UNIFORM NATIONAL STANDARDS AND REQUIRE-**
20 **MENTS FOR THE REGULATION OF DIS-**
21 **CHARGES INCIDENTAL TO THE NORMAL OP-**
22 **ERATION OF A VESSEL.**

23 *(a) REQUIREMENTS.—*

24 *(1) BALLAST WATER MANAGEMENT REQUIRE-*
25 *MENTS.—*

1 (A) *IN GENERAL.*—Notwithstanding any
2 other provision of law, the requirements set forth
3 in the final rule, *Standards for Living Orga-*
4 *nisms in Ships' Ballast Water Discharged in*
5 *U.S. Waters* (*77 Fed. Reg. 17254* (March 23,
6 2012), as corrected at *77 Fed. Reg. 33969* (June
7 8, 2012)), shall be the management requirements
8 for a ballast water discharge incidental to the
9 normal operation of a vessel until the Secretary
10 revises the ballast water performance standard
11 under subsection (b) or adopts a more stringent
12 State standard under subparagraph (B) of this
13 paragraph.

14 (B) *ADOPTION OF MORE STRINGENT STATE*
15 *STANDARD.*—If the Secretary makes a deter-
16 mination in favor of a State petition under sec-
17 tion 10, the Secretary shall adopt the more strin-
18 gent ballast water performance standard speci-
19 fied in the statute or regulation that is the sub-
20 ject of that State petition in lieu of the ballast
21 water performance standard in the final rule de-
22 scribed under subparagraph (A).

23 (2) *INITIAL MANAGEMENT REQUIREMENTS FOR*
24 *DISCHARGES OTHER THAN BALLAST WATER.*—Not
25 later than 2 years after the date of enactment of this

1 *Act, the Secretary, in consultation with the Adminis-*
2 *trator, shall issue a final rule establishing best man-*
3 *agement practices for discharges incidental to the nor-*
4 *mal operation of a vessel other than ballast water.*

5 *(b) REVISED BALLAST WATER PERFORMANCE STAND-*
6 *ARD; 8-YEAR REVIEW.—*

7 *(1) IN GENERAL.—Subject to the feasibility re-*
8 *view under paragraph (2), not later than January 1,*
9 *2022, the Secretary, in consultation with the Adminin-*
10 *istrator, shall issue a final rule revising the ballast*
11 *water performance standard under subsection (a)(1)*
12 *so that a ballast water discharge incidental to the*
13 *normal operation of a vessel will contain—*

14 *(A) less than 1 organism that is living or*
15 *has not been rendered harmless per 10 cubic me-*
16 *ters that is 50 or more micrometers in minimum*
17 *dimension;*

18 *(B) less than 1 organism that is living or*
19 *has not been rendered harmless per 10 milliliters*
20 *that is less than 50 micrometers in minimum di-*
21 *mension and more than 10 micrometers in min-*
22 *imum dimension;*

23 *(C) concentrations of indicator microbes*
24 *that are less than—*

1 (i) 1 colony-forming unit of toxicogenic
2 *Vibrio cholera* (serotypes O1 and O139) per
3 100 milliliters or less than 1 colony-forming
4 unit of that microbe per gram of wet weight
5 of zoological samples;

6 (ii) 126 colony-forming units of *esch-*
7 *erichia coli* per 100 milliliters; and

8 (iii) 33 colony-forming units of intes-
9 tinal enterococci per 100 milliliters; and

10 (D) concentrations of such additional indi-
11 cator microbes and of viruses as may be specified
12 in regulations issued by the Secretary in con-
13 sultation with the Administrator and such other
14 Federal agencies as the Secretary and the Ad-
15 ministrator consider appropriate.

16 (2) *FEASIBILITY REVIEW.*—

17 (A) *IN GENERAL.*—Not less than 2 years be-
18 fore January 1, 2022, the Secretary, in consulta-
19 tion with the Administrator, shall complete a re-
20 view to determine the feasibility of achieving the
21 revised ballast water performance standard
22 under paragraph (1).

23 (B) *CRITERIA FOR REVIEW OF BALLAST*
24 *WATER PERFORMANCE STANDARD.*—In con-
25 ducting a review under subparagraph (A), the

1 Secretary shall consider whether revising the bal-
2 last water performance standard will result in a
3 scientifically demonstrable and substantial re-
4 duction in the risk of introduction or establish-
5 ment of aquatic nuisance species, taking into ac-
6 count—

7 (i) improvements in the scientific un-
8 derstanding of biological and ecological
9 processes that lead to the introduction or es-
10 tablishment of aquatic nuisance species;

11 (ii) improvements in ballast water
12 treatment technology, including—

13 (I) the capability of such treat-
14 ment technology to achieve a revised
15 ballast water performance standard;

16 (II) the effectiveness and reli-
17 ability of such treatment technology in
18 the shipboard environment;

19 (III) the compatibility of such
20 treatment technology with the design
21 and operation of a vessel by class, type,
22 and size;

23 (IV) the commercial availability
24 of such treatment technology; and

(V) the safety of such treatment technology;

(II) maintaining the existing bal-
last water performance standard, in-
cluding the potential impacts on
water-related infrastructure, recre-
ation, propagation of native fish, shell-
fish, and wildlife, and other uses of
navigable waters.

23 (C) LOWER REVISED PERFORMANCE STAND-
24 ARD.—

(i) IN GENERAL.—If the Secretary, in consultation with the Administrator, determines on the basis of the feasibility review and after an opportunity for a public hearing that no ballast water treatment technology can be certified under section 6 to comply with the revised ballast water performance standard under paragraph (1), the Secretary shall require the use of the treatment technology that achieves the performance levels of the best treatment technology available.

(iii) COMPLIANCE.—If the implementation deadline under paragraph (3) is extended, the Secretary shall recommend ac-

1 *tion to ensure compliance with the extended*
2 *implementation deadline under clause (ii).*

3 (D) *HIGHER REVISED PERFORMANCE*
4 *STANDARD.—*

5 (i) *IN GENERAL.—If the Secretary, in*
6 *consultation with the Administrator, deter-*
7 *mines that ballast water treatment tech-*
8 *nology exists that exceeds the revised ballast*
9 *water performance standard under para-*
10 *graph (1) with respect to a class of vessels,*
11 *the Secretary shall revise the ballast water*
12 *performance standard for that class of ves-*
13 *sels to incorporate the higher performance*
14 *standard.*

15 (ii) *IMPLEMENTATION DEADLINE.—If*
16 *the Secretary, in consultation with the Ad-*
17 *ministrator, determines that the treatment*
18 *technology under clause (i) can be imple-*
19 *mented before the implementation deadline*
20 *under paragraph (3) with respect to a class*
21 *of vessels, the Secretary shall accelerate the*
22 *implementation deadline for that class of*
23 *vessels. If the implementation deadline*
24 *under paragraph (3) is accelerated, the Sec-*
25 *retary shall provide not less than 24 months*

1 *notice before the accelerated deadline takes*
2 *effect.*

3 *(3) IMPLEMENTATION DEADLINE.—The revised*
4 *ballast water performance standard under paragraph*
5 *(1) shall apply to a vessel beginning on the date of*
6 *the first drydocking of the vessel on or after January*
7 *1, 2022, but not later than December 31, 2024.*

8 *(4) REVISED PERFORMANCE STANDARD COMPLI-*
9 *ANCE DEADLINES.—*

10 *(A) IN GENERAL.—The Secretary may es-*
11 *tablish a compliance deadline for compliance by*
12 *a vessel (or a class, type, or size of vessel) with*
13 *a revised ballast water performance standard*
14 *under this subsection.*

15 *(B) PROCESS FOR GRANTING EXTEN-*
16 *SIONS.—In issuing regulations under this sub-*
17 *section, the Secretary shall establish a process for*
18 *an owner or operator to submit a petition to the*
19 *Secretary for an extension of a compliance dead-*
20 *line with respect to the vessel of the owner or op-*
21 *erator.*

22 *(C) PERIOD OF EXTENSIONS.—An extension*
23 *issued under subparagraph (B) may—*

- 1 (i) apply for a period of not to exceed
2 18 months from the date of the applicable
3 deadline under subparagraph (A); and
4 (ii) be renewable for an additional pe-
5 riod of not to exceed 18 months.

6 (D) FACTORS.—In issuing a compliance
7 deadline or reviewing a petition under this
8 paragraph, the Secretary shall consider, with re-
9 spect to the ability of an owner or operator to
10 meet a compliance deadline, the following fac-
11 tors:

12 (i) Whether the treatment technology to
13 be installed is available in sufficient quan-
14 tities to meet the compliance deadline.

15 (ii) Whether there is sufficient ship-
16 yard or other installation facility capacity.

17 (iii) Whether there is sufficient avail-
18 ability of engineering and design resources.

19 (iv) Vessel characteristics, such as en-
20 gine room size, layout, or a lack of installed
21 piping.

22 (v) Electric power generating capacity
23 aboard the vessel.

24 (vi) Safety of the vessel and crew.

25 (E) CONSIDERATION OF PETITIONS.—

12 (c) FUTURE REVISIONS OF VESSEL INCIDENTAL DIS-
13 CHARGE STANDARDS; DECENNIAL REVIEWS.—

1 *a decennial review under this subsection best manage-*
2 *ment practices for discharges covered by subsection*
3 *(a)(2). The Secretary shall initiate a rulemaking to*
4 *revise 1 or more best management practices for such*
5 *discharges after a decennial review if the Secretary,*
6 *in consultation with the Administrator, determines*
7 *that revising 1 or more of such practices would sub-*
8 *stantially reduce the impacts on navigable waters of*
9 *discharges incidental to the normal operation of a*
10 *vessel other than ballast water.*

11 *(3) CONSIDERATIONS.—In conducting a review*
12 *under paragraph (1), the Secretary, the Adminis-*
13 *trator, and the heads of other appropriate Federal*
14 *agencies as determined by the Secretary, shall con-*
15 *sider the criteria under section 5(b)(2)(B).*

16 *(4) REVISION AFTER DECENTRAL REVIEW.—The*
17 *Secretary shall initiate a rulemaking to revise the*
18 *current ballast water performance standard after a*
19 *decennial review if the Secretary, in consultation*
20 *with the Administrator, determines that revising the*
21 *current ballast water performance standard would re-*
22 *sult in a scientifically demonstrable and substantial*
23 *reduction in the risk of the introduction or establish-*
24 *ment of aquatic nuisance species.*

1 **SEC. 6. TREATMENT TECHNOLOGY CERTIFICATION.**

2 (a) *CERTIFICATION REQUIRED.*—Beginning 1 year
3 after the date that the requirements for testing protocols are
4 issued under subsection (i), no manufacturer of a ballast
5 water treatment technology shall sell, offer for sale, or intro-
6 duce or deliver for introduction into interstate commerce,
7 or import into the United States for sale or resale, a ballast
8 water treatment technology for a vessel unless the treatment
9 technology has been certified under this section.

10 (b) *CERTIFICATION PROCESS.*—

11 (1) *EVALUATION.*—Upon application of a manu-
12 facturer, the Secretary shall evaluate a ballast water
13 treatment technology with respect to—

14 (A) the effectiveness of the treatment tech-
15 nology in achieving the current ballast water
16 performance standard when installed on a vessel
17 (or a class, type, or size of vessel);

18 (B) the compatibility with vessel design and
19 operations;

20 (C) the effect of the treatment technology on
21 vessel safety;

22 (D) the impact on the environment;

23 (E) the cost effectiveness; and

24 (F) any other criteria the Secretary con-
25 siders appropriate.

1 (2) *APPROVAL.*—If after an evaluation under
2 paragraph (1) the Secretary determines that the treat-
3 ment technology meets the criteria, the Secretary may
4 certify the treatment technology for use on a vessel (or
5 a class, type, or size of vessel).

6 (3) *SUSPENSION AND REVOCATION.*—The Sec-
7 retary shall establish, by regulation, a process to sus-
8 pend or revoke a certification issued under this sec-
9 tion.

10 (c) *CERTIFICATION CONDITIONS.*—

11 (1) *IMPOSITION OF CONDITIONS.*—In certifying a
12 ballast water treatment technology under this section,
13 the Secretary, in consultation with the Administrator,
14 may impose any condition on the subsequent installa-
15 tion, use, or maintenance of the treatment technology
16 onboard a vessel as is necessary for—

17 (A) the safety of the vessel, the crew of the
18 vessel, and any passengers aboard the vessel;

19 (B) the protection of the environment; or

20 (C) the effective operation of the treatment
21 technology.

22 (2) *FAILURE TO COMPLY.*—The failure of an
23 owner or operator to comply with a condition im-
24 posed under paragraph (1) shall be considered a vio-
25 lation of this section.

1 (d) *PERIOD FOR USE OF INSTALLED TREATMENT*

2 *EQUIPMENT.*—*Notwithstanding anything to the contrary in*
3 *this Act or any other provision of law, the Secretary shall*
4 *allow a vessel on which a system is installed and operated*
5 *to meet a ballast water performance standard under this*
6 *Act to continue to use that system, notwithstanding any*
7 *revision of a ballast water performance standard occurring*
8 *after the system is ordered or installed until the expiration*
9 *of the service life of the system, as determined by the Sec-*
10 *retary, so long as the system—*

11 (1) *is maintained in proper working condition;*

12 *and*

13 (2) *is maintained and used in accordance with*
14 *the manufacturer's specifications and any treatment*
15 *technology certification conditions imposed by the*
16 *Secretary under this section.*

17 (e) *CERTIFICATES OF TYPE APPROVAL FOR THE*

18 *TREATMENT TECHNOLOGY.*—

19 (1) *ISSUANCE.*—*If the Secretary approves a bal-*
20 *last water treatment technology for certification under*
21 *subsection (b), the Secretary shall issue a certificate*
22 *of type approval for the treatment technology to the*
23 *manufacturer in such form and manner as the Sec-*
24 *retary determines appropriate.*

1 (2) *CERTIFICATION CONDITIONS.*—A certificate
2 of type approval issued under paragraph (1) shall
3 specify each condition imposed by the Secretary
4 under subsection (c).

5 (3) *OWNERS AND OPERATORS.*—A manufacturer
6 that receives a certificate of type approval for the
7 treatment technology under this subsection shall pro-
8 vide a copy of the certificate to each owner and oper-
9 ator of a vessel on which the treatment technology is
10 installed.

11 (f) *INSPECTIONS.*—An owner or operator who receives
12 a copy of a certificate under subsection (e)(3) shall retain
13 a copy of the certificate onboard the vessel and make the
14 copy of the certificate available for inspection at all times
15 while the owner or operator is utilizing the treatment tech-
16 nology.

17 (g) *BIOCIDES.*—The Secretary may not approve a bal-
18 last water treatment technology under subsection (b) if—

19 (1) it uses a biocide or generates a biocide that
20 is a pesticide, as defined in section 2 of the Federal
21 Insecticide, Fungicide, and Rodenticide Act (7 U.S.C.
22 136), unless the biocide is registered under that Act
23 or the Secretary, in consultation with Administrator,
24 has approved the use of the biocide in such treatment
25 technology; or

1 (2) it uses or generates a biocide the discharge of
2 which causes or contributes to a violation of a water
3 quality standard under section 303 of the Federal
4 Water Pollution Control Act (33 U.S.C. 1313).

5 (h) PROHIBITION.—

6 (1) IN GENERAL.—Except as provided in para-
7 graph (2), the use of a ballast water treatment tech-
8 nology by an owner or operator of a vessel shall not
9 satisfy the requirements of this Act unless it has been
10 approved by the Secretary under subsection (b).

11 (2) EXCEPTIONS.—

12 (A) COAST GUARD SHIPBOARD TECHNOLOGY
13 EVALUATION PROGRAM.—An owner or operator
14 may use a ballast water treatment technology
15 that has not been certified by the Secretary to
16 comply with the requirements of this section if
17 the technology is being evaluated under the Coast
18 Guard Shipboard Technology Evaluation Pro-
19 gram.

20 (B) BALLAST WATER TREATMENT TECH-
21 NOLOGIES CERTIFIED BY FOREIGN ENTITIES.—

22 An owner or operator may use a ballast water
23 treatment technology that has not been certified
24 by the Secretary to comply with the requirements
25 of this section if the technology has been certified

1 *by a foreign entity and the certification dem-*
2 *onstrates performance and safety of the treat-*
3 *ment technology equivalent to the requirements of*
4 *this section, as determined by the Secretary.*

5 *(i) TESTING PROTOCOLS.—Not later than 180 days*
6 *after the date of enactment of this Act, the Administrator,*
7 *in consultation with the Secretary, shall issue requirements*
8 *for land-based and shipboard testing protocols or criteria*
9 *for—*

10 *(1) certifying the performance of each ballast*
11 *water treatment technology under this section; and*
12 *(2) certifying laboratories to evaluate such treat-*
13 *ment technologies.*

14 **SEC. 7. EXEMPTIONS.**

15 *(a) IN GENERAL.—No permit shall be required or pro-*
16 *hibition enforced under any other provision of law for, nor*
17 *shall any standards regarding a discharge incidental to the*
18 *normal operation of a vessel under this Act apply to—*

19 *(1) a discharge incidental to the normal oper-*
20 *ation of a vessel if the vessel is less than 79 feet in*
21 *length and engaged in commercial service (as defined*
22 *in section 2101(5) of title 46, United States Code);*
23 *(2) a discharge incidental to the normal oper-*
24 *ation of a vessel if the vessel is a fishing vessel, in-*
25 *cluding a fish processing vessel and a fish tender ves-*

1 *sel, (as defined in section 2101 of title 46, United
2 States Code);*

3 *(3) a discharge incidental to the normal oper-
4 ation of a vessel if the vessel is a recreational vessel
5 (as defined in section 2101(25) of title 46, United
6 States Code);*

7 *(4) the placement, release, or discharge of equip-
8 ment, devices, or other material from a vessel for the
9 sole purpose of conducting research on the aquatic en-
10 vironment or its natural resources in accordance with
11 generally recognized scientific methods, principles, or
12 techniques;*

13 *(5) any discharge into navigable waters from a
14 vessel authorized by an on-scene coordinator in ac-
15 cordance with part 300 of title 40, Code of Federal
16 Regulations, or part 153 of title 33, Code of Federal
17 Regulations;*

18 *(6) any discharge into navigable waters from a
19 vessel that is necessary to secure the safety of the ves-
20 sel or human life, or to suppress a fire onboard the
21 vessel or at a shoreside facility; or*

22 *(7) a vessel of the armed forces of a foreign na-
23 tion when engaged in noncommercial service.*

24 *(b) BALLAST WATER DISCHARGES.—No permit shall
25 be required or prohibition enforced under any other provi-*

1 sion of law for, nor shall any ballast water performance
2 standards under this Act apply to—

3 (1) a ballast water discharge incidental to the
4 normal operation of a vessel determined by the Sec-
5 retary to—

6 (A) operate exclusively within a geographi-
7 cally limited area;

8 (B) take up and discharge ballast water ex-
9 clusively within 1 Captain of the Port Zone es-
10 tablished by the Coast Guard unless the Sec-
11 retary determines such discharge poses a sub-
12 stantial risk of introduction or establishment of
13 an aquatic nuisance species;

14 (C) operate pursuant to a geographic re-
15 striction issued as a condition under section
16 3309 of title 46, United States Code, or an
17 equivalent restriction issued by the country of
18 registration of the vessel; or

19 (D) continuously take on and discharge bal-
20 last water in a flow-through system that does not
21 introduce aquatic nuisance species into navi-
22 gable waters;

23 (2) a ballast water discharge incidental to the
24 normal operation of a vessel consisting entirely of
25 water suitable for human consumption; or

1 (3) a ballast water discharge incidental to the
2 normal operation of a vessel in an alternative compli-
3 ance program established pursuant to section 8.

4 (c) *VESSELS WITH PERMANENT BALLAST WATER.*—
5 No permit shall be required or prohibition enforced under
6 any other provision of law for, nor shall any ballast water
7 performance standard under this Act apply to, a vessel that
8 carries all of its permanent ballast water in sealed tanks
9 that are not subject to discharge.

10 (d) *VESSELS OF THE ARMED FORCES.*—Nothing in
11 this Act shall be construed to apply to a vessel of the Armed
12 Forces, as defined in section 101(a) of title 10, United
13 States Code.

14 **SEC. 8. ALTERNATIVE COMPLIANCE PROGRAM.**

15 (a) *IN GENERAL.*—The Secretary, in consultation with
16 the Administrator, may promulgate regulations estab-
17 lishing 1 or more compliance programs as an alternative
18 to ballast water management regulations issued under sec-
19 tion 5 for a vessel that—

20 (1) has a maximum ballast water capacity of
21 less than 8 cubic meters;
22 (2) is less than 3 years from the end of the useful
23 life of the vessel, as determined by the Secretary; or
24 (3) discharges ballast water into a facility for
25 the reception of ballast water that meets standards

1 *promulgated by the Administrator, in consultation*
2 *with the Secretary.*

3 (b) *PROMULGATION OF FACILITY STANDARDS.*—Not
4 *later than 1 year after the date of enactment of this Act,*
5 *the Administrator, in consultation with the Secretary, shall*
6 *promulgate standards for—*

7 (1) *the reception of ballast water from a vessel*
8 *into a reception facility; and*

9 (2) *the disposal or treatment of the ballast water*
10 *under paragraph (1).*

11 **SEC. 9. JUDICIAL REVIEW.**

12 (a) *IN GENERAL.*—*An interested person may file a pe-*
13 *tition for review of a final regulation promulgated under*
14 *this Act in the United States Court of Appeals for the Dis-*
15 *trict of Columbia Circuit.*

16 (b) *DEADLINE.*—*A petition shall be filed not later than*
17 *120 days after the date that notice of the promulgation ap-*
18 *pears in the Federal Register.*

19 (c) *EXCEPTION.*—*Notwithstanding subsection (b), a*
20 *petition that is based solely on grounds that arise after the*
21 *deadline to file a petition under subsection (b) has passed*
22 *may be filed not later than 120 days after the date that*
23 *the grounds first arise.*

1 SEC. 10. EFFECT ON STATE AUTHORITY.

2 (a) *IN GENERAL.*—No State or political subdivision
3 thereof may adopt or enforce any statute or regulation of
4 the State or political subdivision with respect to a discharge
5 incidental to the normal operation of a vessel after the date
6 of enactment of this Act.

7 (b) *SAVINGS CLAUSE.*—Notwithstanding subsection
8 (a), a State or political subdivision thereof may enforce a
9 statute or regulation of the State or political subdivision
10 with respect to ballast water discharges incidental to the
11 normal operation of a vessel that specifies a ballast water
12 performance standard that is more stringent than the bal-
13 last water performance standard under section 5(a)(1)(A)
14 and is in effect on the date of enactment of this Act if the
15 Secretary, after consultation with the Administrator and
16 any other Federal department or agency the Secretary con-
17 siders appropriate, makes a determination that—

18 (1) compliance with any performance standard
19 specified in the statute or regulation can in fact be
20 achieved and detected;

21 (2) the technology and systems necessary to com-
22 ply with the statute or regulation are commercially
23 available; and

24 (3) the statute or regulation is consistent with
25 obligations under relevant international treaties or
26 agreements to which the United States is a party.

1 (c) *PETITION PROCESS.*—

2 (1) *SUBMISSION.*—*The Governor of a State seeking*
3 *to enforce a statute or regulation under subsection*
4 *(b) shall submit a petition requesting the Secretary to*
5 *review the statute or regulation.*

6 (2) *CONTENTS; DEADLINE.*—*A petition shall—*

7 (A) *be accompanied by the scientific and*
8 *technical information on which the petition is*
9 *based; and*

10 (B) *be submitted to the Secretary not later*
11 *than 90 days after the date of enactment of this*
12 *Act.*

13 (3) *DETERMINATIONS.*—*The Secretary shall*
14 *make a determination on a petition under this sub-*
15 *section not later than 90 days after the date that the*
16 *petition is received.*

17 **SEC. 11. APPLICATION WITH OTHER STATUTES.**

18 *Notwithstanding any other provision of law, this Act*
19 *shall be the exclusive statutory authority for regulation by*
20 *the Federal Government of discharges incidental to the nor-*
21 *mal operation of a vessel to which this Act applies. Except*
22 *as provided under section 5(a)(1)(A), any regulation in ef-*
23 *fect on the date immediately preceding the effective date of*
24 *this Act relating to any permitting requirement for or pro-*
25 *hibition on discharges incidental to the normal operation*

1 *of a vessel to which this Act applies shall be deemed to be*
2 *a regulation issued pursuant to the authority of this Act*
3 *and shall remain in full force and effect unless or until su-*
4 *perseded by new regulations issued hereunder.*

Calendar No. 620

113TH CONGRESS
2D SESSION
S. 2094

A BILL

To provide for the establishment of nationally uniform and environmentally sound standards governing discharges incidental to the normal operation of a vessel.

DECEMBER 8, 2014

Reported with an amendment