

Pt. 851**10 CFR Ch. III (1-1-25 Edition)**

or disclosed only as provided by the Americans with Disability Act, the Privacy Act of 1974, or as required by a court order or under other law.

I understand that the results of my medical tests for beryllium will be included in the Beryllium Registry maintained by DOE, and that a unique identifier will be used to maintain the confidentiality of my medical information. Personal identifiers will not be included in any reports generated from the DOE Beryllium Registry. I understand that the results of my tests and examinations may be published in reports or presented at meetings, but that I will not be identified.

I consent to having the following medical evaluations:

- // Physical examination concentrating on my lungs and breathing
- // Chest X-ray
- // Spirometry (a breathing test)
- // Blood test called the beryllium-induced lymphocyte proliferation test or Be-LPT
- // Other test(s). Specify:

Signature of Participant:

Date: _____

I have explained and discussed any questions that the employee expressed concerning the Be-LPT, physical examination, and other medical testing as well as the implications of those tests.

Name of Examining Physician:

Signature of Examining Physician:

Dated: _____

PART 851—WORKER SAFETY AND HEALTH PROGRAM

Subpart A—General Provisions

Sec.

- 851.1 Scope and purpose.
- 851.2 Exclusions.
- 851.3 Definitions.
- 851.4 Compliance order.
- 851.5 Enforcement.
- 851.6 Petitions for generally applicable rulemaking.
- 851.7 Request for a binding interpretive ruling.
- 851.8 Informal requests for information.

Subpart B—Program Requirements

- 851.10 General requirements.
- 851.11 Development and approval of worker safety and health program.
- 851.12 Implementation.
- 851.13 Compliance.

Subpart C—Specific Program Requirements

- 851.20 Management responsibilities and worker rights and responsibilities.
- 851.21 Hazard identification and assessment.
- 851.22 Hazard prevention and abatement.
- 851.23 Safety and health standards.
- 851.24 Functional areas.
- 851.25 Training and information.
- 851.26 Recordkeeping and reporting.
- 851.27 Materials incorporated by reference.

Subpart D—Variances

- 851.30 Consideration of variances.
- 851.31 Variance process.
- 851.32 Action on variance requests.
- 851.33 Terms and conditions.
- 851.34 Requests for conferences.

Subpart E—Enforcement Process

- 851.40 Investigations and inspections.
- 851.41 Settlement.
- 851.42 Preliminary notice of violation.
- 851.43 Final notice of violation.
- 851.44 Administrative appeal.
- 851.45 Direction to NNSA contractors.

APPENDIX A TO PART 851—WORKER SAFETY AND HEALTH FUNCTIONAL AREAS
APPENDIX B TO PART 851—GENERAL STATEMENT OF ENFORCEMENT POLICY

AUTHORITY: 42 U.S.C. 2201(i)(3), (p); 42 U.S.C. 2282c; 42 U.S.C. 5801 *et seq.*; 42 U.S.C. 7101 *et seq.*; 50 U.S.C. 2401 *et seq.*; 28 U.S.C. 2461 note.

SOURCE: 71 FR 6931, Feb. 9, 2006, unless otherwise noted.

EDITORIAL NOTE: Nomenclature changes to part 851 appear at 88 FR 41293, June 26, 2023.

Subpart A—General Provisions

§ 851.1 Scope and purpose.

(a) The worker safety and health requirements in this part govern the conduct of contractor activities at DOE sites.

(b) This part establishes the:

(1) Requirements for a worker safety and health program that reduces or prevents occupational injuries, illnesses, and accidental losses by providing DOE contractors and their workers with safe and healthful workplaces at DOE sites; and

(2) Procedures for investigating whether a violation of a requirement of this part has occurred, for determining the nature and extent of any such violation, and for imposing an appropriate remedy.

Department of Energy**§ 851.3****§ 851.2 Exclusions.**

(a) This part does not apply to work at a DOE site:

(1) Regulated by the Occupational Safety and Health Administration; or

(2) Operated under the authority of the Director, Naval Nuclear Propulsion, pursuant to Executive Order 12344, as set forth in Public Law 98-525, 42 U.S.C. 7158 note.

(b) This part does not apply to radiological hazards or nuclear explosives operations to the extent regulated by 10 CFR Parts 20, 820, 830 or 835.

(c) This part does not apply to transportation to or from a DOE site.

(d) This part does not require compliance with any Occupational Safety and Health Administration requirements for beryllium or beryllium compounds except as provided in 10 CFR part 850, "Chronic Beryllium Disease Prevention Program."

[71 FR 6931, Feb. 9, 2006, as amended at 80 FR 69566, Nov. 10, 2015; 88 FR 86815, Dec. 15, 2023]

§ 851.3 Definitions.

(a) As used in this part:

AEA means the Atomic Energy Act of 1954, 42 U.S.C. 2011 *et seq.*

Affected worker means a worker who would be affected by the granting or denial of a variance, or any authorized representative of the worker, such as a collective bargaining agent.

Closure facility means a facility that is non-operational and is, or is expected to be permanently closed and/or demolished, or title to which is expected to be transferred to another entity for reuse.

Closure facility hazard means a facility-related condition within a closure facility involving deviations from the technical requirements of § 851.23 of this part that would require costly and extensive structural/engineering modifications to be in compliance.

Cognizant Secretarial Officer means, with respect to a particular situation, the Assistant Secretary, Deputy Administrator, Program Office Director, or equivalent DOE official who has primary line management responsibility for a contractor, or any other official to whom the CSO delegates in writing a particular function under this part.

Compliance order means an order issued by the Secretary to a contractor that mandates a remedy, work stoppage, or other action to address a situation that violates, potentially violates, or otherwise is inconsistent with a requirement of this part.

Consent order means any written document, signed by the Enforcement Director and a contractor, containing stipulations or conclusions of fact or law and a remedy acceptable to both DOE and the contractor.

Construction means combination of erection, installation, assembly, demolition, or fabrication activities involved to create a new facility or to alter, add to, rehabilitate, dismantle, or remove an existing facility. It also includes the alteration and repair (including dredging, excavating, and painting) of buildings, structures, or other real property, as well as any construction, demolition, and excavation activities conducted as part of environmental restoration or remediation efforts.

Construction contractor means the lowest tiered contractor with primary responsibility for the execution of all construction work described within a construction procurement or authorization document (e.g., construction contract, work order).

Construction manager means the individual or firm responsible to DOE for the supervision and administration of a construction project to ensure the construction contractor's compliance with construction project requirements.

Construction project means the full scope of activities required on a construction worksite to fulfill the requirements of the construction procurement or authorization document.

Construction worksite is the area within the limits necessary to perform the work described in the construction procurement or authorization document. It includes the facility being constructed or renovated along with all necessary staging and storage areas as well as adjacent areas subject to project hazards.

Contractor means any entity, including affiliated entities, such as a parent corporation, under contract with DOE, or a subcontractor at any tier, that has responsibilities for performing work at

§851.3**10 CFR Ch. III (1-1-25 Edition)**

a DOE site in furtherance of a DOE mission.

Covered workplace means a place at a DOE site where a contractor is responsible for performing work in furtherance of a DOE mission.

Director of the Office of Enforcement (Enforcement Director) means the DOE official designated by the Secretary, or that person's designee, to carry out the enforcement authorities reflected in subpart E of this part.

Director of the Office of Environment, Health, Safety and Security (EHSS Director) means the DOE official to whom the Secretary assigns the authority to develop policy and technical assistance; safety analysis; and organizational safety and security programs.

DOE means the United States Department of Energy, including the National Nuclear Security Administration.

DOE Enforcement Officer means a DOE official to whom the Enforcement Director assigns the authority to investigate the nature and extent of compliance with the requirements of this part.

DOE site means a DOE-owned or -leased area or location or other area or location controlled by DOE where activities and operations are performed at one or more facilities or places by a contractor in furtherance of a DOE mission.

Final notice of violation means a document that determines a contractor has violated or is continuing to violate a requirement of this part and includes:

- (1) A statement specifying the requirement of this part to which the violation relates;
- (2) A concise statement of the basis for the determination;
- (3) Any remedy, including the amount of any civil penalty; and
- (4) A statement explaining the reasoning behind any remedy.

Final Order means an order of DOE that represents final agency action and, if appropriate, imposes a remedy with which the recipient of the order must comply.

General Counsel means the General Counsel of DOE.

Head of DOE Field Element means an individual who is the manager or head

of the DOE operations office or field office.

Interpretative ruling means a statement by the General Counsel concerning the meaning or effect of a requirement of this part which relates to a specific factual situation but may also be a ruling of general applicability if the General Counsel determines such action to be appropriate.

National defense variance means relief from a safety and health standard, or portion thereof, to avoid serious impairment of a national defense mission.

NNSA means the National Nuclear Security Administration.

Nuclear explosive means an assembly containing fissionable and/or fusionable materials and main charge high-explosive parts or propellants capable of producing a nuclear detonation (e.g., a nuclear weapon or test device).

Nuclear explosive operation means any activity involving a nuclear explosive, including activities in which main charge high-explosive parts and pit are collocated.

Occupational medicine provider means the designated site occupational medicine director (SOMD) or the individual providing medical services.

Permanent variance means relief from a safety and health standard, or portion thereof, to contractors who can prove that their methods, conditions, practices, operations, or processes provide workplaces that are as safe and healthful as those that follow the workplace safety and health standard required by this part.

Preliminary notice of violation means a document that sets forth the preliminary conclusions that a contractor has violated or is continuing to violate a requirement of this part and includes:

- (1) A statement specifying the requirement of this part to which the violation relates;
- (2) A concise statement of the basis for alleging the violation;
- (3) Any remedy, including the amount of any proposed civil penalty; and
- (4) A statement explaining the reasoning behind any proposed remedy.

Pressure systems means all pressure vessels, and pressure sources including cryogenics, pneumatic, hydraulic, and

vacuum. Vacuum systems should be considered pressure systems due to their potential for catastrophic failure due to backfill pressurization. Associated hardware (e.g., gauges and regulators), fittings, piping, pumps, and pressure relief devices are also integral parts of the pressure system.

Remedy means any action (including, but not limited to, the assessment of civil penalties, the reduction of fees or other payments under a contract, the requirement of specific actions, or the modification, suspension or rescission of a contract) necessary or appropriate to rectify, prevent, or penalize a violation of a requirement of this part, including a compliance order issued by the Secretary pursuant to this part.

Safety and health standard means a standard that addresses a workplace hazard by establishing limits, requiring conditions, or prescribing the adoption or use of one or more practices, means, methods, operations, or processes, reasonably necessary or appropriate to provide safe and healthful workplaces.

Secretary means the Secretary of Energy.

Temporary variance means a short-term relief for a new safety and health standard when the contractor cannot comply with the requirements by the prescribed date because the necessary construction or alteration of the facility cannot be completed in time or when technical personnel, materials, or equipment are temporarily unavailable.

Unauthorized discharge means the discharge of a firearm under circumstances other than: (1) during firearms training with the firearm properly pointed down range (or toward a target), or (2) the intentional firing at hostile parties when deadly force is authorized.

Under Secretary means, with respect to a particular situation, the DOE official who serves as the Under Secretary for Science and Innovation, or Under Secretary for Infrastructure, or the Under Secretary for Nuclear Security/Administrator for National Nuclear Security Administration who has primary line management responsibility for a contractor.

Variance means an exception to compliance with some part of a safety and

health standard granted by the Under Secretary to a contractor.

Worker means an employee of a DOE contractor person who performs work in furtherance of a DOE mission at a covered workplace.

Workplace hazard means a physical, chemical, biological, or safety hazard with any potential to cause illness, injury, or death to a person.

(b) Terms undefined in this part that are defined in the Atomic Energy Act of 1954 must have the same meaning as under that Act.

[71 FR 6931, Feb. 9, 2006, as amended at 80 FR 5008, Jan. 30, 2015; 88 FR 41293, June 26, 2023; 88 FR 86815, Dec. 15, 2023]

§ 851.4 Compliance order.

(a) The Secretary may issue to any contractor a Compliance Order that:

(1) Identifies a situation that violates, potentially violates, or otherwise is inconsistent with a requirement of this part;

(2) Mandates a remedy, work stoppage, or other action; and,

(3) States the reasons for the remedy, work stoppage, or other action.

(b) A Compliance Order is a final order that is effective immediately unless the Order specifies a different effective date.

(c) Within 15 calendar days of the issuance of a Compliance Order, the recipient of the Order may request the Secretary to rescind or modify the Order. A request does not stay the effectiveness of a Compliance Order unless the Secretary issues an order to that effect.

(d) A copy of the Compliance Order must be prominently posted, once issued, at or near the location where the violation, potential violation, or inconsistency occurred until it is corrected.

§ 851.5 Enforcement.

(a) A contractor that is indemnified under section 170d. of the AEA (or any subcontractor or supplier thereto) and that violates (or whose employee violates) any requirement of this part shall be subject to a civil penalty of up to \$121,876 for each such violation. If any violation under this subsection is a continuing violation, each day of the violation shall constitute a separate

§851.6

violation for the purpose of computing the civil penalty.

(b) A contractor that violates any requirement of this part may be subject to a reduction in fees or other payments under a contract with DOE, pursuant to the contract's *Conditional Payment of Fee* clause, or other contract clause providing for such reductions.

(c) DOE may not penalize a contractor under both paragraphs (a) and (b) of this section for the same violation of a requirement of this part.

(d) For contractors listed in subsection d. of section 234A of the AEA, 42 U.S.C. 2282a(d), the total amount of civil penalties under paragraph (a) and contract penalties under paragraph (b) of this section may not exceed the total amount of fees paid by DOE to the contractor in that fiscal year.

(e) DOE shall not penalize a contractor under both sections 234A and 234C of the AEA for the same violation.

(f) DOE enforcement actions through civil penalties under paragraph (a) of this section, start on February 9, 2007.

[71 FR 6931, Feb. 9, 2006, as amended at 74 FR 66033, Dec. 14, 2009; 79 FR 20, Jan. 2, 2014; 81 FR 41795, June 28, 2016; 81 FR 96352, Dec. 30, 2016; 83 FR 1292, Jan. 11, 2018; 83 FR 66084, Dec. 26, 2018; 85 FR 831, Jan. 8, 2020; 86 FR 2956, Jan. 14, 2021; 87 FR 1064, Jan. 10, 2022; 88 FR 2194, Jan. 13, 2023; 89 FR 1029, Jan. 9, 2024; 89 FR 105407, Dec. 27, 2024]

§851.6 Petitions for generally applicable rulemaking.

(a) *Right to file.* Any person may file a petition for generally applicable rulemaking to amend or interpret provisions of this part.

(b) *How to file.* Any person who wants to file a petition for generally applicable rulemaking pursuant to this section must file by mail or messenger in an envelope addressed to the Office of General Counsel, GC-1, U.S. Department of Energy, 1000 Independence Avenue, SW., Washington, DC 20585.

(c) *Content of rulemaking petitions.* A petition under this section must:

(1) Be labeled "Petition for Rulemaking Under 10 CFR 851;"

(2) Describe with particularity the provision of this part to be amended and the text of regulatory language to be added; and

(3) Explain why, if relevant, DOE should not choose to make policy by

10 CFR Ch. III (1-1-25 Edition)

precedent through adjudication of petitions for assessment of civil penalty.

(d) *Determinations upon rulemaking petitions.* After considering the petition and other information DOE deems relevant, DOE may grant the petition and issue an appropriate rulemaking notice, or deny the petition because the rule being sought:

(1) Would be inconsistent with statutory law;

(2) Would establish a generally applicable policy in a subject matter area that should be left to case-by-case determinations; or

(3) For other good cause.

§851.7 Requests for a binding interpretive ruling.

(a) *Right to file.* Any person subject to this part shall have the right to file a request for an interpretive ruling that is binding on DOE with regard to a question as to how the regulations in this part would apply to particular facts and circumstances.

(b) *How to file.* Any person who wants to file a request under this section must file by mail or messenger in an envelope addressed to the Office of General Counsel, GC-1, U.S. Department of Energy, 1000 Independence Avenue, SW., Washington, DC 20585.

(c) *Content of request for interpretive ruling.* A request under this section must:

(1) Be in writing;

(2) Be labeled "Request for Interpretive Ruling Under 10 CFR 851;"

(3) Identify the name, address, telephone number, e-mail address, and any designated representative of the person filing the request;

(4) State the facts and circumstances relevant to the request;

(5) Be accompanied by copies of relevant supporting documents if any;

(6) Specifically identify the pertinent regulations and the related question on which an interpretive ruling is sought; and

(7) Include explanatory discussion in support of the interpretive ruling being sought.

(d) *Public comment.* DOE may give public notice of any request for an interpretive ruling and provide an opportunity for public comment.

Department of Energy**§ 851.10**

(e) *Opportunity to respond to public comment.* DOE may provide an opportunity to any person who requests an interpretive ruling to respond to public comments relating to the request.

(f) *Other sources of information.* DOE may:

(1) Conduct an investigation of any statement in a request;

(2) Consider any other source of information in evaluating a request for an interpretive ruling; and

(3) Rely on previously issued interpretive rulings with addressing the same or a related issue.

(g) *Informal conference.* DOE may convene an informal conference with the person requesting the interpretive ruling.

(h) *Effect of interpretive ruling.* Except as provided in paragraph (i) of this section, an interpretive ruling under this section is binding on DOE only with respect to the person who requested the ruling.

(i) *Reliance on interpretive ruling.* If DOE issues an interpretive ruling under this section, then DOE may not subject the person who requested the ruling to an enforcement action for civil penalties for actions reasonably taken in reliance on the ruling, but a person may not act in reliance on an interpretive ruling that is administratively rescinded or modified after opportunity to comment, judicially invalidated, or overruled by statute or regulation.

(j) *Denial of requests for an interpretive ruling.* DOE may deny a request for an interpretive ruling if DOE determines that:

(1) There is insufficient information upon which to base an interpretive ruling;

(2) The interpretive question posed should be treated in a general notice of proposed rulemaking;

(3) There is an adequate procedure elsewhere in this part for addressing the interpretive question such as a petition for variance; or

(4) For other good cause.

(k) *Public availability of interpretive rulings.* For information of interested members of the public, DOE may file a

copy of interpretive rulings on a DOE internet web site.

[71 FR 6931, Feb. 9, 2006; 71 FR 36661, June 28, 2006, as amended at 88 FR 88815, Dec. 15, 2023]

§ 851.8 Informal requests for information.

(a) Any person may informally request information under this section as to how to comply with the requirements of this part, instead of applying for a binding interpretive ruling under § 851.7. DOE responses to informal requests for information under this section are not binding on DOE and do not preclude enforcement actions under this part.

(b) Inquiries regarding the technical requirements of the standards required by this part must be directed to the Office of Environment, Health, Safety and Security, U.S. Department of Energy, 1000 Independence Avenue, SW., Washington, DC 20585.

(c) Information regarding the general statement of enforcement policy in the appendix to this part must be directed to the Office of Enterprise Assessments, Office of Enforcement, U.S. Department of Energy, 1000 Independence Avenue, SW., Washington, DC 20585.

[71 FR 6931, Feb. 9, 2006, as amended at 71 FR 68733, Nov. 28, 2006; 80 FR 5009, Jan. 30, 2015]

Subpart B—Program Requirements**§ 851.10 General requirements.**

(a) With respect to a covered workplace for which a contractor is responsible, the contractor must:

(1) Provide a place of employment that is free from recognized hazards that are causing or have the potential to cause death or serious physical harm to workers; and

(2) Ensure that work is performed in accordance with:

(i) All applicable requirements of this part; and

(ii) The worker safety and health program for that workplace.

(b) The written worker safety and health program must describe how the contractor complies with the:

(1) Requirements set forth in subpart C of this part that are applicable to the hazards associated with the contractor's scope of work; and

§851.11

(2) Any compliance order issued by the Secretary pursuant to §851.4.

[71 FR 6931, Feb. 9, 2006, as amended at 80 FR 5009, Jan. 30, 2015]

§851.11 Development and approval of worker safety and health program.

(a) *Preparation and submission of worker safety and health program.* By February 26, 2007, contractors must submit to the appropriate Head of DOE Field Element for approval a written worker safety and health program that provides the methods for implementing the requirements of subpart C of this part.

(1) If a contractor is responsible for more than one covered workplace at a DOE site, the contractor must establish and maintain a single worker safety and health program for the covered workplaces for which the contractor is responsible.

(2) If more than one contractor is responsible for covered workplaces, each contractor must:

(i) Establish and maintain a worker safety and health program for the workplaces for which the contractor is responsible; and

(ii) Coordinate with the other contractors responsible for work at the covered workplaces to ensure that there are clear roles, responsibilities and procedures to ensure the safety and health of workers at multi-contractor workplaces.

(3) The worker safety and health program must describe how the contractor will:

(i) Comply with the requirements set forth in subpart C of this part that are applicable to the covered workplace, including the methods for implementing those requirements; and

(ii) Integrate the requirements set forth in subpart C of this part that are applicable to a covered workplace with other related site-specific worker protection activities and with the integrated safety management system.

(b) *DOE evaluation and approval.* The Head of DOE Field Element must complete a review and provide written approval of the contractor's worker safety and health program, within 90 days of receiving the document. The worker safety and health program and any updates are deemed approved 90 days

10 CFR Ch. III (1-1-25 Edition)

after submission if they are not specifically approved or rejected by DOE earlier.

(1) Beginning May 25, 2007, no work may be performed at a covered workplace unless an approved worker safety and health program is in place for the workplace.

(2) Contractors must send a copy of the approved program to the EHSS Director.

(3) Contractors must furnish a copy of the approved worker safety and health program, upon written request, to the affected workers or their designated representatives.

(c) *Updates.* (1) Contractors must submit an update of the worker safety and health program to the appropriate Head of DOE Field Element, for review and approval whenever a significant change or addition to the program is made, or a change in contractors occurs.

(2) Contractors must submit annually to DOE either an updated worker safety and health program for approval or a letter stating that no changes are necessary in the currently approved worker safety and health program.

(3) Contractors must incorporate in the worker safety and health program any changes, conditions, or workplace safety and health standards directed by DOE consistent with the requirements of this part and DEAR 970.5204-2, Laws, Regulations and DOE Directives (December, 2000) and associated contract clauses.

(d) *Labor Organizations.* If a contractor employs or supervises workers who are represented for collective bargaining by a labor organization, the contractor must:

(1) Give the labor organization timely notice of the development and implementation of the worker safety and health program and any updates thereto; and

(2) Upon timely request, bargain concerning implementation of this part, consistent with the Federal labor laws.

[71 FR 6931, Feb. 9, 2006, as amended at 71 FR 68733, Nov. 28, 2006; 80 FR 5009, Jan. 30, 2015; 88 FR 41293, June 26, 2023]

§851.12 Implementation.

(a) Contractors must implement the requirements of this part.

Department of Energy**§ 851.20**

(b) Nothing in this part precludes a contractor from taking any additional protective action that is determined to be necessary to protect the safety and health of workers.

§ 851.13 Compliance.

(a) Contractors must achieve compliance with all the requirements of Subpart C of this part, and their approved worker safety and health program no later than May 25, 2007. Contractors may be required to comply contractually with the requirements of this rule before February 9, 2007.

(b) In the event a contractor has established a written safety and health program, an Integrated Safety Management System (ISMS) description pursuant to the DEAR Clause, or an approved Work Smart Standards (WSS) process before the date of issuance of the final rule, the Contractor may use that program, description, or process as the worker safety and health program required by this part if the appropriate Head of the DOE Field Element approves such use on the basis of written documentation provided by the contractor that identifies the specific portions of the program, description, or process, including any additional requirements or implementation methods to be added to the existing program, description, or process, that satisfy the requirements of this part and that provide a workplace as safe and healthful as would be provided by the requirements of this part.

(c) Nothing in this part shall be construed to limit or otherwise affect contractual obligations of a contractor to comply with contractual requirements that are not inconsistent with the requirements of this part.

Subpart C—Specific Program Requirements**§ 851.20 Management responsibilities and worker rights and responsibilities.**

(a) *Management responsibilities.* Contractors are responsible for the safety and health of their workforce and must ensure that contractor management at a covered workplace:

(1) Establish written policy, goals, and objectives for the worker safety and health program;

(2) Use qualified worker safety and health staff (e.g., a certified industrial hygienist, or safety professional) to direct and manage the program;

(3) Assign worker safety and health program responsibilities, evaluate personnel performance, and hold personnel accountable for worker safety and health performance;

(4) Provide mechanisms to involve workers and their elected representatives in the development of the worker safety and health program goals, objectives, and performance measures and in the identification and control of hazards in the workplace;

(5) Provide workers with access to information relevant to the worker safety and health program;

(6) Establish procedures for workers to report without reprisal job-related fatalities, injuries, illnesses, incidents, and hazards and make recommendations about appropriate ways to control those hazards;

(7) Provide for prompt response to such reports and recommendations;

(8) Provide for regular communication with workers about workplace safety and health matters;

(9) Establish procedures to permit workers to stop work or decline to perform an assigned task because of a reasonable belief that the task poses an imminent risk of death, serious physical harm, or other serious hazard to workers, in circumstances where the workers believe there is insufficient time to utilize normal hazard reporting and abatement procedures; and

(10) Inform workers of their rights and responsibility by appropriate means, including posting the DOE-designated Worker Protection Poster in the workplace where it is accessible to all workers.

(b) *Worker rights and responsibilities.* Workers must comply with the requirements of this part, including the worker safety and health program, which are applicable to their own actions and conduct. Workers at a covered workplace have the right, without reprisal, to:

(1) Participate in activities described in this section on official time;

§851.21

- (2) Have access to:
 - (i) DOE safety and health publications;
 - (ii) The worker safety and health program for the covered workplace;
 - (iii) The standards, controls, and procedures applicable to the covered workplace;
 - (iv) The safety and health poster that informs the worker of relevant rights and responsibilities;
 - (v) Limited information on any recordkeeping log (OSHA Form 300). Access is subject to Freedom of Information Act requirements and restrictions; and
 - (vi) The DOE Form 5484.3 (the DOE equivalent to OSHA Form 301) that contains the employee's name as the injured or ill worker;
- (3) Be notified when monitoring results indicate the worker was overexposed to hazardous materials;
- (4) Observe monitoring or measuring of hazardous agents and have the results of their own exposure monitoring;
- (5) Have a representative authorized by employees accompany the Enforcement Director or his authorized personnel during the physical inspection of the workplace for the purpose of aiding the inspection. When no authorized employee representative is available, the Enforcement Director or his authorized representative must consult, as appropriate, with employees on matters of worker safety and health;
- (6) Request and receive results of inspections and accident investigations;
- (7) Express concerns related to worker safety and health;
- (8) Decline to perform an assigned task because of a reasonable belief that, under the circumstances, the task poses an imminent risk of death or serious physical harm to the worker coupled with a reasonable belief that there is insufficient time to seek effective redress through normal hazard reporting and abatement procedures; and
- (9) Stop work when the worker discovers employee exposures to imminently dangerous conditions or other serious hazards; provided that any stop work authority must be exercised in a justifiable and responsible manner in accordance with procedures established

10 CFR Ch. III (1-1-25 Edition)

in the approved worker safety and health program.

[71 FR 6931, Feb. 9, 2006, as amended at 88 FR 41293, June 26, 2023]

§851.21 Hazard identification and assessment.

- (a) Contractors must establish procedures to identify existing and potential workplace hazards and assess the risk of associated workers injury and illness. Procedures must include methods to:
 - (1) Assess worker exposure to chemical, physical, biological, or safety workplace hazards through appropriate workplace monitoring;
 - (2) Document assessment for chemical, physical, biological, and safety workplace hazards using recognized exposure assessment and testing methodologies and using of accredited and certified laboratories;
 - (3) Record observations, testing and monitoring results;
 - (4) Analyze designs of new facilities and modifications to existing facilities and equipment for potential workplace hazards;
 - (5) Evaluate operations, procedures, and facilities to identify workplace hazards;
 - (6) Perform routine job activity-level hazard analyses;
 - (7) Review site safety and health experience information; and
 - (8) Consider interaction between workplace hazards and other hazards such as radiological hazards.
- (b) Contractors must submit to the Head of DOE Field Element a list of closure facility hazards and the established controls within 90 days after identifying such hazards. The Head of DOE Field Element, with concurrence by the Cognizant Secretarial Officer, has 90 days to accept the closure facility hazard controls or direct additional actions to either:
 - (1) Achieve technical compliance; or
 - (2) Provide additional controls to protect the workers.
- (c) Contractors must perform the activities identified in paragraph (a) of this section, initially to obtain baseline information and as often thereafter as necessary to ensure compliance with the requirements in this Subpart.

Department of Energy**§ 851.23****§ 851.22 Hazard prevention and abatement.**

(a) Contractors must establish and implement a hazard prevention and abatement process to ensure that all identified and potential hazards are prevented or abated in a timely manner.

(1) For hazards identified either in the facility design or during the development of procedures, controls must be incorporated in the appropriate facility design or procedure.

(2) For existing hazards identified in the workplace, contractors must:

(i) Prioritize and implement abatement actions according to the risk to workers;

(ii) Implement interim protective measures pending final abatement; and

(iii) Protect workers from dangerous safety and health conditions;

(b) Contractors must select hazard controls based on the following hierarchy:

(1) Elimination or substitution of the hazards where feasible and appropriate;

(2) Engineering controls where feasible and appropriate;

(3) Work practices and administrative controls that limit worker exposures; and

(4) Personal protective equipment.

(c) Contractors must address hazards when selecting or purchasing equipment, products, and services.

§ 851.23 Safety and health standards.

(a) Contractors must comply with the following safety and health standards that are applicable to the hazards at their covered workplace:

(1) Title 10 Code of Federal Regulations (CFR) 850, "Chronic Beryllium Disease Prevention Program."

(2) Title 29 CFR, part 1904, "Recording and Reporting Occupational Injuries and Illnesses", §§1904.4 through 1904.11, 1904.29 through 1904.33, and 1904.46.

(3) Title 29 CFR, part 1910, "Occupational Safety and Health Standards," excluding 29 CFR 1910.1096, "Ionizing Radiation"; 29 CFR 1910.1000, "Air Contaminants," Tables Z-1 and Z-2, as they relate to beryllium and beryllium compounds; and 29 CFR 1910.1024, "Beryllium."

(4) Title 29 CFR, part 1915, "Occupational Safety and Health Standards for Shipyard Employment," except for 29 CFR 1915.1024, "Beryllium."

(5) Title 29 CFR, Part 1917, "Marine Terminals."

(6) Title 29 CFR, Part 1918, "Safety and Health Regulations for Longshoring."

(7) Title 29 CFR, part 1926, "Safety and Health Regulations for Construction," except for 29 CFR 1926.1124, "Beryllium."

(8) Title 29 CFR, Part 1928, "Occupational Safety and Health Standards for Agriculture."

(9) American Conference of Governmental Industrial Hygienists (ACGIH®), *Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices*, (2016) (incorporated by reference, see § 851.27), excluding the threshold limit values (TLVs®) for beryllium and beryllium compounds, when the ACGIH® TLVs® are lower (more protective) than permissible exposure limits in 29 CFR part 1910 for general industry, 29 CFR part 1915 for shipyards, and/or 29 CFR part 1926 for construction. When the ACGIH® TLVs® are used as exposure limits, contractors must comply with the other provisions of any applicable expanded health standard found in 29 CFR parts 1910, 1915, and 1926.

(10) American National Standards Institute (ANSI/ASSE) Z88.2, "American National Standard Practices for Respiratory Protection," (2015) (incorporated by reference, see § 851.27).

(11) ANSI Z136.1, "Safe Use of Lasers," (2014) (incorporated by reference, see § 851.27).

(12) ANSI Z49.1, "Safety in Welding, Cutting and Allied Processes," sections 4.3 and E4.3 (2012) (incorporated by reference, see § 851.27).

(13) National Fire Protection Association (NFPA) 70, "National Electrical Code," (2017) (incorporated by reference, see § 851.27).

(14) NFPA 70E, "Standard for Electrical Safety in the Workplace," (2015) (incorporated by reference, see § 851.27).

(b) Nothing in this part relieves contractors from the responsibility to comply with any additional safety and health requirements that are necessary

§ 851.24

to protect the safety and health of workers.

[71 FR 6931, Feb. 9, 2006, as amended at 80 FR 69566, Nov. 10, 2015; 82 FR 59954, Dec. 18, 2017; 88 FR 86815, Dec. 15, 2023]

§ 851.24 Functional areas.

(a) Contractors must have a structured approach to their worker safety and health program which at a minimum, include provisions for the following applicable functional areas in their worker safety and health program: construction safety; fire protection; firearms safety; explosives safety; pressure safety; electrical safety; industrial hygiene; occupational medicine; biological safety; and motor vehicle safety.

(b) In implementing the structured approach required by paragraph (a) of this section, contractors must comply with the applicable standards and provisions in appendix A of this part, entitled "Worker Safety and Health Functional Areas."

§ 851.25 Training and information.

(a) Contractors must develop and implement a worker safety and health training and information program to ensure that all workers exposed or potentially exposed to hazards are provided with the training and information on that hazard in order to perform their duties in a safe and healthful manner.

(b) The contractor must provide:

(1) Training and information for new workers, before or at the time of initial assignment to a job involving exposure to a hazard;

(2) Periodic training as often as necessary to ensure that workers are adequately trained and informed; and

(3) Additional training when safety and health information or a change in workplace conditions indicates that a new or increased hazard exists.

(c) Contractors must provide training and information to workers who have worker safety and health program responsibilities that is necessary for them to carry out those responsibilities.

§ 851.26 Recordkeeping and reporting.

(a) *Recordkeeping.* Contractors must:

10 CFR Ch. III (1-1-25 Edition)

(1) Establish and maintain complete and accurate records of all hazard inventory information, hazard assessments, exposure measurements, and exposure controls.

(2) Ensure that the work-related injuries and illnesses of its workers and subcontractor workers are recorded and reported accurately and consistent with DOE reporting directives.

(3) Comply with the applicable occupational injury and illness record-keeping and reporting workplace safety and health standards in § 851.23 at their site, unless otherwise directed by DOE.

(4) Not conceal nor destroy any information concerning non-compliance or potential noncompliance with the requirements of this part.

(b) *Reporting and investigation.* Contractors must:

(1) Report and investigate accidents, injuries and illness; and

(2) Analyze related data for trends and lessons learned.

[71 FR 6931, Feb. 9, 2006, as amended at 82 FR 59954, Dec. 18, 2017]

§ 851.27 Materials incorporated by reference.

(a) Certain material is incorporated by reference into this subpart with the approval of the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. To enforce any edition other than that specified in this section, the U.S. Department of Energy (DOE) must publish a document in the FEDERAL REGISTER and the material must be available to the public. All approved incorporation by reference (IBR) material is available for inspection at DOE and at the National Archives and Records Administration (NARA). Contact DOE: the U.S. Department of Energy, Office of Environment, Health, Safety and Security, Office of Worker Safety and Health Policy, Mailstop EHSS-11, 1000 Independence Ave. SW, Washington, DC 20585; (301) 903-1165. For information on the availability of this material at NARA, visit www.archives.gov/federal-register/cfr/ibr-locations or email: fr.inspection@nara.gov. The material may be obtained from the sources in the following paragraphs of this section.

Department of Energy

§ 851.27

(b) *ACGIH*®. American Conference of Governmental Industrial Hygienist, 1330 Kemper Meadow Drive, Cincinnati, OH 45240. Telephone number: 513-742-2020, or go to: <http://www.acgih.org>.

(1) *ACGIH®, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices*, 2016; IBR approved for § 851.23.

(2) Reserved.

(c) *ANSI*. American National Standards Institute, 1899 L Street NW, 11th Floor, Washington, DC 20036. Telephone number: 202-293-8020, or go to: <http://www.ansi.org>.

(1) ANSI Z49.1-2012, *American National Standard Safety in Welding, Cutting and Allied Processes*, sections 4.3 and E4.3, ANSI approved March 9, 2012, IBR approved for § 851.23.

(2) ANSI/ASSE Z88.2-2015, *American National Standard Practices for Respiratory Protection*, ANSI approved March 4, 2015, IBR approved for § 851.23.

(3) ANSI Z136.1-2014, *American National Standard for Safe Use of Lasers*, ANSI approved December 10, 2013, IBR approved for § 851.23.

(d) *ASME*. American Society of Mechanical Engineers, P.O. Box 2300, Fairfield, NJ 07007. Telephone: 800-843-2763, or go to: <http://www.asme.org>.

(1) ASME Boilers and Pressure Vessel Codes (BPVC) as follows:

(i) BPVC.I-2015, *Section I—Rules for Construction of Power Boilers*, 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(ii) BPVC.II.A-2015, *Section II—Materials, Part A—Ferrous Material Specifications (Beginning to SA-450)*, 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(iii) BPVC.II.A-2015, *Section II—Materials, Part A—Ferrous Material Specifications (SA-451 to End)*, 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(iv) BPVC.II.B-2015, *Section II—Materials, Part B—Nonferrous Material Specifications*, 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(v) BPVC.II.C-2015, *Section II—Materials, Part C—Specification for Welding Rods; Electrodes, and Filler Metals*; 2015 edition, issued July 1, 2015; IBR ap-

proved for appendix A, section 4, Pressure Safety;

(vi) BPVC.II.D.C-2015, *Section II—Materials, Part D—Properties (Customary)*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety

(vii) BPVC.II.D.M-2015, *Section II—Materials, Part D—Properties (Metric)*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(viii) BPVC.III.A-2015, *Section III—Rules for Construction of Nuclear Facility Components, Appendices*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(ix) BPVC.III.1.NB-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NB, Class 1 Components*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(x) BPVC.III.1.NC-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NC, Class 2 Components*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xi) BPVC.III.1.ND-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection ND, Class 3 Components*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xii) BPVC.III.1.NE-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NE, Class MC Components*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xiii) BPVC.III.1.NF-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NF, Supports*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xiv) BPVC.III.1.NG-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NG, Core Support Structures*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xv) BPVC.III.1.NH-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NH, Class 1 Components in Elevated Temperature Service*; 2015 edition, issued July 1,

§ 851.27

2015; IBR approved for appendix A, section 4, Pressure Safety;

(xvi) BPVC.III.NCA-2015, *Section III—Rules for Construction of Nuclear Facility Components, Subsection NCA, General Requirements for Division 1 and Division 2*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xvii) BPVC.III.2-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division 2, Code for Concrete Containments*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xviii) BPVC.III.3-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division 3, Containments for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xix) BPVC.III.5-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division 5, High Temperature Reactors*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xx) BPVC.IV-2015, *Section IV, Rules for Construction of Heating Boilers*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxi) BPVC.V-2015, *Section V, Non-destructive Examination*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxii) BPVC.VI-2015, *Section VI, Recommended Rules for the Care and Operation of Heating Boilers*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxiii) BPVC.VII-2015, *Section VII, Recommended Guidelines for the Care of Power Boilers*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxiv) BPVC.VIII.1-2015, *Section VIII—Rules for Construction of Pressure Vessels, Division 1*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxv) BPVC.VIII.2-2015, *Section VIII—Rules for Construction of Pressure Vessels, Division 2, Alternative Rules*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

10 CFR Ch. III (1-1-25 Edition)

(xxvi) BPVC.VIII.3-2015, *Section VIII—Rules for Construction of Pressure Vessels, Division 3, Alternative Rules for Construction of High Pressure Vessels*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxvii) BPVC.IX-2015, *Section IX—Welding, Brazing and Fusing Qualifications, Qualification Standard for Welding, Brazing, and Fusing Procedures; Welders; Brazers; and Welding, Brazing, and Fusing Operators*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxviii) BPVC.X-2015, *Section X, Fiber-Reinforced Plastic Pressure Vessels*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxix) BPVC.XI-2015, *Section XI, Rules for Inservice Inspection of Nuclear Power Plant Components*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxx) BPVC.XII-2015, *Section XII, Rules for Construction and Continued Service of Transport Tanks*; issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety;

(xxxi) BPVC.CC.BPV-2015, *Code Cases, Boilers and Pressure Vessels*; 2015 edition, issued July 1, 2015; IBR approved for appendix A, section 4, Pressure Safety; and

(xxxii) BPVC.CC.NC-2015, *Code Cases, Nuclear Components*; issued July 1, 2015, IBR approved for appendix A, section 4, Pressure Safety.

(2) ASME B31 codes for pressure piping as follows:

(i) B31.1-2016, *Power Piping, ASME Code for Pressure Piping, B31*, issued June 30, 2016; IBR approved for appendix A, Section 4, Pressure Safety;

(ii) B31.3-2014, *Process Piping, ASME Code for Pressure Piping, B31*, issued February 27, 2015; IBR approved for appendix A, Section 4, Pressure Safety;

(iii) B31.4-2016, *Pipeline Transportation Systems for Liquids and Slurries, ASME Code for Pressure Piping, B31*, issued March 31, 2016; IBR approved for appendix A, Section 4, Pressure Safety;

(iv) B31.5-2016, *Refrigeration Piping and Heat Transfer Components, ASME Code for Pressure Piping, B31*, issued June 29, 2016; IBR approved for appendix A, Section 4, Pressure Safety;

Department of Energy

§ 851.31

(v) B31.8–2016, *Gas Transmission and Distribution Piping Systems*, ASME Code for Pressure Piping, B31, issued September 30, 2014; IBR approved for appendix A, Section 4, Pressure Safety;

(vi) B31.8S–2014, *Managing System Integrity of Gas Pipelines, ASME Code for Pressure Piping, B31, Supplement to ASME B31.8*, issued September 30, 2014; IBR approved for appendix A, Section 4, Pressure Safety;

(vii) B31.9–2014, *Building Services Piping, ASME Code for Pressure Piping, B31*, issued April 28, 2014; IBR approved for appendix A, Section 4, Pressure Safety; and

(viii) B31G–2012, *Manual for Determining the Remaining Strength of Corroded Pipelines, Supplement to ASME B31 Code for Pressure Piping*, issued October 24, 2012; IBR approved for appendix A, Section 4, Pressure Safety.

(e) NFPA. The National Fire Protection Association, One Batterymarch Park, Quincy, MA 02169. Telephone: 617-984-7423, or go to: <http://www.nfpa.org>.

(1) NFPA 70, *National Electric Code*, (2017), issued August 4, 2016; IBR approved for § 851.23; and

(2) NFPA 70E, *Standard for Electrical Safety in the Workplace*, (2015 edition), issued July 14, 2014; IBR approved for § 851.23.

[82 FR 59954, Dec. 18, 2017, as amended at 88 FR 86815, Dec. 15, 2023]

Subpart D—Variances

§ 851.30 Consideration of variances.

(a) Variances shall be granted by the Under Secretary after considering the recommendation of the EHSS Director. The authority to grant a variance cannot be delegated.

(b) The application must satisfy the requirements for applications specified in § 851.31.

[71 FR 6931, Feb. 9, 2006, as amended at 71 FR 68733, Nov. 28, 2006; 80 FR 5009, Jan. 30, 2015; 88 FR 41293, June 26, 2023]

§ 851.31 Variance process.

(a) *Application.* Contractors desiring a variance from a safety and health standard, or portion thereof, may submit a written application containing the information in paragraphs (c) and

(d) of this section to the appropriate CSO.

(1) The CSO may forward the application to the EHSS Director.

(2) If the CSO does not forward the application to the EHSS Director, the CSO must return the application to the contractor with a written statement explaining why the application was not forwarded.

(3) Upon receipt of an application from a CSO, the EHSS Director must review the application for a variance and make a written recommendation to:

(i) Approve the application;

(ii) Approve the application with conditions; or

(iii) Deny the application.

(b) *Defective applications.* If an application submitted pursuant to § 851.31(a) is determined by the EHSS Director to be incomplete, the EHSS Director may:

(1) Return the application to the contractor with a written explanation of what information is needed to permit consideration of the application; or

(2) Request the contractor to provide necessary information.

(c) *Content.* All variance applications submitted pursuant to paragraph (a) of this section must include:

(1) The name and address of the contractor;

(2) The address of the DOE site or sites involved;

(3) A specification of the standard, or portion thereof, from which the contractor seeks a variance;

(4) A description of the steps that the contractor has taken to inform the affected workers of the application, which must include giving a copy thereof to their authorized representative, posting a statement, giving a summary of the application and specifying where a copy may be examined at the place or places where notices to workers are normally posted; and

(5) A description of how affected workers have been informed of their right to petition the EHSS Director or designee for a conference; and

(6) Any requests for a conference, as provided in § 851.34.

(d) *Types of variances.* Contractors may apply for the following types of variances:

§851.32

(1) *Temporary variance.* Applications for a temporary variance pursuant to paragraph (a) of this section must be submitted at least 30 days before the effective date of a new safety and health standard and, in addition to the content required by paragraph (c) of this section, must include:

(i) A statement by the contractor explaining the contractor is unable to comply with the standard or portion thereof by its effective date and a detailed statement of the factual basis and representations of qualified persons that support the contractor's statement;

(ii) A statement of the steps the contractor has taken and plans to take, with specific dates if appropriate, to protect workers against the hazard covered by the standard;

(iii) A statement of when the contractor expects to be able to comply with the standard and of what steps the contractor has taken and plans to take, with specific dates if appropriate, to come into compliance with the standard;

(iv) A statement of the facts the contractor would show to establish that:

(A) The contractor is unable to comply with the standard by its effective date because of unavailability of professional or technical personnel or materials and equipment needed to come into compliance with the standard or because necessary construction or alteration of facilities cannot be completed by the effective date;

(B) The contractor is taking all available steps to safeguard the workers against the hazards covered by the standard; and

(C) The contractor has an effective program for coming into compliance with the standard as quickly as practicable.

(2) *Permanent variance.* An application submitted for a permanent variance pursuant to paragraph (a) of this section must, in addition to the content required in paragraph (c) of this section, include:

(i) A description of the conditions, practices, means, methods, operations, or processes used or proposed to be used by the contractor; and

(ii) A statement showing how the conditions, practices, means, methods,

10 CFR Ch. III (1-1-25 Edition)

operations, or processes used or proposed to be used would provide workers a place of employment which is as safe and healthful as would result from compliance with the standard from which a variance is sought.

(3) *National defense variance.* (i) An application submitted for a national defense variance pursuant to paragraph (a) of this section must, in addition to the content required in paragraph (c) of this section, include:

(A) A statement by the contractor showing that the variance sought is necessary to avoid serious impairment of national defense; and

(B) A statement showing how the conditions, practices, means, methods, operations, or processes used or proposed to be used would provide workers a safe and healthful place of employment in a manner that, to the extent practical taking into account the national defense mission, is consistent with the standard from which a variance is sought.

(ii) A national defense variance may be granted for a maximum of six months, unless there is a showing that a longer period is essential to carrying out a national defense mission.

[71 FR 6931, Feb. 9, 2006; 71 FR 36661, June 28, 2006, as amended at 71 FR 68733, Nov. 28, 2006; 80 FR 5009, Jan. 30, 2015; 88 FR 41293, June 26, 2023]

§851.32 Action on variance requests.

(a) *Procedures for an approval recommendation.* (1) If the EHSS Director recommends approval of a variance application, the EHSS Director must forward to the Under Secretary the variance application and the approval recommendation including a discussion of the basis for the recommendation and any terms and conditions proposed for inclusion as part of the approval.

(2) If the Under Secretary approves a variance, the Under Secretary must notify the EHSS Director who must notify the Office of Enforcement and the CSO who must promptly notify the contractor.

(3) The notification must include a reference to the safety and health standard or portion thereof that is the subject of the application, a detailed description of the variance, the basis

Department of Energy

§ 851.40

for the approval and any terms and conditions of the approval.

(4) If the Under Secretary denies a variance, the Under Secretary must notify the EHSS Director who must notify the appropriate CSO who must notify the contractor.

(5) The notification must include the grounds for denial.

(b) *Approval criteria.* A variance may be granted if the variance:

(1) Is consistent with section 3173 of the NDAA;

(2) Does not present an undue risk to worker safety and health;

(3) Is warranted under the circumstances;

(4) Satisfies the requirements of § 851.31 of this part for the type of variance requested.

(c) *Procedures for a denial recommendation.* (1) If the EHSS Director recommends denial of a variance application, the EHSS Director must notify the CSO of the denial recommendation and the grounds for the denial recommendation.

(2) Upon receipt of a denial recommendation, the CSO may:

(i) Notify the contractor that the variance application is denied on the grounds cited by the EHSS Director; or

(ii) Forward to the Under Secretary the variance application, the denial recommendation, the grounds for the denial recommendation, and any information that supports an action different than that recommended by the EHSS Director.

(3) If the CSO forwards the application to the Under Secretary, the procedures in paragraphs (a)(2), (3), (4) and (5) of this section apply.

(4) A denial of an application pursuant to this section shall be without prejudice to submitting of another application.

(d) *Grounds for denial of a variance.* A variance may be denied if:

(1) Enforcement of the violation would be handled as a *de minimis* violation (defined as a deviation from the requirement of a standard that has no direct or immediate relationship to safety or health, and no enforcement action will be taken);

(2) When a variance is not necessary for the conditions, practice, means,

methods, operations, or processes used or proposed to be used by contractor;

(3) Contractor does not demonstrate that the approval criteria are met.

[71 FR 6931, Feb. 9, 2006, as amended at 71 FR 68733, Nov. 28, 2006; 80 FR 5009, Jan. 30, 2015; 88 FR 41293, June 26, 2023]

§ 851.33 Terms and conditions.

A variance may contain appropriate terms and conditions including, but not limited to, provisions that:

- (a) Limit its duration;
- (b) Require alternative action;
- (c) Require partial compliance; and
- (d) Establish a schedule for full or partial compliance.

§ 851.34 Requests for conferences.

(a) Within the time allotted by a notice of the filing of an application, any affected contractor or worker may file with the EHSS Director a request for a conference on the application for a variance.

(b) A request for a conference filed pursuant to paragraph (a) of this section must include:

(1) A concise statement explaining how the contractor or worker would be affected by the variance applied for, including relevant facts;

(2) A specification of any statement or representation in the application which is denied, and a concise summary of the evidence that would be adduced in support of each denial; and

(3) Any other views or arguments on any issue of fact or law presented.

(c) The EHSS Director, or designee, must respond to a request within fifteen days and, if the request is granted, indicate the time and place of the conference and the DOE participants in the conference.

[71 FR 6931, Feb. 9, 2006, as amended at 71 FR 68733, Nov. 28, 2006; 80 FR 5009, Jan. 30, 2015; 88 FR 41294, June 26, 2023]

Subpart E—Enforcement Process

§ 851.40 Investigations and inspections.

(a) The Enforcement Director may initiate and conduct investigations and inspections relating to the scope, nature, and extent of compliance by a contractor with the requirements of

§851.41

10 CFR Ch. III (1-1-25 Edition)

this part and take such action as the Enforcement Director deems necessary and appropriate to the conduct of the investigation or inspection. DOE Enforcement Officers have the right to enter work areas without delay to the extent practicable, to conduct inspections under this subpart.

(b) Contractors must fully cooperate with the Enforcement Director during all phases of the enforcement process and provide complete and accurate records and documentation as requested by the Enforcement Director during investigation or inspection activities.

(c) Any worker or worker representative may request that the Enforcement Director initiate an investigation or inspection pursuant to paragraph (a) of this section. A request for an investigation or inspection must describe the subject matter or activity to be investigated or inspected as fully as possible and include supporting documentation and information. The worker or worker representative has the right to remain anonymous upon filing a request for an investigation or inspection.

(d) The Enforcement Director must inform any contractor that is the subject of an investigation or inspection in writing at the initiation of the investigation or inspection and must inform the contractor of the general purpose of the investigation or inspection.

(e) DOE shall not disclose information or documents that are obtained during any investigation or inspection unless the Enforcement Director directs or authorizes the public disclosure of the investigation. Prior to such authorization, DOE must determine that disclosure is not precluded by the Freedom of Information Act, 5 U.S.C. 552 and part 1004 of this title. Once disclosed pursuant to the Enforcement Director's authorization, the information or documents are a matter of public record.

(f) A request for confidential treatment of information for purposes of the Freedom of Information Act does not prevent disclosure by the Enforcement Director if the Enforcement Director determines disclosure to be in the public interest and otherwise permitted or required by law.

(g) During the course of an investigation or inspection, any contractor may submit any document, statement of facts, or memorandum of law for the purpose of explaining the contractor's position or furnish information which the contractor considers relevant to a matter or activity under investigation or inspection.

(h) The Enforcement Director may convene an informal conference to discuss any situation that might be a violation of a requirement of this part, its significance and cause, any corrective action taken or not taken by the contractor, any mitigating or aggravating circumstances, and any other information. A conference is not normally open to the public and DOE does not make a transcript of the conference. The Enforcement Director may compel a contractor to attend the conference.

(i) If facts disclosed by an investigation or inspection indicate that further action is unnecessary or unwarranted, the Enforcement Director may close the investigation without prejudice.

(j) The Enforcement Director may issue enforcement letters that communicate DOE's expectations with respect to any aspect of the requirements of this part, including identification and reporting of issues, corrective actions, and implementation of the contractor's safety and health program; provided that an enforcement letter may not create the basis for any legally enforceable requirement pursuant to this part.

(k) The Enforcement Director may sign, issue and serve subpoenas.

[71 FR 6931, Feb. 9, 2006, as amended at 88 FR 41294, June 26, 2023]

§851.41 Settlement.

(a) DOE encourages settlement of a proceeding under this subpart at any time if the settlement is consistent with this part. The Enforcement Director and a contractor may confer at any time concerning settlement. A settlement conference is not open to the public and DOE does not make a transcript of the conference.

(b) Notwithstanding any other provision of this part, the Enforcement Director may resolve any issues in an outstanding proceeding under this subpart with a consent order.

Department of Energy**§ 851.43**

(1) The Enforcement Director and the contractor, or a duly authorized representative thereto, must sign the consent order and indicate agreement to the terms contained therein.

(2) A contractor is not required to admit in a consent order that a requirement of this part has been violated.

(3) DOE is not required to make a finding in a consent order that a contractor has violated a requirement of this part.

(4) A consent order must set forth the relevant facts that form the basis for the order and what remedy, if any, is imposed.

(5) A consent order shall constitute a final order.

[71 FR 6931, Feb. 9, 2006, as amended at 88 FR 41294, June 26, 2023]

§ 851.42 Preliminary notice of violation.

(a) Based on a determination by the Enforcement Director that there is a reasonable basis to believe a contractor has violated or is continuing to violate a requirement of this part, the Enforcement Director may issue a preliminary notice of violation (PNOV) to the contractor.

(b) A PNOV must indicate:

(1) The date, facts, and nature of each act or omission upon which each alleged violation is based;

(2) The particular requirement involved in each alleged violation;

(3) The proposed remedy for each alleged violation, including the amount of any civil penalty; and

(4) The obligation of the contractor to submit a written reply to the Enforcement Director within 30 calendar days of receipt of the PNOV.

(c) A reply to a PNOV must contain a statement of all relevant facts pertaining to an alleged violation.

(1) The reply must:

(i) State any facts, explanations and arguments that support a denial of the alleged violation;

(ii) Demonstrate any extenuating circumstances or other reason why a proposed remedy should not be imposed or should be mitigated;

(iii) Discuss the relevant authorities that support the position asserted, including rulings, regulations, interpre-

tations, and previous decisions issued by DOE; and

(iv) Furnish full and complete answers to any questions set forth in the preliminary notice.

(2) Copies of all relevant documents must be submitted with the reply.

(d) If a contractor fails to submit a written reply within 30 calendar days of receipt of a PNOV:

(1) The contractor relinquishes any right to appeal any matter in the preliminary notice; and

(2) The preliminary notice, including any proposed remedies therein, constitutes a final order.

(e) A copy of the PNOV must be prominently posted, once final, at or near the location where the violation occurred until the violation is corrected.

[71 FR 6931, Feb. 9, 2006, as amended at 88 FR 41294, June 26, 2023]

§ 851.43 Final notice of violation.

(a) If a contractor submits a written reply within 30 calendar days of receipt of a preliminary notice of violation (PNOV), that presents a disagreement with any aspect of the PNOV and civil penalty, the Enforcement Director must review the submitted reply and make a final determination whether the contractor violated or is continuing to violate a requirement of this part.

(b) Based on a determination by the Enforcement Director that a contractor has violated or is continuing to violate a requirement of this part, the Enforcement Director may issue to the contractor a final notice of violation that states concisely the determined violation and any remedy, including the amount of any civil penalty imposed on the contractor. The final notice of violation must state that the contractor may petition the Office of Hearings and Appeals for review of the final notice in accordance with 10 CFR part 1003.

(c) If a contractor fails to submit a petition for review to the Office of Hearings and Appeals within 30 calendar days of receipt of a final notice of violation pursuant to § 851.42:

(1) The contractor relinquishes any right to appeal any matter in the final notice; and

§ 851.44

(2) The final notice, including any remedies therein, constitutes a final order.

[71 FR 6931, Feb. 9, 2006, as amended at 88 FR 41294, June 26, 2023]

§ 851.44 Administrative appeal.

(a) Any contractor that receives a final notice of violation may petition the Office of Hearings and Appeals for review of the final notice in accordance with 10 CFR part 1003, within 30 calendar days from receipt of the final notice.

(b) In order to exhaust administrative remedies with respect to a final notice of violation, the contractor must petition the Office of Hearings and Appeals for review in accordance with paragraph (a) of this section.

[71 FR 6931, Feb. 9, 2006, as amended at 88 FR 41294, June 26, 2023]

§ 851.45 Direction to NNSA contractors.

(a) Notwithstanding any other provision of this part, the NNSA Administrator, rather than the Enforcement Director, signs, issues and serves the following actions that direct NNSA contractors:

- (1) Subpoenas;
- (2) Orders to compel attendance;
- (3) Disclosures of information or documents obtained during an investigation or inspection;
- (4) Preliminary notices of violations; and
- (5) Final notices of violations.

(b) The NNSA Administrator shall act after consideration of the Enforcement Director's recommendation.

[71 FR 6931, Feb. 9, 2006, as amended at 88 FR 41294, June 26, 2023]

APPENDIX A TO PART 851—WORKER SAFETY AND HEALTH FUNCTIONAL AREAS

This appendix establishes the mandatory requirements for implementing the applicable functional areas required by § 851.24.

1. CONSTRUCTION SAFETY

(a) For each separately definable construction activity (e.g., excavations, foundations, structural steel, roofing) the construction contractor must:

(1) Prepare and have approved by the construction manager an activity hazard anal-

10 CFR Ch. III (1-1-25 Edition)

ysis prior to commencement of affected work. Such analyses must:

(i) Identify foreseeable hazards and planned protective measures;

(ii) Address further hazards revealed by supplemental site information (e.g., site characterization data, as-built drawings) provided by the construction manager;

(iii) Provide drawings and/or other documentation of protective measures for which applicable Occupational Safety and Health Administration (OSHA) standards require preparation by a Professional Engineer or other qualified professional, and

(iv) Identify competent persons required for workplace inspections of the construction activity, where required by OSHA standards.

(2) Ensure workers are aware of foreseeable hazards and the protective measures described within the activity analysis prior to beginning work on the affected activity.

(3) Require that workers acknowledge being informed of the hazards and protective measures associated with assigned work activities. Those workers failing to utilize appropriate protective measures must be subject to the construction contractor's disciplinary process.

(b) During periods of active construction (*i.e.*, excluding weekends, weather delays, or other periods of work inactivity), the construction contractor must have a designated representative on the construction worksite who is knowledgeable of the project's hazards and has full authority to act on behalf of the construction contractor. The contractor's designated representative must make frequent and regular inspections of the construction worksite to identify and correct any instances of noncompliance with project safety and health requirements.

(c) Workers must be instructed to report to the construction contractor's designated representative, hazards not previously identified or evaluated. If immediate corrective action is not possible or the hazard falls outside of project scope, the construction contractor must immediately notify affected workers, post appropriate warning signs, implement needed interim control measures, and notify the construction manager of the action taken. The contractor or the designated representative must stop work in the affected area until appropriate protective measures are established.

(d) The construction contractor must prepare a written construction project safety and health plan to implement the requirements of this section and obtain approval of the plan by the construction manager prior to commencement of any work covered by the plan. In the plan, the contractor must designate the individual(s) responsible for on-site implementation of the plan, specify qualifications for those individuals, and provide a list of those project activities for

Department of Energy

Pt. 851, App. A

which subsequent hazard analyses are to be performed. The level of detail within the construction project safety and health plan should be commensurate with the size, complexity and risk level of the construction project. The content of this plan need not duplicate those provisions that were previously submitted and approved as required by § 851.11.

2. FIRE PROTECTION

(a) Contractors must implement a comprehensive fire safety and emergency response program to protect workers commensurate with the nature of the work that is performed. This includes appropriate facility and site-wide fire protection, fire alarm notification and egress features, and access to a fully staffed, trained, and equipped emergency response organization that is capable of responding in a timely and effective manner to site emergencies.

(b) An acceptable fire protection program must include those fire protection criteria and procedures, analyses, hardware and systems, apparatus and equipment, and personnel that would comprehensively ensure that the objective in paragraph 2(a) of this section is met. This includes meeting applicable building codes and National Fire Protection Association codes and standards.

3. EXPLOSIVES SAFETY

(a) Contractors responsible for the use of explosive materials must establish and implement a comprehensive explosives safety program.

(b) Contractors must comply with the policy and requirements specified in the appropriate explosives safety technical standard.

(c) Contractors must determine the applicability of the explosives safety directive requirements to research and development laboratory type operations consistent with the DOE level of protection criteria described in the explosives safety directive.

4. PRESSURE SAFETY

(a) Contractors must establish safety policies and procedures to ensure that pressure systems are designed, fabricated, tested, inspected, maintained, repaired, and operated by trained and qualified personnel in accordance with applicable and sound engineering principles.

(b) Contractors must ensure that all pressure vessels, boilers, air receivers, and supporting piping systems conform to:

(1) The applicable American Society of Mechanical Engineers (ASME) boilers and pressure vessel codes (BPVC), including applicable code cases as indicated in paragraphs (b)(1)(i) through (xxxii) of this section;

(i) BPVC.I-2015, *Section I—Rules for Construction of Power Boilers* (incorporated by reference, see § 851.27);

(ii) BPVC.II.A-2015, *Section II—Materials, Part A—Ferrous Material Specifications (Beginning to SA-450)* (incorporated by reference, see § 851.27);

(iii) BPVC.II.A-2015, *Section II—Materials, Part A—Ferrous Material Specifications (SA-451 to End)* (incorporated by reference, see § 851.27);

(iv) BPVC.II.B-2015, *Section II—Materials, Part B—Nonferrous Material Specifications* (incorporated by reference, see § 851.27);

(v) BPVC.II.C-2015, *Section II—Materials, Part C—Specification for Welding Rods; Electrodes, and Filler Metals* (incorporated by reference, see § 851.27);

(vi) BPVC.II.D.C-2015, *Section II—Materials, Part D—Properties (Customary)* (incorporated by reference, see § 851.27);

(vii) BPVC.II.D.M-2015, *Section II—Materials, Part D—Properties (Metric)* (incorporated by reference, see § 851.27);

(viii) BPVC.III.A-2015, *Section III—Rules for Construction of Nuclear Facility Components, Appendices* (incorporated by reference, see § 851.27);

(ix) BPVC.III.1.NB-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NB, Class 1 Components* (incorporated by reference, see § 851.27);

(x) BPVC.III.1.NC-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NC, Class 2 Components* (incorporated by reference, see § 851.27);

(xi) BPVC.III.1.ND-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection ND, Class 3 Components* (incorporated by reference, see § 851.27);

(xii) BPVC.III.1.NE-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NE, Class MC Components* (incorporated by reference, see § 851.27);

(xiii) BPVC.III.1.NF-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NF, Supports* (incorporated by reference, see § 851.27);

(xiv) BPVC.III.1.NG-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NG, Core Support Structures* (incorporated by reference, see § 851.27);

(xv) BPVC.III.1.NH-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division I—Subsection NH, Class 1 Components in Elevated Temperature Service* (incorporated by reference, see § 851.27);

(xvi) BPVC.III.NCA-2015, *Section III—Rules for Construction of Nuclear Facility Components, Subsection NCA, General Requirements for Division 1 and Division 2* (incorporated by reference, see § 851.27);

(xvii) BPVC.III.2-2015, *Section III—Rules for Construction of Nuclear Facility Components,*

Pt. 851, App. A

Division 2, Code for Concrete Containments (incorporated by reference, see § 851.27);

(xviii) BPVC.III.3-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division 3, Containment for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste* (incorporated by reference, see § 851.27);

(xix) BPVC.III.5-2015, *Section III—Rules for Construction of Nuclear Facility Components, Division 5, High Temperature Reactors* (incorporated by reference, see § 851.27);

(xx) BPVC.IV-2015, *Section IV, Rules for Construction of Heating Boilers* (incorporated by reference, see § 851.27);

(xxi) BPVC.V-2015, *Section V, Nondestructive Examination* (incorporated by reference, see § 851.27);

(xxii) BPVC.VI-2015, *Section VI, Recommended Rules for the Care and Operation of Heating Boilers* (incorporated by reference, see § 851.27);

(xxiii) BPVC.VII-2015, *Section VII, Recommended Guidelines for the Care of Power Boilers* (incorporated by reference, see § 851.27);

(xxiv) BPVC.VIII.1-2015, *Section VIII—Rules for Construction of Pressure Vessels, Division 1* (incorporated by reference, see § 851.27);

(xxv) BPVC.VIII.2-2015, *Section VIII—Rules for Construction of Pressure Vessels, Division 2, Alternative Rules* (incorporated by reference, see § 851.27);

(xxvi) BPVC.VIII.3-2015, *Section VIII—Rules for Construction of Pressure Vessels, Division 3, Alternative Rules for Construction of High Pressure Vessels* (incorporated by reference, see § 851.27);

(xxvii) BPVC.IX-2015, *Section IX—Welding, Brazing and Fusing Qualifications, Qualification Standard for Welding, Brazing, and Fusing Procedures; Welders; Brazers; and Welding, Brazing, and Fusing Operators* (incorporated by reference, see § 851.27);

(xxviii) BPVC.X-2015, *Section X, Fiber-Reinforced Plastic Pressure Vessels* (incorporated by reference, see § 851.27);

(xxix) BPVC.XI-2015, *Section XI, Rules for Inservice Inspection of Nuclear Power Plant Components* (incorporated by reference, see § 851.27);

(xxx) BPVC.XII-2015, *Section XII, Rules for Construction and Continued Service of Transport Tanks* (incorporated by reference, see § 851.27);

(xxxi) BPVC.CC.BPV-2015, *Code Cases, Boilers and Pressure Vessels* (incorporated by reference, see § 851.27); and

(xxxii) BPVC.CC.NC-2015, *Code Cases, Nuclear Components* (incorporated by reference, see § 851.27).

(2) The applicable ASME B31 code for pressure piping as indicated in this paragraph; and or as indicated in paragraph (b)(3) of this section:

(i) B31.1-2016, *Power Piping* (incorporated by reference, see § 851.27);

10 CFR Ch. III (1-1-25 Edition)

- (ii) B31.3-2014, *Process Piping* (incorporated by reference, see § 851.27);
- (iii) B31.4-2016, *Pipeline Transportation Systems for Liquids and Slurries* (incorporated by reference, see § 851.27);
- (iv) B31.5-2016, *Refrigeration Piping and Heat Transfer Components* (incorporated by reference, see § 851.27);
- (v) B31.8-2016, *Gas Transmission and Distribution Piping Systems* (incorporated by reference, see § 851.27);
- (vi) B31.8S-2014, *Managing System Integrity of Gas Pipelines* (incorporated by reference, see § 851.27);
- (vii) B31.9-2014, *Building Services Piping* (incorporated by reference, see § 851.27); and
- (viii) B31G-2012, *Manual for Determining the Remaining Strength of Corroded Pipelines* (incorporated by reference, see § 851.27).

(3) The strictest applicable state and local codes.

(c) When national consensus codes are not applicable (because of pressure range, vessel geometry, use of special materials, etc.), contractors must implement measures to provide equivalent protection and ensure a level of safety greater than or equal to the level of protection afforded by the ASME or applicable state or local code. Measures must include the following:

(1) Design drawings, sketches, and calculations must be reviewed and approved by a qualified independent design professional (*i.e.*, professional engineer). Documented organizational peer review is acceptable.

(2) Qualified personnel must be used to perform examinations and inspections of materials, in-process fabrications, non-destructive tests, and acceptance test.

(3) Documentation, traceability, and accountability must be maintained for each unique pressure vessel or system, including descriptions of design, pressure conditions, testing, inspection, operation, repair, and maintenance.

5. FIREARMS SAFETY

(a) A contractor engaged in DOE activities involving the use of firearms must establish firearms safety policies and procedures for security operations, and training to ensure proper accident prevention controls are in place.

(1) Written procedures must address firearms safety, engineering and administrative controls, as well as personal protective equipment requirements.

(2) As a minimum, procedures must be established for:

(i) Storage, handling, cleaning, inventory, and maintenance of firearms and associated ammunition;

(ii) Activities such as loading, unloading, and exchanging firearms. These procedures must address use of bullet containment devices and those techniques to be used when no bullet containment device is available;

Department of Energy

- (iii) Use and storage of pyrotechnics, explosives, and/or explosive projectiles;
- (iv) Handling misfires, duds, and unauthorized discharges;
- (v) Live fire training, qualification, and evaluation activities;
- (vi) Training and exercises using engagement simulation systems;
- (vii) Medical response at firearms training facilities; and
- (viii) Use of firing ranges by personnel other than DOE or DOE contractor protective forces personnel.

(b) Contractors must ensure that personnel responsible for the direction and operation of the firearms safety program are professionally qualified and have sufficient time and authority to implement the procedures under this section.

(c) Contractors must ensure that firearms instructors and armorer have been certified by the Safeguards and Security National Training Center to conduct the level of activity provided. Personnel must not be allowed to conduct activities for which they have not been certified.

(d) Contractors must conduct formal appraisals assessing implementation of procedures, personnel responsibilities, and duty assignments to ensure overall policy objectives and performance criteria are being met by qualified personnel.

(e) Contractors must implement procedures related to firearms training, live fire range safety, qualification, and evaluation activities, including procedures requiring that:

- (1) Personnel must successfully complete initial firearms safety training before being issued any firearms. Authorization to remain in armed status will continue only if the employee demonstrates the technical and practical knowledge of firearms safety semi-annually;
- (2) Authorized armed personnel must demonstrate through documented limited scope performance tests both technical and practical knowledge of firearms handling and safety on a semi-annual basis;
- (3) All firearms training lesson plans must incorporate safety for all aspects of firearms training task performance standards. The lesson plans must follow the standards set forth by the Safeguards and Security Central Training Academy's standard training programs;
- (4) Firearms safety briefings must immediately precede training, qualifications, and evaluation activities involving live fire and/or engagement simulation systems;
- (5) A safety analysis approved by the Head of DOE Field Element must be developed for the facilities and operation of each live fire range prior to implementation of any new training, qualification, or evaluation activity. Results of these analyses must be incorporated into procedures, lesson plans, exer-

Pt. 851, App. A

cise plans, and limited scope performance tests;

(6) Firing range safety procedures must be conspicuously posted at all range facilities; and

(7) Live fire ranges, approved by the Head of DOE Field Element, must be properly sited to protect personnel on the range, as well as personnel and property not associated with the range.

(f) Contractors must ensure that the transportation, handling, placarding, and storage of munitions conform to the applicable DOE requirements.

6. INDUSTRIAL HYGIENE

Contractors must implement a comprehensive industrial hygiene program that includes at least the following elements:

(a) Initial or baseline surveys and periodic resurveys and/or exposure monitoring as appropriate of all work areas or operations to identify and evaluate potential worker health risks;

(b) Coordination with planning and design personnel to anticipate and control health hazards that proposed facilities and operations would introduce;

(c) Coordination with cognizant occupational medical, environmental, health physics, and work planning professionals;

(d) Policies and procedures to mitigate the risk from identified and potential occupational carcinogens;

(e) Professionally and technically qualified industrial hygienists to manage and implement the industrial hygiene program; and

(f) Use of respiratory protection equipment tested under the DOE Respirator Acceptance Program for Supplied-Air Suits when the National Institute for Occupational Safety and Health-approved respiratory protection does not exist for DOE tasks that require such equipment. For security operations military type masks for respiratory protection by security personnel is acceptable.

7. BIOLOGICAL SAFETY

(a) Contractors must establish and implement a biological safety program that:

(1) Establishes an Institutional Biosafety Committee (IBC) or equivalent. The IBC must:

(i) Review any work with biological etiologic agents for compliance with applicable Centers for Disease Control and Prevention (CDC), National Institutes of Health (NIH), World Health Organization (WHO), United States Department of Agriculture Animal and Plant Health Inspection Service (USDA/APHIS), and other international, Federal, State, and local guidelines and assess the containment level, facilities, procedures, practices, and training and expertise of personnel; and

Pt. 851, App. A**10 CFR Ch. III (1-1-25 Edition)**

(ii) Review the site's security, safeguards, and emergency management plans and procedures to ensure they adequately consider work involving biological etiologic agents.

(2) Maintains an inventory and status of biological etiologic agents, and provide to the responsible field and area office, through the laboratory IBC (or its equivalent), an annual status report describing the status and inventory of biological etiologic agents and the biological safety program.

(3) Provides for submission to the appropriate Head of DOE Field Element, for review and concurrence before transmittal to the Federal Select Agent Program, each Laboratory Registration>Select Agent Program registration application package (APHIS/CDC Form 1, Application for Registration for Possession, Use, and Transfer of Select Agents and Toxins) requesting registration of (or amendment to a previously approved registration) a laboratory facility for the purpose of possessing, using, or transferring biological select agents and/or toxins.

(4) Provides for submission to the appropriate Head of DOE Field Element, a copy of each APHIS/CDC Form 2, Request to Transfer Select Agents and Toxins, upon initial submission of APHIS/CDC Form 2 to a vendor or other supplier requesting or ordering a biological select agent or toxin for transfer, receipt, and handling in the registered facility; and submission to the appropriate Head of DOE Field Element the completed copy of the APHIS/CDC Form 2, documenting final disposition and/or destruction of the select agent or toxin, within 10 days of completion of the APHIS/CDC Form 2.

(5) Confirms that the site safeguards and security plans and emergency management programs address biological etiologic agents, with particular emphasis on biological select agents.

(6) Establishes an immunization policy for personnel working with biological etiologic agents based on the evaluation of risk and benefit of immunization.

(b) [Reserved]

8. OCCUPATIONAL MEDICINE

(a) Contractors must establish and provide comprehensive occupational medicine services to workers employed at a covered work place who:

(1) Work on a DOE site for more than 30 days in a 12-month period; or

(2) Are enrolled for any length of time in a medical or exposure monitoring program required by this rule and/or any other applicable Federal, State or local regulation, or other obligation.

(b) The occupational medicine services must be under the direction of a graduate of a school of medicine or osteopathy who is licensed for the practice of medicine in the state in which the site is located.

(c) Occupational medical physicians, occupational health nurses, physician's assistants, nurse practitioners, psychologists, employee assistance counselors, and other occupational health personnel providing occupational medicine services must be licensed, registered, or certified as required by Federal or State law where employed.

(d) Contractors must provide the occupational medicine providers access to hazard information by promoting its communication, coordination, and sharing among operating and environment, safety, and health protection organizations.

(1) Contractors must provide the occupational medicine providers with access to information on the following:

(i) Current information about actual or potential work-related site hazards (chemical, radiological, physical, biological, or ergonomic);

(ii) Employee job-task and hazard analysis information, including essential job functions;

(iii) Actual or potential work-site exposures of each employee; and

(iv) Personnel actions resulting in a change of job functions, hazards or exposures.

(2) Contractors must notify the occupational medicine providers when an employee has been absent because of an injury or illness for more than 5 consecutive workdays (or an equivalent time period for those individuals on an alternative work schedule);

(3) Contractors must provide the occupational medicine provider information on, and the opportunity to participate in, worker safety and health team meetings and committees;

(4) Contractors must provide occupational medicine providers access to the workplace for evaluation of job conditions and issues relating to workers' health.

(e) A designated occupational medicine provider must:

(1) Plan and implement the occupation medicine services; and

(2) Participate in worker protection teams to build and maintain necessary partnerships among workers, their representatives, managers, and safety and health protection specialists in establishing and maintaining a safe and healthful workplace.

(f) A record, containing any medical, health history, exposure history, and demographic data collected for the occupational medicine purposes, must be developed and maintained for each employee for whom medical services are provided. All occupational medical records must be maintained in accordance with Executive Order 13335, Incentives for the Use of Health Information Technology.

(1) Employee medical, psychological, and employee assistance program (EAP) records must be kept confidential, protected from

Department of Energy

Pt. 851, App. A

unauthorized access, and stored under conditions that ensure their long-term preservation. Psychological records must be maintained separately from medical records and in the custody the designated psychologist in accordance with 10 CFR 712.38(b)(2).

(2) Access to these records must be provided in accordance with DOE regulations implementing the Privacy Act and the Energy Employees Occupational Illness Compensation Program Act.

(g) The occupational medicine services provider must determine the content of the worker health evaluations, which must be conducted under the direction of a licensed physician, in accordance with current sound and acceptable medical practices and all pertinent statutory and regulatory requirements, such as the Americans with Disabilities Act.

(1) Workers must be informed of the purpose and nature of the medical evaluations and tests offered by the occupational medicine provider.

(i) The purpose, nature and results of evaluations and tests must be clearly communicated verbally and in writing to each worker provided testing;

(ii) The communication must be documented in the worker's medical record; and

(2) The following health evaluations must be conducted when determined necessary by the occupational medicine provider for the purpose of providing initial and continuing assessment of employee fitness for duty.

(1) At the time of employment entrance or transfer to a job with new functions and hazards, a medical placement evaluation of the individual's general health and physical and psychological capacity to perform work will establish a baseline record of physical condition and assure fitness for duty.

(ii) Periodic, hazard-based medical monitoring or qualification-based fitness for duty evaluations required by regulations and standards, or as recommended by the occupational medicine services provider, will be provided on the frequency required.

(iii) Diagnostic examinations will evaluate employee's injuries and illnesses to determine work-relatedness, the applicability of medical restrictions, and referral for definitive care, as appropriate.

(iv) After a work-related injury or illness or an absence due to any injury or illness lasting 5 or more consecutive workdays (or an equivalent time period for those individuals on an alternative work schedule), a return to work evaluation will determine the individual's physical and psychological capacity to perform work and return to duty.

(v) At the time of separation from employment, individuals shall be offered a general health evaluation to establish a record of physical condition.

(h) The occupational medicine provider must monitor ill and injured workers to fa-

cilitate their rehabilitation and safe return to work and to minimize lost time and its associated costs.

(1) The occupational medicine provider must place an individual under medical restrictions when health evaluations indicate that the worker should not perform certain job tasks. The occupational medicine provider must notify the worker and contractor management when employee work restrictions are imposed or removed.

(i) Occupational medicine provider physician and medical staff must, on a timely basis, communicate results of health evaluations to management and safety and health protection specialists to facilitate the mitigation of worksite hazards.

(j) The occupational medicine provider must include measures to identify and manage the principal preventable causes of premature morbidity and mortality affecting worker health and productivity.

(1) The contractor must include programs to prevent and manage these causes of morbidity when evaluations demonstrate their cost effectiveness.

(2) Contractors must make available to the occupational medicine provider appropriate access to information from health, disability, and other insurance plans (de-identified as necessary) in order to facilitate this process.

(k) The occupational medicine services provider must review and approve the medical and behavioral aspects of employee counseling and health promotional programs, including the following types:

(1) Contractor-sponsored or contractor-supported EAPs;

(2) Contractor-sponsored or contractor-supported alcohol and other substance abuse rehabilitation programs; and

(3) Contractor-sponsored or contractor-supported wellness programs.

(4) The occupational medicine services provider must review the medical aspects of immunization programs, blood-borne pathogens programs, and bio-hazardous waste programs to evaluate their conformance to applicable guidelines.

(5) The occupational medicine services provider must develop and periodically review medical emergency response procedures included in site emergency and disaster preparedness plans. The medical emergency responses must be integrated with nearby community emergency and disaster plans.

9. MOTOR VEHICLE SAFETY

(a) Contractors must implement a motor vehicle safety program to protect the safety and health of all drivers and passengers in Government-owned or -leased motor vehicles and powered industrial equipment (*i.e.*, fork trucks, tractors, platform lift trucks, and other similar specialized equipment powered

Pt. 851, App. B**10 CFR Ch. III (1-1-25 Edition)**

by an electric motor or an internal combustion engine).

(b) The contractor must tailor the motor vehicle safety program to the individual DOE site or facility, based on an analysis of the needs of that particular site or facility.

(c) The motor vehicle safety program must address, as applicable to the contractor's operations:

(1) Minimum licensing requirements (including appropriate testing and medical qualification) for personnel operating motor vehicles and powered industrial equipment;

(2) Requirements for the use of seat belts and provision of other safety devices;

(3) Training for specialty vehicle operators;

(4) Requirements for motor vehicle maintenance and inspection;

(5) Uniform traffic and pedestrian control devices and road signs;

(6) On-site speed limits and other traffic rules;

(7) Awareness campaigns and incentive programs to encourage safe driving; and

(8) Enforcement provisions.

10. ELECTRICAL SAFETY

Contractors must implement a comprehensive electrical safety program appropriate for the activities at their site. This program must meet the applicable electrical safety codes and standards referenced in § 851.23.

11. NANOTECHNOLOGY SAFETY—RESERVED

The Department has chosen to reserve this section since policy and procedures for nanotechnology safety are currently being developed. Once these policies and procedures have been approved, the rule will be amended to include them through a rulemaking consistent with the Administrative Procedure Act.

12. WORKPLACE VIOLENCE PREVENTION—RESERVED

The Department has chosen to reserve this section since the policy and procedures for workplace violence prevention are currently being developed. Once these policies and procedures have been approved, the rule will be amended to include them through a rulemaking consistent with the Administrative Procedure Act.

[71 FR 6931, Feb. 9, 2006; 71 FR 36661, June 28, 2006; 80 FR 69566, Nov. 10, 2015; 82 FR 59956, Dec. 18, 2017]

APPENDIX B TO PART 851—GENERAL STATEMENT OF ENFORCEMENT POLICY**I. INTRODUCTION**

(a) This policy statement sets forth the general framework through which the U.S. Department of Energy (DOE) will seek to en-

sure compliance with its worker safety and health regulations, and, in particular, exercise the civil penalty authority provided to DOE in section 3173 of Public Law 107-314, Bob Stump National Defense Authorization Act for Fiscal Year 2003 (December 2, 2002) (“NDAA”), amending the Atomic Energy Act (AEA) to add section 234C. The policy set forth herein is applicable to violations of safety and health regulations in this part by DOE contractors, including DOE contractors who are indemnified under the Price-Anderson Act, 42 U.S.C. 2210(d), and their subcontractors and suppliers (hereafter collectively referred to as DOE contractors). This policy statement is not a regulation and is intended only to provide general guidance to those persons subject to the regulations in this part. It is not intended to establish a “cookbook” approach to the initiation and resolution of situations involving non-compliance with the regulations in this part. Rather, DOE intends to consider the particular facts of each noncompliance in determining whether enforcement sanctions are appropriate and, if so, the appropriate magnitude of those sanctions. DOE may well deviate from this policy statement when appropriate in the circumstances of particular cases. This policy statement is not applicable to activities and facilities covered under E.O. 12344, 42 U.S.C. 7158 note, pertaining to Naval Nuclear Propulsion, or otherwise excluded from the scope of the rule.

(b) The DOE goal in the compliance arena is to enhance and protect the safety and health of workers at DOE facilities by fostering a culture among both the DOE line organizations and the contractors that actively seeks to attain and sustain compliance with the regulations in this part. The enforcement program and policy have been developed with the express purpose of achieving safety inquisitiveness and voluntary compliance. DOE will establish effective administrative processes and positive incentives to the contractors for the open and prompt identification and reporting of noncompliances, performance of effective root cause analysis, and initiation of comprehensive corrective actions to resolve both noncompliance conditions and program or process deficiencies that led to noncompliance.

(c) In the development of the DOE enforcement policy, DOE recognizes that the reasonable exercise of its enforcement authority can help to reduce the likelihood of serious incidents. This can be accomplished by placing greater emphasis on a culture of safety in existing DOE operations, and strong incentives for contractors to identify and correct noncompliance conditions and processes in order to protect human health and the environment. DOE wants to facilitate, encourage, and support contractor initiatives for the prompt identification and

Department of Energy

Pt. 851, App. B

correction of noncompliances. DOE will give due consideration to such initiatives and activities in exercising its enforcement discretion.

(d) DOE may modify or remit civil penalties in a manner consistent with the adjustment factors set forth in this policy with or without conditions. DOE will carefully consider the facts of each case of noncompliance and will exercise appropriate discretion in taking any enforcement action. Part of the function of a sound enforcement program is to assure a proper and continuing level of safety vigilance. The reasonable exercise of enforcement authority will be facilitated by the appropriate application of safety requirements to DOE facilities and by promoting and coordinating the proper contractor and DOE safety compliance attitude toward those requirements.

II. PURPOSE

The purpose of the DOE enforcement program is to promote and protect the safety and health of workers at DOE facilities by:

- (a) Ensuring compliance by DOE contractors with the regulations in this part.
- (b) Providing positive incentives for DOE contractors based on:
 - (1) Timely self-identification of worker safety noncompliances;
 - (2) Prompt and complete reporting of such noncompliances to DOE;
 - (3) Prompt correction of safety noncompliances in a manner that precludes recurrence; and
 - (4) Identification of modifications in practices or facilities that can improve worker safety and health.
- (c) Deterring future violations of DOE requirements by a DOE contractor.
- (d) Encouraging the continuous overall improvement of operations at DOE facilities.

III. STATUTORY AUTHORITY

The Department of Energy Organization Act, 42 U.S.C. 7101-7385o, the Energy Reorganization Act of 1974 (ERA), 42 U.S.C. 5801-5911, and the Atomic Energy Act of 1954, as amended, (AEA) 42 U.S.C. 2011, require DOE to protect the public safety and health, as well as the safety and health of workers at DOE facilities, in conducting its activities, and grant DOE broad authority to achieve this goal. Section 234C of the AEA makes DOE contractors (and their subcontractors and suppliers thereto) covered by the DOE Price-Anderson indemnification system, subject to civil penalties for violations of the worker safety and health requirements promulgated in this part. 42 U.S.C. 2282c.

IV. RESPONSIBILITIES

- (a) The Enforcement Director, as the principal enforcement officer of the DOE, has been delegated the authority to:

(1) Conduct enforcement inspections, investigations, and conferences;

(2) Issue Notices of Violations and proposed civil penalties, Enforcement Letters, Consent Orders, and subpoenas; and

(3) Issue orders to compel attendance and disclosure of information or documents obtained during an investigation or inspection. The Secretary issues Compliance Orders.

(b) The NNSA Administrator, rather than the Enforcement Director, signs, issues and serves the following actions that direct NNSA contractors:

(1) Subpoenas;

(2) Orders to compel attendance; and

(3) Determines to disclose information or documents obtained during an investigation or inspection, PNOVs, Notices of Violations, and Final Notices of Violations. The NNSA Administrator acts after consideration of the Enforcement Director's recommendation.

V. PROCEDURAL FRAMEWORK

(a) Title 10 CFR part 851 sets forth the procedures DOE will use in exercising its enforcement authority, including the issuance of Notices of Violation and the resolution of an administrative appeal in the event a DOE contractor elects to petition the Office of Hearings and Appeals for review.

(b) Pursuant to 10 CFR part 851 subpart E, the Enforcement Director initiates the enforcement process by initiating and conducting investigations and inspections and issuing a Preliminary Notice of Violation (PNOV) with or without a proposed civil penalty. The DOE contractor is required to respond in writing to the PNOV within 30 days, either: (1) Admitting the violation and waiving its right to contest the proposed civil penalty and paying it; (2) admitting the violation but asserting the existence of mitigating circumstances that warrant either the total or partial remission of the civil penalty; or (3) denying that the violation has occurred and providing the basis for its belief that the PNOV is incorrect. After evaluation of the DOE contractor's response, the Enforcement Director may determine: (1) That no violation has occurred; (2) that the violation occurred as alleged in the PNOV but that the proposed civil penalty should be remitted in whole or in part; or (3) that the violation occurred as alleged in the PNOV and that the proposed civil penalty is appropriate, notwithstanding the asserted mitigating circumstances. In the latter two instances, the Enforcement Director will issue a Final Notice of Violation (FNOV) or an FNOV and proposed civil penalty.

(c) An opportunity to challenge an FNOV is provided in administrative appeal provisions. See 10 CFR 851.44. Any contractor that receives an FNOV may petition the Office of Hearings and Appeals for review of the final notice in accordance with 10 CFR part 1003, within 30 calendar days from receipt of the

Pt. 851, App. B

final notice. An administrative appeal proceeding is not initiated until the DOE contractor against which an FNOV has been issued requests an administrative hearing rather than waiving its right to contest the FNOV and proposed civil penalty, if any, and paying the civil penalty. However, it should be emphasized that DOE encourages the voluntary resolution of a noncompliance situation at any time, either informally prior to the initiation of the enforcement process or by consent order before or after any formal proceeding has begun.

VI. SEVERITY OF VIOLATIONS

(a) Violations of the worker safety and health requirements in this part have varying degrees of safety and health significance. Therefore, the relative safety and health risk of each violation must be identified as the first step in the enforcement process. Violations of the worker safety and health requirements are categorized in two levels of severity to identify their relative seriousness. Notices of Violation issued for noncompliance when appropriate, propose civil penalties commensurate with the severity level of the violations involved.

(b) To assess the potential safety and health impact of a particular violation, DOE will categorize the potential severity of violations of worker safety and health requirements as follows:

(1) A Severity Level I violation is a serious violation. A serious violation shall be deemed to exist in a place of employment if there is a potential that death or serious physical harm could result from a condition which exists, or from one or more practices, means, methods, operations, or processes which have been adopted or are in use, in such place of employment. A Severity Level I violation would be subject to a base civil penalty of up to 100% of the maximum base civil penalty of \$121,876.

(2) A Severity Level II violation is an other-than-serious violation. An other-than-serious violation occurs where the most serious injury or illness that would potentially result from a hazardous condition cannot reasonably be predicted to cause death or serious physical harm to employees but does have a direct relationship to their safety and health. A Severity Level II violation would be subject to a base civil penalty up to 50% of the maximum base civil penalty (\$60,938).

(c) De minimis violations, defined as a deviation from the requirement of a standard that has no direct or immediate relationship to safety or health, will not be the subject of formal enforcement action through the issuance of a Notice of Violation.

VII. ENFORCEMENT CONFERENCES

(a) The purpose of the enforcement conference is to:

10 CFR Ch. III (1-1-25 Edition)

(1) Assure the accuracy of the facts upon which the preliminary determination to consider enforcement action is based;

(2) Discuss the potential or alleged violations, their significance and causes, and the nature of and schedule for the DOE contractor's corrective actions;

(3) Determine whether there are any aggravating or mitigating circumstances; and

(4) Obtain other information which will help determine whether enforcement action is appropriate and, if so, the extent of that enforcement action.

(b) All enforcement conferences are convened at the discretion of the Enforcement Director.

(c) The PNOV will normally be issued promptly, before the opportunity for an enforcement conference, following the inspection/investigation. In some cases an enforcement conference may be conducted onsite at the conclusion of an inspection/investigation.

(d) The contractor may request an enforcement conference if they believe additional information pertinent to the enforcement action could best be conveyed through a meeting.

(e) DOE contractors will be informed prior to a meeting when that meeting is considered to be an enforcement conference. Such conferences are informal mechanisms for candid discussions regarding potential or alleged violations and will not normally be open to the public. In circumstances for which immediate enforcement action is necessary in the interest of worker safety and health, such action will be taken prior to the enforcement conference, which may still be held after the necessary DOE action has been taken.

VIII. ENFORCEMENT LETTER

(a) In cases where DOE has decided not to conduct an investigation or inspection or issue a Preliminary Notice of Violation (PNOV), DOE may send an Enforcement Letter, signed by the Enforcement Director to the contractor. The Enforcement Letter is intended to communicate the basis of the decision not to pursue enforcement action for a noncompliance. The Enforcement Letter is intended to direct contractors to the desired level of worker safety and health performance. It may be used when DOE concludes that the specific noncompliance at issue is not of the level of significance warranted to conduct an investigation or inspection or for issuance of a PNOV. Even where a noncompliance may be significant, the Enforcement Letter may recognize that the contractor's actions may have attenuated the need for enforcement action. The Enforcement

Department of Energy

Pt. 851, App. B

Letter will typically recognize how the contractor handled the circumstances surrounding the noncompliance, address additional areas requiring the contractor's attention, and address DOE's expectations for corrective action.

(b) In general, Enforcement Letters communicate DOE's expectations with respect to any aspect of the requirements of this part, including identification and reporting of issues, corrective actions, and implementation of the contractor's safety and health program. DOE might, for example, wish to recognize some action of the contractor that is of particular benefit to worker safety and health that is a candidate for emulation by other contractors. On the other hand, DOE may wish to bring a program shortcoming to the attention of the contractor that, but for the lack of worker safety and health significance of the immediate issue, might have resulted in the issuance of a PNOV. An Enforcement Letter is not an enforcement action.

(c) With respect to many noncompliances, an Enforcement Letter may not be required. When DOE decides that a contractor has appropriately corrected a noncompliance or that the significance of the noncompliance is sufficiently low, it may close out its review simply through an annotation in the DOE Noncompliance Tracking System (NTS). A closeout of a noncompliance with or without an Enforcement Letter may only take place after DOE has confirmed that corrective actions have been completed.

IX. ENFORCEMENT ACTIONS

(a) This section describes the enforcement sanctions available to DOE and specifies the conditions under which each may be used. The basic sanctions are Notices of Violation and civil penalties.

(b) The nature and extent of the enforcement action is intended to reflect the seriousness of the violation. For the vast majority of violations for which DOE assigns severity levels as described previously, a Notice of Violation will be issued, requiring a formal response from the recipient describing the nature of and schedule for corrective actions it intends to take regarding the violation.

1. Notice of Violation

(a) A Notice of Violation (either a Preliminary or Final Notice) is a document setting forth the conclusion of DOE and the basis to support the conclusion, that one or more violations of the worker safety and health requirements have occurred. Such a notice normally requires the recipient to provide a written response which may take one of several positions described in section V of this policy statement. In the event that the recipient concedes the occurrence of the viola-

tion, it is required to describe corrective steps which have been taken and the results achieved; remedial actions which will be taken to prevent recurrence; and the date by which full compliance will be achieved.

(b) DOE will use the Notice of Violation as the standard method for formalizing the existence of a violation and, in appropriate cases as described in this section, the Notice of Violation will be issued in conjunction with the proposed imposition of a civil penalty. In certain limited instances, as described in this section, DOE may refrain from the issuance of an otherwise appropriate Notice of Violation. However, a Notice of Violation will virtually always be issued for willful violations, or if past corrective actions for similar violations have not been sufficient to prevent recurrence and there are no other mitigating circumstances.

(c) DOE contractors are not ordinarily cited for violations resulting from matters not within their control, such as equipment failures that were not avoidable by reasonable quality assurance measures, proper maintenance, or management controls. With regard to the issue of funding, however, DOE does not consider an asserted lack of funding to be a justification for noncompliance with the worker safety and health requirements.

(d) DOE expects its contractors to have the proper management and supervisory systems in place to assure that all activities at covered workplaces, regardless of who performs them, are carried out in compliance with all the worker safety and health requirements. Therefore, contractors are normally held responsible for the acts of their employees and subcontractor employees in the conduct of activities at covered workplaces. Accordingly, this policy should not be construed to excuse personnel errors.

(e) The limitations on remedies under section 234C will be implemented as follows:

(1) DOE may assess civil penalties of up to \$121,876 per violation per day on contractors (and their subcontractors and suppliers) that are indemnified by the Price-Anderson Act, 42 U.S.C. 2210(d). *See* 10 CFR 851.5(a).

(2) DOE may seek contract fee reductions through the contract's *Conditional Payment of Fee* Clause in the Department of Energy Acquisition Regulation (DEAR). *See* 10 CFR 851.4(b); 48 CFR parts 923, 952, 970. Policies for contract fee reductions are not established by this policy statement. The Enforcement Director and appropriate contracting officers will coordinate their efforts in compliance with the statute. *See* 10 CFR 851.5(b).

(3) For the same violation of a worker safety and health requirement in this part, DOE may pursue either civil penalties (for indemnified contractors and their subcontractors and suppliers) or a contract fee reduction, but not both. *See* 10 CFR 851.5(c).

(4) A ceiling applies to civil penalties assessed on certain contractors specifically

Pt. 851, App. B

listed in 170d. of the Atomic Energy Act, 42 U.S.C. 2282a(d), for activities conducted at specified facilities. For these contractors, the total amount of civil penalties and contract penalties in a fiscal year may not exceed the total amount of fees paid by DOE to that entity in that fiscal year. *See* 10 CFR 851.5(d).

2. Civil Penalty

(a) A civil penalty is a monetary penalty that may be imposed for violations of requirements of this part. *See* 10 CFR 851.5(a). Civil penalties are designed to emphasize the need for lasting remedial action, deter future violations, and underscore the importance of DOE contractor self-identification, reporting, and correction of violations of the worker safety and health requirements in this part.

(b) Absent mitigating circumstances as described below, or circumstances otherwise warranting the exercise of enforcement discretion by DOE as described in this section, civil penalties will be proposed for Severity Level I and II violations.

(c) DOE will impose different base level penalties considering the severity level of the violation. Table A-1 shows the daily base civil penalties for the various categories of severity levels. However, as described below in section IX, paragraph b.3, the imposition of civil penalties will also take into account the gravity, circumstances, and extent of the violation or violations and, with respect to the violator, any history of prior similar violations and the degree of culpability and knowledge.

(d) Enforcement personnel will use risk-based criteria to assist the Enforcement Director in determining appropriate civil penalties for violations found during investigations and inspections.

(e) Regarding the factor of ability of DOE contractors to pay the civil penalties, it is not DOE's intention that the economic impact of a civil penalty be such that it puts a DOE contractor out of business. Contract termination, rather than civil penalties, is used when the intent is to terminate these activities. The deterrent effect of civil penalties is best served when the amount of such penalties takes this factor into account. However, DOE will evaluate the relationship of affiliated entities to the contractor (such as parent corporations) when the contractor asserts that it cannot pay the proposed penalty.

(f) DOE will review each case on its own merits and adjust the base civil penalty values upward or downward. As indicated below, Table A-1 identifies the daily base civil penalty values for different severity levels. After considering all relevant circumstances, civil penalties may be adjusted up or down based on the mitigating or aggravating factors described later in this section. In no in-

10 CFR Ch. III (1-1-25 Edition)

stance will a civil penalty for any one violation exceed the statutory limit, as periodically adjusted for inflation as required by law, per day. In cases where the DOE contractor had knowledge of a violation and has not reported it to DOE and taken corrective action despite an opportunity to do so, DOE will consider utilizing its per day civil penalty authority. Further, as described in this section, the duration of a violation will be taken into account in adjusting the base civil penalty.

TABLE A-1—SEVERITY LEVEL BASE CIVIL PENALTIES

Severity level	Base civil penalty amount (Percentage of maximum per violation per day)
I	100
II	50

3. Adjustment Factors

(a) DOE may reduce a penalty based on mitigating circumstances or increase a penalty based on aggravating circumstances. DOE's enforcement program is not an end in itself, but a means to achieve compliance with the worker safety and health requirements in this part. Civil penalties are intended to emphasize the importance of compliance and to deter future violations. The single most important goal of the DOE enforcement program is to encourage early identification and reporting of violations of the worker safety and health requirements in this part by the DOE contractors themselves rather than by DOE, and the prompt correction of any violations so identified. DOE believes that DOE contractors are in the best position to identify and promptly correct noncompliance with the worker safety and health requirements in this part. DOE expects that these contractors should have in place internal compliance programs which will ensure the detection, reporting, and prompt correction of conditions that may constitute, or lead to, violations of the worker safety and health requirements in this part, before, rather than after, DOE has identified such violations. Thus, DOE contractors should almost always be aware of worker safety and health noncompliances before they are discovered by DOE. Obviously, worker safety and health is enhanced if noncompliances are discovered (and promptly corrected) by the DOE contractor, rather than by DOE, which may not otherwise become aware of a noncompliance until later, during the course of an inspection, performance assessment, or following an incident at the facility. Early identification of worker safety and health-related noncompliances by

Department of Energy

Pt. 851, App. B

DOE contractors has the added benefit of allowing information that could prevent such noncompliances at other facilities in the DOE complex to be shared with other appropriate DOE contractors.

(b) Pursuant to this enforcement philosophy, DOE will provide substantial incentive for the early self-identification, reporting, and prompt correction of conditions which constitute, or could lead to, violations of the worker safety and health requirements. Thus, the civil penalty may be reduced for violations that are identified, reported, and promptly and effectively corrected by the DOE contractor.

(c) On the other hand, ineffective programs for problem identification and correction are aggravating circumstances and may increase the penalty amount. Thus, for example, where a contractor fails to disclose and promptly correct violations of which it was aware or should have been aware, substantial civil penalties are warranted and may be sought, including the assessment of civil penalties for continuing violations on a per day basis.

(d) Further, in cases involving factors of willfulness, repeated violations, death, serious injury, patterns of systemic violations, DOE-identified flagrant violations, repeated poor performance in an area of concern, or serious breakdown in management controls, DOE intends to apply its full statutory enforcement authority where such action is warranted.

(e) Additionally, adjustment to the amount of civil penalty will be dependent, in part, on the degree of culpability of the DOE contractor with regard to the violation. Thus, inadvertent violations will be viewed differently from those in which there is gross negligence, deception, or willfulness. In addition to the severity of the underlying violation and level of culpability involved, DOE will also consider the position, training and experience of those involved in the violation. Thus, for example, a violation may be deemed to be more significant if a senior manager of an organization is involved rather than a foreman or non-supervisory employee.

(f) Other factors that will be considered in determining the civil penalty amount are the duration of the violation (how long the condition has presented a potential exposure to workers), the extent of the condition (number of instances of the violation), the frequency of the exposure (how often workers are exposed), the proximity of the workers to the exposure, and the past history of similar violations.

(g) DOE expects contractors to provide full, complete, timely, and accurate information and reports. Accordingly, the penalty amount for a violation involving either a failure to make a required report or notification to the DOE or an untimely report or no-

tification, will be based upon the circumstances surrounding the matter that should have been reported. A contractor will not normally be cited for a failure to report a condition or event unless the contractor was aware or should have been aware of the condition or event that it failed to report.

4. Identification and Reporting

Reduction of up to 50% of the base civil penalty shown in Table A-1 may be given when a DOE contractor identifies the violation and promptly reports the violation to the DOE. Consideration will be given to, among other things, the opportunity available to discover the violation, the ease of discovery and the promptness and completeness of any required report. No consideration will be given to a reduction in penalty if the DOE contractor does not take prompt action to report the problem to DOE upon discovery, or if the immediate actions necessary to restore compliance with the worker safety and health requirements are not taken.

5. Self-Identification and Tracking Systems

(a) DOE strongly encourages contractors to self-identify noncompliances with the worker safety and health requirements before the noncompliances lead to a string of similar and potentially more significant events or consequences. When a contractor identifies a noncompliance, DOE will normally allow a reduction in the amount of civil penalties, unless prior opportunities existed for contractors to identify the noncompliance. DOE will normally not allow a reduction in civil penalties for self-identification if significant DOE intervention was required to induce the contractor to report a noncompliance.

(b) Self-identification of a noncompliance is possibly the single most important factor in considering a reduction in the civil penalty amount. Consideration of self-identification is linked to, among other things, whether prior opportunities existed to discover the violation, and if so, the age and number of such opportunities; the extent to which proper contractor controls should have identified or prevented the violation; whether discovery of the violation resulted from a contractor's self-monitoring activity; the extent of DOE involvement in discovering the violation or in prompting the contractor to identify the violation; and the promptness and completeness of any required report. Self-identification is also considered by DOE in deciding whether to pursue an investigation.

(c) DOE will use the voluntary Noncompliance Tracking System (NTS) which allows contractors to elect to report noncompliances. In the guidance document supporting the NTS, DOE will establish reporting

thresholds for reporting noncompliances of potentially greater worker safety and health significance into the NTS. Contractors are expected, however, to use their own self-tracking systems to track noncompliances below the reporting threshold. This self-tracking is considered to be acceptable self-reporting as long as DOE has access to the contractor's system and the contractor's system notes the item as a noncompliance with a DOE safety and health requirement. For noncompliances that are below the NTS reportability thresholds, DOE will credit contractor self-tracking as representing self-reporting. If an item is not reported in NTS but only tracked in the contractor's system and DOE subsequently determines that the noncompliance was significantly mischaracterized, DOE will not credit the internal tracking as representing appropriate self-reporting.

6. Self-Disclosing Events

(a) DOE expects contractors to demonstrate acceptance of responsibility for worker safety and health by proactively identifying noncompliances. When the occurrence of an event discloses noncompliances that the contractor could have or should have identified before the event, DOE will not generally reduce civil penalties for self-identification, even if the underlying noncompliances were reported to DOE. In deciding whether to reduce any civil penalty proposed for violations revealed by the occurrence of a self-disclosing event, DOE will consider the ease with which a contractor could have discovered the noncompliance and the prior opportunities that existed to discover the noncompliance. If a contractor simply reacts to events that disclose potentially significant consequences or downplays noncompliances which did not result in significant consequences to worker safety and health, such contractor actions do not constitute the type of proactive behavior necessary to prevent significant events from occurring and thereby to improve worker safety and health.

(b) The key test is whether the contractor reasonably could have detected any of the underlying noncompliances that contributed to the event. Examples of events that provide opportunities to identify noncompliances include, but are not limited to:

- (1) Prior notifications of potential problems such as those from DOE operational experience publications or vendor equipment deficiency reports;
- (2) Normal surveillance, quality assurance performance assessments, and post-maintenance testing;
- (3) Readily observable parameter trends; and
- (4) Contractor employee or DOE observations of potential worker safety and health problems.

(c) Failure to utilize these types of events and activities to address noncompliances may result in higher civil penalty assessments or a DOE decision not to reduce civil penalty amounts.

(d) Alternatively, if, following a self-disclosing event, DOE finds that the contractor's processes and procedures were adequate and the contractor's personnel generally behaved in a manner consistent with the contractor's processes and procedures, DOE could conclude that the contractor could not have been reasonably expected to find the single noncompliance that led to the event and thus, might allow a reduction in civil penalties.

7. Corrective Action To Prevent Recurrence

The promptness (or lack thereof) and extent to which the DOE contractor takes corrective action, including actions to identify root cause and prevent recurrence, may result in an increase or decrease in the base civil penalty shown in Table A-1. For example, appropriate corrective action may result in DOE's reducing the proposed civil penalty up to 50% from the base value shown in Table A-1. On the other hand, the civil penalty may be increased if initiation of corrective action is not prompt or if the corrective action is only minimally acceptable. In weighing this factor, consideration will be given to, among other things, the appropriateness, timeliness and degree of initiative associated with the corrective action. The comprehensiveness of the corrective action will also be considered, taking into account factors such as whether the action is focused narrowly to the specific violation or broadly to the general area of concern.

8. DOE's Contribution to a Violation

There may be circumstances in which a violation of a DOE worker safety and health requirement results, in part or entirely, from a direction given by DOE personnel to a DOE contractor to either take or forbear from taking an action at a DOE facility. In such cases, DOE may refrain from issuing an NOV, or may mitigate, either partially or entirely, any proposed civil penalty, provided that the direction upon which the DOE contractor relied is documented in writing, contemporaneously with the direction. It should be emphasized, however, that pursuant to 10 CFR 851.7, interpretative ruling of a requirement of this part must be issued in accordance with the provisions of 851.7 to be binding. Further, as discussed above in this policy statement, lack of funding by itself will not be considered as a mitigating factor in enforcement actions.

9. Exercise of Discretion

Because DOE wants to encourage and support DOE contractor initiative for prompt

Department of Energy**Pt. 851, App. B**

self-identification, reporting and correction of noncompliances, DOE may exercise discretion as follows:

(a) In accordance with the previous discussion, DOE may refrain from issuing a civil penalty for a violation that meets all of the following criteria:

(1) The violation is promptly identified and reported to DOE before DOE learns of it or the violation is identified by a DOE independent assessment, inspection or other formal program effort.

(2) The violation is not willful or is not a violation that could reasonably be expected to have been prevented by the DOE contractor's corrective action for a previous violation.

(3) The DOE contractor, upon discovery of the violation, has taken or begun to take prompt and appropriate action to correct the violation.

(4) The DOE contractor has taken, or has agreed to take, remedial action satisfactory to DOE to preclude recurrence of the violation and the underlying conditions that caused it.

(b) DOE will not issue a Notice of Violation for cases in which the violation discovered by the DOE contractor cannot reasonably be linked to the conduct of that contractor in the design, construction or operation of the DOE facility involved, provided that prompt and appropriate action is taken by the DOE contractor upon identification of the past violation to report to DOE and remedy the problem.

(c) In situations where corrective actions have been completed before termination of an inspection or assessment, a formal response from the contractor is not required and the inspection report serves to document the violation and the corrective action. However, in all instances, the contractor is required to report the noncompliance through established reporting mechanisms so the noncompliance and any corrective actions can be properly tracked and monitored.

(d) If DOE initiates an enforcement action for a violation, and as part of the corrective action for that violation, the DOE contractor identifies other examples of the violation with the same root cause, DOE may refrain from initiating an additional enforcement action. In determining whether to exercise this discretion, DOE will consider whether the DOE contractor acted reasonably and in a timely manner appropriate to the severity of the initial violation, the comprehensiveness of the corrective action, whether the matter was reported, and whether the additional violation(s) substantially change the significance or character of the concern arising out of the initial violation.

(e) The preceding paragraphs are examples indicating when enforcement discretion may be exercised to forego the issuance of a civil penalty or, in some cases, the initiation of

any enforcement action at all. However, notwithstanding these examples, a civil penalty may be proposed or Notice of Violation issued when, in DOE's judgment, such action is warranted.

X. INACCURATE AND INCOMPLETE INFORMATION

(a) A violation of the worker safety and health requirements to provide complete and accurate information to DOE, 10 CFR 851.40, can result in the full range of enforcement sanctions, depending upon the circumstances of the particular case and consideration of the factors discussed in this section. Violations involving inaccurate or incomplete information or the failure to provide significant information identified by a DOE contractor normally will be categorized based on the guidance in section IX, "Enforcement Actions."

(b) DOE recognizes that oral information may in some situations be inherently less reliable than written submittals because of the absence of an opportunity for reflection and management review. However, DOE must be able to rely on oral communications from officials of DOE contractors concerning significant information. In determining whether to take enforcement action for an oral statement, consideration will be given to such factors as:

(1) The degree of knowledge that the communicator should have had regarding the matter in view of his or her position, training, and experience;

(2) The opportunity and time available prior to the communication to assure the accuracy or completeness of the information;

(3) The degree of intent or negligence, if any, involved;

(4) The formality of the communication;

(5) The reasonableness of DOE reliance on the information;

(6) The importance of the information that was wrong or not provided; and

(7) The reasonableness of the explanation for not providing complete and accurate information.

(c) Absent gross negligence or willfulness, an incomplete or inaccurate oral statement normally will not be subject to enforcement action unless it involves significant information provided by an official of a DOE contractor. However, enforcement action may be taken for an unintentionally incomplete or inaccurate oral statement provided to DOE by an official of a DOE contractor or others on behalf of the DOE contractor, if a record was made of the oral information and provided to the DOE contractor thereby permitting an opportunity to correct the oral information, such as if a transcript of the communication or meeting summary containing the error was made available to the DOE contractor and was not subsequently corrected in a timely manner.

Pt. 860**10 CFR Ch. III (1-1-25 Edition)**

(d) When a DOE contractor has corrected inaccurate or incomplete information, the decision to issue a citation for the initial inaccurate or incomplete information normally will be dependent on the circumstances, including the ease of detection of the error, the timeliness of the correction, whether DOE or the DOE contractor identified the problem with the communication, and whether DOE relied on the information prior to the correction. Generally, if the matter was promptly identified and corrected by the DOE contractor prior to reliance by DOE, or before DOE raised a question about the information, no enforcement action will be taken for the initial inaccurate or incomplete information. On the other hand, if the misinformation is identified after DOE relies on it, or after some question is raised regarding the accuracy of the information, then some enforcement action normally will be taken even if it is in fact corrected.

(e) If the initial submission was accurate when made but later turns out to be erroneous because of newly discovered information or advances in technology, a citation normally would not be appropriate if, when the new information became available, the initial submission was promptly corrected.

(f) The failure to correct inaccurate or incomplete information that the DOE contractor does not identify as significant normally will not constitute a separate violation. However, the circumstances surrounding the failure to correct may be considered relevant to the determination of enforcement action for the initial inaccurate or incomplete statement. For example, an unintentionally inaccurate or incomplete submission may be treated as a more severe matter if a DOE contractor later determines that the initial submission was in error and does not promptly correct it or if there were clear opportunities to identify the error.

[71 FR 6931, Feb. 9, 2006, as amended at 74 FR 66033, Dec. 14, 2009; 79 FR 20, Jan. 2, 2014; 81 FR 41795, June 28, 2016; 81 FR 96352, Dec. 30, 2016; 83 FR 1292, Jan. 11, 2018; 83 FR 66084, Dec. 26, 2018; 85 FR 831, Jan. 8, 2020; 86 FR 2956, Jan. 14, 2021; 87 FR 1064, Jan. 10, 2022; 88 FR 2194, Jan. 13, 2023; 88 FR 41294, June 26, 2023; 89 FR 1029, Jan. 9, 2024; 89 FR 105407, Dec. 27, 2024]

PART 860—TRESPASSING ON DEPARTMENT OF ENERGY PROPERTY**Sec.**

860.1 Purpose.

860.2 Scope.

860.3 Trespass.

860.4 Unauthorized introduction of weapons or dangerous materials.

860.5 Violations and penalties.**860.6 Posting.****860.7 Effective date of prohibition on designated locations.****860.8 Applicability of other laws.**

AUTHORITY: Sec. 161, 68 Stat. 948, sec. 229, 70 Stat. 1070; (42 U.S.C. 2201; 2278a); sec. 104, 88 Stat. 1237, sec. 105, 88 Stat. 1238 (42 U.S.C. 5814, 5815); sec. 5, Pub. L. 100-185, 101 Stat. 1279 (18 U.S.C. 3559); sec. 6, Pub. L. 100-185, 101 Stat. 1280 (18 U.S.C. 3571); sec. 7041, Pub. L. 100-690, 102 Stat. 4899 (18 U.S.C. 3559).

SOURCE: 58 FR 47985, Sept. 14, 1993, unless otherwise noted.

§ 860.1 Purpose.

The regulations in this part are issued for the protection and security of facilities, installations and real property subject to the jurisdiction or administration, or in the custody of, the Department of Energy.

§ 860.2 Scope.

The regulations in this part apply to all facilities, installations and real property subject to the jurisdiction or administration of the Department of Energy or in its custody which have been posted with a notice of the prohibitions and penalties set forth in this part.

§ 860.3 Trespass.

Unauthorized entry upon any facility, installation or real property subject to this part is prohibited.

§ 860.4 Unauthorized introduction of weapons or dangerous materials.

Unauthorized carrying, transporting, or otherwise introducing or causing to be introduced any dangerous weapon, explosive, or other dangerous instrument or material likely to produce substantial injury or damage to persons or property, into or upon any facility, installation or real property subject to this part, is prohibited.

§ 860.5 Violations and penalties.

(a) Whoever willfully violates either § 860.3 or § 860.4 shall, upon conviction, be guilty of an infraction punishable by a fine of not more than \$5,000.

(b) Whoever willfully violates either § 860.3 or § 860.4 with respect to any facility, installation or real property enclosed by a fence, wall, floor, roof, or