

procedures shall be recorded and justified.

§211.101 Charge-in of components.

Written production and control procedures shall include the following, which are designed to assure that the drug products produced have the identity, strength, quality, and purity they purport or are represented to possess:

(a) The batch shall be formulated with the intent to provide not less than 100 percent of the labeled or established amount of active ingredient.

(b) Components for drug product manufacturing shall be weighed, measured, or subdivided as appropriate. If a component is removed from the original container to another, the new container shall be identified with the following information:

(1) Component name or item code;

(2) Receiving or control number;

(3) Weight or measure in new container;

(4) Batch for which component was dispensed, including its product name, strength, and lot number.

(c) Weighing, measuring, or subdividing operations for components shall be adequately supervised. Each container of component dispensed to manufacturing shall be examined by a second person to assure that:

(1) The component was released by the quality control unit;

(2) The weight or measure is correct as stated in the batch production records;

(3) The containers are properly identified. If the weighing, measuring, or subdividing operations are performed by automated equipment under §211.68, only one person is needed to assure paragraphs (c)(1), (c)(2), and (c)(3) of this section.

(d) Each component shall either be added to the batch by one person and verified by a second person or, if the components are added by automated equipment under §211.68, only verified by one person.

[43 FR 45077, Sept. 29, 1978, as amended at 73 FR 51932, Sept. 8, 2008]

§211.103 Calculation of yield.

Actual yields and percentages of theoretical yield shall be determined at the conclusion of each appropriate

phase of manufacturing, processing, packaging, or holding of the drug product. Such calculations shall either be performed by one person and independently verified by a second person, or, if the yield is calculated by automated equipment under §211.68, be independently verified by one person.

[73 FR 51932, Sept. 8, 2008]

§211.105 Equipment identification.

(a) All compounding and storage containers, processing lines, and major equipment used during the production of a batch of a drug product shall be properly identified at all times to indicate their contents and, when necessary, the phase of processing of the batch.

(b) Major equipment shall be identified by a distinctive identification number or code that shall be recorded in the batch production record to show the specific equipment used in the manufacture of each batch of a drug product. In cases where only one of a particular type of equipment exists in a manufacturing facility, the name of the equipment may be used in lieu of a distinctive identification number or code.

§211.110 Sampling and testing of in-process materials and drug products.

(a) To assure batch uniformity and integrity of drug products, written procedures shall be established and followed that describe the in-process controls, and tests, or examinations to be conducted on appropriate samples of in-process materials of each batch. Such control procedures shall be established to monitor the output and to validate the performance of those manufacturing processes that may be responsible for causing variability in the characteristics of in-process material and the drug product. Such control procedures shall include, but are not limited to, the following, where appropriate:

(1) Tablet or capsule weight variation;

(2) Disintegration time;

(3) Adequacy of mixing to assure uniformity and homogeneity;

(4) Dissolution time and rate;

§211.111

(5) Clarity, completeness, or pH of solutions.

(6) Bioburden testing.

(b) Valid in-process specifications for such characteristics shall be consistent with drug product final specifications and shall be derived from previous acceptable process average and process variability estimates where possible and determined by the application of suitable statistical procedures where appropriate. Examination and testing of samples shall assure that the drug product and in-process material conform to specifications.

(c) In-process materials shall be tested for identity, strength, quality, and purity as appropriate, and approved or rejected by the quality control unit, during the production process, e.g., at commencement or completion of significant phases or after storage for long periods.

(d) Rejected in-process materials shall be identified and controlled under a quarantine system designed to prevent their use in manufacturing or processing operations for which they are unsuitable.

[43 FR 45077, Sept. 29, 1978, as amended at 73 FR 51932, Sept. 8, 2008]

§211.111 Time limitations on production.

When appropriate, time limits for the completion of each phase of production shall be established to assure the quality of the drug product. Deviation from established time limits may be acceptable if such deviation does not compromise the quality of the drug product. Such deviation shall be justified and documented.

§211.113 Control of microbiological contamination.

(a) Appropriate written procedures, designed to prevent objectionable microorganisms in drug products not required to be sterile, shall be established and followed.

(b) Appropriate written procedures, designed to prevent microbiological contamination of drug products purporting to be sterile, shall be established and followed. Such procedures

21 CFR Ch. I (4–1–25 Edition)

shall include validation of all aseptic and sterilization processes.

[43 FR 45077, Sept. 29, 1978, as amended at 73 FR 51932, Sept. 8, 2008]

§211.115 Reprocessing.

(a) Written procedures shall be established and followed prescribing a system for reprocessing batches that do not conform to standards or specifications and the steps to be taken to insure that the reprocessed batches will conform with all established standards, specifications, and characteristics.

(b) Reprocessing shall not be performed without the review and approval of the quality control unit.

Subpart G—Packaging and Labeling Control

§211.122 Materials examination and usage criteria.

(a) There shall be written procedures describing in sufficient detail the receipt, identification, storage, handling, sampling, examination, and/or testing of labeling and packaging materials; such written procedures shall be followed. Labeling and packaging materials shall be representatively sampled, and examined or tested upon receipt and before use in packaging or labeling of a drug product.

(b) Any labeling or packaging materials meeting appropriate written specifications may be approved and released for use. Any labeling or packaging materials that do not meet such specifications shall be rejected to prevent their use in operations for which they are unsuitable.

(c) Records shall be maintained for each shipment received of each different labeling and packaging material indicating receipt, examination or testing, and whether accepted or rejected.

(d) Labels and other labeling materials for each different drug product, strength, dosage form, or quantity of contents shall be stored separately with suitable identification. Access to the storage area shall be limited to authorized personnel.

(e) Obsolete and outdated labels, labeling, and other packaging materials shall be destroyed.