

**§ 520.88d**

**§ 520.88d Amoxicillin trihydrate soluble powder.**

(a) *Specifications.* Each gram of powder contains amoxicillin trihydrate equivalent to 115.4 milligrams (mg) amoxicillin.

(b) *Sponsor.* See No. 054771 in § 510.600(c) of this chapter.

(c) *Related tolerances.* See § 556.38 of this chapter.

(d) *Conditions of use in preruminating calves including veal calves—(1) Amount.* Administer 400 mg per 100 pounds of body weight twice daily by drench or in milk. Treatment should be continued for 48 hours after all symptoms have subsided but not to exceed 5 days.

(2) *Indications for use.* Treatment of bacterial enteritis when due to susceptible *Escherichia coli* in preruminating calves including veal calves.

(3) *Limitations.* Do not slaughter animals during treatment or for 20 days after the latest treatment. Federal law restricts this drug to use by or on the order of a licensed veterinarian

[57 FR 37319, Aug. 18, 1992; 57 FR 42623, Sept. 15, 1992; 58 FR 18304, Apr. 8, 1993, as amended at 60 FR 55658, Nov. 2, 1995; 62 FR 5525, Feb. 6, 1997; 79 FR 28817, May 20, 2014]

**§ 520.88e Amoxicillin trihydrate boluses.**

(a) *Specifications.* Each bolus contains amoxicillin trihydrate equivalent to 400 milligrams (mg) amoxicillin.

(b) *Sponsor.* See No. 054771 in § 510.600(c) of this chapter.

(c) *Related tolerances.* See § 556.38 of this chapter.

(d) *Conditions of use in cattle—(1) Amount.* Administer 400 mg per 100 pounds of body weight twice daily. Treatment should be continued for 48 hours after all symptoms have subsided but not to exceed 5 days.

(2) *Indications for use.* Treatment of bacterial enteritis when due to susceptible *Escherichia coli* in preruminating calves including veal calves.

(3) *Limitations.* Do not slaughter animals during treatment or for 20 days after the latest treatment. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[57 FR 37320, Aug. 18, 1992, as amended at 60 FR 55659, Nov. 2, 1995; 62 FR 5526, Feb. 6, 1997; 79 FR 28817, May 20, 2014]

**21 CFR Ch. I (4–1–25 Edition)**

**§ 520.88f Amoxicillin trihydrate tablets.**

(a) *Specifications.* Each tablet contains amoxicillin trihydrate equivalent to 50, 100, 200, or 400 milligrams (mg) amoxicillin.

(b) *Sponsors.* See Nos. 051311 and 054771 in § 510.600(c) of this chapter.

(c) *Conditions of use in dogs—(1) Amount.* Administer 5 mg per pound of body weight twice daily for 5 to 7 days or 48 hours after all symptoms have subsided.

(2) *Indications for use.* For treatment of bacterial dermatitis due to *Staphylococcus aureus*, *Streptococcus* spp., *Staphylococcus* spp., and *Escherichia coli*; and soft tissue infections (abscesses, wounds, lacerations) due to *S. aureus*, *Enterococcus faecalis*, *E. coli*, *Proteus mirabilis*, and *Staphylococcus* spp.

(3) *Limitations.* Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[79 FR 28817, May 20, 2014, as amended at 83 FR 64740, Dec. 18, 2018]

**§ 520.88g Amoxicillin and clavulanate potassium tablets.**

(a) *Specifications.* Each tablet or chewable tablet contains amoxicillin and clavulanate potassium equivalent to 50 milligrams (mg) amoxicillin and 12.5 mg clavulanic acid, 100 mg amoxicillin and 25 mg clavulanic acid, 200 mg amoxicillin and 50 mg clavulanic acid, or 300 mg amoxicillin and 75 mg clavulanic acid.

(b) *Sponsors.* See sponsors in § 510.600(c) of this chapter:

(1) No. 054771 for use of tablets and chewable tablets as in paragraph (c) of this section.

(2) Nos. 017033 and 069043 for use of tablets as in paragraph (c) of this section.

(3) No. 013744 for use of chewable tablets as in paragraph (c) of this section.

(c) *Conditions of use—(1) Dogs—(i) Amount.* 6.25 milligrams (equivalent to 5 milligrams amoxicillin and 1.25 milligrams clavulanic acid) per pound of body weight twice daily for 5 to 7 days or for 48 hours after all signs have subsided. Deep pyoderma may require treatment for 21 days; do not treat for more than 30 days.