

§ 15.714

(vii) Identification of the frequencies on which the part 27 600 MHz band licensee has commenced operations;

(viii) Call sign.

(11) Location of health care facilities operating WMTS networks on channel 37 (608–614 MHz):

(i) Name and address of the health care facility;

(ii) Name and address of a contact person;

(iii) Phone number of a contact person;

(iv) Email address of a contact person;

(v) Latitude and longitude coordinates referenced to North American Datum 1983 (NAD 83) that define the perimeter of each facility. If several health care facilities using 608–614 MHz wireless medical telemetry equipment are located in close proximity, it is permissible to register a perimeter to protect all facilities in that cluster.

(k) *Commission requests for data.* (1) A white space database administrator must provide to the Commission, upon request, any information contained in the database.

(2) A white space database administrator must remove information from the database, upon direction, in writing, by the Commission.

(l) *Security.* The white space database shall employ protocols and procedures to ensure that all communications and interactions between the white space database and white space devices are accurate and secure and that unauthorized parties cannot access or alter the database or the list of available channels sent to a white space device.

(1) Communications between white space devices and white space databases, and between different white space databases, shall be secure to prevent corruption or unauthorized interception of data. A white space database shall be protected from unauthorized data input or alteration of stored data.

(2) A white space database shall verify that the FCC identification number supplied by a fixed, mobile, or personal/portable white space device is for a certified device and may not provide service to an uncertified device.

(3) A white space database must not provide lists of available channels to uncertified white space devices for pur-

47 CFR Ch. I (10–1–23 Edition)

poses of operation (it is acceptable for a white space database to distribute lists of available channels by means other than contact with white space devices to provide list of channels for operation). To implement this provision, a white space database administrator shall obtain a list of certified white space devices from the FCC Equipment Authorization System.

[80 FR 73070, Nov. 23, 2015, as amended at 81 FR 4974, Jan. 29, 2016; 82 FR 41559, Sept. 1, 2017; 84 FR 34799, July 19, 2019; 86 FR 2295, Jan. 12, 2021; 88 FR 32692, May 22, 2023]

§ 15.714 White space database administration fees.

(a) A white space database administrator may charge a fee for provision of lists of available channels to fixed, mobile, and personal/portable devices and for registering fixed devices. This paragraph (a) applies to devices that operate in the TV bands, the 600 MHz service band, the 600 MHz duplex gap, and 608–614 MHz (channel 37).

(b) A white space database administrator may charge a fee for provision of lists of available channels to wireless microphone users.

(c) The Commission, upon request, will review the fees and can require changes in those fees if they are found to be excessive.

[80 FR 73070, Nov. 23, 2015, as amended at 84 FR 34799, July 19, 2019; 86 FR 2296, Jan. 12, 2021]

§ 15.715 White space database administrator.

The Commission will designate one or more entities to administer the white space database(s). The Commission may, at its discretion, permit the functions of a white space database, such as a data repository, registration, and query services, to be divided among multiple entities; however, it will designate specific entities to be a database administrator responsible for coordination of the overall functioning of a database and providing services to white space devices. Each database administrator designated by the Commission shall:

(a) Maintain a database that contains the information described in § 15.713.

(b) Establish a process for acquiring and storing in the database necessary