

Frequency	Field strength (volts per meter)	
	Peak	Average
700 MHz-1 GHz	700	100
1 GHz-2 GHz	2000	200
2 GHz-4 GHz	3000	200
4 GHz-6 GHz	3000	200
6 GHz-8 GHz	1000	200
8 GHz-12 GHz	3000	300
12 GHz-18 GHz	2000	200
18 GHz-40 GHz	600	200

Note.—The field strengths are expressed in terms of peak root-mean-square (rms) values.

or,

(2) The applicant may demonstrate by a system test and analysis that the electrical and electronic systems that perform critical functions can withstand a minimum threat of 100 volts per meter, peak electrical field strength, from 10 kHz to 18 GHz. When using this test to show compliance with the HIRF requirements, no credit is given for signal attenuation due to installation.

A preliminary hazard analysis must be performed by the applicant, for approval by the FAA, to identify either electrical or electronic systems that perform critical functions. The term “critical” means those functions whose failure would contribute to, or cause, a failure condition that would prevent the continued safe flight and landing of the airplane. The systems identified by the hazard analysis that perform critical functions are candidates for the application of HIRF requirements. A system may perform both critical and non-critical functions. Primary electronic flight display systems, and their associated components, perform critical functions such as attitude, altitude, and airspeed indication. The HIRF requirements apply only to critical functions.

Compliance with HIRF requirements may be demonstrated by tests, analysis, models, similarity with existing systems, or any combination of these. Service experience alone is not acceptable since normal flight operations may not include an exposure to the HIRF environment. Reliance on a system with similar design features for redundancy as a means of protection against the effects of external HIRF is generally insufficient since all elements of a redundant system are likely to be exposed to the fields concurrently.

Applicability

As discussed above, these special conditions are applicable to the Eclipse Model 500 airplane. Should Eclipse Aviation Corporation apply at a later date for a change to the type certificate to include another model incorporating

the same novel or unusual design feature, the special conditions would apply to that model as well under the provisions of § 21.101.

Conclusion

This action affects only certain novel or unusual design features on one model of airplane. It is not a rule of general applicability and affects only the applicant who applied to the FAA for approval of these features on the airplane.

The substance of these special conditions has been subjected to the notice and comment period in several prior instances and has been derived without substantive change from those previously issued. It is unlikely that prior public comment would result in a significant change from the substance contained herein. For this reason, and because a delay would significantly affect the certification of the airplane, which is imminent, the FAA has determined that prior public notice and comment are unnecessary and impracticable, and good cause exists for adopting these special condition upon issuance. The FAA is requesting comments to allow interested persons to submit views that may not have been submitted in response to the prior opportunities for comment described above.

List of Subjects in 14 CFR Part 23

Aircraft, Aviation safety, Signs and symbols.

Citation

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(g), 40113 and 44701; 14 CFR 21.16 and 21.17; and 14 CFR 11.38 and 11.19.

The Special Conditions

Accordingly, the Federal Aviation Administration (FAA) issues the following special conditions as part of the type certification basis for the Eclipse Aviation Corporation Model 500, Airplane.

1. *Protection of Electrical and Electronic Systems from High Intensity Radiated Fields (HIRF).* Each system that performs critical functions must be designed and installed to ensure that the operations, and operational capabilities of these systems to perform critical functions, are not adversely affected when the airplane is exposed to high intensity radiated electromagnetic fields external to the airplane.

2. For the purpose of these special conditions, the following definition applies: Critical Functions: Functions whose failure would contribute to, or

cause, a failure condition that would prevent the continued safe flight and landing of the airplane.

Issued in Kansas City, Missouri on February 21, 2002.

Michael Gallagher,

Manager, Small Airplane Directorate, Aircraft Certification Service.

[FR Doc. 02-5808 Filed 3-12-02; 8:45 am]

BILLING CODE 4910-13-M

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 2002-CE-06-AD; Amendment 39-12673; AD 2002-05-05]

RIN 2120-AA64

Airworthiness Directives; Cirrus Design Corporation Models SR20 and SR22 Airplanes

AGENCY: Federal Aviation Administration, DOT.

ACTION: Final rule; request for comments.

SUMMARY: This amendment adopts a new airworthiness directive (AD) that applies to certain Cirrus Design Corporation (Cirrus) Models SR20 and SR22 airplanes. This AD requires you to incorporate temporary operating limitations into the Limitation Section of the airplane flight manual (AFM) for certain affected airplanes and install a cable clamp external to the cone adapter on the Cirrus Aircraft Parachute System (CAPS) activation cable for all affected airplanes. The operating limitations will reduce the need to use the CAPS system in a loss of aircraft control emergency situation. The installation will prevent the cable housing from going into the rocket cone and will allow the rocket to fire correctly. This AD is the result of a report from the manufacturer that certain CAPS may not activate in an emergency situation. The actions specified by this AD are intended to initially limit the chance of failure of the CAPS activation system in an emergency situation and eventually eliminate this potential failure. Failure of this system would result in occupant injury and/or loss of life and loss of aircraft.

DATES: This AD becomes effective on March 19, 2002.

The Director of the Federal Register approved the incorporation by reference of certain publications listed in the regulation as of March 19, 2002.

The Federal Aviation Administration (FAA) must receive any comments on this rule on or before April 26, 2002.

ADDRESSES: Submit comments to FAA, Central Region, Office of the Regional Counsel, Attention: Rules Docket No. 2002-CE-06-AD, 901 Locust, Room 506, Kansas City, Missouri 64106. You may view any comments at this location between 8 a.m. and 4 p.m., Monday through Friday, except Federal holidays. You may also send comments electronically to the following address: 9-ACE-7-Docket@faa.gov. Comments sent electronically must contain "Docket No. 2002-CE-06-AD" in the subject line. If you send comments electronically as attached electronic files, the files must be formatted in Microsoft Word 97 for Windows or ASCII text.

You may get the service information referenced in this AD from Cirrus Design Corporation, 4515 Taylor Circle, Duluth, MN 55811; telephone: (218) 727-2737; or electronically at the following address:

www.cirrusdesign.com/sb. You may view this information at FAA, Central Region, Office of the Regional Counsel, Attention: Rules Docket No. 2002-CE-06-AD, 901 Locust, Room 506, Kansas City, Missouri 64106; or at the Office of the Federal Register, 800 North Capitol Street, NW, suite 700, Washington, DC.

FOR FURTHER INFORMATION CONTACT:

Gregory J. Michalik, Aerospace Engineer, FAA, Chicago ACO, 2300 East Devon Avenue, Des Plaines, IL 60018; telephone: (847) 294-7135; facsimile: (847) 294-7834.

SUPPLEMENTARY INFORMATION:

Discussion

What Events Have Caused This AD?

The FAA has received a report from the type certificate holder that a condition exists that could cause the Cirrus Airplane Parachute System (CAPS) installed on certain Cirrus Design Corporation (Cirrus) Model SR20 and SR22 airplanes not to activate in the event of an emergency. Ballistic Recovery Systems (BRS), the supplier of the CAPS, discovered the condition during a supplemental type certificate (STC) certification test of the same unit on another airplane.

Investigation revealed that the rocket cone could allow for variance in the internal diameter at the threaded end of the rocket cone. This variance could result in the retaining nut internal to the cone adapter not to be fully secured on the affected parachutes. When the igniter end of the cable housing is unsecured, the cable will not pull the igniter pin free to release the parachute.

This condition is prevalent on a manufacturing lot of 187 systems that BRS developed under a process change. The condition could exist on the other earlier systems that BRS developed.

Section 23.221 of the Federal Aviation Regulations (14 CFR 23.221) requires that single-engine, normal category airplanes demonstrate compliance with either the one-turn spin or the spin-resistant requirements. The airplane, for spin recovery compliance, must recover from a one-turn spin or a three-second spin, whichever takes longer, in not more than one additional turn after the controls have been applied for recovery. The Cirrus SR20/SR22 are not certificated to meet the spin requirements or spin resistant requirements of 14 CFR 23.221. Instead, Cirrus installed an Airplane Parachute System (CAPS) that was FAA-approved as part of the SR20/SR22 type design.

What Are the Consequences if the Condition Is Not Corrected?

Failure of the igniter end of the cable housing to release the igniter pin, if not corrected, could result in CAPS not activating in an emergency situation. This would result in occupant injury and/or loss of life and loss of aircraft.

Is There Service Information That Applies to This Subject?

Cirrus Design has issued Alert Service Bulletin SB A20-95-01, Issued: February 25, 2002, and Alert Service Bulletin A22-95-01, Issued: February 25, 2002. These service bulletins specify modifying the CAPS activation cable assembly in accordance with Ballistic Recovery Systems Inc. Service Bulletin SB 95-01, Issued: February 25, 2002. This service bulletin includes procedures for installing a cable clamp external to the cone adapter.

The FAA's Determination and an Explanation of the Provisions of This AD

What Has FAA Decided?

The FAA has reviewed all available information, including the service information referenced above; and determined that:

- The unsafe condition referenced in this document exists or could develop on other Cirrus Model SR20 and SR22 airplanes of the same type design;
- The actions specified in the previously-referenced service information (as specified in this AD) should be accomplished on the affected airplanes; and
- AD action should be taken in order to correct this unsafe condition.

What Does This AD Require?

This AD requires you to:

- Incorporate temporary operating limitations into the Limitation Section of the airplane flight manual (AFM) for the airplanes with a CAPS that incorporates the process change. The operating limitations will reduce the need to use the CAPS system in a loss of aircraft control emergency situation. This action is accomplished by the pilot prior to further flight after the effective date of the AD; and
- Install a cable clamp external to the cone adapter on the Cirrus Aircraft Parachute System (CAPS) activation cable within 10 hours time-in-service (TIS) after the effective date of this AD for those airplanes with a CAPS that incorporates the process change and within 25 hours TIS after the effective date for all other airplanes. This installation will prevent the cable housing from going into the rocket cone and will allow the rocket to fire correctly.

In preparation of this rule, we contacted type clubs and aircraft operators to obtain technical information and information on operational and economic impacts. We have included, in the rulemaking docket, a discussion of information that may have influenced this action.

Will I Have the Opportunity To Comment Prior to the Issuance of the Rule?

Because the unsafe condition described in this document could result in failure of the CAPS activation system in an emergency situation, we find that notice and opportunity for public prior comment are impracticable. Therefore, good cause exists for making this amendment effective in less than 30 days.

Comments Invited

How Do I Comment on This AD?

Although this action is in the form of a final rule and was not preceded by notice and opportunity for public comment, FAA invites your comments on the rule. You may submit whatever written data, views, or arguments you choose. You need to include the rule's docket number and submit your comments to the address specified under the caption **ADDRESSES**. We will consider all comments received on or before the closing date specified above. We may amend this rule in light of comments received. Factual information that supports your ideas and suggestions is extremely helpful in evaluating the effectiveness of the AD action and

determining whether we need to take additional rulemaking action.

Are There Any Specific Portions of the AD I Should Pay Attention To?

We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of the rule that might suggest a need to modify the rule. You may view all comments we receive before and after the closing date of the rule in the Rules Docket. We will file a report in the Rules Docket that summarizes each FAA contact with the public that concerns the substantive parts of this AD.

How Can I Be Sure FAA Receives My Comment?

If you want us to acknowledge the receipt of your mailed comments, you must include a self-addressed, stamped postcard. On the postcard, write "Comments to Docket No. 2002-CE-06-AD." We will date stamp and mail the postcard back to you.

Regulatory Impact

Does This AD Impact Various Entities?

These regulations will not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government. Therefore, FAA has determined that this final rule does not have federalism implications under Executive Order 13132.

Does This AD Involve a Significant Rule or Regulatory Action?

We have determined that this regulation is an emergency regulation that must be issued immediately to correct an unsafe condition in aircraft, and is not a significant regulatory action under Executive Order 12866. It has been determined further that this action involves an emergency regulation under DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979). If it is determined that this emergency regulation otherwise would be significant under DOT Regulatory Policies and Procedures, a final regulatory evaluation will be prepared and placed in the Rules Docket (otherwise, an evaluation is not required). A copy of it, if filed, may be obtained from the Rules Docket.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by Reference, Safety.

Adoption of the Amendment

Accordingly, under the authority delegated to me by the Administrator, the Federal Aviation Administration amends part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

2. FAA amends § 39.13 by adding a new airworthiness directive (AD) to read as follows:

2002-05-05 Cirrus Design Corporation:

Amendment 39-12673; Docket No. 2002-CE-06-AD.

(a) *What airplanes are affected by this AD?* This AD applies to the following airplane models and serial numbers that are certificated in any category:

Model	Serial Numbers
(1) Group 1	
SR20	1148 through 1178, except 1151
SR22	0029 through 0160, except 0159
(2) Group 2	
SR20	1005 through 1147
SR22	0002 through 0028

(b) *Who must comply with this AD?*

Anyone who wishes to operate any of the airplanes identified in paragraph (a) of this AD must comply with this AD.

(c) *What problem does this AD address?*

The actions specified by this AD are intended to initially limit the chance of failure of the CAPS activation system in an emergency situation and eventually eliminate this potential failure. Failure of this system would result in occupant injury and/or loss of life and loss of aircraft.

(d) *What must I do to address this problem?*

To address this problem, you must perform the following actions, unless already accomplished:

Actions	Compliance	Procedures
<p>(1) For Group 1 airplanes: in order to reduce the need to use the CAPS system in a loss of aircraft control emergency situation, incorporate the following into the Limitation Section of the airplane flight manual (AFM):</p> <p>(i) Do not operate the airplane in instrument flight rules (IFR) conditions, only operate the airplane in visual flight rules (VFR) conditions; and</p> <p>(ii) Operate the airplane during daytime hours only, do not operate at night.</p> <p>(2) For all affected airplanes: in order to prevent the cable housing from going into the rocket cone and in order to allow the rocket to fire correctly, install a cable clamp external to the cone adapter on the Cirrus Aircraft Parachute System (CAPS) activation cable.</p>	<p>Prior to further flight after March 19, 2002 (the effective date of this AD) until the installation required by paragraph (d)(2) of this AD is accomplished.</p> <p>For Group 1 airplanes: within the next 10 hours time-in-service (TIS) after March 19, 2002 (the effective date of this AD). The AFM Limitations requirement in paragraph (d)(1) of this AD is no longer required when this installation is accomplished. For Group 2 airplanes: within the next 25 hours TIS after March 19, 2002 (the effective date of this AD).</p>	<p>The owner/operator holding at least a private pilot certificate as authorized by section 43.7 of the Federal Aviation Regulations (14 CFR 43.7) may incorporate into the AFM the information specified in paragraphs (d)(1)(i) and (d)(1)(ii) of this AD. Make an entry into the aircraft records showing compliance with this portion of the AD in accordance with section 43.9 of the Federal Aviation Regulations (14 CFR 43.9).</p> <p>In accordance with Ballistic Recovery Systems Inc. Service Bulletin SB 95-01, Issued: February 25, 2002, as specified in Cirrus Alert Service Bulletin SBA 20-95-01, Issued: February 25, 2002, and Alert Service Bulletin A22-95-01, Issued: February 25, 2002.</p>

(e) *Can I comply with this AD in any other way?* You may use an alternative method of compliance or adjust the compliance time if:

(1) Your alternative method of compliance provides an equivalent level of safety; and

(2) The Manager, Chicago Aircraft Certification Office (ACO), approves your alternative. Submit your request through an FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, Chicago ACO.

Note: This AD applies to each airplane identified in paragraph (a) of this AD, regardless of whether it has been modified, altered, or repaired in the area subject to the requirements of this AD. For airplanes that have been modified, altered, or repaired so

that the performance of the requirements of this AD is affected, the owner/operator must request approval for an alternative method of compliance in accordance with paragraph (e) of this AD. The request should include an assessment of the effect of the modification, alteration, or repair on the unsafe condition addressed by this AD; and, if you have not eliminated the unsafe condition, specific actions you propose to address it.

(f) *Where can I get information about any already-approved alternative methods of compliance?* Contact Gregory J. Michalik, Aerospace Engineer, FAA, Chicago ACO, 2300 East Devon Avenue, Des Plaines, IL 60018; telephone: (847) 294-7135; facsimile: (847) 294-7834.

(g) *What if I need to fly the airplane to another location to comply with this AD?* The FAA can issue a special flight permit under sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate your airplane to a location where you can accomplish the requirements of this AD provided you comply with the following:

(1) The aircraft is operated in Visual Flight Rules (VFR) conditions only; and

(2) The aircraft is operated during daytime hours only.

(h) *Are any service bulletins incorporated into this AD by reference?* Actions required by this AD must be done in accordance with Ballistic Recovery Systems Inc. Service Bulletin SBA 95-01, Issued: February 25, 2002, as specified in Cirrus Alert Service Bulletin SBA 20-95-01, Issued: February 25, 2002, and Cirrus Alert Service Bulletin A22-95-01, Issued: February 25, 2002. The Director of the Federal Register approved this incorporation by reference under 5 U.S.C. 552(a) and 1 CFR part 51. You can get copies from Cirrus Design Corporation, 4515 Taylor Circle, Duluth, MN 55811; telephone: (218) 727-2737; or electronically at the following address: www.cirrusdesign.com/sb. You may view this information at FAA, Central Region, Office of the Regional Counsel, 901 Locust, Room 506, Kansas City, Missouri, or at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC.

(i) *When does this amendment become effective?* This amendment becomes effective on March 19, 2002.

Issued in Kansas City, Missouri, on March 5, 2002.

James E. Jackson,

Acting Manager, Small Airplane Directorate, Aircraft Certification Service.

[FR Doc. 02-5703 Filed 3-12-02; 8:45 am]

BILLING CODE 4910-13-U

COMMODITY FUTURES TRADING COMMISSION

17 CFR Parts 37, 38, 41, and 155

RIN 3038-AB83

Regulation To Restrict Dual Trading in Security Futures Products

AGENCY: Commodity Futures Trading Commission.

ACTION: Final rulemaking.

SUMMARY: The Commodity Futures Trading Commission (“Commission”) hereby adopts regulation 41.27 that restricts dual trading by floor brokers in security futures products. Under the regulation, the dual trading restriction affects floor brokers that trade security futures products through open outcry on the trading floor of a designated contract market (“DCM”) or registered derivatives transaction execution facility (“DTF”). The regulation provides for certain exceptions to the restriction, including provisions for the correction of errors, customer consent, spread transactions, market emergencies, and unique or special characteristics of an agreement, contract, or transaction, or of the DCM or DTF.

EFFECTIVE DATE: April 12, 2002.

ADDRESSES: Commodity Futures Trading Commission, Three Lafayette Centre, 1155 21st Street, NW., Washington, DC 20581, Attention: Office of the Secretariat. Comments may be sent by facsimile transmission to (202) 418-5521 or by e-mail to secretary@cftc.gov. Reference should be made to “Restriction of Dual Trading in Security Futures Products by Floor Brokers.”

FOR FURTHER INFORMATION CONTACT:

Stephen Braverman, Associate Director, or Rachel Berdansky, Special Counsel, Division of Trading and Markets, Commodity Futures Trading Commission, Three Lafayette Centre, 1155 21st Street, NW., Washington, DC 20581, (202) 418-5490, Electronic mail: sbraverman@cftc.gov or rberdansky@cftc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

On December 15, 2000, Congress passed the Commodity Futures Modernization Act of 2000 (“CFMA”), which was signed by the President and became effective on December 21, 2000. Among other things, the CFMA, which substantially amended the Commodity Exchange Act (“Act”), establishes two categories of markets subject to Commission regulatory oversight, DCMS

and DTFs.¹ In addition, Title II of the CFMA repeals the longstanding ban on single stock futures and directs the Commission and the Securities and Exchange Commission (“SEC”) to implement a joint regulatory framework for security futures products.

On July 11, 2001, the Commission published proposed regulation 41.27 (“proposing release”), which generally restricts floor brokers from dual trading security futures products through open outcry during the same trading session, in accordance with the statutory mandate of section 4j(a) of the Act, as amended by section 251(c) of the CFMA.² Section 4j(a), as amended, also requires that the Commission permit exceptions to the dual trading restriction in order to ensure fairness and orderly trading in security futures product markets.³ Moreover, section 2(a)(D)(i) of the Act sets forth listing standards for security futures products traded on a DCM or DTF. In particular, section 2(a)(D)(i)(VI) requires that security futures products be subject to the dual trading restriction of section 4j of the Act and the regulations thereunder or section 11(a) of the Securities Exchange Act of 1934 (“’34 Act”) and the regulations thereunder.⁴

Section 5f of the Act provides that any board of trade that is registered with the SEC as a national securities exchange or as a national securities association, or as an alternative trading system, shall be considered a DCM in security futures products, provided that certain enumerated requirements are satisfied upon filing a notice with the Commission. Section 5f(b)(1)(B), however, specifically exempts such notice-registered entities from section 4j of the Act. Similarly, section 6(g) of the ’34 Act, as amended by section 202(a) of

¹ Appendix E of Pub. L. 106-554, 114 Stat. 2763 (2000). Prior to its recent amendment, the Act referred to “designated contract markets” as Commission-approved products traded on a board of trade. The Act, as amended, however, uses the term “designated contract market” to refer to the approved or licensed market on which futures contracts and commodity options are traded. Regulation 41.27 refers to DCMS in this sense.

² See Proposed Regulation to Restrict Dual Trading in Security Futures Products, 66 FR 36218.

³ Section 4j of the Act, as amended, is different in scope than its predecessor and the Commission regulation promulgated thereunder. Commission regulation 155.5 restricted dual trading in any contract market that exceeded certain volume thresholds unless an exchange requested, and the Commission granted, a dual trading exemption. As part of this rulemaking, the Commission is removing regulation 155.5.

⁴ With certain enumerated exceptions, section 11(a)(1) of the ’34 Act and SEC rule 11a-1 make it unlawful for any member of a national securities exchange to effect any transaction for his or her own account, the account of an associated person, or an account with respect to which it or an associated person has discretion.