

individuals and from other fur seals for comparative diet analysis. The applicant also requests incidental disturbance of 900 animals and four unintentional mortalities (including humane euthanasia if warranted) per year.

In compliance with the National Environmental Policy Act of 1969 (42 U.S.C. 4321 *et seq.*), an initial determination has been made that the activity proposed is categorically excluded from the requirement to prepare an environmental assessment or environmental impact statement.

Concurrent with the publication of this notice in the **Federal Register**, NMFS is forwarding copies of the application to the Marine Mammal Commission and its Committee of Scientific Advisors.

Dated: January 15, 2015.

**Julia Harrison,**

*Chief, Permits and Conservation Division, Office of Protected Resources, National Marine Fisheries Service.*

[FR Doc. 2015-00998 Filed 1-21-15; 8:45 am]

**BILLING CODE 3510-22-P**

## COMMITTEE FOR PURCHASE FROM PEOPLE WHO ARE BLIND OR SEVERELY DISABLED

### Procurement List; Additions and Deletions

**AGENCY:** Committee for Purchase From People Who Are Blind or Severely Disabled.

**ACTION:** Additions to and Deletions from the Procurement List.

**SUMMARY:** This action adds products and services to the Procurement List that will be furnished by nonprofit agencies employing persons who are blind or have other severe disabilities, and deletes services from the Procurement List previously furnished by such agencies.

**DATES:** *Effective: 2/22/2015.*

**ADDRESSES:** Committee for Purchase From People Who Are Blind or Severely Disabled, 1401 S. Clark Street, Suite 10800, Arlington, Virginia 22202-4149.

**FOR FURTHER INFORMATION CONTACT:** Barry S. Lineback, Telephone: (703) 603-7740, Fax: (703) 603-0655, or email [CMTEFedReg@AbilityOne.gov](mailto:CMTEFedReg@AbilityOne.gov).

### SUPPLEMENTARY INFORMATION:

#### Additions

On 10/3/2014 (79 FR 59750-59751); 11/21/2014 (79 FR 69434-69435); 11/28/2014 (79 FR 70856-70857); 12/5/2014 (79 FR 72171), the Committee for Purchase From People Who Are Blind or Severely Disabled published notices

of proposed additions to the Procurement List.

After consideration of the material presented to it concerning capability of qualified nonprofit agencies to provide the products and services and impact of the additions on the current or most recent contractors, the Committee has determined that the products and services listed below are suitable for procurement by the Federal Government under 41 U.S.C. 8501-8506 and 41 CFR 51-2.4.

### Regulatory Flexibility Act Certification

I certify that the following action will not have a significant impact on a substantial number of small entities. The major factors considered for this certification were:

1. The action will not result in any additional reporting, recordkeeping or other compliance requirements for small entities other than the small organizations that will furnish the products and services to the Government.

2. The action will result in authorizing small entities to furnish the products and services to the Government.

3. There are no known regulatory alternatives which would accomplish the objectives of the Javits-Wagner-O'Day Act (41 U.S.C. 8501-8506) in connection with the products and services proposed for addition to the Procurement List.

### End of Certification

Accordingly, the following products and services are added to the Procurement List:

#### Products

##### Product Names/NSNs

Kit, Pre-Cut Fabric, ECWCS Gen III Trouser, UCP

NSN: 8415-00-FAB-5250-S-R  
NSN: 8415-00-FAB-5295-L-R  
NSN: 8415-00-FAB-5296-L-L  
NSN: 8415-00-FAB-5293-M-R  
NSN: 8415-00-FAB-5297-XL-R  
NSN: 8415-00-FAB-5298-XL-L  
NSN: 8415-00-FAB-5207-XS-S  
NSN: 8415-00-FAB-5226-S-S  
NSN: 8415-00-FAB-5251-S-L  
NSN: 8415-00-FAB-5294-M-L  
NSN: 8415-00-FAB-5299-XL-XL  
NSN: 8415-00-FAB-5302-XXL-R  
NSN: 8415-00-FAB-5301-XXL-L  
NSN: 8415-00-FAB-5303-XXL-XL  
NSN: 8415-00-FAB-5249-XS-R

Kit, Pre-Cut Fabric, ECWCS Gen III Trouser, Multi-Cam

NSN: 8415-00-FAB-0899-S-R  
NSN: 8415-00-FAB-0897-M-R  
NSN: 8415-00-FAB-0895-L-R  
NSN: 8415-00-FAB-0894-L-L  
NSN: 8415-00-FAB-0903-XL-R

NSN: 8415-00-FAB-0901-XL-L  
NSN: 8415-00-FAB-0908-XS-S  
NSN: 8415-00-FAB-0907-XS-R  
NSN: 8415-00-FAB-0900-S-S  
NSN: 8415-00-FAB-0898-S-L  
NSN: 8415-00-FAB-0896-M-L  
NSN: 8415-00-FAB-0905-XL-XL  
NSN: 8415-00-FAB-0914-XXL-R  
NSN: 8415-00-FAB-0912-XXL-L  
NSN: 8415-00-FAB-0916-XXL-XL

Tape, Seam, Pre-Cut component for ECWCS Gen III Trousers

NSN: 8415-00-TPE-0929-Black  
Mandatory For Purchase By: Federal Prison Industries UNICOR, Federal Prison System, Washington, DC

Mandatory Source of Supply: Blind Industries & Services of Maryland, Baltimore, MD

Contracting Activity: Dept of Justice, Federal Prison System, Federal Prison Industries UNICOR, Washington, DC

List Type: C-List

Product Names/NSNs

Presentation Easel, Magnetic Whiteboard/Flipchart, 27" x 35", Adjustable Height Tripod Base/NSN: 7520-00-NIB-2202

Presentation Easel, Dbl. Sided Melamine Whiteboard/Flipchart, 27" x 34", Blk. U-Shaped Adj. Base/NSN: 7520-00-NIB-2203

Presentation Easel, Dbl. Sided 26" x 34" White Board/Flipchart, Black Frame, Adj. U-Shaped Base/NSN: 7520-00-NIB-2204

Presentation Easel, Melamine, 29" x 40" White Board/Flipchart, Black 4-Legged Adjustable Frame/NSN: 7520-00-NIB-2253

Presentation Easel w/Pad, Magnetic Whiteboard, 27" x 39", Silver U-shaped Frame, Adj. Height & Arms NSN: 7520-00-NIB-2254

Presentation Easel, Melamine Whiteboard/Flipchart, 26" x 35", Black Frame, Adjustable Height/NSN: 7520-00-NIB-2256

Mandatory For Purchase By: Total Government Requirement

Mandatory Source of Supply: The Lighthouse for the Blind, Inc. (Seattle Lighthouse), Seattle, WA

Contracting Activity: General Services Administration, Arlington, VA

List Type: A-List

#### Services

Service Type: Grounds Maintenance and Snow Removal Service

Service is Mandatory for: US Army, US Army Research Laboratory, 4402 Susquehanna Avenue, Aberdeen Proving Ground, MD

Mandatory Source of Supply: Melwood Horticultural Training Center, Upper Marlboro, MD

Contracting Activity: Dept of the Army, W2SD ENDIST Philadelphia, Philadelphia, PA

Service Type: Operations and Maintenance Service

Service is Mandatory For: Bureau of Engraving and Printing, Western Currency Facility, 9000 Blue Mound Road, Fort Worth, TX.

Mandatory Source of Supply: PRIDE

Industries, Roseville, VA  
Contracting Activity: Department of the  
Treasury, Bureau of Engraving and  
Printing, Washington, DC

### Deletions

On 12/12/2014 (79 FR 73886), the Committee for Purchase From People Who Are Blind or Severely Disabled published notice of proposed deletions from the Procurement List.

After consideration of the relevant matter presented, the Committee has determined that the services listed below are no longer suitable for procurement by the Federal Government under 41 U.S.C. 8501–8506 and 41 CFR 51–2.4.

### Regulatory Flexibility Act Certification

I certify that the following action will not have a significant impact on a substantial number of small entities. The major factors considered for this certification were:

1. The action will not result in additional reporting, recordkeeping or other compliance requirements for small entities.
2. The action may result in authorizing small entities to provide the services to the Government.
3. There are no known regulatory alternatives which would accomplish the objectives of the Javits-Wagner-O'Day Act (41 U.S.C. 8501–8506) in connection with the services deleted from the Procurement List.

### End of Certification

Accordingly, the following services are deleted from the Procurement List:

#### Services

Service Type: Grounds Maintenance Service  
Service is Mandatory For: United States  
Postal Service: General Mail Facility, San Jose, CA

Contracting Activity: U.S. Postal Service,  
Washington, DC

Service Type: Janitorial/Custodial Service  
Service is Mandatory For: U.S. Army Reserve  
Center: Rockford, 1130 Arthur Avenue,  
Rockford, IL

Contracting Activity: Dept of the Army,  
W6QM MICC-ARCC North, Fort McCoy,  
WI

**Barry S. Lineback,**

*Director, Business Operations.*

[FR Doc. 2015-01011 Filed 1-21-15; 8:45 am]

**BILLING CODE 6353-01-P**

## CONSUMER PRODUCT SAFETY COMMISSION

[Docket No. CPSC-2015-0001]

### Petition Requesting Rulemaking on Residential Elevators

**AGENCY:** Consumer Product Safety Commission.

**ACTION:** Notice.

**SUMMARY:** The Consumer Product Safety Commission (CPSC) has received a petition requesting a safety standard for residential elevators to address an entrapment hazard between the elevator interior and exterior doors. The Commission invites written comments concerning the petition.

**DATES:** The Office of the Secretary must receive comments on the petition by March 23, 2015.

**ADDRESSES:** You may submit comments, identified by Docket No. CPSC-2015-0001, by any of the following methods:

*Electronic Submissions:* Submit electronic comments to the Federal eRulemaking Portal at: <http://www.regulations.gov>. Follow the instructions for submitting comments. The Commission does not accept comments submitted by electronic mail (email), except through [www.regulations.gov](http://www.regulations.gov). The Commission encourages you to submit electronic comments by using the Federal eRulemaking Portal, as described above.

*Written Submissions:* Submit written submissions in the following way: Mail/hand delivery/courier to: Office of the Secretary, Consumer Product Safety Commission, Room 820, 4330 East West Highway, Bethesda, MD 20814; telephone (301) 504-7923.

*Instructions:* All submissions received must include the agency name and docket number for this notice. All comments received may be posted without change, including any personal identifiers, contact information, or other personal information provided, to: <http://www.regulations.gov>. Do not submit confidential business information, trade secret information, or other sensitive or protected information that you do not want to be available to the public. If furnished at all, such information should be submitted in writing.

*Docket:* For access to the docket to read background documents or comments received, go to: <http://www.regulations.gov>, and insert the docket number, CPSC-2015-0001, into the "Search" box, and follow the prompts.

**FOR FURTHER INFORMATION CONTACT:** Rocky Hammond, Office of the

Secretary, Consumer Product Safety Commission, 4330 East West Highway, Bethesda, MD, 20814; telephone (301) 504-6833, email: [rhammond@cpsc.gov](mailto:rhammond@cpsc.gov).

### SUPPLEMENTARY INFORMATION:

On November 1, 2013, The Safety Institute, Carol Pollack-Nelson, and Cash, Krugler & Fredericks, LLC (collectively referred to as petitioners), submitted a petition to the Commission to initiate rulemaking to mandate a safety standard for residential elevators to address an entrapment hazard caused by excess space between the elevator car door/gate (interior door) and hoistway or swing door (exterior door).

Petitioners assert that in many home elevators, and in similar versions found in older apartment and commercial buildings, the clearance between the interior door and exterior door is large enough to allow children as old as 12 years to fit between the doors. According to petitioners, a child can become entrapped in the door path when the elevator is called to another floor, and the hoistway door automatically locks. The child's body is carried along with the elevator car until the hoistway door meets the obstruction of the sill, where the child's body—usually the head—is crushed.

Petitioners request that the CPSC promulgate a mandatory standard that constrains the space between residential elevator hoistway doors and car doors/gates to 4 inches when measured from the inside of the hoistway door to the farthest point on the car door/gate. Petitioners contend that the CPSC's figures show that there were an estimated 1,600 injuries associated with residential elevators and lifts from 2011 through 2012. According to the petitioners, some of those injuries, as well as several deaths, were due to children becoming entrapped in the gap between the residential elevators doors. In addition, the petitioners state that the voluntary standard (ASME Elevator Safety Code) has failed to safeguard children from injuries and deaths from the entrapment hazard because that standard allows a wider gap between the doors for a maximum of 5 inches.

Interested parties may obtain a copy of the petition by writing or calling the Office of the Secretary, Consumer Product Safety Commission, 4330 East West Highway, Bethesda, MD 20814; telephone (301) 504-6833. The petition is also available at <http://www.regulations.gov> under Docket No.