

Dated: July 15, 2019.

Katherine B. Fox,

*Assistant Administrator for Mitigation,
Federal Insurance and Mitigation
Administration—FEMA Resilience,
Department of Homeland Security, Federal
Emergency Management Agency.*

[FR Doc. 2019–15765 Filed 7–24–19; 8:45 am]

BILLING CODE 9110–12–P

DEPARTMENT OF COMMERCE

**National Oceanic and Atmospheric
Administration**

50 CFR Part 660

[Docket No. 180625576–8999–02]

RIN 0648–BI94

**Magnuson-Stevens Act Provisions;
Fisheries Off West Coast States;
Pacific Coast Groundfish Fishery;
2019–2020 Biennial Specifications and
Management Measures; Inseason
Adjustments**

Correction

In rule document 2019–11610,
appearing on pages 25708 through

25720, in the issue of Tuesday, June 4,
2019, Table 2 (South) and Table 3
(South) are corrected to read as below:

Part 660, Subpart E [Corrected]

■ 1. On page 25716, Table 2 (South) is
republished as follows:

BILLING CODE 1301–00–D

Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. lat.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table						06/01/2019	
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rookfish Conservation Area (RCA)^{1/}:							
1	40°10' N. lat. - 34°27' N. lat.	40 fm line ^{1/} - 125 fm line ^{1/}					
2	South of 34°27' N. lat.	75 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands)					
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
3	Minor Slope rookfish ^{2/} & Darkblotched rookfish	40,000 lb/ 2 months, of which no more than 1,375 lb may be blackgill rookfish		40,000 lb/ 2 months, of which no more than 4,000 lb may be blackgill rookfish			
4	Splittnose rookfish	40,000 lb/ 2 months					
5	Sablefish						
6	40°10' N. lat. - 36°00' N. lat.	1,300 lb/week, not to exceed 3,900 lb/ 2 months					
7	South of 36°00' N. lat.	2,000 lb/ week					
8	Longspine thornyhead	10,000 lb/ 2 months					
9	Shortspine thornyhead						
10	40°10' N. lat. - 34°27' N. lat.	2,000 lb/ 2 months			2,500 lb/ 2 months		
11	South of 34°27' N. lat.	3,000 lb/ 2 months					
12		5,000 lb/ month					
13	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish ^{3/}	South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs.					
14							
15							
16							
17							
18	Whiting	10,000 lb/ trip					
19	Minor Shelf Rookfish ^{2/} , Shortbelly rookfish, Widow rookfish (Including Chilipepper between 40°10' - 34°27' N. lat.)						
20	40°10' N. lat. - 34°27' N. lat.	Minor shelf rookfish, shortbelly, widow rookfish, & chilipepper: 2,500 lb/ 2 months, of which no more than 500 lb may be any species other than chilipepper.					
21	South of 34°27' N. lat.	4,000 lb/ 2 months	CLOSED	4,000 lb/ 2 months			
22	Chilipepper						
23	40°10' N. lat. - 34°27' N. lat.	Chilipepper included under minor shelf rookfish, shortbelly and widow rookfish limits -- See above					
24	South of 34°27' N. lat.	2,000 lb/ 2 months, this opportunity only available seaward of the non-trawl RCA					
25	Canary rookfish						
26	40°10' N. lat. - 34°27' N. lat.	300 lb/ 2 months					
27	South of 34°27' N. lat.	300 lb/ 2 months	CLOSED	300 lb/ 2 months			
28	Yelloweye rookfish						
29	Cowcod						
30	Bronzespotted rookfish						
31	Bocaccio						
32	40°10' N. lat. - 34°27' N. lat.	1,000 lb/ 2 months					
33	South of 34°27' N. lat.	1,500 lb/ 2 months	CLOSED	1,500 lb/ 2 months			
34	Minor Nearshore Rookfish, California Black rookfish, & Oregon Black/Blue/Deacon rookfish						
35	Shallow nearshore ^{4/}	1,200 lb/ 2 months	CLOSED	1,200 lb/ 2 months			
36	Deeper nearshore ^{5/}	1,000 lb/ 2 months	CLOSED	1,200 lb/ 2 months			
37	California Scorpionfish	1,500 lb/ 2 months	CLOSED	1,500 lb/ 2 months			
38	Lingcod ^{6/}	200 lb/ 2 months	CLOSED	1,200 lb/ 2 months			
39	Pacific cod	1,000 lb/ 2 months					
40	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months		
41	Longnose skate	Unlimited					
42	Other Fish ^{7/} & Cabezon in California	Unlimited					
43	Big Skate	Unlimited					

TABLE 2 (South)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ POP is included in the trip limits for Minor Slope Rockfish. Blackgill rookfish have a species specific trip sub-limit within the Minor Slope Rockfish cumulative limit. Yellowtail rookfish are included in the trip limits for Minor Shelf Rockfish. Bronzespotted rookfish have a species specific trip limit.

3/ "Other Flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ "Shallow Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(1).

5/ "Deeper Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(2).

6/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

7/ "Other Fish" are defined at § 660.11 and include kelp greenling off California and leopard shark.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Part 660, Subpart F [Corrected]

■ 2. On pages 25719–25720, Table 3 (South) is republished as follows:

Table 3 (South) to Part 660, Subpart F – Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40°10' N. lat.

Other limits and requirements apply – Read §§660.10 through 660.399 before using this table

09/01/2019

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1/}:							
1	40°10' N. lat. - 34°27' N. lat.	40 fm line ^{1/} - 125 fm line ^{1/}					
2	South of 34°27' N. lat.	75 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands)					
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
3	Minor Slope Rockfish ^{2/} & Darkblotched rockfish	10,000 lb/ 2 months, of which no more than 475 lb may be blackgill rockfish		10,000 lb/ 2 months, of which no more than 800 lb may be blackgill rockfish			
4	Splitnose rockfish	200 lb/ month					
5	Sablefish						
6	40°10' N. lat. - 36°00' N. lat.	300 lb/ day or one landing per week up to 1,200 lb, not to exceed 2,400 lb/ 2 months					
7	South of 36°00' N. lat.	300 lb/ day, or one landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months					
8	Shortpine thomyheads and longpine thomyheads						
9	40°10' N. lat. - 34°27' N. lat.	CLOSED					
10	South of 34°27' N. lat.	50 lb/ day, no more than 1,000 lb/ 2 months					
11		3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs.					
12	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish ^{3/}	South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.					
13							
14							
15							
16							
17	Whiting	300 lb/ month					
18	Minor Shelf Rockfish ^{2/} , Shortbelly, Widow rockfish and Chilipepper						
19	40°10' N. lat. - 34°27' N. lat.	400 lb/ 2 months	CLOSED	400 lb/ 2 months			
20	South of 34°27' N. lat.	1,500 lb/ 2 months		1,500 lb/ 2 months			
21	Canary rockfish	300 lb/ 2 months	CLOSED	300 lb/ 2 months			
22	Yelloweye rockfish	CLOSED					
23	Cowcod	CLOSED					
24	Bronzespotted rockfish	CLOSED					
25	Bocaccio	500 lb/ 2 months	CLOSED	500 lb/ 2 months			
26	Minor Nearshore Rockfish, California Black rockfish, & Oregon Black/Blue/Deacon rockfish						
27	Shallow nearshore ^{4/}	1,200 lb/ 2 months	CLOSED	1,200 lb/ 2 months			
28	Deeper nearshore ^{5/}	1,000 lb/ 2 months	CLOSED	1,200 lb/ 2 months			
29	California scorpionfish	1,500 lb/ 2 months	CLOSED	1,500 lb/ 2 months			
30	Lingcod ^{6/}	300 lb/ month	CLOSED	500 lb/ month			
31	Pacific cod	1,000 lb/ 2 months					
32	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months		
33	Longnose skate	Unlimited					
34	Big skate	Unlimited					
35	Other Fish ^{7/} & Cabezon in California	Unlimited					

TABLE 3 (South)

Table 3 (South). Continued

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
36	RIDGEBACK PRAWN AND, SOUTH OF 38° 57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRAWL						
37	NON-GROUNDFISH TRAWL Rockfish Conservation Area (RCA) for CA Halibut, Sea Cucumber & Ridgeback Prawn:						
38	40° 10' N. lat. - 38° 00' N. lat.	100 fm line ^{1/} - 200 fm line ^{1/}	100 fm line ^{1/} - 150 fm line ^{1/}				100 fm line ^{1/} - 200 fm line ^{1/}
39	38° 00' N. lat. - 34° 27' N. lat.	100 fm line ^{1/} - 150 fm line ^{1/}					
40	South of 34° 27' N. lat.	100 fm line ^{1/} - 150 fm line ^{1/} along the mainland coast; shoreline - 150 fm line ^{1/} around islands					
41		Groundfish: 300 lb/trip. Species-specific limits described in the table above also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57.50' N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, stary flounder, rock sole, curfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 29).					
42	PINK SHRIMP NON-GROUNDFISH TRAWL GEAR (not subject to RCAs)						
43	South	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary rockfish, thomyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of all groundfish species count toward the per day, per trip or other species-specific sublimits described here and the species-specific limits described in the table above do not apply. The amount of groundfish landed may not exceed the amount of pink shrimp landed.					
1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.							
2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.							
3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.							
4/ "Shallow Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(1).							
5/ "Deeper Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(2).							
6/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.							
7/ "Other fish" are defined at § 660.11 and includes kelp greenling off California and leopard shark.							
To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.							

TABLE 3 (South) cont'd