

engaged in general railroad transportation, and provides railroad switching service primarily to the steel industry. In addition to steel mills, the railroad serves the coal industry through Duquesne Wharf, a coke production facility at Clairton, Pennsylvania, and more than 30 other customers in the automotive, chemical, and aggregate business.

The URR currently consists of 65 miles of main track and approximately 200 miles of yard tracks and sidings, all located within a 10-mile radius in Allegheny County, Pennsylvania. The northernmost point is located at North Bessemer, Pennsylvania, where the railroad proceeds southward through Turtle Creek, East Pittsburgh, Monongahela Junction, Clairton Junction and Clairton.

Laminated safety glass is proposed to be used in lieu of glazing materials that meet the requirements of FRA Type I and Type II. Cabooses on the URR, which have been recently retired from service and scrapped, were operating with laminated safety glazing under a similar waiver granted in 1980 [FRA Docket Number RSGM-80-1]. There have been no reported acts of vandalism or breakage of caboose glazing caused by striking objects. Cabooses C-100, 101, 102, 103, 104, 105, 107, 108, and 109 will be operating over the same routes and schedules as the equipment covered by the previous waiver.

Interested parties are invited to participate in these proceedings by submitting written views, data, or comments. FRA does not anticipate scheduling a public hearing in connection with these proceedings since the facts do not appear to warrant a hearing. If any interested party desires an opportunity for oral comment, they should notify FRA, in writing, before the end of the comment period and specify the basis for their request.

All communications concerning these proceedings should identify the appropriate docket number (e.g., Waiver Petition Docket Number FRA-2004-19260) and must be submitted in triplicate to the Docket Clerk, DOT Central Docket Management Facility, Room PL-401, Washington, DC 20590-0001. Communications received within 45 days of the date of this notice will be considered by FRA before final action is taken. Comments received after that date will be considered as far as practicable. All written communications concerning these proceedings are available for examination during regular business hours (9 a.m.-5 p.m.) at DOT Central Docket Management Facility, Room PL-401 (Plaza Level), 400 Seventh Street SW., Washington. All documents

in the public docket are also available for inspection and copying on the Internet at the docket facility's Web site at <http://dms.dot.gov>.

Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (Volume 65, Number 70; Pages 19377-78). The statement may also be found at <http://dms.dot.gov>.

Issued in Washington, DC on December 13, 2004.

Grady C. Cothen, Jr.,

Acting Associate Administrator for Safety.

[FR Doc. 04-27902 Filed 12-20-04; 8:45 am]

BILLING CODE 4910-06-P

DEPARTMENT OF TRANSPORTATION

Federal Transit Administration

Preparation of Environmental Impact Statement for the Tucson Urban Corridor in Tucson, AZ

AGENCY: Federal Transit Administration, DOT.

ACTION: Notice of intent to prepare an environmental impact statement (EIS).

SUMMARY: The Federal Transit Administration (FTA) and the City of Tucson, Department of Transportation (TDOT), intend to prepare an Alternatives Analysis (AA) and an Environmental Impact Statement (EIS) in accordance with the National Environmental Policy Act (NEPA) on a proposal by the City of Tucson to provide additional transit service to the urban core of the City of Tucson. The AA/EIS will consider the following alternatives: (1) A No-Build Alternative, consisting of improvements contained in the Pima Association of Governments (PAG) 2025 Regional Transportation Plan (RTP); (2) Transportation System Management Alternative (TSM), consisting of all reasonable cost-effective transit service improvements within the urban core short of a major investment in a New Starts project; (3) Modern Streetcar in mixed traffic; and (4) Heritage Trolley in mixed traffic. The type, location, and need for ancillary facilities, such as maintenance facilities, will also be considered for each alternative. In addition, alternatives that are identified from the scoping process will be evaluated in the AA. Scoping will be accomplished through

correspondence and discussions with interested persons; organizations; and federal, state, and local agencies; and through public and agency meetings. Depending on the outcome of the scoping process and the analysis of a wide range of transit alternatives in the Draft EIS (DEIS), a Locally Preferred Alternative (LPA) will be selected and evaluated in the Final EIS (FEIS). The FEIS will evaluate the potential impacts of the selected investment strategy (the Build Alternative) and a No-Build Alternative.

DATES: Comment Due Date: Written comments on the scope of alternatives and impacts to be considered in the AA/EIS must be received no later than March 28, 2005, and must be sent to the City of Tucson at the address indicated below.

Scoping Meeting Date: A public scoping meeting will be held from 4:30 p.m. to 6:30 p.m. on Wednesday, February 26, 2005 at the Historic Depot, 400 N. Toole Ave. Oral and written comments may be given at the scoping meeting; a stenographer will record oral comments. Persons with disabilities should contact Joan Beckim (see **ADDRESSES** section below) 72 hours prior to the scoping meeting for special arrangements.

ADDRESSES: Written comments should be sent to Ms. Shellie Ginn, Tucson Urban Corridor Study Project Manager, City of Tucson, Department of Transportation, 201 N. Stone Avenue, Tucson, Arizona 85701. Email: shellie.ginn@tucsonaz.gov. Phone: (520) 791-4372.

To be added to the mailing list, contact Ms. Shellie Ginn at the address listed above. Please specify the mailing list of the Tucson Urban Corridor Study Alternatives Analysis/Draft Environmental Impact Statement (AA/DEIS). Persons with special needs such as sign language interpretation should contact Joan Beckim, Public Involvement Coordinator, City of Tucson, 201 N. Stone Avenue, Tucson, Arizona 85701. Email: joan@kaneenpr.com. Phone (520) 885-9009. The dates and addresses of the scoping meetings are given in the **DATES** section above. All locations are accessible to people with disabilities.

FOR FURTHER INFORMATION CONTACT: To request a scoping information packet, contact Ms. Shellie Ginn, Tucson Urban Corridor Study Project Manager, City of Tucson, Department of Transportation, 201 N. Stone Avenue, Tucson, Arizona 85701. E-mail shellie.ginn@tucsonaz.gov. Phone: (520) 791-4372. The Federal agency contact is Mr. Hymie Luden, Office of Planning

and Program Development, FTA, 201 Mission Street, Room 2210, San Francisco, CA 95105. Phone: (415) 744-2732.

SUPPLEMENTARY INFORMATION:

I. Description of Study Area and Scope

The Federal Transit Administration (FTA), as joint lead agency with the City of Tucson, will prepare an AA/EIS on a proposal to improve transit service in an approximately five-mile long corridor in central Tucson, Arizona. The study area for the Tucson Urban Corridor Study is bounded by 22nd Street to the south; Campbell Avenue to the east; Grant Road to the north; and Grande Avenue to the west. Most of the study area is densely developed with a mixture of urban land uses and includes the University of Arizona main and medical campuses, Main Gate retail area, Fourth Avenue retail area, downtown Tucson and the emerging Rio Nuevo area. Although not a part of the formal AA/EIS process for the corridor study, results and recommendations will be coordinated with the Pima Association of Government's effort to prepare a multi-modal comprehensive transportation plan identifying opportunities for future transportation connections throughout the Tucson metropolitan area. The City of Tucson will perform conceptual engineering for transit alternatives within the Tucson Urban Corridor for the AA/DEIS that satisfies NEPA requirements. In addition, a financial plan will be developed that examines alternative funding sources.

II. Purpose and Need

The Tucson Urban Corridor area is a major employment and activity center. The study corridor continues to experience significant growth in population and jobs. The city's largest activity center, the University of Arizona, is included in the study area and attracts over 50,000 trips daily and whose master plan includes significant expansion while holding parking to a constant 2004 level. The University is a land locked urban campus whose primary mode of access in the future will need to be transit. Along with this growth, traffic congestion and capacity deficiencies are expected to increase. Roadway capacity options would be difficult given the urban nature of the area and the magnitude of historic structures and neighborhoods in the study area. Inadequate transit service has hampered access to this area and to other study area destinations. A major transit investment is recognized as a feasible alternative to providing additional capacity within this area.

The project is included in the PAG 2025 RTP as an unfunded project. Funding would be considered as part of a proposed 2006 RTP financing proposal.

III. Alternatives

Alternatives have been considered to address transportation issues in the study corridor, connecting major activity centers in the central core, including downtown Tucson, the Rio Nuevo Master Plan area, the 4th Avenue/Main Gate retail corridors, the University of Arizona, and the Arizona Health Sciences Center (AHSC).

The Tucson Urban Corridor Study will be consistent with Federal Transit Administration (FTA), Alternatives Analysis and Section 5309 New Start Program requirements for determining future federal funding in recommended programs and be consistent with the National Environmental Policy Act (NEPA). The alternatives being considered will analyze mobility needs and identify and compare the costs, benefits, and impacts of a range of transit alignment and technology alternatives. At a minimum, the following alternatives will be considered:

- No-Build.
- Transportation System Management (TSM).
- Historic Trolley.
- Modern Streetcar.

Specific alignment alternatives include, but are not limited to: (1) 2nd Street through the University of Arizona, University Boulevard, Fourth Avenue, Congress and Pennington streets in the downtown area, and Church Avenue to Granada to serve the emerging Rio Nuevo area. These alternatives will be developed further during the preparation of the AA/DEIS. Additional reasonable Build Alternatives suggested during the scoping process, including those involving other modes, may be considered.

IV. Probable Effects

The purpose of the EIS is to fully disclose the environmental consequences of building and operating a major capital investment in the Tucson Urban Corridor in advance of any decisions to commit substantial financial or other resources towards its implementation. The EIS will explore the extent to which study alternatives and alignment options result in environmental impacts and will discuss actions to reduce or eliminate such impacts.

Environmental issues to be examined in the EIS include: Potential changes to

the physical environment (natural resources, air quality, noise, water quality, geology, visual); changes in the social environment (land use, development, business and neighborhood disruptions); changes in traffic bicycle, and pedestrian circulation; changes in transit service and patronage; associated changes in traffic congestion; and impacts on parklands and historic sites. Impacts will be identified both for the construction period and for the long-term operation of the alternatives. The proposed evaluation criteria include transportation, social, economic, and financial measures, as required by current federal (NEPA) environmental laws and the implementing regulations of the Council on Environmental Quality and of FTA.

To ensure that the full range of issues related to this proposed action will be addressed and all significant issues identified, comments and suggestions are invited from all interested parties. Comments or questions concerning this proposed action and the EIS should be directed to the City of Tucson, Department of Transportation, Manager as noted in the **ADDRESSES** section above.

V. FTA Procedures

To streamline the NEPA process and to avoid duplication of effort, the agencies involved in the scoping process will consider the results of any previous planning studies or financial feasibility studies prepared in support of a decision by the Pima Association of Governments (PAG) to include a particular alternative in the RTP for metropolitan Tucson. Prior transportation planning studies may be pertinent to establishing the purpose and need for the proposed action and the range of alternatives to be evaluated in detail in the AA/EIS. Depending on the outcome of the scoping process and the analysis of a wide range of transit alternatives, a Locally Preferred Alternative (LPA) will be selected and evaluated in the Draft EIS. The Draft EIS will be prepared simultaneously with conceptual engineering for the alternatives, including station and alignment options. The Draft EIS process will address the potential use of federal funds for the proposed action, as well as assess the social, economic, and environmental impacts of the station and alignment alternatives. Station designs and any alignment options will be refined to minimize and mitigate any adverse impacts.

After publication, the Draft EIS will be available for public and agency review and comment, and a public

hearing will be held. Based on the Draft EIS and comments received, the LPA may be refined, and the City of Tucson will further assess the LPA in the Final EIS and will apply for FTA approval to initiate Preliminary Engineering of the LPA.

Issued on: December 15, 2004.

Leslie T. Rogers,

Region IX Administrator.

[FR Doc. 04-27899 Filed 12-20-04; 8:45 am]

BILLING CODE 4910-57-M

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

[Docket No. NHTSA-2004-18755; Notice 2]

Coupled Products, Inc., Denial of Petition for Decision of Inconsequential Noncompliance

Coupled Products, Inc. (Coupled Products) has determined that certain hydraulic brake hose assemblies that it produced do not comply with S5.3.4 of 49 CFR 571.106, Federal Motor Vehicle Safety Standard (FMVSS) No. 106, "Brake hoses." Pursuant to 49 U.S.C. 30118(d) and 30120(h), Coupled Products has petitioned for an exemption from the notification and remedy requirements of 49 U.S.C. Chapter 301 on the basis that this noncompliance is inconsequential to motor vehicle safety. Notice of receipt of Coupled Products' petition was published, with a 30 day comment period, on August 5, 2004, in the **Federal Register** (69 FR 47484). NHTSA received no comments.

S5.3.4 of FMVSS No. 106, tensile strength, requires that "a hydraulic brake hose assembly shall withstand a pull of 325 pounds without separation of the hose from its end fittings." A total of approximately 24,622 brake hose assemblies, consisting of 3,092 assemblies bearing Part Number 5478 and 21,530 assemblies bearing Part Number 5480 may not comply with S5.3.4. The potentially affected hoses were manufactured using a "straight cup" procedure rather than the appropriate "step cup" procedure. Compliance testing by the petitioner of eight sample hose assemblies from two separate manufacturing lots of these hoses revealed that seven of the eight samples experienced hose separation from the end fittings at from 224 to 317 pounds.

Coupled Products believes that the noncompliance is inconsequential to motor vehicle safety and that no

corrective action is warranted. Coupled Products stated in its petition:

Both Part Numbers 5478 and 5480 are utilized in specific boat trailer applications of a single trailer manufacturer. * * * [T]he routing and placement of the hoses on the particular boat trailers involved, and the shielded nature of the end fittings on those trailers are such that a linear, end-to-end "straight pull" on the hose assembly, such as that specified in the FMVSS No. 106 tensile strength test procedure, is unlikely to occur in real-world use. Because of the manner in which these hose assemblies are installed, rather than a "straight pull," it is more likely that the free length of the hose itself could be entangled or caught on a piece of road debris or other obstruction, resulting in a "side pull" on the assembly. With this potential in mind, [Coupled Products] conducted a side pull tensile test on a sample of the subject brake hose assemblies to simulate the possible effect of a side pull on the integrity of the assembly. This was accomplished by creating special mounting fixtures and apparatus to the standard testing equipment. * * * The "side pull" test results show that the tensile load achieved prior to the ends separating from the hose exceeded 530 pounds in each of the five samples tested—well in excess of the 325 pound requirement.

Coupled Products further stated:

We believe that it is likely that in order for such a [side] pull to occur, the debris or obstacle in question would need to be of such size and/or weight that its encounter with the trailer would result in significant structural impact and thus have immediate effect on the operation of the trailer. While we have not been able to devise a test that would verify this theory, we believe that this is a realistic scenario. As a result, it seems likely that the trailer would likely incur an operational impact even before the possible loss of braking capability resulting from hose assembly failure.

The axles used in the trailers in question are stationary. Unlike sliding axles that are used in some trailers, the axles used in these trailers are in a fixed location. Consequently, the possibility that the sliding movement of the axle might result in unintended pull on the hose is remote. * * *

Because the braking system on the trailer is independent of the towing vehicle's braking system, any failure of the hose assembly due to excessive tensile force—unlikely as that may be—will not result in a loss of braking capability of the towing vehicle. Thus, in the unlikely event of separation, the driver would still retain full braking capability of the towing vehicle and would be able to stop the vehicle (although additional stopping distance may be required depending on the type of vehicle being used).

In support of its petition, Coupled Products stated that NHTSA has in other cases, determined that a FMVSS No. 106 noncompliance is inconsequential to safety where, "because of the specific vehicle application involved, the hose assembly

will not be subject to the type of forces specified in the standard." To support this assertion, Coupled Products cited two inconsequential petition grants: General Motors, 57 FR 1511 (January 14, 1992) and Mitsubishi Motors America, 57 FR 45868 (October 5, 1992). The petitioner specifically referred to the statement in these petition grants that the "end use of the hoses was such that they were subject to pressure, not vacuum applications."

NHTSA has reviewed the petition and has determined that the noncompliance is not inconsequential to motor vehicle safety. The two prior inconsequentiality petition grants cited by the petitioner relate to the adhesion requirement for air brake hoses, which addresses the separation of the inner layers of the brake hose. This is distinguishable from the noncompliance in Coupled Products' hoses, which relates to the tensile strength requirement for hydraulic brake hoses, and addresses the separation of the hydraulic brake hose from the end fittings. Therefore, NHTSA's grant of the petitions cited by Coupled Products is not persuasive precedent.

The petitioner states that because of the specific vehicle application involved, (*i.e.*, the hoses are used in specific boat trailer applications of a single trailer manufacturer), the hoses are installed in such a manner as to make it unlikely that the hose assembly would be subject to the type of forces to which the tensile strength test is directed. However, this is also true of many automobile brake hose applications.

In addition, the tensile strength test is a worst case test, subjecting the crimped joint to a separation pull. The purpose of the tensile strength test is to test only the crimped area in a brake hose. A test conducted at an angle to the end fitting centerline, such as conducted by the petitioner, would not measure the strength of the crimped area by itself but also the interaction of the end fitting with the interior wall of the brake hose. This would result in a more lenient test for the crimped area.

The petitioner also asserts that because the braking system on the trailer is independent of the towing vehicle's braking system, a failure of the hose assembly on the trailer would not result in a loss of braking capability of the towing vehicle, and the driver would be able to stop both vehicles. However, in the event that the failure of the hose assembly occurred, the driver of the towing vehicle would be faced with a potentially serious safety situation due to the reduced stopping capability of the vehicle combination. In