

opportunity to inspect the information relevant to the application, including any safety analyses that have been conducted. The Agency must also provide an opportunity for public comment on the request.

The Agency reviews the safety analyses and the public comments, and determines whether granting the exemption would likely achieve a level of safety equivalent to, or greater than, the level that would be achieved by the current regulation (49 CFR 381.305). The decision of the Agency must be published in the **Federal Register** (49 CFR 381.315(b)) with the reason for the grant or denial, and, if granted, the specific person or class of persons receiving the exemption, and the regulatory provision or provisions from which exemption is granted. The notice must also specify the effective period of the exemption (up to 5 years), and explain the terms and conditions of the exemption. The exemption may be renewed (49 CFR 381.300(b)).

Section 5206(a)(3) of the "Fixing America's Surface Transportation Act," (FAST Act) amended 49 U.S.C 31315 by adding a new paragraph (b)(2) to permit exemptions for no longer than five years from their dates of inception, instead of the previous two years. This statutory provision will be codified in 49 CFR part 381 in a forthcoming rulemaking.

III. Request for Exemption

On behalf of Sebastian Boehm, Daimler has applied for a 5-year exemption from 49 CFR 383.23, which prescribes licensing requirements for drivers operating CMVs in interstate or intrastate commerce. Mr. Boehm is unable to obtain a CDL in any of the States due to his lack of residency in the United States. A copy of the application is in Docket No. FMCSA-2012-0032.

The exemption would allow Mr. Boehm to operate CMVs in interstate or intrastate commerce to support Daimler field tests designed to meet future vehicle safety and environmental requirements and to promote technological advancements in vehicle safety systems and emissions reductions. Mr. Boehm needs to drive Daimler vehicles on public roads to better understand "real world" environments in the U.S. market. According to Daimler, Mr. Boehm will typically drive for no more than 6 hours per day, and that 10 percent of the test driving will be on two-lane state highways, while 90 percent will be on interstate highways. The driving will consist of no more than 200 miles per day, for one to two weeks on a quarterly basis. He will in all cases be accompanied by a holder of a U.S. CDL

who is familiar with the routes to be traveled.

Mr. Boehm would be required to comply with all applicable Federal Motor Carrier Safety Regulations (49 CFR parts 350-399) except the CDL provisions described in this notice.

Mr. Boehm holds a valid German commercial license, and as explained by Daimler in its exemption request, the requirements for that license ensure that the same level of safety is met or exceeded as if this driver had a U.S. CDL. Furthermore, according to Daimler, Mr. Boehm is familiar with the operation of CMVs worldwide.

FMCSA has previously determined that the process for obtaining a German commercial license is comparable to, or as effective as, the requirements of part 383, and adequately assesses the driver's ability to operate CMVs in the U.S. Since 2012, FMCSA has granted Daimler drivers similar exemptions [May 25, 2012 (77 FR 31422); July 22, 2014 (79 FR 42626); March 27, 2015 (80 FR 16511); October 5, 2015 (80 FR 60220); December 7, 2015 (80 FR 76059); December 21, 2015 (80 FR 79410)].

Issued on: April 27, 2016.

Larry W. Minor,

Associate Administrator for Policy.

[FR Doc. 2016-10415 Filed 5-3-16; 8:45 am]

BILLING CODE 4910-EX-P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

[Docket No. NHTSA-2014-0058; Notice 1]

Notice of Receipt of Petition for Decision That Nonconforming Model Year 2008 Aston Martin Vantage V8 Passenger Cars Are Eligible for Importation

AGENCY: National Highway Traffic Safety Administration, DOT.

ACTION: Receipt of petition.

SUMMARY: This document announces receipt by the National Highway Traffic Safety Administration (NHTSA) of a petition for a decision that model year (MY) 2008 Aston Martin Vantage V8 passenger cars (PC) that were not originally manufactured to comply with all applicable Federal motor vehicle safety standards (FMVSS), are eligible for importation into the United States because they are substantially similar to vehicles that were originally manufactured for sale in the United States and that were certified by their manufacturer as complying with the

safety standards (the U.S.-certified version of the 2008 Aston Martin Vantage V8 PC) and they are capable of being readily altered to conform to the standards.

DATE: The closing date for comments on the petition is June 3, 2016.

ADDRESSES: Comments should refer to the docket and notice numbers above and be submitted by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the online instructions for submitting comments.

- *Mail:* Docket Management Facility: U.S. Department of Transportation, 1200 New Jersey Avenue SE., West Building Ground Floor, Room W12-140, Washington, DC 20590-0001.

- *Hand Delivery or Courier:* West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., between 9 a.m. and 5 p.m. ET, Monday through Friday, except Federal holidays.

- *Fax:* 202-493-2251.

Instructions: Comments must be written in the English language, and be no greater than 15 pages in length, although there is no limit to the length of necessary attachments to the comments. If comments are submitted in hard copy form, please ensure that two copies are provided. If you wish to receive confirmation that your comments were received, please enclose a stamped, self-addressed postcard with the comments. Note that all comments received will be posted without change to <http://www.regulations.gov>, including any personal information provided. Please see the Privacy Act heading below.

Privacy Act: Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (65 FR 19477-78).

How to Read Comments submitted to the Docket: You may read the comments received by Docket Management at the address and times given above. You may also view the documents from the Internet at <http://www.regulations.gov>. Follow the online instructions for accessing the dockets. The docket ID number and title of this notice are shown at the heading of this document notice. Please note that even after the comment closing date, we will continue to file relevant information in the Docket as it becomes available. Further,

some people may submit late comments. Accordingly, we recommend that you periodically search the Docket for new material.

FOR FURTHER INFORMATION CONTACT: George Stevens, Office of Vehicle Safety Compliance, NHTSA (202-366-5308).

SUPPLEMENTARY INFORMATION:

Background

Under 49 U.S.C. 30141(a)(1)(A), a motor vehicle that was not originally manufactured to conform to all applicable FMVSS shall be refused admission into the United States unless NHTSA has decided that the motor vehicle is substantially similar to a motor vehicle originally manufactured for importation into and sale in the United States, certified under 49 U.S.C. 30115, and of the same model year as the model of the motor vehicle to be compared, and is capable of being readily altered to conform to all applicable FMVSS.

Petitions for eligibility decisions may be submitted by either manufacturers or importers who have registered with NHTSA pursuant to 49 CFR part 592. As specified in 49 CFR 593.7, NHTSA publishes notice in the **Federal Register** of each petition that it receives, and affords interested persons an opportunity to comment on the petition. At the close of the comment period, NHTSA decides, on the basis of the petition and any comments that it has received, whether the vehicle is eligible for importation. The agency then publishes this decision in the **Federal Register**.

U.S. Specs of Harve de Grace, Maryland (Registered Importer R-03-321) has petitioned NHTSA to decide whether nonconforming 2008 Aston Martin Vantage V8 PCs are eligible for importation into the United States. The vehicles which U.S. Specs believes are substantially similar are MY 2008 Aston Martin Vantage V8 PCs sold in the United States and certified by their manufacturer as conforming to all applicable FMVSS.

The petitioner claims that it compared non-U.S. certified MY 2008 Aston Martin Vantage V8 PCs to their U.S.-certified counterparts, and found the vehicles to be substantially similar with respect to compliance with most FMVSS.

U.S. Specs submitted information with its petition intended to demonstrate that non-U.S. certified MY 2008 Aston Martin Vantage V8 PCs, as originally manufactured, conform to many applicable FMVSS in the same manner as their U.S.-certified counterparts, or are capable of being

readily altered to conform to those standards.

Specifically, the petitioner claims that the non U.S.-certified MY 2008 Aston Martin Vantage V8 PCs, as originally manufactured, conform to: Standard Nos. 102 *Transmission Shift Lever Sequence, Starter Interlock, and Transmission Braking Effect*, 103 *Windshield Defrosting and Defogging Systems*, 104 *Windshield Wiping and Washing Systems*, 106 *Brake Hoses*, 109 *New Pneumatic and Certain Specialty Tires*, 113 *Hood Latch System*, 114 *Theft Protection*, 116 *Motor Vehicle Brake Fluids*, 124 *Accelerator Control Systems*, 135 *Light Vehicle Brake Systems*, 201 *Occupant Protection in Interior Impact*, 202a *Head Restraints*, 204 *Steering Control Rearward Displacement*, 205 *Glazing Materials*, 206 *Door Locks and Door Retention Components*, 207 *Seating Systems*, 209 *Seat Belt Assemblies*, 210 *Seat Belt Assembly Anchorages*, 212 *Windshield Mounting*, 214 *Side Impact Protection*, 216 *Roof Crush Resistance*, 219 *Windshield Zone Intrusion*, 302 *Flammability of Interior Materials*, 401 *Interior Trunk Release*.

The petitioner also contends that the subject non-U.S. certified vehicles are capable of being readily altered to meet the following standards, in the manner indicated:

Standard No. 101 *Controls and Displays*: replacement of the original instrument cluster with the U.S. model component and reprogramming the associated software as described in the petition, or modifying the existing instrument cluster such that speed is displayed in miles per hour (MPH) and the brake telltale displays the word "BRAKE" when activated.

Standard No. 108 *Lamps, Reflective Devices and Associated Equipment*: installation of U.S.-conforming front side marker lamps, headlamps, high mounted stop lamp, and rear and side mounted reflex reflectors.

Standard No. 110 *Tire Selection and Rims*: installation of the required tire information placard.

Standard No. 111 *Rearview Mirrors*: inscription of the required warning statement on the face of the passenger mirror, or replacement of the passenger side mirror with the U.S. model component.

Standard No. 118 *Power-Operated Window, Partition and Roof Panel Systems*: rewiring and reprogramming the power-operated window, partition, and roof panel systems if necessary for the vehicle to fully conform to the standard.

Standard No. 138 *Tire Pressure Monitoring Systems*: installation of U.S. model tire pressure sensor, tire valve kit and tire pressure monitor module. The

system must also be reprogrammed with the U.S. model tire pressure loss warning software.

Standard No. 208 *Occupant Crash Protection*: installation of U.S. model software such that the seat belt warning lamp and audio alert function as required by the standard.

In response to NHTSA's letter dated August 7, 2014, requesting additional information, the petitioner provided supplemental information in the form of an email from Aston Martin Lagonda Limited stating that the passenger side seat weight sensor and passenger side seat module (which may need to be individually identified for each vehicle), and fixed height cushion frame are required for the vehicle. In addition, Aston Martin Lagonda Limited stated that two air bag [warning] labels will need to be installed to conform the vehicle to the standard.

Standard No. 225 *Child Restraint Anchorage Systems*: the seat cushion frame must be replaced with the U.S. part in order to meet this standard.

Standard No. 301 *Fuel System Integrity*: in response to NHTSA's letter dated August 7, 2014, requesting additional information, the petitioner provided supplemental information in the form of an email from Aston Martin Lagonda Limited indicating that various components of the vapor recovery system are required.

The petitioner also provided a copy of a letter from Aston Martin Lagonda Limited stating, "Aston Martin will provide the software configuration file to a United States Aston Martin Dealership for U.S. Specs. U.S. Specs will be required to take the vehicle to the dealership for programming. Once the vehicle has been re-programmed and diagnosed that all systems are functioning properly, the dealership will provide U.S. Specs with documentation confirming that all vehicle systems are functioning as a 2008 Aston Martin Vantage V8, United States model."

The petitioner additionally states that a vehicle identification plate must be affixed to the vehicle near the left windshield pillar to meet the requirements of 49 CFR part 565.

All comments received before the close of business on the closing date indicated above will be considered, and will be available for examination in the docket at the above addresses both before and after that date. To the extent possible, comments filed after the closing date will also be considered. Notice of final action on the petition will be published in the **Federal Register** pursuant to the authority indicated below.

Authority: 49 U.S.C. 30141(a)(1)(A), (a)(1)(B), and (b)(1); 49 CFR 593.7; delegation of authority at 49 CFR 1.95 and 501.8.

Jeffrey M. Giuseppe,
Director, Office of Vehicle Safety Compliance.
[FR Doc. 2016-10350 Filed 5-3-16; 8:45 am]
BILLING CODE 4910-59-P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

[Docket No. NHTSA-2015-0082; Notice 1]

Notice of Receipt of Petition for Decision That Nonconforming Model Year 2009 Mercedes-Benz G Class Long Wheelbase (463 Chassis) Multipurpose Passenger Vehicle Are Eligible for Importation

AGENCY: National Highway Traffic Safety Administration (NHTSA), Department of Transportation (DOT).

ACTION: Receipt of petition.

SUMMARY: This document announces receipt by the National Highway Traffic Safety Administration (NHTSA) of a petition for a decision that model year (MY) 2009 Mercedes-Benz G Class Long Wheelbase (LWB) (463 Chassis) multipurpose vehicles (MPVs) that were not originally manufactured to comply with all applicable Federal motor vehicle safety standards (FMVSS), are eligible for importation into the United States because they are substantially similar to vehicles that were originally manufactured for sale in the United States and that were certified by their manufacturer as complying with the safety standards (the U.S.-certified version of the 2009 Mercedes-Benz G Class LWB MPV) and they are capable of being readily altered to conform to the standards.

DATE: The closing date for comments on the petition is June 3, 2016.

ADDRESSES: Comments should refer to the docket and notice numbers above and be submitted by any of the following methods:

- **Federal eRulemaking Portal:** Go to <http://www.regulations.gov>. Follow the online instructions for submitting comments.

- **Mail:** Docket Management Facility: U.S. Department of Transportation, 1200 New Jersey Avenue SE., West Building Ground Floor, Room W12-140, Washington, DC 20590-0001.

- **Hand Delivery or Courier:** West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., between 9 a.m. and 5 p.m. ET, Monday through Friday, except Federal holidays.

- **Fax:** 202-493-2251.

Instructions: Comments must be written in the English language, and be no greater than 15 pages in length, although there is no limit to the length of necessary attachments to the comments. If comments are submitted in hard copy form, please ensure that two copies are provided. If you wish to receive confirmation that your comments were received, please enclose a stamped, self-addressed postcard with the comments. Note that all comments received will be posted without change to <http://www.regulations.gov>, including any personal information provided. Please see the Privacy Act heading below.

Privacy Act: Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (65 FR 19477-78).

How to Read Comments submitted to the Docket: You may read the comments received by Docket Management at the address and times given above. You may also view the documents from the Internet at <http://www.regulations.gov>. Follow the online instructions for accessing the dockets. The docket ID number and title of this notice are shown at the heading of this document notice. Please note that even after the comment closing date, we will continue to file relevant information in the Docket as it becomes available. Further, some people may submit late comments. Accordingly, we recommend that you periodically search the Docket for new material.

FOR FURTHER INFORMATION CONTACT: George Stevens, Office of Vehicle Safety Compliance, NHTSA (202-366-5308).

SUPPLEMENTARY INFORMATION:

Background

Under 49 U.S.C. 30141(a)(1)(A), a motor vehicle that was not originally manufactured to conform to all applicable FMVSS shall be refused admission into the United States unless NHTSA has decided that the motor vehicle is substantially similar to a motor vehicle originally manufactured for importation into and sale in the United States, certified under 49 U.S.C. 30115, and of the same model year as the model of the motor vehicle to be compared, and is capable of being readily altered to conform to all applicable FMVSS.

Petitions for eligibility decisions may be submitted by either manufacturers or importers who have registered with NHTSA pursuant to 49 CFR part 592. As specified in 49 CFR 593.7, NHTSA publishes notice in the **Federal Register** of each petition that it receives, and affords interested persons an opportunity to comment on the petition. At the close of the comment period, NHTSA decides, on the basis of the petition and any comments that it has received, whether the vehicle is eligible for importation. The agency then publishes this decision in the **Federal Register**.

J.K. Technologies LLC (JK) of Baltimore, Maryland (Registered Importer R-90-006) has petitioned NHTSA to decide whether nonconforming 2009 Mercedes-Benz G Class LWB MPVs are eligible for importation into the United States. The vehicles which JK believes are substantially similar are MY 2009 Mercedes-Benz G Class LWB MPVs sold in the United States and certified by their manufacturer as conforming to all applicable FMVSS.

The petitioner claims that it compared non-U.S. certified MY 2009 Mercedes-Benz G Class LWB MPVs to their U.S.-certified counterparts, and found the vehicles to be substantially similar with respect to compliance with most FMVSS.

JK submitted information with its petition intended to demonstrate that non-U.S. certified MY 2009 Mercedes-Benz G Class LWB MPVs, as originally manufactured, conform to many applicable FMVSS in the same manner as their U.S.-certified counterparts, or are capable of being readily altered to conform to those standards.

Specifically, the petitioner claims that the non U.S.-certified MY 2009 Mercedes-Benz G Class LWB MPVs, as originally manufactured, conform to: Standard Nos. 102 *Transmission Shift Lever Sequence, Starter Interlock, and Transmission Braking Effect*, 103 *Windshield Defrosting and Defogging Systems*, 104 *Windshield Wiping and Washing Systems*, 106 *Brake Hoses*, 113 *Hood Latch System*, 116 *Motor Vehicle Brake Fluids*, 118 *Power-Operated Window, Partition, and Roof panel System*, 124 *Accelerator Control Systems*, 135 *Light Vehicle Brake Systems*, 138 *Tire Pressure Monitoring Systems*, 139 *New pneumatic radial tires for light vehicles*, 201 *Occupant Protection in Interior Impact*, 202 *Head Restraints*, 204 *Steering Control Rearward Displacement*, 205 *Glazing Materials*, 206 *Door Locks and Door Retention Components*, 207 *Seating Systems*, 209 *Seat Belt Assemblies*, 210