

601, *et seq.*, do not apply to this rule. Therefore, no new regulatory flexibility analysis is required and none has been prepared.

This action does not contain a collection of information requirement for the purposes of the Paperwork Reduction Act.

**Authority:** 16 U.S.C. 1801 *et seq.*

Dated: January 30, 2018.

**Samuel D. Rauch III,**

Deputy Assistant Administrator for Regulatory Programs, National Marine Fisheries Service.

[FR Doc. 2018-02148 Filed 2-1-18; 8:45 am]

BILLING CODE 3510-22-P

## DEPARTMENT OF COMMERCE

### National Oceanic and Atmospheric Administration

#### 50 CFR Part 660

[Docket No. 160808696-7010-02]

RIN 0648-BH47

#### Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast Groundfish Fishery; 2017-18 Biennial Specifications and Management Measures; Inseason Adjustments

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Final rule; inseason adjustments to biennial groundfish management measures.

**SUMMARY:** This final rule announces inseason changes to management measures in the Pacific Coast groundfish fisheries. This action, which is authorized by the Pacific Coast Groundfish Fishery Management Plan (PCGFMP), is intended to allow fisheries to access more abundant groundfish stocks while protecting overfished and depleted stocks.

**DATES:** This final rule is effective February 2, 2018.

**FOR FURTHER INFORMATION CONTACT:** Karen Palmigiano, phone: 206-526-4491, fax: 206-526-6736, or email: [karen.palmigiano@noaa.gov](mailto:karen.palmigiano@noaa.gov).

#### SUPPLEMENTARY INFORMATION:

##### Electronic Access

This rule is accessible via the internet at the Office of the Federal Register website at <https://www.federalregister.gov>. Background information and documents are available at the Pacific Fishery

Management Council's website at <http://www.pcouncil.org/>.

#### Background

The PCGFMP and its implementing regulations at title 50 in the Code of Federal Regulations (CFR), part 660, subparts C through G, regulate fishing for over 90 species of groundfish off the coasts of Washington, Oregon, and California. Groundfish specifications and management measures are developed by the Pacific Fishery Management Council (Council), and are implemented by NMFS.

The final rule to implement the 2017-18 harvest specifications and management measures for most species of the Pacific coast groundfish fishery was published on February 7, 2017 (82 FR 9634).

The Council, in coordination with Pacific Coast Treaty Indian Tribes and the States of Washington, Oregon, and California, recommended the following changes to current groundfish management measures at its November 13-20, 2017, meeting: (1) Increasing the big skate trip limits for the shorebased individual fishing quota (IFQ) program, (2) decreasing the sablefish trip limits for limited entry fixed gear (LEFG) and open access (OA) daily trip limit (DTL) fisheries north of 36° North Latitude (N lat.), and (3) increasing the lingcod trip limits for the LEFG and OA fisheries north of 40°10' N lat.

#### Big Skate Trip Limits for the Shorebased IFQ Program

At the November 2017 Council meeting, the Council's Groundfish Advisory Subpanel (GAP) recommended higher trip limits for big skate for the shorebased IFQ program in 2018. For 2017-18, the annual catch limit (ACL) was set at 494 metric tons (mt), the fishery harvest guideline (HG) was 437 mt, and the trawl allocation was 414.8 mt, which includes big skate caught by the at-sea fleet. Bi-monthly trip limits for 2017-18 were set at 5,000 pounds (lbs) (January–February), 25,000 lbs (March–April), 30,000 lbs (May–June), 35,000 lbs (July–August), 10,000 lbs (September–October), and 5,000 lbs (November–December).

In November 2017, based on the partial catch data for 2017, the Groundfish Management Team (GMT) estimated that attainment of big skate in the IFQ fishery would be 88 percent for 2018, approximately 365 mt. Given that the projected attainment of big skate was approaching full attainment with status quo trip limits, the GMT modeled modest increases in trip limits for 2018 using the 2016 Groundfish Mortality Report data and 2017 catch data. The

GMT's use of the additional 2017 catch data changed the projected 2018 annual targets relative to the original annual targets that were used to set the 2017-18 big skate trip limits. The two trip limit alternatives modeled by the GMT would result in higher estimated attainments (94 and 98 percent) of big skate than the estimated 88 percent attainment under the status quo trip limits. In order to maximize opportunity for vessels and increase attainment, the Council recommended and NMFS is implementing, by modifying Tables 1 (North and South) to part 660, subpart D, the following trip limits for big skate in the IFQ program: Period 1, 5,000 lbs, Period 2, 30,000 lbs, Period 3, 35,000 lbs, Period 4, 40,000 lbs, Period 5, 15,000 lbs, and Period 6, 5,000 lbs.

These increased trip limits are expected to increase projected attainment of the big skate IFQ allocation to 98 percent in 2018.

#### LEFG and OA Sablefish DTL Fisheries North of 36° N Lat.

Sablefish are distributed coastwide with harvest specifications split north and south of 36° N lat. Trip limits in the LEFG and OA DTL fisheries, for species such as sablefish, are intended to keep attainment of the non-trawl HG within the ACL. The trip limits for sablefish for 2017-18 were established through the final rule for the 2017-18 harvest specifications (82 FR 9634) based on catch data through 2015.

Inseason catch data from 2017 suggested possible under-attainment of the sablefish non-trawl HG. During the September 2017 Council meeting, the GMT made model-based landings projections for the LEFG and OA sablefish DTL fisheries north of 36° N lat. for the remainder of 2017 to assist the Council in evaluating potential increases to sablefish trip limits. These projections used the most recent information available, including inseason catch data from 2017, and showed under-attainment of the 2017 sablefish non-trawl HG. Based on these projections, the LEFG and OA sablefish trip limits were raised through an inseason action on October 19, 2017 (82 FR 48656). The 2017 trip limits established through the September inseason action for LEFG and OA sablefish remain in place for 2018 until changed.

At the November 2017 Council meeting, the GMT updated the projections for the attainment of the sablefish HG for 2018 with data through October 31, 2017. These projections showed possible attainment of the sablefish allocation between 95.2 and 125.2 percent for the LEFG fishery, and

78.8 and 98.5 percent for the OA fishery. If the current trip limits remain in place there is a projected potential to exceed the sablefish HG, with attainment greater than one hundred percent in the LEFG fishery north of 36° N and close to one hundred percent in the OA north fishery.

To ensure harvest remains below the sablefish ACL, the Council elected to follow a precautionary approach at the outset of 2018, by recommending decreases to sablefish trip limits in LEFG and OA sablefish DTL fisheries north of 36° N lat. for all periods in 2018. This approach of decreasing trip limits initially minimizes the likelihood of dramatic decreases in trip limits or closures for these fisheries later in the season, if the attainment occurs at a rate that is likely to exceed the sector's HG. With a precautionary approach in earlier periods in the year, trip limits may be increased throughout the year if attainment is projected to remain under the ACL. Trip limits for the LEFG sablefish DTL fisheries north of 36° N lat. are designated at Tables 2 (North and South) to part 660, subpart E. Trip limits for the OA sablefish DTL fishery north of 36° N are designated at Tables 3 (North and South) to part 660, subpart F.

The Council initially recommended a change to sablefish trip limits for all periods for the LEFG fishery. However, because NMFS cannot decrease trip limits in the middle of a trip limit period, NMFS is implementing, by modifying Tables 2 (North and South) to part 660, subpart E, trip limit changes for the LEFG sablefish DTL fisheries north of 36° N lat. for periods 2 through 6 only. The trip limit for these periods (2–6) would be: 1,100 lbs per week, not to exceed 3,300 lbs/2 months. Trip limits for LEFG sablefish DTL fisheries north of 36° N lat. for period 1 will remain as status quo.

The Council also recommended a change to sablefish trip limits for all periods for the OA fishery. However, because NMFS cannot decrease trip limits in the middle of a trip limit period, NMFS is implementing, by modifying Tables 3 (North and South) to part 660, subpart F, trip limits for sablefish in the OA sablefish DTL fishery north of 36° N lat. for periods 2 through 6 only. The trip limit for these periods (2–6) would be: 300 lbs/day, or 1 landing per week up to 1,000 lbs, not to exceed 2,000 lbs/2 months. Trip limits for OA sablefish DTL fisheries north of 36° N lat. for period 1 will remain as status quo.

Under these revised, lower limits, the GMT projects attainment in the LEFG between 75.1 and 102 percent, down

from the status quo trip limit attainment between 95.2 and 125.2 percent. OA is predicted to be within 74.2 to 92.7 percent under revised trip limits, down from 78.8 to 98.5 percent under status quo. NMFS and the GMT will continue to monitor attainment of sablefish throughout 2018 and can revise these trip limits through future inseason actions as needed to ensure optimized opportunity is available to harvesters, while maintaining a precautionary approach to remain within the HG.

#### *LEFG and OA Lingcod Fisheries North of 40°10' N Lat.*

Lingcod north of 40°10' N lat. has had low attainment in recent years (approximately 30 percent in the LEFG and OA, or non-trawl, sectors in 2016). Based on 2015 West Coast Groundfish Observer Program (WCGOP) data, current trip limits are resulting in discards of incidentally caught lingcod that would likely be landed under increased trip limits, as only approximately half of sampled regulatory discards (*i.e.*, 1,400 lbs in OA and 300 lbs in LEFG fishery) were due to minimum size limits; the rest are assumed to be due to reaching trip limits. The primary objective of trip limits for lingcod has been to maximize opportunity while staying within the biological confines of overfished species limits, such as yelloweye rockfish.

No lingcod increases in trip limits were proposed during the 2017–18 biennial harvest specifications and management measures because there were on-going concerns about the incidental catch of yelloweye rockfish. However, updates to the nearshore model, including use of newly available 2016 data in the recalculation of discard ratios by the WCGOP and revised discard mortality rates, indicate there is now sufficient yelloweye rockfish for the Council to consider higher lingcod trip limit increases for 2018. The GMT determined that the projected non-trawl yelloweye rockfish impacts associated with the higher lingcod trip limits would be below what was analyzed in the 2017–18 harvest specifications and management measures, predominantly due to the updated discard mortality rates applied in the nearshore model. The GMT projected ranges of potential lingcod and yelloweye impacts from the revised trip limits to account for some inter-annual variability. The projected alternative trip limits would result in 84 to 108 mt of lingcod and 1.9 to 2.2 mt of yelloweye taken. These projected yelloweye impacts are within the nearshore HG shares for Oregon (1.4 mt) and California (0.6 mt), as well as below the non-nearshore HG (0.7 mt). These

impacts will keep the 2018 removals well within the upper range analyzed in the 2015–2016 Biennial Harvest Specifications and Management Measures Final Environmental Impact Statement.

Therefore, the Council recommended and NMFS is implementing, by modifying Table 2 (North) to part 660, subpart E, the following trip limits for lingcod for the LEFG fishery north of 40°10' N latitude: January–April, 600 lbs/2 months; May–October, 1,400 lbs/2 months; November, 700 lbs; and for December, 400 lbs. The Council also recommended and NMFS is implementing, by modifying Table 3 (North) to part 660, subpart F, the following trip limits for lingcod for the OA fishery north of 40°10' N latitude: January–April, 300 lbs per month; May–November, 700 lbs per month; and for December, 300 lbs per month.

These increased trip limits will provide increased fishing opportunity specifically for winter time access, and also will provide a steady flow of fish to markets, while still being conservative regarding yelloweye rockfish impacts.

#### **Classification**

This final rule makes routine inseason adjustments to groundfish fishery management measures, based on the best available information, consistent with the PCGFMP and its implementing regulations.

This action is taken under the authority of 50 CFR 660.60(c) and is exempt from review under Executive Order 12866.

The aggregate data upon which these actions are based are available for public inspection at the Office of the Administrator, West Coast Region, NMFS, during business hours.

NMFS finds good cause to waive prior public notice and comment on the revisions to groundfish management measures under 5 U.S.C. 553(b) because notice and comment would be impracticable and contrary to the public interest. Also, for the same reasons, NMFS finds good cause to waive the 30-day delay in effectiveness pursuant to 5 U.S.C. 553(d)(3), so that this final rule may become effective February 2, 2018. The adjustments to management measures in this document affect commercial fisheries off the coasts of Washington, Oregon and California. No aspect of this action is controversial, and changes of this nature were anticipated in the biennial harvest specifications and management measures established through a notice and comment rulemaking for 2017–18 (82 FR 9634).

Accordingly, for the reasons stated below, NMFS finds good cause to waive prior notice and comment and to waive the delay in effectiveness.

#### *Big Skate Trip Limits for the Shorebased IFQ Program*

At its November 2017 meeting, the Council recommended an increase to shorebased IFQ program big skate trip limits be implemented as quickly as possible to allow harvest of big skate to better attain, but not exceed, the 2018 ACL. There was not sufficient time after that meeting to undergo proposed and final rulemaking before this action needs to be in effect. Affording the time necessary for prior notice and opportunity for public comment would prevent NMFS from managing the IFQ program using the best available science to increase harvesting opportunities without exceeding the ACLs for federally managed species in accordance with the PCGFMP and applicable law. These increases to trip limits must be implemented as quickly as possible in 2018, to allow IFQ program fishermen an opportunity to harvest higher limits for big skate coastwide throughout 2018.

It is in the public interest for fishermen to have an opportunity to harvest big skate, which contributes revenue to the coastal communities of Washington, Oregon, and California. This action, if implemented quickly, is anticipated to allow catch of big skate through the end of the 2018 to approach but not exceed the ACL, and allows harvest as intended by the Council, consistent with the best scientific information available, while providing for a responsible level of increased economic opportunity for participants.

#### *LEFG and OA DTL Sablefish Fisheries North of 36° N Lat.*

At its November 2017 Council meeting, the Council recommended that a decrease to LEFG and OA sablefish

north of 36° N lat. trip limits be implemented as quickly as possible to keep the predicted harvest of sablefish from exceeding the non-trawl HG (and correspondingly the 2018 ACL). NMFS determined that there was not sufficient time after that meeting to undergo proposed and final rulemaking before this action needs to be in effect. Affording the time necessary for prior notice and opportunity for public comment would prevent NMFS from managing the LEFG and OA fixed gear sablefish DTL fishery using the best available science to approach, without exceeding, the ACLs for federally managed species in accordance with the PCGFMP and applicable law. This action, if implemented quickly, is anticipated to allow harvesters to maintain a steady catch of sablefish through the end of the 2018 that will approach but not exceed the ACL, prevent sharp decreases in later season trip limits to maintain catch below the ACL, and allow harvest as intended by the Council, consistent with the best scientific information available.

#### *LEFG and OA Lingcod Fisheries North of 40°10' N Lat.*

At its November 2017 meeting, the Council recommended an increase to LE and OA fixed gear lingcod trip limits north of 40°10'N. lat. be implemented as quickly as possible to allow harvest of lingcod to better attain, but not exceed, the 2018 ACL. There was not sufficient time after that meeting to undergo proposed and final rulemaking before this action needs to be in effect before the start of or as early as possible in the 2018 fishing season. Affording the time necessary for prior notice and opportunity for public comment would prevent NMFS from managing the LE and OA fixed gear fishery using the best available science to increase harvesting opportunities without exceeding the ACLs for federally managed species in accordance with the PCGFMP and

applicable law. These increases to trip limits must be implemented as quickly as possible to allow LE and OA fixed gear fishermen an opportunity to harvest higher limits for lingcod, particularly early in 2018, during the winter months.

It is in the public interest for fishermen to have an opportunity to harvest lingcod, which contributes revenue to the coastal communities of Washington, Oregon, and California. This action, if implemented quickly, is anticipated to allow catch of lingcod through the end of the 2018 to approach but not exceed the ACL, and allows harvest as intended by the Council, consistent with the best scientific information available, while providing for a responsible level of increased economic opportunity for participants.

#### **List of Subjects in 50 CFR Part 660**

Fisheries, Fishing, and Indian Fisheries.

Dated: January 30, 2018.

**Emily H. Menashes,**

*Acting Director, Office of Sustainable Fisheries, National Marine Fisheries Service.*

For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

#### **PART 660—FISHERIES OFF WEST COAST STATES**

■ 1. The authority citation for part 660 continues to read as follows:

**Authority:** 16 U.S.C. 1801 *et seq.*, 16 U.S.C. 773 *et seq.*, and 16 U.S.C. 7001 *et seq.*

■ 2. Table 1 (North) to part 660, subpart D, is revised to read as follows:

**Table 1 (North) to Part 660, Subpart D—Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for Non-IFQ Species and Pacific Whiting North of 40°10" N Lat.**

**BILLING CODE 3510-22-P**

**Table 1 (North) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting North of 40°10' N. Lat.**

This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

01/1/2018

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>						
1	North of 45°46' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>				
2	45°46' N. lat. - 40°10' N. lat.	100 fm line <sup>1/</sup> - modified <sup>2/</sup> 200 fm line <sup>1/</sup>				

Selective flatfish trawl gear is required shoreward of the RCA; all bottom trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope and small footrope trawl gears (except for selective flatfish trawl gear) are prohibited shoreward of the RCA. Midwater trawl gear is permitted for vessels targeting whiting and non-whiting during the days open to the primary whiting season.

**Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 2 (North) and 2 (South) to Part 660, Subpart E.**

See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70 660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).

State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.

3	Minor Nearshore Rockfish & Black rockfish	300 lb/ month					
4	Whiting <sup>3/</sup>	Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See § 660.131 for season and trip limit details. -- After the primary whiting season: CLOSED.					
5	midwater trawl	Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.					
6	large & small footrope gear						
7	Cabezon <sup>4/</sup>						
8	North of 46°16' N. lat.	Unlimited					
9	46°16' N. lat. - 40°10' N. lat.	50 lb/ month					
10	Shortbelly rockfish	Unlimited					
11	Spiny dogfish	60,000 lb/ month					
12	Big skate	5,000 lb/ 2 months	30,000 lb/ 2 months	35,000 lb/ 2 months	40,000 lb/ 2 months	15,000 lb/ 2 months	5,000 lb/ 2 months
13	Longnose skate	Unlimited					
14	Other Fish <sup>4/</sup>	Unlimited					

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ The "modified" fathom lines are modified to exclude certain petrale sole areas from the RCA.

3/ As specified at § 660.131(d), when fishing in the Eureka Area, no more than 10,000 lb of whiting may be taken and retained, possessed, or landed by a vessel that, at any time during the fishing trip, fished in the fishery management area shoreward of 100 fm contour.

4/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

**TABLE 1 (North)**

■ 3. Table 1 (South) to part 660, subpart D, is revised to read as follows:

**Table 1 (South) to Part 660, Subpart D—Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for Non-IFQ Species and Pacific Whiting South of 40°10' N Lat.**

BILLING CODE 3510-22-P

**Table 1 (South) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting South of 40°10' N. Lat.**

<p>This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.</p> <p>Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table</p>						
						01/1/2018
<p><b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b></p>						
1	South of 40°10' N. lat.					100 fm line <sup>1/</sup> - 150 fm line <sup>1/ 2/</sup>
<p>Small footrope trawl gear is required shoreward of the RCA; all trawl gear (large footrope, selective flatfish trawl, midwater trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope trawl gear and midwater trawl gear are prohibited shoreward of the RCA. <b>Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 2 (North) and 2 (South) to Part 660, Subpart E.</b></p>						
<p>See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70 660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p>						
<p>State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.</p>						
2	Longspine thornyhead					
3	South of 34°27' N. lat.					24,000 lb/ 2 months
4	Minor Nearshore Rockfish & Black rockfish					300 lb/ month
5	Whiting					
6	midwater trawl					Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See § 660.131 for season and trip limit details. -- After the primary whiting season: CLOSED.
7	large & small footrope gear					Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.
8	Cabezon					50 lb/ month
9	Shortbelly rockfish					Unlimited
10	Spiny dogfish					60,000 lb/ month
11	Big skate	5,000 lb/ 2 months	30,000 lb/ 2 months	35,000 lb/ 2 months	40,000 lb/ 2 months	15,000 lb/ 2 months
12	Longnose skate					5,000 lb/ 2 months
13	California scorpionfish					Unlimited
14	Other Fish <sup>3/</sup>					Unlimited

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ South of 34°27' N. lat., the RCA is 100 fm line - 150 fm line along the mainland coast; shoreline - 150 fm line around islands.

3/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

**TABLE 1 (South)**

■ 4. Table 2 (North) to part 660, subpart E, is revised to read as follows:

**Table 2 (North) to Part 660, Subpart E—  
Non-Trawl Rockfish Conservation  
Areas and Trip Limits for Limited Entry  
Fixed Gear North of 40°10' N. Lat.**

**Table 2 (North) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table							1/8/2018							
	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC								
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>	shoreline - 100 fm line <sup>1/</sup>													
1 North of 46°16' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>													
2 46°16' N. lat. - 42°00' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>													
3 42°00' N. lat. - 40°10' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>													
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).														
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.														
4 Minor Slope Rockfish <sup>2/</sup> & Darkblotched rockfish	4,000 lb/ 2 months													
5 Pacific ocean perch	1,800 lb/ 2 months													
6 Sablefish	1,125 lb/week, not to exceed 3,375 lb/2 months	1,100 lb/week, not to exceed 3,300 lb/ 2 months												
7 Longspine thornyhead	10,000 lb/ 2 months													
8 Shortspine thornyhead	2,000 lb/ 2 months			2,500 lb/ 2 months										
9														
10 Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish <sup>3/</sup>	5,000 lb/ month													
11	South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs.													
12														
13														
14														
15 Whiting	10,000 lb/ trip													
16 Minor Shelf Rockfish <sup>2/</sup> , Shortbelly, & Widow rockfish	200 lb/ month													
17 Yellowtail rockfish	1,000 lb/ month													
18 Canary rockfish	300 lb/ 2 months													
19 Yelloweye rockfish	CLOSED													
20 Minor Nearshore Rockfish & Black rockfish														
21 North of 42°00' N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue/deacon rockfish <sup>4/</sup>													
22 42°00' N. lat. - 40°10' N. lat.	8,500 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish	7,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish												
23 Lingcod <sup>5/</sup>	600 lb/ 2 months		1,400 lb/ 2 months			700 lb/ month	400 lb/ month							
24 Pacific cod	1,000 lb/ 2 months													
25 Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months										
26 Longnose skate	Unlimited													
27 Other Fish <sup>6/</sup> & Cabezon in Oregon and California	Unlimited													

**T A B L E 2 (N o r t h)**

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
2/ Bocaccio, chilipepper and cowcod are included in the trip limits for Minor Shelf Rockfish and splitnose rockfish is included in the trip limits for Minor Slope Rockfish.
3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
6/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.
<b>To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.</b>

■ 5. Table 2 (South) to part 660, subpart E, is revised to read as follows:

**Table 2 (South) to Part 660, Subpart E—  
Non-Trawl Rockfish Conservation  
Areas and Trip Limits for Limited Entry  
Fixed Gear South of 40°10" N Lat.**

**Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table							1/8/2018										
	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC											
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>																	
1 40°10' N. lat. - 34°27' N. lat.	40 fm line <sup>1/</sup> - 125 fm line <sup>1/</sup>																
2 South of 34°27' N. lat.	75 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> (also applies around islands)																
<b>See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</b>																	
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.																	
3 <b>Minor Slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	40,000 lb/ 2 months, of which no more than 1,375 lb may be blackgill rockfish			40,000 lb/ 2 months, of which no more than 1,600 lb may be blackgill rockfish													
4 <b>Splitnose rockfish</b>	40,000 lb/ 2 months																
5 <b>Sablefish</b>																	
6 40°10' N. lat. - 36°00' N. lat.	1,125 lb/week, not to exceed 3,375 lb/2 months	1,100 lb/week, not to exceed 3,300 lb/ 2 months															
7 South of 36°00' N. lat.	2,000 lb/ week																
8 <b>Longspine thornyhead</b>	10,000 lb/ 2 months																
9 <b>Shortspine thornyhead</b>																	
10 40°10' N. lat. - 34°27' N. lat.	2,000 lb/ 2 months	2,500 lb/ 2 months															
11 South of 34°27' N. lat.	3,000 lb/ 2 months																
12																	
13 <b>Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish<sup>3/</sup></b>	5,000 lb/ month																
14																	
15																	
16																	
17																	
18 <b>Whiting</b>	10,000 lb/ trip																
19 <b>Minor Shelf Rockfish<sup>2/</sup>, Shortbelly rockfish, Widow rockfish (including Chilipepper between 40°10' - 34°27' N. lat.)</b>																	
20 40°10' N. lat. - 34°27' N. lat.	Minor shelf rockfish, shortbelly, widow rockfish, & chilipepper: 2,500 lb/ 2 months, of which no more than 500 lb may be any species other than chilipepper.																
21 South of 34°27' N. lat.	4,000 lb/ 2 months	CLOSED	4,000 lb/ 2 months														
22 <b>Chilipepper</b>																	
23 40°10' N. lat. - 34°27' N. lat.																	
24 South of 34°27' N. lat.	Chilipepper included under minor shelf rockfish, shortbelly and widow rockfish limits -- See above																
25 <b>Canary rockfish</b>	2,000 lb/ 2 months, this opportunity only available seaward of the non-trawl RCA																
26 <b>Yelloweye rockfish</b>	300 lb/ 2 months																
27 <b>Cowcod</b>	CLOSED																
28 <b>Bronzespotted rockfish</b>	CLOSED																
29 <b>Bocaccio</b>																	
30 40°10' N. lat. - 34°27' N. lat.	1,000 lb/ 2 months																
31 South of 34°27' N. lat.	1,500 lb/ 2 months	CLOSED	1,500 lb/ 2 months														
32 <b>Minor Nearshore Rockfish &amp; Black rockfish</b>																	
33 Shallow nearshore	1,200 lb/ 2 months	CLOSED	1,200 lb/ 2 months														
34 Deeper nearshore	1,000 lb/ 2 months	CLOSED	1,000 lb/ 2 months														
35 <b>California Scorpionfish</b>	1,500 lb/ 2 months	CLOSED	1,500 lb/ 2 months														
36 <b>Lingcod<sup>4/</sup></b>	200 lb/ 2 months	CLOSED	800 lb/ 2 months	1,200 lb/ bimonthly	600 lb/ month	300 lb/ month											
37 <b>Pacific cod</b>	1,000 lb/ 2 months																
38 <b>Spiny dogfish</b>	200,000 lb/ 2 months			150,000 lb/ 2 months	100,000 lb/ 2 months												
39 <b>Longnose skate</b>	Unlimited																
40 <b>Other Fish<sup>5/</sup> &amp; Cabezon</b>	Unlimited																

TABLE 2 (South)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
2/ POP is included in the trip limits for Minor Slope Rockfish. Blackgill rockfish have a species specific trip sub-limit within the Minor Slope Rockfish cumulative limit. Yellowtail rockfish are included in the trip limits for Minor Shelf Rockfish. Bronzespotted rockfish have a species specific trip limit.
3/ "Other Flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
4/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.
5/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington. <b>To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.</b>

■ 6. Table 3 (North) to part 660, subpart F, is revised to read as follows:

**Table 3 (North) to Part 660, Subpart F—  
Non-Trawl Rockfish Conservation  
Areas and Trip Limits for Open Access  
Gears North of 40°10" N Lat.**

**Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40° 10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table							01/1/2018							
	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC								
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>														
1 North of 46° 16' N. lat.	shoreline - 100 fm line <sup>1/</sup>													
2 46° 16' N. lat. - 42° 00' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>													
3 42° 00' N. lat. - 40° 10' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>													
<b>See §§660.60, 660.330 and 660.333 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</b>														
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.														
4 <b>Minor Slope Rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	Per trip, no more than 25% of weight of the sablefish landed													
5 <b>Pacific ocean perch</b>	100 lb/ month													
6 <b>Sablefish</b>	300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 2,000 lb/ 2 months													
7 <b>Shortpine thornyheads and longspine thornyheads</b>	CLOSED													
8 <b>Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish<sup>3/</sup></b>	3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs.													
9	South of 42° N. lat., when fishing for "Other Flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.													
10														
11														
12														
13														
14 <b>Whiting</b>	300 lb/ month													
15 <b>Minor Shelf Rockfish<sup>2/</sup>, Shortbelly rockfish, &amp; Widow rockfish</b>	200 lb/ month													
16 <b>Yellowtail rockfish</b>	500 lb/ month													
17 <b>Canary rockfish</b>	150 lb/ 2 months													
18 <b>Yelloweye rockfish</b>	CLOSED													
19 <b>Minor Nearshore Rockfish &amp; Black rockfish</b>														
20	North of 42° 00' N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish												
		8,500 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish												
21	42° 00' N. lat. - 40° 10' N. lat.		7,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish											
22 <b>Lingcod<sup>5/</sup></b>	300 lb/ month		700 lb/ month			300 lb/ month								
23 <b>Pacific cod</b>	1,000 lb/ 2 months													
24 <b>Spiny dogfish</b>	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months										
25 <b>Longnose skate</b>	Unlimited													
26 <b>Other Fish<sup>6/</sup> &amp; Cabezon in Oregon and California</b>	Unlimited													
27 <b>SALMON TROLL</b> (subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish and lingcod, as described below)														
28 North	Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. Salmon trollers may retain and land up to 1 lingcod per 15 Chinook per trip, plus 1 lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. This limit only applies during times when lingcod retention is allowed, and is not "CLOSED." This limit is within the per month limit for lingcod described in the table above, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.													

**TABLE 3 (North)**

Table 3 (North). Continued

29	PINK SHRIMP NON-GROUNDFISH TRAWL (not subject to RCAs)	
30	North	<p><b>Effective April 1 - October 31:</b> Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.</p>
1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.		
2/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for Minor Shelf Rockfish. Splitnose rockfish is included in the trip limits for Minor Slope Rockfish.		
3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.		
4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.		
5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.		
6/ "Other fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.		
To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.		

■ 7. Table 3 (South) to part 660, subpart F, is revised to read as follows:

**Table 3 (South) to Part 660, Subpart F—  
Non-Trawl Rockfish Conservation  
Areas and Trip Limits for Open Access  
Gears South of 40°10' N Lat.**

**Table 3 (South) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40° 10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

01/1/2018

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>							
1	40° 10' N. lat. - 34° 27' N. lat.				40 fm line <sup>1/</sup> - 125 fm line <sup>1/</sup>		
2	South of 34° 27' N. lat.			75 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> (also applies around islands)			
<p>See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p>							
<p>State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.</p>							
3	<b>Minor Slope Rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	10,000 lb/ 2 months, of which no more than 475 lb may be blackgill rockfish		10,000 lb/ 2 months, of which no more than 550 lb may be blackgill rockfish			
4	<b>Splitnose rockfish</b>			200 lb/ month			
5	<b>Sablefish</b>						
6	40° 10' N. lat. - 36° 00' N. lat.		300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 2,000 lb/ 2 months				
7	South of 36° 00' N. lat.	300 lb/ day, or 1 landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months					
8	<b>Shortpine thornyheads and longspine thornyheads</b>						
9	40° 10' N. lat. - 34° 27' N. lat.		CLOSED				
10	South of 34° 27' N. lat.	50 lb/ day, no more than 1,000 lb/ 2 months					
11		3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs.					
12							
13							
14							
15							
16							
17	<b>Whiting</b>		300 lb/ month				
18	<b>Minor Shelf Rockfish<sup>2/</sup>, Shortbelly, Widow rockfish and Chilepepper</b>						
19	40° 10' N. lat. - 34° 27' N. lat.	400 lb/ 2 months 1,500 lb/ 2 months	CLOSED		400 lb/ 2 months 1,500 lb/ 2 months		
20	South of 34° 27' N. lat.						
21	<b>Canary rockfish</b>		150 lb/ 2 months				
22	<b>Yelloweye rockfish</b>		CLOSED				
23	<b>Cowcod</b>		CLOSED				
24	<b>Bronzespotted rockfish</b>		CLOSED				
25	<b>Bocaccio</b>	500 lb/ 2 months	CLOSED		500 lb/ 2 months		
26	<b>Minor Nearshore Rockfish &amp; Black rockfish</b>						
27	Shallow nearshore	1,200 lb/ 2 months	CLOSED		1,200 lb/ 2 months		
28	Deeper nearshore	1,000 lb/ 2 months	CLOSED		1,000 lb/ 2 months		
29	California scorpionfish	1,500 lb/ 2 months	CLOSED		1,500 lb/ 2 months		
30	<b>Lingcod<sup>4/</sup></b>	100 lb/ month	CLOSED	400 lb/ month	600 lb/ month	400 lb/ month	150 lb/ month
31	<b>Pacific cod</b>			1,000 lb/ 2 months			
32	<b>Spiny dogfish</b>	200,000 lb/ 2 months		150,000 lb/ 2 months		100,000 lb/ 2 months	
33	<b>Longnose skate</b>			Unlimited			
34	<b>Other Fish<sup>5/</sup> &amp; Cabezon</b>			Unlimited			

**TABLE 3 (South)**

Table 3 (South). *Continued*

			JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
35	RIDGEBACK PRAWN AND, SOUTH OF 38° 57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRawl							
36	NON-GROUNDFISH TRawl Rockfish Conservation Area (RCA) for CA Halibut, Sea Cucumber & Ridgeback Prawn:							
37	40° 10' N. lat. - 38° 00' N. lat.	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>			100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>		100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>	
38	38° 00' N. lat. - 34° 27' N. lat.				100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>			
37	South of 34° 27' N. lat.		100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> along the mainland coast; shoreline - 150 fm line <sup>1/</sup> around islands					
39		Groundfish: 300 lb/trip. Species-specific limits described in the table above also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57.50' N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry flounder, rock sole, curfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31).						
40	PINK SHRIMP NON-GROUNDFISH TRawl GEAR (not subject to RCAs)							
41	South		Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary rockfish, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of all groundfish species count toward the per day, per trip or other species-specific sublimits described here and the species-specific limits described in the table above do not apply. The amount of groundfish landed may not exceed the amount of pink shrimp landed.					

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

5/ "Other fish" are defined at § 660.11 and includes kelp greenling, leopard shark, and cabezon in Washington.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

TABLE 3 (South) cont'd