VBP: ERM

U. S. DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS Washington 25, D. C.

Revised to April 13, 1948

Letter Circular LC896 (Superseding LC860)

STANDARDS AND SPECIFICATIONS
FOR BUILDING AND CONSTRUCTION MATERIALS,
FIXTURES, SUPPLIES, AND EQUIPMENT

Contents

	0
General information	1
Commercial standards	2
Simplified practice recommendations	
Federal specifications	6
Building codes, construction practice,	
and home maintenance	22
Order blank	23

GENERAL INFORMATION

Commercial Standards, Simplified Fractice Recommendations, Federal Specifications, and Bureau publications for building and construction materials, fixtures, supplies, and equipment are listed herein; and where the price is stated, the publication can be obtained from the Superintendent of Documents, Government Frinting Office, Washington 25, D. C. Fublications marked "Free" may be obtained without charge from the National Bureau of Standards, Washington 25, D. C. Federal Specifications are priced at 5 cents per copy except where otherwise indicated. The prices quoted are for delivery to addresses in the United States and its territories and possessions and in certain foreign countries which extend the franking privilege. In the case of all other countries, one-third the cost of the publication should be added to cover postage. Remittances should be made either by coupons (obtainable from the Superintendent of Documents in sets of 20 for \$1.00 and good until used), or by check or money order payable to the "Superintendent of Documents, Government Printing Office" and sent to him with order.

A complete index of current Federal Specifications may be purchased from the Superintendent of Documents at 35 cents per copy.

Series letters with serial numbers are used to designate Bureau publications:

BH = Building and Housing publication LC = Letter Circular

BMS = Building Materials and Structures M = Miscellaneous Publication Reports

C = Circular

R = Simplified Practice Recommendation

CS = Commercial Standard

COMMERCIAL STANDARDS

<u>Title</u>	Series	Frice
Blinds; venetian; wood-slat	cs 61-37	5¢
Board; structural fiber insulating (third edition)	cs 42-43	5¢
Burners, domestic, (underfeed type) (for) Pennsylvania	119 119	<i>- 1</i>
anthracite (second edition)		5¢
Burners, oil, mechanical-draft, automatic (second edition Calking lead	· · · · · · · · · · · · · · · · · · ·	10¢
Colors and finishes for cast stone	cs 53-35	5¢
Colors for bathroom accessories	cs 63-38	5¢
Colors for kitchen accessories	cs 62-38	5¢
Compressors, air, tank-mounted	cs 126-45	10¢
Convectors, steam and hot water, methods of testing and rating	CS 140-47	10¢
Coolers, drinking water, self-contained, mechanically	05 1 10 11	20ρ
refrigerated	cs 127-45	10¢
Doors; (entrance) factory fitted Douglas fir	cs 91-41	5¢
Doors; standard stock Douglas fir (old growth) (third	cs 73-45	10¢
edition)	cs 120-46	10¢
Enameled ware; cast iron, sanitary	cs 77-40	5¢
Flooring, oak (second edition)	cs 56-41	5¢
Furnaces, forced-air, solid-fuel-burning	CS 109-44	10¢
Furnaces, gas, floor, gravity circulating type Furnaces, oil-burning, floor (equipped with vaporizing	cs 99-42	5¢
pot-type burners)	CS 113-44	10¢
Furnaces, warm-air (equipped with oil-burners,		207
vaporizing pot-type) (second edition)	cs 104-46	10¢
Hardware, builders! (nontemplate) (second edition)	cs 22-40	10¢
Hardware, builders' (template) (second edition) Hardwood, plywood (third edition)	cs 9-33 cs 35-47	10¢ 10¢
Heaters (space): oil burning, flue-connected (equipped	03)	100
with vaporizing-pot-type furnace)	CS 101-43	10¢
Homes; prefabricated (second edition) (mimeographed)	cs 125-47	Free
Lumber, hardwood dimension (second edition) (mimeographed)	cs 60-48	Free
Lumber, tank stock; cedar, cypress and redwood	cs 92 - 41	5¢

Commercial Standards - cont.

<u>Title</u>	Series	Price
Mineral wool; blankets, blocks, insulating cement, and pipe insulation for heated industrial equipment Mineral wool; loose, granulated or felted form, in	CS 117-44	10¢
low-temperature installations	cs 105-43	10¢
(second edition). Paneling, solid hardwood, wall. Pipe, bituminized-fiber; drain and sewer. Pipe; lead. Flumbing fixtures, earthenware (vitreous-glazed). Plumbing fixtures, staple vitreous china (fourth edition) Flywood, Douglas fir (seventh edition). Plywood; hemlock, western. Plywood, hardwood (third edition). Screening, wire; insect. Shingles, wood (fourth edition). Stair treads and risers, hardwood. Tents, cotton fabric, tarpaulins and covers	CS 5-46 CS 74-39 CS 116-44 CS 95-41 CS 111-43 CS 20-47 CS 45-47 CS 122-45 CS 35-47 CS 138-47 CS 31-38 CS 89-40	5¢ 5¢ 5¢ 10¢ 105¢ 155¢
(second edition). Traps and bends; lead. Trim and molding; hardwood interior. Veneers, walnut. Wall paper. Wallboard; fiber, homogeneous.	cs 28-46 cs 96-41 cs 76-39 cs 64-37 cs 16-29 cs 112-43	

While the supply lasts, mimeographed copies of the above Commercial Standards are available without charge from the National Bureau of Standards, Washington 25, D. C.

SIMPLIFIED PRACTICE RECOMMENDATIONS

Title	1	Series	Price
Aggregates, coarse (crushed stone, gravel and slag) Asbestos paper; and asbestos millboard	\mathbb{R}	163-39 19-37 4-36	5¢ 5¢ 5¢
Asphalt roll roofing and asphalt-and-tar-saturated felt products		26-42	5¢ 5¢
solar tanks Boilers, range (non-ferrous) Boilers, steel, heating, horizontal firebox Brick, common, and rough and smooth face brick Brick, paving, vitrified Brick, sand-lime Clay sewer pipe and fittings	R R R R	157-37 7 1-40 38-37	55555555 564 104
Conductors, copper; (for building purposes) (mimeog) Doors, hollow metal single acting swing; frames and trim. Doors, kalamein	R :	, -	Free 5¢ 5¢
rolls	R R	29-42° 9-47	5¢ 10¢
or bronze)	\mathbb{R}		5¢ 5¢ 5¢
Hardware are set forth in Commercial Standard CS22-40) Insulating-board, structural (wood or other vegetable	R	18	5¢
fiber)			5¢ 5¢
accessories	R R		5¢ 5¢ 20¢ 5¢
containers)			5¢ 5¢
air conditioning			10¢ 5¢
fittings. Plumbing fixtures, hospital. Radiators, cast-iron. Refrigerator, ice compartment sizes. Roofing, iron and steel. Roofing ternes. Screen cloth, insect, wire.	R R R R R	106-41 174-47 109-29 78-28 30-42	5¢ 5¢ 5¢ 10¢ 5¢ 5¢

Simplified Fractice Recommendations - continued.

Title	Series	Frice
Shades, cloth, window. Slate, roofing (mimeographed). Slate, structural. Steel, sheet. Tacks, cut; and small cut nails. Tanks, storage, hot water (mimeographed). Tile, asphalt. Tile, building, hollow. Tiles, clay; for floors and walls. Traps, lavatory and sink. Windows, steel, solid section. Simplified practice, its purpose and application	14-28 13-28 28-29 147-28 125-47 12 161-44 121-46	5¢ Free 10¢ 10¢ Free 5¢ 10¢ 5¢
(mimeographed)L(590	Free

Where no price is shown, publications are available in mimeographed form only from the National Bureau of Standards, Washington 25, D. C.

FEDERAL SPECIFICATIONS

List of Building and Construction Materials, Fixtures, Supplies, and Equipment arranged by Commodity Groups

ANIMAL PRODUCTS	Specification Symbol
Cushion; carpet and rug, hair-felt. Felt; hair Glue; animal (for) woodworking Glue; casein-type, water-resistant. Glue; liquid Glue; resin-type (liquid and powder).	C-F-201 C-G-451 C-G-456 C-G-463
CABLE AND WIRE	
Cable, armored (including lead covered types and armored cord); O to 600-volt service	J-C-86 J-C-103. 10¢ J-C-121
service)	
CANVAS-ARTICLES	
Paulins and Covers; duck (Tarpaulins)	K-P-146
CHEMICALS	
Acid; hydrochloric (muriatic), technical-grade	0-c-106 0-f-351 0-f-355 0-f-361 0-f-367 0-f-380 0-f-506
CLEANING AND POLISHING MATERIALS	
Cloth; abrasive, aluminum-oxide. Compound; cleaning, soap-abrasive-type (for painted surfaces) Compound; sweeping. Oil, flocr; mineral. Paper; abrasive, artificial, waterproof.	F-C-565 P-C-591 F-O-361

	Specification
CLEANING AND POLISHING MATERIALS (Cont.)	Symbol
Paper; flint	P-P-111
Paper; garnet	P-P-121
Paper; garnet, waterproof	
Polish; furniture, liquid	
Polish; metal	
Powder; scouring (for) floors	
Powder; scouring (for) highly-polished glass	
Soap-Powder	
Scap; toilet, powdered (for) dispensers	
Soap-Borax-Compound; toilet (for) dispensers	
Wax, floor; sclvent-type liquid (with resins)	
Wax, floor; water-emulsion	
Wax, general-purpose; solvent-type, liquid and paste (for	
	P-W-158
floors, furniture, etc.)	JJJ-W-141
COAL AND PRODUCTS	
Coke; foundry	റ−C−571
	•
COAL-TAR-AND PRODUCTS	
Pitch; coal-tar (for) mineral-surfaced built-up roofing	:
Waterproofing and dampproofing	R-P-381
Tar; (for) joint filler	
Tars; (for use in) road-construction	
talb, (101 abo 11) 10ma construction.	10.1.1.1
COCKING AND HEATING APPARATUS, FURNACES AND OVENS	•
(non-electric)	:
	:
Forges; portable, coal-burning	S-F-571
CORDAGE, TWINE, AND PRODUCTS	
OURDAGE, IWINE, AND PRODUCTS	
Cord, sash; cotton, braided	T-0-571
Mops; cotton	
ELECTRIC-APPARATUS	
Bases; cut-out (for) enclosed-cartridge, open-link, and	
plug-fuses	
Batteries and Cells; dry	
Batteries, storage; ignition, lighting and starting	W-B-131
Blasting-Apparatus (Machines, blasting; galvanometers and	
rheostats for testing blasting circuits and machines)	W-B-411
Boxes and Outlet-fittings, floor; (for) rigid-steel-conduit	(- (
and electric-metallic-tubing (steel)	W-B-616
Cleaners, vacuum; electric, portable	
Clock-Systems; electric	W-C-471
Conduit and Fittings; asbestos-cement (for) electrical	- A C-3
purposesConduit and Fittings: fiber, bituminized	
Conduit and Fittings: ilber, pituminized	₩-C-581

	and a	Specification
	ELECTRIC-APPARATUS (Cont.)	Symbol
	billo Hi Alkino (out.)	5,y 1120 I
	Connectors, wire; pressure, solderless (for electric	
	cable and wire)	W-C-601
	Drills; electric, portable (exclusive of high-frequency types) W-D-661
-	Electrodes; carbon, amorphous	
	(for shore use)	. W-F-101.
	noninterfering-type Fire-Alarm-Systems; electric, manual, coded, shunt	₩-F-391
	noninterfering-type	W-F-396
	Fire-Alarm-Systems; electric, manual, noncoded type	
	Fittings; cable and conduit	
	Flashlights; electric, hand (without batteries)	
	Fuses; cartridge, inclosed, nonrenewable	. W-F-791
	Fuses; cartridge, inclosed, renewable (fusible links not	
	separately inclosed); and Renewable-Links therefor Fuses; cartridge, inclosed, renewable (fusible links	. w-f-803
	separately inclosed)	W-F-805 .
	Fuses; plug, nonrenewable	
	Grinders; bench, electric	
	Grinders; electric, portable	
	Heaters, electric; water, storage, domestic	
	Hot-Plates; electric	
	Irons, soldering; electric	
	Lamps; electric, incandescent, large, tungsten-filament	
	Lamps; electric, incandescent, large, tungsten-filament Lamps; electric, incandescent, miniature, tungsten-filament.	
	Lamps; electric, incandescent, miniature, tungsten-filament.	
	Lamp-Auxiliaries; fluorescent	
	Lamp-Auxiliaries; fluorescent	
	Lampholders (Sockets); medium-screw-shell, general service	
	Lampholders (Sockets); medium-screw-shell, weatherproof	
	Machines, floor-polishing and scrubbing; electric	. w-m-46
	Outlet-Bodies; iron (cast or malleable), cadmium or zinc-	
	coated with covers and accessories (for shore use) Outlet-Boxes; steel, cadmium or zinc-coated, with covers	. w-0-806
	and accessories	. W-0-821
	Panelboards; equipped with automatic-circuit-breakers Panelboards; equipped with fuse-connections or switches	W-P-131
	and fuse-connections	. W-P-146
	Pullers; fuse	. ₩-P-796
	Raceways and Fittings; metallic, surface	. W-R-32
	Raceways and Fittings; metallic, underfloor	. W-R-36
	Raceways and Fittings; nonmetallic, underfloor	
	Ranges; electric, domestic, cabinet-type Receptacles (convenience-outlets); adapters, attachment-	. W-R-101
	plug-caps, cord-connector-bodies, current-taps,	
	motor-base-plugs, and plug-bodies; 250-volts	. ₩-R-151 30¢
	Switches; knife, open-type, front- and rear-connected	
	Switches; snap, miscellaneous	

	Specification
ELECTRIC-APPARATUS (Cont.)	Symbol
Switches; snap, multiple-type and combination-devices, flush-type, with wall-plates	. W-S-896
Units, heating, electric; replacement (for water-heaters, ranges, and hot-plates)	
FURNITURE	
Beds; hospital: Beds; hospital (adjustable spring bottom). Cabinets; filing, insulated, fire-resisting. Cabinets; stationery, storage, and clothing (steel). Cases; transfer, steel. Chairs; bent-wood. Chairs; folding, metal. Chairs; office, wood. Chairs; operating, dental, motorless. Chairs, wheel; invalid. Costumers; wood. Cots; folding, canvás. Cots; folding, hospital, steel. Desks; steel. Desks; wood. Furniture and Cabinets; office, sectional, steel. Furniture and Cabinets; office, sectional, wood. Lockers; clothes, steel. Refrigerators; electric, portable. Safes; burglar-resisting. Safes; insulated. Settees; wood. Shelving; steel, storage. Stands, dictionary. Stools, foot. Stools; wood. Tables; office, steel. Tables; and Typewriter-Stands, wood. Wardrobes, wood.	AA-B-211 AA-C-23 AA-C-31 AA-C-281 AA-C-291 AA-C-311 AA-C-311 AA-C-326 AA-C-346 AA-C-556 AA-C-571 AA-C-581 AA-C-581 AA-D-191 AA-D-201 AA-F-801 AA-F-801 AA-F-801 AA-F-801 AA-S-71 AA-S-81 AA-S-81 AA-S-671 AA-S-671 AA-S-691 AA-T-91 AA-T-101
Motors; alternating-current, fractional-horsepower,	
single-phase and universal	

GLASS AND GLASSWARE	pecification Symbol			
Chimneys and Globes (lamp and lantern); glass	DD-C-311 DD-G-451			
of ultra-violet radiation at wave length 302 millimicrons Glasses, gage; reflex and round, tank (for pressures	DD-G-476			
under 125 pounds)	DD- G -496			
and over)	DD-G-511			
<u>HARDWARE</u>				
Bearings; ball Bearings; roller Bolts, lag; steel (lag-screws). Bolts; Nuts; Studs; and Tap-Rivets (and material for same). Casters; metal-chair. Casters; truck. Casters, wood-chair. Dispensers; soap. Hardware, builders'; locks and lock-trim. Hardware, builders'; shelf and miscellaneous. Hardware, builders'; hinges. Hardware, builders'; door-closers. Hardware and Fittings; (for) lavatory partitions and inclosures. Nails; Spikes; Staples; and Tacks. Padlocks. Pins; cotter, split. Pulleys; eye, single sheave, with attachment for balkan frame, (for) hospitals. Screws, machine; (including screws, set) Screws; wood. Turnbuckles. Wool; steel.	FF-B-171 209 FF-B-186 109 FF-B-561 FF-B-561 FF-C-81 FF-C-86 FF-C-91 FF-D-396 FF-H-106 FF-H-111 109 FF-H-121 FF-H-121 FF-H-136 FF-H-121 FF-H-136 FF-N-101 109 FF-F-386 FF-F-386 FF-F-386 FF-F-5-111 FF-T-791 FF-W-556			
INSTRUMENTS				
Boards; drawing Clocks; pendulum (for) general purposes Clocks; synchronous-motor (for) general purposes Gages; pressure, (for) direct-stem-mounting. Gages; pressure and vacuum (for) air, ammonia, oil, steam, and water. Gages; sheet-metal, twist drill, and wire. Hydrometers; syringe (for lead-acid storage batteries) Instruments; drawing, nickel-silver (first-grade). Triangles; plastic, transparent.	GG-B-546 GG-C-451 GG-C-466 GG-G-66 GG-G-86 GG-H-941 GG-I-531			
T-Squares; plastic, wood, and wood-and-plastic	GG-T-671 GG-T-711			

· · · · · · · · · · · · · · · · · · ·	pecification
INSULATING MATERIALS	Symbol
Brick; fire-clay	нн-в-671
Brick; silica	HB-681
Cement, insulation; thermal, mineral-wool	HH-C-168
Cement; silica	HH-C-176
Clay; fire, ground	HH-C-451
Compound; plumbing-fixture-setting	HH-C-536
Cork; compressed (corkboard) (for thermal insulation)	нн-с-561
Cork; granulated, insulating	HH-C-571
Cork-Composition; gashet and sheet	HH-C-576
Cotton-Fabric; woven, asphalt-saturated	HH-C-581
Cotton-Fabric; woven, coal-tar-saturated	HH-C-591
Felt, asbestos; asphalt-saturated, coated, for built-up	
roofing	HH-F-182
Felt, asbestos; asphalt-saturated, uncoated, for flashings,	The - a com
roofing, and waterproofing	HH-F-185
Felt; asphalt-saturated (for) flashings, roofing, and	7777 77 7 7 7 7
waterproofing Felt; coal-tar-saturated (for) roofing and waterproofing	HH-F-191 HH-F-201
Filler, expansion-joint, preformed; nonextruding-	UH-1-50I
bituminous-fiber-type (for concrete)	HH-F-334
Filler, expansion-joint, preformed; nonextruding and	III-1-77-
resilient-types (for concrete)	HH-F-341
Gaskets; asbestos-copper, corrugated	HH-G-71
Gaskets; asbestos, metallic-cloth	HH-G-76
Gaskets; metallic-encased	HH-G-101
Gaskets; plumbing-fixture-setting	HH-G-116
Gaskets; rubber (natural or synthetic), molded	
sheet, and strip	HH-G-156
Insulation; building, mineral-wool batts, loose-fill	
and granular-fill	HH-I-521
Insulation; cotton batts	HH-I-528
Insulation (glass-fiber); semi-rigid	HH-I-556
Insulation; laminated—asbestos	HH-I-561
Insulation; mineral wool, block and board (for heated surfaces)	HH-I-564
Insulation (vegetable or wcod-fiber); blanket, felt, and loose-fill	HH-I-571
Insulation, vermiculite; block and pipe-covering (molded)	нн-1-578
Magnesia; block, cement, and pipe-covering (molded)	HH-M-61
Millboard; asbestos	HH-M-351
Mineral-Wool, impregnated; blanket, block, and pipe-covering	
(molded), (for low temperatures)	HH-M-371
Mortar; air-setting, refractory, bonding, (wet and dry types)	нн-м-611
Mortar; heat-setting, refractory	нн-м-622
Packing; asbestos, metallic-cloth, sheet and tape	HH-P-31
Packing; asbestos, rod, braided	HH-P-34
Packing; asbestos, rod, high-pressure	HH-I-36
Packing; asbestos, rope and wick	HH-I-41
Packing; asbestos, sheet, compressed	HH-P-46
Packing; asbestos, valve-stem	HH-P-51
Packing; diaphragm	нн-Р-61

	Specification
INSULATING MATERIALS (Cont.)	Symbol
Packing; fabric, condenser-tube	HH-P-71
Packing; fiber, hard, sheet	
Packing; fiber, (animal or plant); sheet (for) lubricating	14,1, 1
and fuel-oil	нн-р-96
Packing; flax, hemp, or cotton	
Packing; hydraulic	
Packing; jute, twisted	HH-P-117
Packing; metallic, flexible	HH-P-126
Packing; metallic, flexible, condenser-tube	HH-F-128
Packing; metallic and nonmetallic, plastic	
Packing; rubber, cloth-insertion	
Packing; semimetallic	
Packing; spiral, gland, low-pressure	HH-P-171
Phenolic-Condensation-Products; laminated (for	
electric purposes)	
Pipe-Covering; cork, molded	HH-F-381
Pipe-Covering; mineral-wool (molded-type and blanket-type	
for heated pipes)	
Refractories; fire-clay, plastic	-
Tape; friction	
Tape; rubber (natural and synthetic), insulating	* ***
Tubing; flexible, nonmetallic	HH-T-791
KNIT GOODS, NETTING, AND WEBBING	= .
Gloves; working, cotton, with-leather-palm	
LEATHER AND LEATHFR-GOODS	
Leather; artificial (upholstery)	
LUMBER	
Lumber and Timber; hardwood	
LUMBER PRODUCTS	:
a Times to control the state of	
Handles; ash (for) tools	NN-H-81
Handles; hickory; striking-tool	NN-H-93
Handles; mop	NN-H-101 -
Handles; wood, miscellaneous (for) tools	NN-H-106
MACHI NERY	
Air Conditioning Thits (man college) all this water	
Air-Conditioning-Units (room-coolers); electric-motor- driven, portable	00: 1 761
Coolers, drinking-water; electric	00-A-361 00-C-566

	Specification
MACHINERY (Cont.)	Symbol
Grinders; bench, hand-power	. 00-H-103
METALS	
Bars; reinforcement, (for) concrete. Bases, metal; (for) plaster and stucco construction Copper; bars, plates, rods, shapes, sheets, and strips Culverts; iron or steel, zinc-coated Iron and Steel; sheet, zinc-coated (galvanized) Lead; calking Lead; sheet Solder; tin-lead Steel; carbon (low-carbon), sheets and strips Steel; carbon (including welding) and rivet; (for) bridges and buildings. Steel, Corrosion-Resisting; plates, sheets, strips, and	. 00-B-101 . 00-C-501 . 00-C-806 . 00-I-716 . 00-L-156 . 00-L-201 . 00-S-571 . 00-S-636
structural-shapes. Terne-Plate (long-ternes). Terne-Plate (roofing-tin). Zinc; plates, sheets, and strips.	. QQ-T-191 QQ-T-201
METAL PRODUCTS	
Cloth; wire, screen. Fencing; chain-link or welded. Fencing; wire (barbed, netting, and woven), black and galvanized. Gratings; steel, floor (except for Naval vessels). Rope; wire. Tile, wall; enameled-iron. Treads; safety, metallic.	RR-F-191 RR-F-221 RR-C-661 RR-R-571 15¢ RR-T-421 RR-T-661
MINERALS AND PRODUCTS (nonmetallic)	
Acoustic-Materials; (for) plastic application	. SS-A-118 . SS-A-281
Asphalt; cut-back (for) road-work	. SS-A-671 . SS-A-674
Asphalt-Primer; (for) roofing and waterproofing. Asphalt; (for use in) road and pavement construction. Brick; building, (common), clay. Brick; concrete. Brick; paving. Brick; sand-lime.	SS-A-706SS-B-656SS-B-663SS-B-671

	Specification	on
MINERALS AND PRODUCTS (nonmetallic) (Cont.)	Symbol	
Brick; sewer, clay	SS-B-691 SS-C-153	
sampling, inspection, and testing)	SS-C-158 1 SS-C-161 SS-C-181	15¢
Cements; portland	SS-C-192 SS-C-208	
Compound, jointing; sulfur (for bell-and-spigot cast-iron pipe)	ss-c-608	
Concrete-Units; masonry, hollow	SS-C-621	
binder-course, sheet-asphalt-pavement	ss- c -726	
bituminous-concrete-base or surface-course	SS-C-731	
base or surface-course	ss-c-736	
surface-treatment	SS-C-741	
trickling filter media	SS-C-744	
or wearing-course	SS-C-746 SS-F-336	
Granite-Blocks; recut granite, and durax granite pavements	SS-G-651	
Lime; hydrated (for) structural purposes Lime; hydraulic, hydrated	SS-L-351 SS-L-361	
Materials; (for) cushion course, brick, stone-block, or wood-block pavements (sand, slag, limestone, screenings, etc.)	SS-M-51	•
Mineral-Filler; (for) sheet asphalt or asphaltic concrete pave- ments (portland cement, limestone dust and dolomite dust)	SS-M-351	
Pipe; asbestos-cement	SS-P-351 SS-P-361	
Pipe; concrete, non-pressure, non-reinforced and reinforced. Plaster; gypsum	SS-P-371 SS-P-402	:
Plaster-Board; gypsum	SS-P-431 SS-Q-351	
for sampling and testing)	SS-R-406 3 SS-R-451	30¢
Roofing; asphalt-prepared, smooth-surfaced Roofing; asphalt and asbestos-prepared, mineral-surfaced	SS-R-501 SS-R-511	
Roofing and Shingles; asphalt-prepared, mineral-surfaced Roofing-Slabs; concrete, precast	SS-R-521 SS-R-531	
Sand; (for) cement-mortar-bed; (for) brick, stone-block or wood-block pavements.	SS-S-51	:
Sand; (for) grout-filler, brick and stone-block pavements Sand; (for use in) sheet asphalt of bituminous concrete	SS-S-61 :	,
pavements. Sheathing-Board; gypsum	SS-S-71 SS-S-276 SS-S-284 SS-S-291	
	~~ ~	

	Specification
MINERALS AND PRODUCTS (nonmetallic)(Cont.)	Symbol
Siding; cement—asbestos Slate; roofing Stone; architectural, cast. Stones; sharpening. Tile; asphalt Tile; drain; clay. Tile; partition, gypsum. Tile; structural, clay, floor. Tile; structural, clay, load—bearing—wall. Tile; structural, clay, non—load—bearing. Wall—Board; gypsum	SS-S-451 SS-S-721 SS-S-736 SS-T-306 SS-T-310 SS-T-321 SS-T-321 SS-T-351
PAINTS, PIGMENTS, VARNISHES AND PRODUCTS	;
Aluminum-Pigment; powder and paste (for paint). Blue-Lead; basic-sulphate, dry and paste-in-oil. Bone-Black; dry (paint pigment). Calcimine (cold- and hct-water-types). Carbon-Black; dry (paint pigment). Chrome-Green; pure, dry (paint pigment). Chrome-Yellow and Chrome-Orange; dry (paint pigment). Chromium-Oxide-Green; dry (paint pigment). Compound, calking; plastic (for masonry and other structures) Copper-Phthalocyanine-Blue; dry (paint pigment). Drier; paint, liquid. Enamel; drum-coating, exterior, rust-inhibiting, solvent-resistant. Enamel; interior, gloss, light-tints and white. Enamel; interior, semigloss, tints and white.	TT-B-486 TT-B-600 TT-C-96 TT-C-120 TT-C-235 TT-C-290 TT-C-306 TT-C-598 TT-C-610 TT-D-651 TT-E-485 TT-E-496 TT-E-506 TT-E-508
Enamel; lusterless, olive-drab (Primarily for nonmilitary-use Enamel; pigmented (air-drying and baking), black. Enamel; water-resisting, red. Filler; wood, paste. Indian-Red and Bright-Red; (Iron-Oxide) dry; (paint-pigments). Iron-Blue; dry (paint pigment). Iron-Oxide; black, synthetic, dry (paint pigment).	TT-E-521 TT-E-531 TT-F-336 TT-I-511 TT-I-677
Iron-Oxide; brown, synthetic, dry (paint pigment). Lacquer; spraying, clear and pigmented (general use). Lampblack; dry (paint-pigment). Lithopone; dry (paint-pigment). Magnesium-Silicate; dry (paint-pigment). Metallic-Brown; dry (paint-pigment). Mineral-Red (Iron-Oxide), natural; dry (paint-pigments). Ocher; yellow, dry (paint-pigment). Oil; flatting and mixed (for thinning white-lead paste and	TT-I-702 TT-L-58 TT-L-70 TT-L-426 TT-M-90 TT-M-251 TT-M-381 TT-0-121
similar paste paints) Oil; linseed, boiled (for use in organic coatings) Oil; linseed, raw (for use in organic coatings) Oil; soybean; refined (for use in organic coatings) Oil; tung (china-wood), raw (for use in organic coatings)	TT-0-364 TT-0-369 TT-0-388

									Specification
	PAIN	TS,	PIGMENT	S,	VARNISH	ES AND	PRODUCTS	(Cont.)	Symbol
		_			17 * *		1 1 -	1 .	

Oil; linseed-replacement (for thinning paints and pastes		
in oil)	TT-0-371	
Paint; alkyd resin-emulsion, exterior, paste, tints and white.	TT-P-18	
Paint, blue-lead-base; basic-sulphate, linseed-oil, ready-	Ť.	
mixed	TT-P-20	
Paint; cement-water, powder, white and tints (for interior		
and exterior-use)	TT-P-21	
Paint; cold-water, exterior, powder (with mixing liquid)	TT-P-22	
Paint; cold-water, interior, light-tints and white	TT-P-23	
Paint; concrete and masonry, exterior, eggshell-finish,	11,1 L)	
ready-mixed, white and tints	TT-P-24	
Paint; exterior-primer, ready-mixed, white (under-coat	,11-1-2-	
for wood)	TT-P-25	
Paint; graphite, outside, ready-mixed, black	TT-F-27	
Paints; iron-oxide, ready-mixed and semipaste, red and brown	TT-P-31	
Paint; oil, exterior, ready-mixed, light-tints and white	TT-P-40	
Dainte ail intenion land Clat bear badied (Con	11-P-40	
thinning), light-tints and white (combined sealer		
	TT-P-47	
primer, and finish)	T.T-1-41	
Paints; oil, interior, eggshell-flat-finish, ready-mixed	mm 'r) C1	
and semipaste, light-tints and white	TT-P-51	
Paint; outside, ready-mixed, medium-chrome-yellow	TT-P-53	
Paint; primer-sealer (for) plaster and wallboard	TT-P-56	
Paint; ready-mixed, international-orange	TT-P-59	
Paint; ready-mixed, black	TT-P-61	
Paint; ready-mixed, exterior, chrome-green	TT-P-71	
Paint; ready-mixed, olive-drab	TT-P-81	
Paint, read-lead-base; linseed-oil, ready-mixed	TT-P-86	
Paint; resin-emulsion, interior, paste, tints and white	TTP88	
Paint; rubber-base, (for) cement-floors	TT-P-91	
Paint; traffic, exterior, white and yellow	TT-P-115	
Paint, Varnish, Lacquer, and related materials; general	,	,
specification for sampling and test methods	TT-P-141	20¢
Paint; varnish-base (for concrete and wood floors)	TT-P-146	
Pigments-in-oil; paint colors	TT-P-381	
Primer, paint; synthetic (for ferrous metal and wood surfaces)	TT-P-636	
Primer, paint; zinc dust-zinc oxide (for galvanized		
(zinc-coated) or zinc surfaces)	TT-P-641	
Primer-Surfacer; synthetic, tints and white (for metal and		
wood hospital furniture)	TT-P-659	
Putty and Elastic-Compound; (for) metal-sash-glazing	TT-F-781	
Putty; pure-linseed-oil, (for) wood sash-glazing	TT-P-791	
Red-Lead; dry and paste-in-oil	TT-R-191	
Remover; paint and varnish (organic-solvent-type)	TT-R-251	
Sealer, floor; lacquer-type (for oiled wood floors)	TT-S-171	
Sealer, floor; varnish-type (for wood and cork)	TT-S-176	
Shellac; orange	TT-S-271	
Sienna; burnt and raw, dry (paint-pigment)	TT-S-346	
Stain; opaque, wood, exterior, oil		
Stain; wood, interior, non-bleeding		

	Specification
PAINTS, PIGMENTS, VARNISHES AND PRODUCTS (Cont.)	Symbol Symbol
Thinner; lacquer	. TT-T-266
Thinner; paint, volatile mineral spirits	. TT-T-291
Thinner; synthetic-enamel	. TT→T-306
Titanium-Dioxide; dry (paint-pigment),	• TT-T-425
Toluidine-Red-Toner; dry (paint-pigment)	. TT-T-562
Ul tramarine-blue; dry (paint-pigment)	• TT-U-450
Umber, burnt and raw; dry (paint-pigment)	
Varnish; asphalt	
Varnish: damar	
Varnish; interior	• TT-V-71
Varnish; mixing (for) aluminum-paint	
Varnish, Rubbing; cabinet	
Varnish; shellac	
Varnish; spar, water-resisting	
Varnish; spirit (shellac varnish replacement)	
Venetian-Red; dry (paint-pigment)	
White-Lead; basic-carbonate, dry, paste-in-oil, and	. 11 / 220
semipaste containing volatile-thinner	. TT-W-251
White-Lead: basic-sulphate, dry and paste-in-oil	
Wood-Preservative; anthracene-oil (for) brush, spray,	11-11-201
and open-tank treatment	• TT-₩-531
Wood-Preservative; celcure (acid-cupric-chromate)	
Wood-Preservative; chromated-zinc-chloride	
Wood-Preservative; coal-tar creosote	
Wood-Preservative; coal-tar-creosote (crystal-free), (for)	• 11-4-770
brush, spray, or open-tank treatment	· TT-W-560.
Wood-Preservative; creosete-coal-tar-solution	TT-W-566
Wood-Preservative; creosote-petroleum-solution	
Wood-Preservative: recommended treating practice	
Wood-Preservative; Wolman-salt (Tanalith)	
Wood-Preservative; zinc-coloride	
Wood-Preservative: zinc-meta-arsenite (ZMA)	• TT-W-581
Yellow-Iron-Oxide; hydrated, synthetic, dry (paint-pigment).	
Zinc-Dust (Metallic-Zinc-Powder); dry (paint pigment)	
Zinc-Oxide; dry and paste-in-cil	
Zinc-Oxide; leaded, dry and paste-in-oil	
Zinc-Yellow (Zinc-Chromate); dry (paint-pigment)	
die fortow (dans officially) and (positive production)	• 11 0 (1)
PAPER AND PRODUCTS Paper Imports common waterproofed	·
Paper, kraft; concrete-curing, waterproofed	. UU-P-264
Paper; sheathing, waterproof	. UU-P-536
Wall-Board; composition	. UU-W-101
wall-poard, composition	. 00-4-101
PETROLEUM AND PRODUCTS	A P
• • •	
Kerosene,	. VV-K-211
Lubricant; chain and wire-rope	
Oil; cutting, mineral-fatty-oil-blend	
Oil; cutting, soluble	
,	, , , , , , , , , , , , , , , , , , , ,

	Spe ci ficat	ion
PETROLEUM AND PRODUCTS (Cont.)	Symbol	
Oil; fuel, (for) oil-burners	vv-0-326	
Oil; illuminating, long-time-burning	VV-0-381	
Oil; lubricating, turbine, dynamo, and high-speed steam engine	vv-0-661	
PIPE, PIPE-FTTINGS, PLUMBING-FIXTURES, TUBES, AND TUBING (meta	allic)	
Conduit; steel, flexible	WW-C-566	
Conduit; steel, rigid, enameled	WW-C-571	
Conduit; steel, rigid, zinc-coated	WW-C-581	
Coupling; hose, cotton (rubber-lined) and linen (unlined)	WW-C-621	
Coupling; hose, garden and water	WW-C-623	
Couplings; hose, oil-suction and discharge	WW-C-626	
Couplings; hose, pneumatic and spray (for working		
pressures up to 150 pounds per square inch)	WW-C-631	
Couplings; hose, steam	WW-C-636	
Couplings; hose, water-suction	ww-c-646	
Flange-Dimensions, standard; (classes 125 and 250 cast-iron	WW 0 010	
flanges; classes 150, 250, and 300 bronze-flanges)		
(for land use)	WW-F-406	
Nipples, pipe; brass, steel, and wrought-iron	WW-N-351	
Pipe, Bends and Traps; lead (for) plumbing and	パルーハーフラエ	
	णाचा क उठह	
water-distribution	WW-P-325	
Pipe; brass, seamless, iron-pipe-size, standard and	****** TO 75.3	
extra-strong	WW-P-351	
Pipe, cast-iron; drainage, vent, and waste (threaded)	WW-P-356	
Pipe; copper, seamless, iron-pipe-size, standard	WW-P-377	
Pipe and Pipe-Fittings; soil, cast-iron	WW-P-401	
Pipe; steel and ferrous-alloy (for) bending, flanging,	1, -1,	
etc. (iron-pipe-size)	WW-P-404	
Pipe; steel and ferrous-alloy (for) ordinary uses	1 - 6	
(iron-pipe-size)	WW-P-406	
Pipe; water, cast-iron (bell and spigot, and bolted-joint)	WW-P-421	
Pipe; wrought-iron, welded, black and zinc-coated	WW-P-441	
Pipe-Fittings; bronze (screwed), 125- and 250-pound	WW-P-460	
Pipe-Fittings (brushings, plugs, and locknuts); bronze and	1	
ferrous, (screwed)	WW-P-471	
Pipe-Fittings; cast-iron, drainage	WW-P-491	
Pipe-Fittings; cast-iron (screwed), 125- and 250-pound	WW-P-501	
Pipe-Fittings; malleable-iron (screwed), 150-pound	WW-P-521	
Plumbing-Fixtures; (for) land use	WW-P-541	15¢
Plumbing-Fixtures; (for) land use (Formed-Metal		
Plumbing-Fixtures)	WW-P-542	
Traps; radiator, thermostatic, brass or bronze		
low-pressure, 100 square-foot-size (for land use)	WW-T-696	
Tubes; boiler, charcoal-iron, lapwelded	WW-T-721	
Tubes; boiler, steel	WW-T-731	
Tubes; condenser and ferrule-stock, Admiral ty-metal	WW-T-756	
The state of the s		
-18		

	Specification
PIPE, PIPE-FITTINGS, PLUMBING-FIXTURES, TUBES, AND TUBING (metallic) (Cont.)	Symbol
Tubing, aluminum (AL-2); round, seamless	WW-T-783
manganese); round, seamless Tubing, aluminum-alloy (AL-17) (aluminum-copper, magnesium-	WW-T-785
manganese); round, seamless	WW-T-786
chromium); round, seamless	WW-T-787
seamless Tubing, aluminum-alloy (AL-61) (aluminum-manganese-silicon);	WW- I-7 88
round, seamless	WW-T-789
silicon-chromium); round, seamless	WW-T-790
Tubing; brass, seamless	WW-T-791
Tubing; copper, seamless (for general use with I. P. S.	
flanged-fittings) Tubing; copper, seamless (for use with soldered or flared-	WW-T-797
fittings)	W-I-799
Tubing; electrical, metallic	WW-I-806
Unions; brass or bronze, 250-pounds	WW-U-516
Unions; malleable-iron or steel, 250-pounds	WW-U-531
Unions; malleable-iron or steel, 300-pounds	WW-U-536
screwed and flanged (for land use)	WW-V-51
Valves, bronze, gate; 125- and 150-pound, screwed and	
flanged (for land use)	WW-V-54
flanged (for land use)	₩₩-V-58
cylinders)	WW-V-61
Valves, radiator; air, thermostatic (gravity-steamheating-systems)	₩₩-V-151
RUBBER AND RUBBER-GOODS	
Cushion (underlay); carpet and rug, sponge-rubber	ZZ-C-811
Floor-Covering; rubber, sheet	ZZ-F-461
Hose; fire; cotton, rubber-lined	22-H-451
Hose; gas (acetylene, air, hydrogen, and oxygen)	22-H-461
Hose; water, braided	ZZ-H-601
Hose; water, wrapped	27-H-611
Mats, Floor; rubber, link-type	ZZ-M-46
Matting; rubber	
	25-M-/T
Matting; rubber (for use around electrical apparatus or	
circuits not exceeding 3,000 volts to ground)	Z Z-M-81
Tile, floor, rubber	ZZ-T-301
TEXTILES (yardage)	
Cloth; awming	ccc-c-406
Cloth; shade	ccc-c-521

	Specification
TEXTILE PRODUCTS	Symbol
Mats; cotton (for concrete-curing)	DDD-M-148
Mats, door; fiber	
Shades, window; rollers, slats, cords, and accessories	_
, and the second	222)_
TOOLS	
Ad zes	
Anvils; blacksmiths'	
Awls	
Axes	
Bars; chisel, crow, pinch, and wrecking	
Bits; screw-driver	
Bits; woodboring; and chisels, mortising, hollow	
Braces; ratchet	
Chisels, gouges, and slicks; woodworkers'	
Clamps; and hand-screws	
Coppers (irons); soldering	
Countersinks; steel (carbon and high-speed)	
Cutlery; galley and kitchen	
Cutters, glass; wheel type (for sheet-glass and round-	000 0 110
gage-glass)	GGG-C-751
Cutters; pipe	
Drills; breast	
Drills; hand	GGG-D-671
Frames; hack—saw	
Gages; plug and ring, plain and thread	GGG-G-61
Goggles; eyecup, protective, impact-resisting (chippers', grinders', etc.)	GGG-G-501
Goggles; eyecup, protective (welders!)	
Goggles; rubber-frame	
Hammers, mauls, and sledges	
Hand-saw-sets	GGG-H-101
Hatchets	GGG-H-131
Helmets; babbitting	
Helmets and masks; (for) abrasive-cleaning	
Helmets and shields (hand-held); welders!	
Hoes; garden and mortar	
Hoes; Mattocks; and picks	
Hooks; bush (brush)	
Hooks; grass (sickles)	
Irons; calking, wood	•
Jacks Knives; linoleum, plumbers'-chipping, putty, scraping, and shoe	
Ladles; plumbers!	
Levels and plumbs	GGG-L-51 GGG-L-211
Nail-sets	
Picks; ice	
Pipe-threads; taper (American-National)	
Planes	
Pliers and nippers	GGG-P-471
**	

TOCLS (Cont.)	Specification Symbol
Plumb-bobs. Pots, fire; gasoline and kerosene. Pullers; nail. Punches; bag, center, coopers' coppering, cutting, tinners', and drive-pin. Rakes; hand. Rules. Saws. Scissors and shears. Screw-drivers. Scribers; machinists' Scythes and snaths. Sets-and-headers; rivet, hand. Shears; tinners', bench, and hand (snips). Shovels (scoops, spades, and spoons). Squares; carpenters', die-makers', and machinists' Tapes; measuring, general-use. Torches, blow; hand. Tools; pipe-threading, hand. Trowels; plastering, cement, brick, and pointing. Vises. Wheelbarrows. Wrenches, bolt and nut; adjustable, open-end. Wrenches, bolt and nut; nonadjustable (open-end and box). Wrenches, bolt and nut; socket.	GGG-P-501 GGG-P-596 GGG-P-791 GGG-R-96 GGG-R-791 GGG-S-61 GGG-S-101 GGG-S-121 GGG-S-131 GGG-S-131 GGG-S-246 GGG-S-291 GGG-S-291 GGG-T-576 GGG-T-576 GGG-T-576 GGG-T-581 GGG-T-581 GGG-T-581 GGG-T-671 GGG-T-631 GGG-W-631 GGG-W-636
Wrenches; pipe	
Blinds; venetian, wood-slat Carpet; cork Charcoal Fiber-Board; hard-pressed, structural. Fiber-Board; insulating. Floor-coverings; felt-backed. Insulation (redwood-bark, shredded). Ladders (extension, sectional, and straight); and Ladder-Shoes Ladders; step. Linoleum; battleship. Linoleum; inlaid and molded. Linoleum; plain, jaspe and marbelized. Shades, window; wood-slats. Tile; cork. Turpentine; gum-spirits and wood (steam-distilled	LLL-C-96 LLL-C-251 LLL-F-311 LLL-F-321 LLL-F-471 LLL-I-533 LLL-L-51 LLL-L-61 LLL-L-351 LLL-L-359 LLL-L-367 LLL-S-256 LLL-T-431
and sulphate), (for) paint	LLL-T-791 LLL-T-792

BUILDING CODES

<u>Title</u>	Series	Price
Preparation and revision of <u>building codes</u> (1939) Building code requirements for new <u>dwelling construction</u> (1946) Recommended minimum requirements for <u>plumbing</u> (1932) American standard building code requirements for <u>masonry</u> (1944) <u>Fire-resistance</u> classifications of building construction (1942) American standard building code requirements for minimum	BMS19 BMS107 BH13 M174 BMS92	15¢ 20¢ 75¢ 15¢ 30¢
design loads in buildings and other structures (1945) Design and construction of building exits (1935) List of published material relating to building	M1 79 M1 51	10¢ 10¢
regulation (1947)	L0847	Free
CONSTRUCTION PRACTICE AND HOME MAINTENANCE		
Building materials and structures reports (list) (1948) Building materials and structures reports subject list (1947) Care and repair of the house Leaflet describing BH15 Home heating problems: List of publications and articles (1948) House plan services (list of agencies) (1947) List of publications of interest to the general public (1947) List of published material relating to home building and maintenance (including the more important National Bu-	SL BH15 5(1ft) L0889 L0866 L0849	Free Free Free Free Free
reau of Standards publications on subjects covered)(1948). Publications relating to accident prevention and safety (1948). Publications relating to building codes and construction practice, home building—building material		Free Free
specifications—home maintenance (1948)	c463	Free 75¢ Free
	:	

Publications which are marked "Free" may be obtained from the National Bureau of Standards, Washington 25, D. C.

.

Detach and mail to

Superintendent of Do Government Printing Washington 25, D. C.	Office,		Date	
	(money order	, coupons,	check, or coin)	for the
Series	Publ:	ication		Price

				TOTAL CONTRACTOR OF THE PARTY O
				<i>*</i>
			Total	
Name:				
Address: No	Street:			The Marie of the Company of the Comp
City:	Zone	: State	9:	

